

DESIGNER NOTES

BODY DESIGN IS BASED ON AN EQUIVALENT FLUID UNIT WGT. OF SOIL OF 40 P.C.F., A 1'-6" SURCHARGE AND SUPERSTRUCTURE REACTIONS "P".

WING DESIGN IS BASED ON AN EQUIVALENT FLUID UNIT WGT.OF SOIL OF 35 P.C.F. AND A 2'-O" SURCHARGE. A 5 KIP LATERAL RESISTANCE IS USED FOR EACH WING PILE.

FRONT ROW PILE DESIGN IS BASED ON AN EQUIVALENT FLUID UNIT WGT. OF SOIL OF 40 P.C.F. WITH YOEH = 1.50, AND SUPERSTRUCTURE REACTIONS "P". BACK ROW PILE DESIGN IS BASED ON AN EQUIVALENT FLUID UNIT WEIGHT OF SOIL OF 20 P.C.F. WITH YOEH WAS 9.90, AND "P".

UNIT WEIGHT OF SOIL IS ASSUMED AS 120 P.C.F.

BRIDGE SEATS BETWEEN BEARINGS SHALL SLOPE 1" FROM FRONT FACE OF BACKWALL.

PAY LIMITS FOR EXCAVATION FOR STRUCTURES & GRANULAR BACKFILL IS SHOWN IN CHAPTER 12 OF THE BRIDGE MANUAL.

BARS IN WINGS, ABUTMENT BACKWALL AND PAVING BLOCK SHALL BE EPOXY COATED.

WHEN TYPE "F", "W" OR "M" RAILING IS USED, LOCATE NAME PLATE ON FIRST RIGHT WING TRAVELING UP STATION.

FOR MODULAR EXPANSION JOINTS W/CONC. DIAPH. RUNNING TO EDGE OF DECK: IF SIDEWALL IS USED, FORM SIDEWALL 2" BELOW CONC. DIAPH.

CONC. DIAPH.

= 4 DOWELS (COATED).2'-0" LG. AT 1'-0" CTRS. FROM WING TIP
TO PAVING NOTCH. PLACE IN WING ADJACENT TO SURFACE
DRAIN APRON ONLY.

▲ DIMENSIONS TO BE CONSTANT.

LRFD DESIGN LOADS

LIVE LOAD


LIVE LOAD

BODY = 1'-6" SURCHARGE
WINGS = 2'-0" SURCHARGE
WINGS = 2'-0" SURCHARGE
HORIZ EARTH LOAD BASED ON:
BODY = 40 P.C.F. EDULY. FLUID UNIT WCT. OF SOIL
WINGS = 35 P.C.F. EDULY. FLUID UNIT WCT. OF SOIL
LOAD FACTORS:
LOAD FACT


ABUTMENT A4 PILE FOOTING

STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION STRUCTURES DEVELOPMENT SECTION

Scot Becker



PLAN FOR TYPE A1 ABUTMENT



DESIGNER NOTES

THIS TYPE OF WING MAY BE USED IN LIEU OF WINGS PARALLEL TO ROADWAY IF APPROVED BY THE BUREAU OF STRUCTURES DESIGN SECTION, DO NOT USE FOR STREAM CROSSINGS WHEN HIGH WATER ELEVATION IS ABOVE TOP OF BERM ELEVATION.

*USE 21/2:1FOR THE UNSTABLE CLAYS WHICH ARE SOMETIMES ENCOUNTERED IN NORTHWEST WISC. (SUPERIOR AREA)

() WHEN TIMBER RAILING IS USED AS PER STANDARD 30.24, AND THE SKEW IS > 0°, THIS CONSTRUCTION JOINT SHALL BE MANDATORY. THE WING CONCRETE SHALL BE PLACED ABOVE CONSTR. JT. AFTER THE TIMBER END POSTS ARE IN PLACE.

ALL WING BARS SHALL BE EPOXY COATED.

LRFD DESIGN LOADS (WINGS)

TABLE A

- WT BARS

- A1 BARS W BARS

WING	WING HEIGHT					
LENGTH	8'-6"	10'-0"	11'-6"	13'-0"	BARS	
	5- " 5's	5-#5's	6-=5's	\sim	W	
10'-0"	2-#5's	2-#5's	2-=5's	\sim	WT	
	4-#6's	4-#6's	5-*6's	$\geq <$	A1	
12"-0"	Х	5- " 6's	5- "7 's	6- "7 's	W	
	\times	2- =7 's	2- =7 's	2-#8's	WT	
	X	5-#6's	6-*6's	6-=7's	A1	
16'-0"	X	5-#8's	6-#8's	5-#9's	W	
	X	2-#8's	2- 8 's	2- " 9's	WT	
	X	5-#8's	6- = 8's	7-=8's	A1	
20'-0"	X	> <	8-=8's	8-=9's	W	
20-0	X	${}$	2-=8's	2-=9's	WT	
4	Х	> <	7-#9's	8-#9's	Al	


▲ WING PILE REQUIRED


DETAILS FOR WINGS PARALLEL TO ALABUTMENT CENTERLINE


STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION STRUCTURES DEVELOPMENT SECTION


APPROVED:

Scot Becker











HALF LONGITUDINAL SECTION



PIER CAP OR WALL TYPE PIER

SEE STD. 18-01 FOR COLUMN W/O CAP PIER DETAIL.



TOP TRANSVERSE REINF.FOR RAILINGS/PARAPETS						
SLOPED FACE PARAPETS LF/HF/51F	MAIN BARS RUN FROM EDGE TO EDGE OF SLAB	SHORT BARS PLACED BETWEEN MAIN BARS AT EDGE OF SLAB				
SLAB THICK.≥ 15"	(*5 @ 1'-O")	(#5 @ 1'-0") 4'-9" LONG NO HOOK REO'D, AT END				
13" ≤ SLAB THICK. < 15"	(*5 e 10")	(#5 @ 10") 4'-9" LONG STD. HOOK REO'D. AT END				
STEEL RAILINGS TYPE "M"/"W"	TOP TRANSVERSE REINF, SPECIFIED IN "LONGIT, SECTION" IS ADEQUATE					

<u>Notes</u>

TOP TRANSVERSE BARS IN SLAB SHALL BE SUPPORTED BY INDIVIDUAL BAR CHAIRS AT APPROXIMATELY 3'-0" CENTERS EACH WAY. BOTTOM LONGTUDINAL BARS SHALL BE SUPPORTED BY CONTINUOUS BAR CHAIRS AT APPROXIMATELY 4'-0" CENTERS.

ALL SLAB THICKNESS DIMENSIONS ARE MINIMUM. ANY TOLERANCES NECESSARY TO CORRECT CONSTRUCTION DISCREPANCIES ARE TO BE PLUS (+).

PARAPETS SHOWN ABOVE THE HORIZONTAL CONSTRUCTION JOINT SHALL BE POURED AFTER FALSEWORK HAS BEEN RELEASED EXCEPT FOR STAGE CONSTRUCTION.

CAMBER SPANS AS SHOWN TO PROVIDE FOR DEAD LOAD DEFLECTION & FUTURE CREEP. CAMBER DOES NOT INCLUDE ALLOWANCE FOR FORM SETTLEMENT.

▲ ¾" CONTINUOUS DRIP GROOVE TO END 2'-0" AWAY FROM FACE OF ABUTMENT.

DESIGNER NOTES

ALL BAR SPLICES TO BE BASED ON "CLASS C" TENSION LAP SPLICE.

USE OPTIONAL LONGITUDINAL JOINTS WHEN ROADWAY WIDTH IS

FOR BRIDGES LOCATED IN REMOTE AREAS USE OPTIONAL TRANSVERSE JOINT WHEN POUR EXCEEDS 400 C.Y. PLACE KEYED JOINT NEAR POINT OF DEAD LOAD INFLECTION.

ALL TRANSVERSE BAR STEEL REINFORCEMENT SHALL BE PLACED ON THE SKEW.

FLOOR DRAINS ARE TO BE OMITTED FROM THESE UNITS WHERE POSSIBLE. IF FLOOR DRAINS ARE REO'D. PLACE ONLY AT THE 2/10 & 8/10 PTS. BEND MAIN REBARS PAST DRAINS - DO NOT CUT.


PIER CAP OR WALL TYPE PIERS SHALL BE USED ON MOST STRUCTURES. COLUMN W/O CAP TYPE PIERS (SEE STD. 18.01) MAY BE USED WITH THE APPROVAL OF THE STRUCTURES DESIGN SECTION.


THE MAXIMUM ALLOWABLE SKEW ANGLE OF STRUCTURE SHALL BE 30°.

CONTINUOUS FLAT SLAB


STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
STRUCTURES DEVELOPMENT SECTION

APPROVED: Scot Becker 1-10





STANDARD ARRANGEMENTS TO RAISE CENTER OF GRAVITY TO AVOID DRAPING OF 0.6" STRANDS



ARRANGEMENT AT & SPAN - FOR GIRDERS WITH DRAPED 0.6" STRANDS

36W" GIRDER PRE-TENSION

A = 632 SQ. IN. f; = 270,000 P.S.I.

 $f_s = 0.75 \times 270,000 = 202,500 P.S.I.$ $r^2 = 158.20 \text{ IN.}^2$ for low relaxation strands

y_T = 19.37 IN.

 $y_B = -16.63 \text{ IN.}$

Pi PER 0.6" # STRAND= 0.217 X 202,500 = 43,94 KIPS

I = 99,980 IN.4 $\frac{y_B}{r^2} = \frac{-16.63}{158.20} = -0.10512 \text{ in/in}^2$ $S_{\tau} = 5,162 \text{ IN.}^3$

 $f_B (ini+.) = \frac{A_S f_S}{A} (1 + \frac{e_S y_B}{r^2})$ $S_R = -6.012 \text{ IN.}^3$ WT. = 658 #/FT.


(COMPRESSION IS

				POSITIVE)
	NO. STRANDS	e _s (inches)	P(init.)=A _s f _s (KIPS)	f _B (init.) (K/sq.in.)
Ī	STANDARD	STRAND PATTER	NS FOR UNDRAP	ED STRANDS
Ì	16	-12.13	703	2,531
	18	-11.74	791	2.796
	20	-11.03	879	3.003
	STANDARD	STRAND PATTER	INS FOR DRAPED	STRANDS
	16	-14.38	703	2.794
	18	-13.96	791	3.088
	20	-13.83	879	3,413
	22	-13.72	967	3.737
	24	-13.63	1055	4.061
	26	-13.55	1143	4.385
	28	-13.49	1230	4.706
	30	-13.43	1318	5.030
	32	-13.13	1406	5.295
	34	-12.98	1494	5.589
	36	-12.85	1582	5,885

36W PRESTRESSED GIRDER DESIGN DATA

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
STRUCTURES DEVELOPMENT SECTION

APPROVED: Scot Becker



GIRDER DEPTH

TOP FLANGE

WIDTH

BOTTOM FLANGE WIDTH "BW"* 28" | 36" | 36W" | 45" | 45W" | 54" | 54W" | 70" | 72W" | 82W"

18" 12" 34"

18" | 18" | 30" | 22" | 30" | 26" | 30" | 26" | 30" | 30"

PRESTRESSED GIRDER FLANGE WIDTH TABLE

16"

34" 20" 48" 30" 48" 48"

MIN. "A" DIMENSION IN INCHES FOR A3 AND A4 ABUTMENTS WITH STEEL BEARINGS AS SHOWN ON STD. 27.09.

☑ "A" DIMENSION BASED ON BOTTOM FLANGE CLEARANCE IS CALCULATED USING 6" OFFSET FROM € BRG. TO END OF GIRDER AND 3" MIN, OFFSET BETWEEN FLANGE AND BACKWALL TO ACCOMMODATE EXPANSION. IF CONDITIONS REQUIRE OFFSETS OTHER THAN THESE, THE "A" DIMENSION MUST BE CALCULATED. "A" DIMENSION BASED ON MASONRY PLATE CLEARANCE IS CALCULATED ASSUMING A 10" LONG PLATE. IF LONGER PLATE IS REQUIRED. RECALCULATE "A".

	SKEW ANGLE * 28"		GIRDER DEPTHS								
		28"	36"	36W"	45"	45W"	54"	54W"	70"	72W"	82W"
	0-5	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"
	> 5-15	12"	12"	13"	12"	13"	12.5"	13"	13"	13"	13"
	> 15-25	12.5"	12.5"	15"	13"	15"	14"	15"	15"	15"	15"
	> 25-35	(14")	(14")	(17.5")	(15")	(17.5")	(16.5")	(17.5")	16.5"	(17.5")	(17.5")
	> 35-45	(15.5")	(15.5")	(20")	(17")	(20")	(18.5")	(20")	(18.5")	(20")	(20")
	> 45-55	(17")	(17")	(21.5")	(18.5")	(21.5")	(20")	(21.5")	(20")	(21.5")	(21.5")

VALUES IN PARENTHESIS ARE CONTROLLED BY 2" CLR. CRITERIA AT EDGE OF MASONRY PLATE, VALUES MAY BE ADJUSTED IF MASONRY PLATE IS CLIPPED PER STANDARD 27.02.

DESIGNER NOTES

STANDARD DETAIL DRAWINGS FOR THE 45", 54" AND 70" CAN BE FOUND IN CHAPTER 40, BRIDGE REHABILITATION. THESE GIRDERS HAVE BEEN REPLACED WITH THE 45W",54W" AND 72W" RESPECTIVELY AND ARE NO LONGER USED ON NEW CONSTRUCTION PROJECTS.

BEARING PAD DETAILS FOR PRESTRESSED CONCRETE GIRDERS


STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION STRUCTURES DEVELOPMENT SECTION


APPROVED:___


Scot Becker

___ 1-10

19.31







SEMI-EXPANSION SEAT

EXPANSION END DIAPHRAGM STEEL

DIAPHRAGM LENGTH (ALONG SKEW) I	NO. OF BARS	& BAR SIZE	
(E TO E OF GRDS.)	28"	36"	
≤ 8'-4"	6 - #6	6 - #6	
> 8'-4" < 11'-4"	6 - #8	6 - #7	
> 11"-4" < 14"-9"		6 - *8	

DIAPHRAGM AT STEEL OR ELASTOMERIC BEARINGS

SECTION THRU HAUNCH AT PIER

LEGEND

ANCHOR PLATE

NOTES

☑ THESE DIMENSIONS PARALLEL TO GIRDER

LAP LENGTHS FOR ALL BARS SHALL BE BASED ON A "CLASS C" TENSION LAP SPLICE, EXCEPT HORIZONTAL DIAPHRAGM BARS, IF SPLICED, CAN UTILIZE A "CLASS A" TENSION LAP SPLICE.

* DIMENSION IS TAKEN NORMAL TO € SUBSTRUCTURE UNITS.


SEE STANDARD 19.34 FOR 36W" & 45W" PRESTESSED GIRDERS SLAB AND SUPERSTRUCTURE DETAILS


SEE STANDARD 19.35 FOR 54W", 72W" & 82W" PRESTRESSED GIRDERS SLAB & SUPERSTRUCTURE DETAILS.


28" & 36" PRESTRESSED GIRDERS SLAB & SUPERSTRUCTURE DETAILS


STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION STRUCTURES DEVELOPMENT SECTION

Scot Becker














STEEL GIRDER WITH SEMI-EXPANSION SEAT

NOTES

FOR SKEWED STRUCTURES CAST END OF PRECAST BOX, SLAB, OR TEE ALONG SKEW.


- THE USE OF THIS OPT. CONST. JOINT IS NOT RECOMMENDED FOR SKEWS OVER 15° WHEN LARGE DEADLOAD END ROTATION IS ANTICIPATED.
- ** USE PAVING NOTCH ON ALL S.T.H. & LH. BRIDGES & ON C.T.H. BRIDGES WITH CONCRETE APPROACHES.
- ▲ ¾" × 4" FILLER × LENGTH OF ABUT. PLACE ADDITIONAL FILLER BETWEEN BRG. PAD AND ¾" × 4" FILLER.
- * DIMENSION IS TAKEN NORMAL TO \P SUBSTRUCTURE UNITS.
- I'-6" RUBBERIZED MEMBRANE WATERPROOFING
- SEE STD. 12.01


BRG. DETAILS FOR STEEL GDRS. AND PRECAST UNITS ON AI ABUTMENTS


STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION STRUCTURES DEVELOPMENT SECTION

APPROVED:


Scot Becker







SECTION THRU ELASTOMERIC BEARING



EXPANSION BEARINGS FOR PRESTRESSED CONCRETE GIRDERS

▲ _H	EXP. LENGTH (FEET)	TOTAL BEARING HEIGHT H (INCHES)	TOTAL ELASTOMER THICKNESS (INCHES)	LONGITUDINAL LENGTH OF BEARING L (MIN.)	NO. OF PLATES REO'D.
1"	130	21/2"	2"	8"	4
11/4"	165	31/8"	21/2"	10"	5
11/2"	195	3¾"	3"	1'-0"	6
13/4"	230	43/8"	31/2"	1'-2"	7
2"	260	5"	4"	1'-3"	8
21/4"	295	5%"	41/2"	1'-5"	9

THE VALUES IN THIS TABLE ARE FOR PRELIMINARY DESIGN PURPOSES.

SEE STANDARDS 19.34 & 19.35 FOR CLEARANCE TO F.F. BACKWALL € BRGS VF.F. BKWL © PIFR-- LAMINATED ELASTOMERIC BEARING BIM FLANGE MOTH/ LOTM. FLANCE MOTH/ TOP FLANCE MOTH TOP FLANCE MOTH AT SKEWED PIER AT SKEWED ABUTMENTS DETAIL SHOWN IS FOR A CONTINUOUS DECK AT AN EXPANSION PIER. IF PIER CAP WIDTH BECOMES EXCESSIVE, CONSIDER USING STEEL BEARINGS.

CLEARANCE DIAGRAM

ALL MATERIAL USED FOR BEARINGS SHALL BE PAID FOR AT THE UNIT PRICE BID FOR "BEARING PADS ELASTOMERIC LAMINATED", EACH.

ALL STRUCTURAL STEEL PLATES SHALL BE FLAT ROLLED WITH ALL SURFACES SMOOTH AND FREE FROM WARP AND ALL EDGES SMOOTH, STRAIGHT,

ALL PLATE CUTS SHALL BE MACHINE OR MACHINE FLAME CUTS.

SEE CHAPTER 40 STANDARDS FOR USE OF ELASTOMERIC BEARINGS ON NEW AND REHABILITATED STEEL GIRDER BRIDGES.

ON BEARING REPLACEMENTS, COMPRESSION LOAD AND ADHESION TESTS WILL BE WAIVED WHERE BEARINGS ARE DETAILED TO MEET HEIGHT REQUIREMENTS.

NOTES

AND VERTICAL.


- THE "EXPANSION LENGTH" IN THE TABLE WAS CALCULATED BASED ON THE TOTAL ELASTOMER THICKNESS IN COLUMN (4). IT IS FOUND BY APPLYING LEFD (14,76,34). USING A TEMPERATURE RANGE OF 55" F. A COEFFICIENT OF THERMAL EXPANSION OF 0,000006 FT./FT./*F, AND A CREEP/SHRINKAGE COEFFICIENT OF 0,0003 FT./FT. THE DESIGNER IS TO SELECT PRELIMINARY BEARING DATA FROM THE TABLE BASED ON "EXPANSION LENTH" AND THEN COMPLETE THE DESIGNER STATISFYING ALL CRITERIA IN LEFD SPECIFICATION SECTION 14. (SEE SECTION 27,4 IN "BRIDGE MANUAL" FOR DESIGN EXAMPLE,)
- ▲ L (MIN.) IS BASED ON STABILITY REQUIREMENTS (LRFD 14.7.6.3.6).
- AH = TOTAL HORIZONTAL MOVEMENT OF SUPERSTRUCTURE MEASURED FROM STATE AT WHICH BEARING IS UNDEFORMED.
- CHECK 27.2.1 ELASTOMERIC BEARINGS IN THE BRIDGE MANUAL FOR REQUIREMENTS TO SEE IF THIS PLATE SHOULD BE TAPERED.
- 3" FOR 36W", 45W", 54W", 72W" & 82W" 1" FOR 28" & 36"
- MIN. DISTANCE FROM EDGE OF PIER/ABUT. STEP TO LAMINATED ELASTOMERIC BEARING


ELASTOMERIC BEARINGS FOR PRESTRESSED CONCRETE GIRDERS

STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION STRUCTURES DEVELOPMENT SECTION

APPROVED:

Scot Becker





EXPANSION BEARING

BEARING NOTES

ALL BEARINGS ARE SYMMETRICAL ABOUT € OF GIRDER AND € OF BEARING.

ALL MATERIAL IN BEARINGS, BUT EXCLUDING STAINLESS STEEL PLATE, TEFLON SURFACE, PINTLES, ANCHOR BOLTS, NUTS AND WASHERS SHALL CONFORM TO ASTM A709 GRADE 50W.

STAINLESS STEEL PLATE SHALL CONFORM TO ASTM A240, TYPE 304.

STEEL PINTLES SHALL CONFORM TO ASTM A449 OR MATERIAL OF EQUIVALENT YIELD STRENGTH AND ELONGATION.

ANCHOR BOLTS, NUTS AND WASHERS SHALL CONFORM TO ASTM A709 GRADE 36, OR MATERIAL OF EQUIVALENT YIELD STRENGTH AND ELONGATION.

ALL STRUCTURAL STEEL BEARING PLATES SHALL BE FLAT ROLLED STEEL PLATES WITH ALL SURFACES SMOOTH AND FREE FROM WARP AND ALL EDGES SMOOTH, STRAIGHT, AND VERTICAL

ALL PLATE CUTS SHALL BE MACHINE OR MACHINE FLAME CUTS.

ALL FINISHED SURFACES SHALL BE MACHINE FINISHED BY AN AUTOMATIC PROCESS.

ANCHOR BOLTS SHALL BE THREADED 3". PROVIDE ONE STANDARD WROUGHT WASHER AND ONE HEX NUT PER BOLT. PROJECT ANCHOR BOLTS, MASONRY PLATE "D" THICKNESS + 21/4". ABOYE TOP OF CONCRETA

CHAMFER ANCHOR BOLTS PRIOR TO THREADING.

MASONRY PLATE "D", ROCKER PLATE "C", ANCHOR BOLTS, NUTS AND WASHERS SHALL BE GALVANZED IN ACCORDANCE WITH ASTM AIS, CLASS "C". STEEL PLATE "B" SHALL BE SHOP PAINTED, DO NOT PAINT TEFLON SURFACE.

ALL MATERIAL IN "STEEL BEARINGS FOR PRESTRESSED CONCRETE GIRDERS", INCLUDING BEARING PADS, SHALL BE PAID FOR AT THE UNIT PRICE BID FOR "BEARING ASSEMBLIES EXPANSION B---", EACH.

† DRILLED HOLES FOR ANCHOR BOLTS IN MASONRY PLATE "D" SHALL HAVE A DIAMETER 3/6" LARGER THAN ANCHOR BOLT.

 Δ TEFLON SURFACE, USE UNFILLED WITH MINIMUM $1/_{\rm B}^{\prime\prime}$ THICKNESS, PLACE WITH SCRIVE MARKS IN DIRECTION OF MOVEMENT, BOND STEEL PLATE "9" AND TEFLON WITH ADHESIVE MATERIAL MEETING FEDERAL SPECIFICATION MAMM-A-134, FEP FILM OR EQUAL.

☑ PROVIDE A METHOD FOR HANDLING ROCKER PLATE "C" DURING GALVANIZING.

DESIGNER NOTES

IF ALL BEARINGS AT A GIVEN SUBSTRUCTURE UNIT ARE FIXED, UTILIZE $\frac{1}{2}$ " THICK ELASTOMERIC BEARING PADS AND FULL-DEPTH CONCRETE DIAPHRAGMS.

FOR EXPANSION BEARINGS, USE LAMINATED ELASTOMERIC BEARINGS WHENEVER POSSIBLE.

SEE STANDARD 27.02 AND 19.31 FOR CLEARANCE REQUIREMENTS AND STANDARD 27.02 FOR THE USE OF BEVELED ROCKER PLATE "C" ON GRADES GREATER THAN 3%.

HEIGHT OF BEARING SHOWN IN "EXPANSION BEARING ASSEMBLY" INCLUDES 1/8" BEARING PAD AND 1/4" TEFLON SURFACE.

ADJUST HEIGHT IF BEVELED ROCKER PLATE "C" IS USED.

ANCHOR PLATE LENGTH TO BE DESIGNED. MINIMUM LENGTH IS 10"

CALCULATE THE REACTIONS AT THE BEARINGS DUE TO "TOTAL LOADS" AND ALSO "DEAD LOADS" ONLY, USE THE AASHTO LRFD SERVICE I LOAD COMBINATION AND CHECK TO SEE IF THE REACTIONS EXCEED THE BEARING CAPACITES IN THE TABLE BELOW. CONSIDER ONLY DEAD LOAD OC + DW) AND HL-93 LIVE LOADS (LL), INCLUDING A 33% DYNAMIC LOAD ALLOWANCE (MM).

IF EITHER REACTION EXCEEDS ITS CORRESPONDING BEARING CAPACITY, THE BEARING DETAILS AS SHOWN ON THIS STANDARD MUST BE MODIFIED TO INCREASE THE BEARING CAPACITY, IF BEARING DETAILS ARE CHANGED AND ANY PLATE HAS A THICKNESS GREATER THAN 2", THEN PROVIDE AN ANSI 250 FINISH TO TOP AND BOTTOM SURFACE OF THESE PLATES.

		GIRDER SIZE	28" & 36"	45"	54" & 70"	36W", 45W", 54W", 72W" & 82W"
	BEARING	TOTAL LOAD (DC+DW+(LL+IM))	180	230	280	330
	(KIPS)	DEAD LOAD (DC + DW)	110	140	170	200

STEEL BEARINGS FOR PRESTRESSED CONCRETE GIRDERS

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
STRUCTURES DEVELOPMENT SECTION

APPROVED:___

Scot Becker

