




SECTION THRU APPROACH SLAB



SECTION F-F

MAT MSE WINGWALLS WITH ANCHOR SLABS





SECTIONS A-A THRU G-G ARE FROM STANDARD 12.10

LEGEND

- TO2) STEEL TROWEL TOP SURFACE OF FOOTING AND PLACE MULTIPLE LAYERS (0.03" MIN. TOTAL THK.) OF POLYETHYLENE SHEETS OVER THE ENTIRE TOP OF FOOTING.
- TO3 PLACE MULTIPLE LAYERS (0.03" MIN. TOTAL THK.) OF POLYETHYLENE SHEETS OVER THE ENTIRE TOP OF SUBGRADE BENEATH SLAB.
 - MEASURED NORMAL TO ABUTMENT
- FOLLOW FDM 14-10-15 REQUIREMENTS FOR ROADWAY APPROACH
- ★ SECTION REPRESENTATIVE OF SIMILAR LOCATION AS SHOWN ON STANDARD 12.10 FOR DIFFERENT APPLICATION.
- $\overleftrightarrow{\bowtie}$ THE BID ITEM FOR SS901 AND SS601 BARS SHALL BE STANDARD SPECIAL PROVISION "BAR STEEL REINFORCEMENT HS STAINLESS STRUCTURES".

STRUCTURAL APPROACH SLAB DETAILS 2


STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION STRUCTURES DEVELOPMENT SECTION

APPROVED:


Bill Oliva

LEGEND


- A SEAL ALL EXPOSED HORIZONTAL AND VERTICAL SURFACES OF 1/2"
 FILLER WITH NON-STAINING GRAY NON-BITUMINOUS JOINT SEALER.
 (1" DEEP AND HOLD 1/8" BELOW SURFACE OF CONCRETE).
- * PARTIAL PLAN REPRESENTATIVE OF SIMILAR LOCATION AS SHOWN ON STANDARD 12.10 FOR DIFFERENT APPLICATION.



APPROACH SLAB PARTIAL PLAN (AT WINGWALLS PARALLEL TO BRIDGE - A1 ABUT.)




APPROACH SLAB PARTIAL PLAN * (AT WINGWALLS PARALLEL TO BRIDGE - A3 & A4 ABUT.)



APPROACH SLAB PARTIAL PLAN *

(AT WINGWALLS PARALLEL TO BRIDGE - AT ABUT, AT MSE WINGWALLS)



APPROACH SLAB PARTIAL PLAN *

(AT WINGWALLS PARALLEL TO BRIDGE - A3 &A4 ABUT. AT MSE WINGWALLS)


STRUCTURAL APPROACH SLAB DETAILS 3


STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
STRUCTURES DEVELOPMENT SECTION

PARTIAL PLANS SHOWN HERE ARE FROM STANDARD 12.10

APPROVED: <u>Bill Oliva</u>

STANDARD 12.13





SECTION A-A

*5 BARS (SEE ELEV.

FOR SPACING)

-CONSTRUCTION = =


-(7) - #5 BARS

JOINT

I FNGTH = 3'-2" - X-

*6 BAR USED WITH CIRCULAR COLUMNS (MASONRY ANCHOR)

* FOR RECTANGULAR COLUMN USE STRAIGHT BARS OF THIS LENGTH




BARRIER REINF. IN

*5 BAR BARRIER REINF. BETWEEN COLUMNS

BAR BENDING DIAGRAMS

BAR DIMENSIONS ARE OUT TO OUT OF BAR



MASONRY ANCHOR, TYPE S LAYOUT

DESIGNER NOTES

THE DETAILS SHOWN ON STANDARDS 13.10 AND 13.11 ARE FOR VEHICLE PROTECTION AND ARE USED WITH EXISTING STRUCTURES.

CONSIDER PROVIDING AN ADDITIONAL TRANSITION SECTION ADJACENT TO THE OTHER EXTERIOR PIER COLUMN FOR THE FOLLOWING CONDITIONS:

- TWO-LANE ROAD IS ADJACENT TO BARRIER AND THERE IS A CONCERN FOR TRAFFIC TO CROSS-OVER.
- FUTURE TRAFFIC CONTROL NEEDS MAY CAUSE THE DIRECTION OF TRAFFIC ADJACENT TO BARRIER TO BE REVERSED.
- HAZARDS MAY EXIST IN THIS REGION THAT REQUIRE SHIELDING.

CONTACT THE REGIONAL OFFICE FOR VERIFICATION OF ANY OF THESE CONDITIONS.

THESE DETAILS MEET CRITERIA FOR TEST LEVELS TL-3/TL-4.

FOR VEHICLE PROTECTION, SEE FDM 11-35-1 TO DETERMINE WHEN BEAM GUARD OR CONCRETE BARRIER SHOULD BE PLACED BETWEEN THE TRAFFIC AND THE PIER, OR WHEN AN INTEGRAL BARRIER SHOULD BE USED.

▲ 12" DEPTH OF SELECT CRUSHED MATERIAL-SECTION B-B TRANSITION REGION

\$SHOULDER MATERIAL

CONCRETE FOOTING

51-INCH VERTICAL CONCRETE BARRIER TRANSITION-

(6) - *4 BARS

*5 BARS (SEE ELEV.

BASE AGGREGATE DENSE, 11/4"-

VIEW STD. 30.10 FOR SPACING)

(TOP & BOTTOM)

TOP OF SHOULDER

OR CONCRETE

AGGREGATE ASPHALT

- ▲ 12" SELECT CRUSHED MATERIAL MAY BE ELIMINATED
 IF IT IS DETERMINED BY THE ENGINEER THAT THE
 EXISTING MATERIAL IS COMPACTED, GRANULAR MATERIAL.
- FOR COLUMNS WITH "DIA." OR "L" GREATER THAN 3'-O", INCREASE THIS VALUE SO THAT B.F. OF FOOTING EXTENDS 9" BEYOND B.F. OF COLUMN.

F.F. = FRONT FACE B.F. = BACK FACE


51-INCH VERTICAL CONCRETE BARRIER AND TRANSITION

SEE STANDARD 13.10 FOR ADDITIONAL DETAILS

INTEGRAL BARRIER DETAILS


STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION STRUCTURES DEVELOPMENT SECTION

Bill Oliva



PART TRANSVERSE SECTION AT ABUTMENT TYPE A1 DIAPHRAGM WITH A RAISED SIDEWALK

(HORIZ. BARS SHOWN ARE THE FF BARS. DECK REINFORCEMENT NOT SHOWN FOR CLARITY.)



** 3" X 3" BEVEL ENDS AT EDGE OF BRIDGE DECK


LEVEL

- SEE STANDARDS 19.33, 19.34, 19.35 FOR REINFORCEMENT DETAILS - DETAILS SHOWN ARE FOR GINDER STRUCTURES. SIMIL REINFORCEMENT FOR SLAB STRUCTURES SHALL BE USED WITH A REMINDER THAT THE TRANSVERSE AND LONGITUDINAL REINFORC

6'-0" MIN.

-PARAPET/RAIL REQUIREMENTS SAME AS FOR A BRIDGE WITHOUT A RAISED SIDEWALK


*5 BARS AT 6" CTRS. WITH STANDARD HOOK




CROSS SECTION THRU UNANCHORED MEDIAN


* (ANCHORAGE TO DECK NOT REQUIRED FOR WIDTHS > 3'-0", EXCEPT ALL MEDIAN SECTIONS ON TOP OF PAVING BLOCK MUST BE ANCHORED)

NOTE: LEAN ALL LOOSE MATERIAL ON THE DECK AT THE MEDIAN LOCATION PRIOR TO MEDIAN PLACEMENT USING HIGH PRESSURE WATER OR AIR, ENSURING ALL FREE-STANDING WATER IS REMOVED PRIOR TO MEDIAN PLACEMENT. NEAT CEMENT IS REQUIRED AS PER 503.39.2 OF THE STANDARD SPECIFICATIONS UNLESS THE MEDIAN IS POURED WITHIN 45 DAYS OF COMPLETING THE DECK POUR.



CROSS SECTION THRU MEDIAN WITH A JOINT





₩## BARS @ 1'-6". MAX.

ANCHORED MEDIAN CURB DETAIL

ANCHORED MEDIAN CURB DETAIL

1'-0"

© 1'-6", M∆X.

ELASTOMERIC COMPRESSION SEAL DETAIL

- WARIES BASED ON JOINT MANUFACTURER
- MANUFACTURER SHALL LABEL TOP OF SEAL

SEE STD. 24.11 FOR DECK JOINT DETAIL FOR LONGITUDINAL AND TRANSVERSE JOINTS.

MEDIAN AND RAISED SIDEWALK DETAILS

-EDGE OF MEDIAN

-EDGE OF MEDIAN

−2" R.

MASONRY ANCHORS TYPE S 1/2-INCH. EMBED 5" IN CONCRETE.

-MASONRY ANCHORS TYPE S 1/2-INCH. EMBED 5" IN CONCRETE.

STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION STRUCTURES DEVELOPMENT SECTION

APPROVED: Bill Oliva

FILL WITH NON-STAINING GRAY NON-BITUMINOUS JOINT SEALER -½" PLASTIC OR ZINC PLATE. PROVIDE NECESSARY HOLES FOR UTILITIES **DEFLECTION JOINT DETAIL**

SHOW DEFLECTION JOINT IN PARAPET OR SIDEWALK USING THE FOLLOWING CRITERIA:

- I. GIRDER STRUCTURES AND SLAB STRUCTURES WITH A RAISED SIDEWALK SHOULD HAVE A DEFLECTION JOINT IN THE SIDEWALK AND PARAPET OVER THE PIER. FOR SKEWS GREATER THAN 20, DETAIL THE JOINT NORMAL TO THE SIDEWALK AND PARAPET WITH THE JOINT APPROX. CENTERED OVER ## PIER.
- 2. GIRDER STRUCTURES AND SLAB STRUCTURES WITHOUT SIDEWALKS SHOULD HAVE NO DEFLECTION JOINTS IN THE PARAPETS.

NOTES

WHEN PARAPETS ARE POURED CONTINUOUSLY FROM END TO END, THEY SHALL BE SEPARATED AT THE DEFLECTION JOINTS BY A PIECE OF Y'''' ZINC OR PLASTIC PLATE CUT AS SHOWN IN THE "DEFLECTION JOINT DEFLATE." IF CONSTRUCTION JOINTS IN PARAPETS ARE USED AT THE DEFLECTION JOINTS ON ESIDE OF JOINT SHALL BE COATED WITH AN APPROVED LOUDE BOND BREAKER AND PLATE SPRARATORS MAY BE OMNITED.

- □ CONST. JOINT-STRIKE OFF AS SHOWN AND LEAVE ROUGH. FOR DECK POUR, MATCH BRIDGE X-SLOPE.
- 8" MIN. SIDEWALK THICKNESS ALSO REO'D AT EDGE OF DECK/SLAB.
- ♠ ±0.5% CONSTRUCTION TOLERANCE IN SIDEWALK CROSS SLOPE. THE SIDEWALK CROSS SLOPE SHALL NOT EXCEED 2% WITHOUT PRIOR APPROVAL FROM THE ENGINEER.

DESIGNER NOTES


FOR EXTREME SIDEWALK WIDTHS AND/OR SUPERFLEVATIONS THE DECK MAY BE LEVEL BENEATH THE SIDEWALK (MAINTAIN CONSTANT DECK THICKNESS) TO REDUCE EXCESSIVE SIDEWALK THICKNESS.


#4 BARS AT 9"± CTRS. USE CLASS 'C'LAP — -*4 BARS AT 1'-6". (EXTEND 1'-0" PAST EDGE OF DECK) ~2½" CL. \square SLOPE 1.5% A ď #4 BARS SEE STD 17.02 FOR — 74" V-GROOVE DETAILS AS SHOWN #4 BARS AT 6" CTRS. (WITH 1'-O" LEGS) 2'-0" MAX 5'-0" MIN. − € GIRDER

5'-0" MAX


SECTION THRU SIDEWALK

STANDARD 17.01







WEB PLATE < 48" TYP. IN SPAN & AT PIER



TYP. IN SPAN & AT PIER



WEB PLATE OVER 48" WITH LONGITUDINAL STIFFENERS TYP. IN SPAN & AT PIER



TYP. CURVED GIRDER DIAPHRAGM





TABLE "A"

SIZE	MAX.LENGTH OF MEMBER	WELD LENGTH	NO. OF ¾" Ø BOLTS	WEIGHT PER FT.
L 31/2 X 31/2 X 5/6	21'-6"	9"	4	7.2"
L4 X 4 X 1/6	25'-0"	11"	4	8.2"
L 5 X 5 X %	31'-0''	14"	5	10.3=

TABLE "B"

SIZE	MAX.LENGTH OF MEMBER	WELD SIZE	WELD LENGTH	NO.OF ¾" ¢ BOLTS	WEIGHT PER FT.
L 5 X 5 X 5/6	11'-6"	1/4"	11"	4	10.3*
L 6 X 6 X 3/8	13'-6"	5/16"	13"	6	14.9=
√2" T SECTION SEE DETAIL "A"	17'-6"	5⁄ ₁₆ "	14"	7	16.6"
1/2" T SECTION SEE DETAIL "B"	22'-0"	3/8"	13"	7	18.5*



<u>NOTES</u>

ALL BOLTED CONNECTIONS SHALL BE FRICTION TYPE USING 3/4" + HIGH STRENGTH ASTM A325 BOLTS WITH DOUBLE WASHERS.

DIAPHRAGMS OR LOWER CROSS FRAME MEMBERS ARE SLOPED WHEN DIFFERENCE IN ADJACENT BOTTOM FLANGE ELEVATIONS EXCEEDS 6". HOLD 8" FROM TOP OF ADJACENT FLANGES TO BOTTOM OF DIAPHRAGMS OR LOWER CROSS FRAME WHEN THESE MEMBERS ARE SLOPED.

DIAPHRAGMS OR LOWER CROSS FRAME MEMBERS THAT ARE LEVEL SHALL BE PLACED 4" ABOVE THE TOP OF THE HIGHER BOTTOM FLANGE OF ADJACENT GIRDERS.

HOLES IN CROSS FRAME CONNECTIONS MAY BE OVERSIZED 0 $^{15}\!\!/\!\!_{16}$ " DIA. IN 1PLY.

DESIGNER NOTES

SEE STD. 24.02 FOR CONNECTION BAR CORNER COPE & WELD DETAILS.

FOR SPANS OVER 200'. THE CROSS FRAMES AT THE PIERS SHALL BE DESIGNED TO RESIST THE LATERAL LOADS THAT ARE TRANSFERRED TO THE PIERS.

♦ HORIZONTAL CROSSFRAME MEMBER TO HAVE HORIZONTAL LEG TOP (AS SHOWN) WHEN NO LOWER LATERALS ARE USED. WHEN LOWER LATERALS ARE USED THE HORIZONTAL LEG SHALL BE ON THE BOTTOM, THIS IS TO ALLOW FRAMING INTO THE LOWER LATERAL GUSSET. CURRENT PRACTICE IS TO AVOID THE USE OF LOWER LATERALS, HOWEVER.


PLATE GIRDER DIAPHRAGMS AND CROSS FRAMES

STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION STRUCTURES DEVELOPMENT SECTION


Bill Oliva APPROVED:

7-15

STANDARD 24.03



INTERMEDIATE DIAPHRAGM SIZES



33" W. GIRDER

ALL INTERMEDIATE CONNECTIONS			
GIRDER DEPTH	INTERMEDIATE DIAPHRAGMS		
36"	MC18 X 42.7		
33"	MC18 X 42.7		
30"	C15 X 33.9		
27"	C15 X 33.9		
24"	C12 X 20.7		
21"	C10 X 15.3		
18"	C8 X 11.5		

NOTES

DIAPHRAGMS SHALL BE HORIZONTAL EXCEPT WHEN THE DIFFERENCE IN ADJACENT GIRDER ELEVATIONS IS OF A MAGNITUDE THAT NECESSITATES SLOPING THE DIAPHRAGMS.

WHEN DIAPHRAGMS ARE SLOPED PLACE CENTER OF DIAPHRAGM AT MID-DEPTH OF GIRDER.


ALL BOLTED CONNECTIONS SHALL BE MADE WITH $\sqrt[3]{4}$ ϕ HIGH STRENGTH ASTM A325 BOLTS.

DESIGNER NOTES

SEE STANDARD 24.02 FOR CONNECTION BAR CORNER COPE & WELD DETAILS.

36" W. GIRDER

─ ½" PLATE




VA VA DIAPHRAGM


SECTION A

30" W. GIRDER

24" W. GIRDER



7%" PLATE



21" W. CIRDER

18" W. GIRDER


ROLLED GIRDER DIAPHRAGMS


STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION STRUCTURES DEVELOPMENT SECTION

APPROVED:


Bill Oliva

7-15 STANDARD 24.06






TYPICAL RAIL POST BASE PLATE



ANCHOR PLATE




SECTION B-B


SLEEVE DETAIL

(AT MODULAR EXP. JT.)

NOTE: CONSTRUCT BOTTOM RAIL AND SLEEVE CONNECTION FIRST, THEN MIDDLE RAIL, AND THEN TOP RAIL, TO ALLOW EASE IN PLACEMENT OF BOLT NO. 12.




ANCHORAGE FOR RAIL POSTS



POST SHIM DETAIL (2 SETS PER POST)

RDWY. OPENING OR 21/2" MIN. FOR STRIP SEAL EXP. JOINT AND 1/2" OPENING FOR A1 ABUTMENTS



LEGEND

- 1 BASE PLATE 5%" X 6" X 10" WITH 3/4" X 11/2" SLOTTED HOLES FOR THR'D RODS NO. 3. WELD TO NO. 4 AS SHOWN. SLOTS PARALLEL TO LONG SIDE OF PLATE.
- 2 1/4" X 5" X 9" ANCHOR PLATE (GALVANIZED) WITH 11/6" DIA. HOLES FOR THR'D. RODS
- [3] %" DIA. X 9" LONG, TYPE 316 STAINLESS STEEL THREADED RODS (MIN. TENSILE STRENGTH = 70 KS) WITH NUT AND WASHERS OF SAME ALLOY GROUP. (ALTERNATE RAIL POST ANCHORAGE: 4 GOUIVALENT STAINLESS STEEL CONCRETE MASONRY ANCHORS TYPE S %-INCH. EMBED 7" IN CONCRETE FOR RAIL POSTS.)
- 4 STRUCTURAL TUBING 3" X 3" X 3"_{16} " POSTS, PLACE VERTICAL. WELD TO NO. 1, AND USE 1" DIA. HOLES (FRONT AND BACK) FOR BOLT NO. 6.
- $\stackrel{\textstyle \frown}{\bigcirc}$ STRUCTURAL TUBING 3" X 3" X $\stackrel{\textstyle \times}{\%}$ " RAILS, WITH $^{\parallel}\!\!/_{6}$ " DIA. HOLES (FRONT AND BACK) FOR BOLT NO. 6. BOLT TO NO. 4.
- $\stackrel{\textstyle \leftarrow}{6}$ %" DIA. A325 SLOTTED ROUND HEAD BOLT WITH HEX NUT, $\frac{1}{36}$ " X $\frac{1}{2}$ " X $\frac{1}{2}$ " X $\frac{1}{2}$ " WASHER, AND LOCK WASHER.
- (9) RECTANGULAR SLEEVE FABRICATED FROM %" PLATES. PROVIDE "SLIDING FIT".
- (1) RECTANGULAR SLEEYE FABRICATED FROM %" PLATES. (1'-4" @ FIELD ERECTION JTS.) (1'-4" @ STRIP SEAL EXP. JTS.)
- (1) SLEEVE FABRICATED FROM STRUCTURAL TUBING 21/2" X 21/2" X 3/6" X '- "LONG. SLOTTED HOLES IN TOP AND BOTTOM.
- (12) 1/2" DIA. STAINLESS STEEL BOLT WITH NUT AND LOCKWASHER.

RAILING NOTES

BID ITEM SHALL BE "RAILING STEEL TYPE 3T B-_-_", WHICH SHALL INCLUDE ALL STEEL ITEMS SHOWN.

POST BASE PLATES SHALL BE FLAT WITH ALL SURFACES SMOOTH AND FREE FROM WARP AND ALL EDGES SMOOTH STRAIGHT, AND VERTICAL. ALL PLATE CUTS SHALL BE MACHINE OR MACHINE FLAME CUT.

ENDS OF STRUCTURAL TUBING SHALL BE SAWED.GRIND SMOOTH EXPOSED EDGES. ALL CUT ENDS SHALL BE TRUE AND SMOOTH.

ALL PLATES, AND RECTANGULAR SLEEYES SHALL CONFORM TO ASTM A709 GRADE 36, ALL STRUCTURAL TUBING SHALL CONFORM TO ASTM A500 GRADE B.

ANCHORAGES SHALL BE ACCURATELY PLACED TO PROVIDE CORRECT ALIGNMENT OF RAILING, SET NORMAL TO GRADE.

CUT BOTTOM OF POST TO MAKE POST VERTICAL IN BOTH TRANSVERSE AND LONGITUDINAL DIRECTION.

STEEL SHIMS SHALL BE PROVIDED & USED UNDER BASE PLATE NO.1, WHERE REQUIRED FOR ALIGNMENT, AND SHALL BE GALVANIZED.

CAULK AROUND PERIMETER OF BASE PLATES, NO. 1, AND FILL BOLT SLOT OPENINGS IN SHIMS AND BASE PLATES WITH NON-STAINING GRAY NON-BITUMINOUS JOINT SEALER.

ALL JOINTS IN CONCRETE PARAPET ARE TO BE VERTICAL.

ALL MATERIAL (EXCEPT NO. 3 & 12) SHALL BE GALVANIZED AFTER FABRICATION. PRIOR TO GALVANIZING, THE STEEL RAILING SHALL BE GIVEN A NO. 6 BLAST CLEANING PER SSPC SPECIFICATIONS.

VENT HOLES SHALL BE DRILLED IN POST AND RAIL MEMBERS AS REQUIRED TO FACILITATE GALVANIZING AND DRAINAGE.

RAILING SHALL BE FABRICATED IN LENGTHS THAT INCLUDE 3 OR 4 POSTS.

WHEN PAINTING REO'D: (ADD)

PAINT OVER GALVANIZING (EXCEPT NO. 2) WITH AN APPROVED THE COAT AND TOP COAT AS SPECIFIED IN THE "BRIDGE SPECIAL PROVISIONS". THE RAILING SHALL BE PAINTED FEDERAL COLOR NO. | FILL IN COLOR NAME.

INSIDE OF TUBES TO BE PAINTED AT ALL FIELD ERECTION AND EXPANSION JOINTS. TOUCH-UP PAINTING TO BE DONE AT COMPLETION OF STEEL RAILING INSTALLATION TO THE SATISFACTION OF THE ENGINEER AT NO EXTRA COST.


COMBINATION RAILING TYPE '3T' DETAILS


STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION STRUCTURES DEVELOPMENT SECTION


APPROVED:


Bill Oliva


STANDARD 30.09




















RAILROAD CROSS SECTIONS

RAILROAD IN FILL

DESIGNER NOTES

DIMENSIONS SHOWN APPLY TO CUT OR FILL SITUATIONS.

DECK DRAINS OR DOWN SPOUTS SHALL NOT DISCHARGE ONTO RAILROAD TRACK BED.

SINGLE SLOPE PARAPET SHALL BE USED. PEDESTRIAN RAILING WILL ONLY BE PROVIDED IF THERE IS A SIDEWALK, SEE CHAPTER 38 OF THE BRIDGE MANUAL.

- Δ VERTICAL CLEARANCE LESS THAN 23-0 MAY BE PROVIDED IN SOME SITUATIONS WITH APPROVAL OF THE OFFICE OF THE COMMISSIONER OF RAILROADS. CONSULT WITH CENTRAL OFFICE RAILROAD JUNIT. MAXMUM ALLOWABLE VERTICAL CLEARANCE OF 23'-31/2" IS ALLOWED BY FHWA.
- ** VARIABLE DISTANCE WHICH IS FOUND FROM FIELD SURVEY.
- * SITE SPECIFIC JUSTIFICATION REQUIRED FOR GREATER DISTANCES. LATERAL CLEARANCES SHALL BE ESTABLISHED BASED ON SITE SPECIFIC CONDITIONS AND ECONOMICAL STRUCTURE DESIGN; CONSULT WITH CENTRAL OFFICE RALIROAD UNIT. SEE 23 CODE OF FEDERAL REGULATIONS PT 646, SUBPT. B APPENDIX.
- ▲ FOR OFFSETS UP TO, AND INCLUDING 25'-0", A CRASH WALL OR HAMMERHEAD PIER DESIGNED TO AREMA STANDARDS (30 SO. FT. MIN. X-SECT) IS REQUIRED.
- ▲ ACCOMODATION FOR ADDITIONAL TRACKS REQUIRES DEPARTMENT APPROVAL. CONFER WITH STATEMIDE RAILROAD STRUCTURE AND TRACK ENGINEER IN CENTRAL OFFICE RAILROADS AND HARBORS SECTION AT 1608 266-0233.
- $\pmb{\Delta}$ HORIZONTAL CLEARANCES LESS THAN 18"-0" SHOULD BE REVIEWED WITH THE STATEWIDE RAILROAD AND TRACK ENGINEER IN THE CENTRAL OFFICE RAILROADS AND HARBORS SECTION.


TEMPORARY CONSTRUCTION CLEARANCES ARE 21'-0" VERTICAL (21'-6" FOR BNSF AND UP RAILROADS) AND 12'-0" HORIZONTAL FROM CENTERLINE OF TRACK TO FALSEWORK.

DESIGNER SHALL SHOW HORIZONTAL LOCATION OF SHORING NEEDED IN PLAN VIEW. DESIGNER SHALL ALSO DETERMINE IF THE SHORING IS TO BE DESIGNED FOR ZONE A.


- \$\frac{1}{2} 6'-6" MIN. NOT REO'D IF BEDROCK IS PRESENT.
- THIS STANDARD IS TO MEET WISDOT REQUIREMENTS ONLY. THE DESIGN ENGINEER SHALL CONTACT THE RAILROAD FOR THEIR REQUIREMENTS.
- BNSF AND UP RAILROADS HAVE GREATER REQUIREMENTS THAN SHOWN. CONFER WITH STATEWIDE RAILROAD STRUCTURE AND TRACK ENGINEER IN CENTRAL OFFICE RAILROADS AND HARBORS SECTION.
- BNSF AND UP RAILROAD REQUIRE A DEPTH OF FOOTING 6'-0" MIN. FROM BASE OF RAIL TO TOP OF FOOTING. IN LOCATIONS WHERE BEDROCK IS PRESENT, COORDINATE FOOTING DEPTHS WITH RAILROAD PROJECT COORDINATION ENGINEER.
- $\ensuremath{\Theta}$ limits of railroad right-of-way. Locations shown are for reference only and need not be dimensioned.
- AESTHETICS SHALL NOT BE EMPLOYED ALONG RAILROAD TRACKS.


NOTES


FINAL LOCATION AND TYPE OF SHORING SYSTEM TO BE DETERMINED BY THE CONTRACTOR. THE CONTRACTOR SHALL SUBMIT ALL DESIGN DRAWNINGS AND CALCULATIONS DIRECTLY TO THE RAILROAD. SHORING COVERED BY BID ITEM "SPV.0165 TEMPORARY SHORING RAILROAD".





RAILROAD IN CUT















EXPANSION BEARING REPLACEMENT - STEEL GIRDERS STEEL BEARINGS

SEE STANDARD 27.08 FOR BEARING DETAILS



FRONT ELEVATION

Ш

11

-11


11

EXISTING PRESTRESSED GIRDERS

EXISTING BEVELED ANCHOR PLATE —

REMOVE EXISTING EXPANSION BEARINGS. BURN OFF EXISTING ANCHOR BOLTS FLUSH WITH

CONCRETE BEARING SURFACE &



ALL MATERIAL USED FOR BEARINGS SHALL BE PAID AT THE UNIT PRICE BID FOR "BEARING PADS ELASTOMERIC LAMINATED."

GRIND EXIST. WELD THAT ATTACHED EXIST. TOP PLATE TO EXIST. BOT. FLANGE. GRIND AFFECTED AREAS SMOOTH.

DESIGNER NUTES

THE STEEL TOP PLATE THICKNESS MAY BE REDUCED (I'MIN,) TO MATCH THE OVERALL EXISTING BEARING HEIGHT, WHEN THE THICKNESS IS REDUCED, THE FOLLOWING NOTE SHALL BE LOCATED ON THE PLANS:

"WELDING PROCEDURES SHALL BE ESTABLISHED BY THE CONTRACTOR TO RESTRICT THE MAXIMUM TEMPERATURE REACHED BY SURFACES IN CONTACT WITH ELASTOWER TO 200°F (39°C). TEMPERATURES SHALL BE CONTROLLED BY TEMPERATURE INDICATING WAX PENCILS OR OTHER SUITABLE MEANS APPROVED BY THE ENGINEER."

 Δ CHECK 27.2.1 ELASTOMERIC BEARINGS IN THE BRIDGE MANUAL FOR REQUIREMENTS TO SEE IF THIS PLATE SHOULD BE TAPERED.

TOP STEEL PLATE MAY NOT BE OMITTED.

SEE STANDARD 27.07 FOR ADDITIONAL INFORMATION.

EXPANSION BEARING REPLACEMENT - PRESTRESSED GIRDERS **ELASTOMERIC BEARINGS**

STEEL PLATE (ASTM A709, GRADE 50W OR A588) NO. 6 BLAST. VULCANIZE PLATE TO ELASTOMERIC PAD.

STEEL LAMINATED ELASTOMERIC BEARING (DUROMETER 60 ± 5)






PLATE 'E' DETAILS (SEE STD. 40.10 FOR CONCRETE BLOCK ALTERNATE)





EXPANSION BEARING REPLACEMENT - STEEL GIRDERS **ELASTOMERIC BEARINGS**

NOTES & DESIGNER NOTES


SEE "EXPANSION BEARING REPLACMENT - PRESTRESSED GIRDERS" ON THIS STANDARD.


EXPANSION BEARING REPLACEMENT DETAILS

STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION STRUCTURES DEVELOPMENT SECTION

Bill Oliva

STANDARD 40.08





CROSS SECTION THRU ROADWAY

DESIGNER NOTES

REPAIRS USING CONCRETE REQUIRE A MINIMUM CURE TIME OF 28 DAYS BEFORE PLACING OVERLAY. ALTERNATIVES TO CONCRETE DECK PATCHES MAY BE USED TO SHORTEN TIME REQUIRED FOR PLACING OVERLAY.

DO NOT PROVIDE A PROFILE GRADE LINE ON THE PLANS.

DESIGN DATA

LIVE LOAD:

INVENTORY RATING; HS---OPERATING RATING; HS---MAXIMUM STANDARD PERMIT VEHICLE LOAD = ... KIPS

MATERIAL PROPERTIES:

CONCRETE MASONRY - DECK PATCHING f'c = 4,000 P.S.I.

NOTES

DRAWINGS SHALL NOT BE SCALED.

DIMENSIONS SHOWN ARE BASED ON THE ORIGINAL STRUCTURE PLANS.

DECK SURFACE PREPARATION IS INCLUDED IN THE BID ITEM "POLYMER OVERLAY".

AREAS OF "PREPARATION DECKS TYPE 1" SHALL BE DEFINED BY A SAW CUT.

PREPARATION DECKS TYPE I, PREPARATION DECKS TYPE 2, AND FULL-DEPTH DECK REPAIR AREAS ARE BASED ON THE PLANS AND AS DETERMINED BY THE ENDIRER, DECK PREPARATION AND FULL-DEPTH DECK REPAIRS SHALL BE FILLED WITH "CONCRETE MASONRY DECK PATICHING".


TOTAL ESTIMATED QUANTITIES

BID ITEM NUMBER	BID ITEMS	UNIT	TOTAL	
509.0301	PREPARATION DECKS TYPE 1	SY		
509.0302	PREPARATION DECKS TYPE 2	SY		
509.2000	FULL-DEPTH DECK REPAIR	SY		
509 . 5100 . S	POLYMER OVERLAY	SY		
SPV.0035	CONCRETE MASONRY DECK PATCHING	CY		
SPV.0090	SAWING PAVEMENT DECK PREPARATION AREAS	LF		
THIS IS A PARTIAL LIST OF POSSIBLE BID ITEMS BID ITEMS MAY NEED TO BE ADDED				

REHABILATATION

OVERLAY

THIS IS A PARTIAL LIST OF POSSIBLE BID ITEMS. BID ITEMS MAY NEED TO BE ADDED OR REMOVED TO FIT EACH INDIVIDUAL CASE.



CROSS SECTION THRU ROADWAY

DESIGNER NOTES

PREVENTATIVE OVERLAY INTENDED FOR USE ON DECKS WITH A MINIMUM AGE OF 28 DAYS AND A MAXIMUM AGE OF 2 YEARS. AN ADDITIONAL CONTRACT MAY BE REQUIRED FOR APPLYING THE OVERLAY DUE TO SCHEDULE AND DECK AGE CONSIDERATIONS.

WHEN BID ITEM "POLYMER OVERLAY" IS USED RATING SHOULD INCLUDE THE 5 PSF OVERLAY.

DESIGN DATA

LIVE LOAD: DESIGN LOADING; HL-93
INVENTORY RATING FACTOR: RF=1...
OPERATING RATING FACTOR: RF=1...
MAXIMUM STANDARD PERMIT VEHICLE LOAD = ___ KIPS STRUCTURE IS DESIGNED FOR A FUTURE WEARING SURFACE OF 20 POUNDS PER SQUARE FOOT.

NOTES

DRAWINGS SHALL NOT BE SCALED.

DECK SURFACE PREPARATION IS INCLUDED IN THE BID ITEM "POLYMER OVERLAY".

TOTAL ESTIMATED QUANTITIES

BID ITEM NUMBER	BID ITEMS	UNIT	TOTAL
509.5100.5	POLYMER OVERLAY	SY	

POLYMER OVERLAY

PREVENTATIVE

OVERLAY

STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION STRUCTURES DEVELOPMENT SECTION

APPROVED:

Bill Oliva