



FACILITIES DEVELOPMENT MANUAL

Wisconsin Department of Transportation

TABLE OF CONTENTS

Chapter 14: Pavements

Section 14-1 General

- 14-1-1General
 - 1.1.....Originator
 - 1.2.....Objective
 - 1.3.....Asset Management
 - 1.4.....Design Procedures
 - 1.5.....WisDOT Pavement Design Software: WisPave

Section 14-5 Subgrade and Base Course

- 14-5-1Soils
 - 1.1.....General
- 14-5-5Subgrade
 - 5.1.....Subgrade Improvement Impact on Pavement Thickness Design
 - 5.2.....Policy
- Attachment 5.1.....Soil Support Value vs. Design Group Index
- 14-5-10Base Aggregate Dense
 - 10.1.....General
 - 10.2.....Paving Platform
 - 10.3.....Design Guidance
- 14-5-15Base Aggregate Open Graded (BAOG)
 - 15.1.....General
 - 15.2.....BAOG Filter Layer
 - 15.3.....Use of BAOG
 - 15.4.....Stabilization
 - 15.5.....Edge Drains

Section 14-7 Traffic

- 14-7-1General
 - 1.1.....Traffic Information
 - 1.2.....Traffic Loading

Section 14-10 Pavement Design

- 14-10-1General
 - 1.1.....Design
 - 1.2.....Pavement Type Selection Policy
 - 1.3.....Soil Support
 - 1.4.....Traffic Loading
 - 1.5.....International Roughness Index (IRI)
 - 1.6.....Terminal Serviceability
 - 1.7.....Design Equation
- 14-10-5Concrete Pavement Design
 - 5.1.....Standard Pavement Type
 - 5.2..... Design Equation
 - 5.3.....Modulus of Subgrade Reaction
 - 5.4.....Design Thickness
 - 5.5.....Joints
 - 5.6.....Filling Joints
 - 5.7.....Construction Joints
 - 5.8.....Tining
- 14-10-10Hot Mix Asphalt (HMA) Pavement Design
 - 10.1.....Basis of Design
 - 10.2..... Design Equation

- [10.3.....Design Thickness](#)
- [10.4.....Structural Layer Coefficients](#)
- [10.5.....Subbase](#)
- [10.6.....Staged Construction](#)
- [10.7.....HMA Mixture Layers](#)
- [10.8.....Edge and End Joints](#)
- [10.9.....Longitudinal Joints](#)
- [10.10..... Tack Coats](#)
- [10.11..... HMA Cold Weather and Multi-Season Paving](#)
- [10.12..... General Application Guidelines](#)
- [Attachment 10.1.....Structural Layer Coefficients](#)
- [Attachment 10.2.....Relative Strength Coefficients for Granular Subbase](#)
- [Attachment 10.3.....WisDOT HMA Mixture Selection Process Guide](#)
- [Attachment 10.4.....WisDOT Allowable HMA Mixture Types](#)
- [Attachment 10.5.....WisDOT Asphalt Zones](#)
- [Attachment 10.6.....HMA Mixture Type Selection Process Examples](#)
- [Attachment 10.7.....Edge Joints](#)
- [Attachment 10.8.....End Joints](#)
- [14-10-15Overlay Design](#)
 - [15.1.....General](#)
 - [15.2..... Design](#)
- [14-10-20Paved Shoulders](#)
 - [20.1.....Policy](#)
 - [20.2.....Thickness Design](#)
 - [20.3.....Type Selection](#)
- [14-10-25Bridge Approach Pavements](#)
 - [25.1.....General](#)
 - [25.2.....Local Roads](#)
- [14-10-30Highway Ramp Design](#)
 - [30.1.....Pavement Type and Thickness](#)
- [14-10-35Intersections](#)
 - [35.1.....General](#)
 - [35.2.....Pavement Type Selection](#)
 - [35.3.....Pavement Design](#)
 - [35.4.....Roundabout Design Features](#)

Section 14-15 Pavement Type Selection

- [14-15-1General](#)
 - [1.1.....Objective](#)
 - [1.2.....Pavement Type Selection Policy](#)
- [14-15-5.....Structural Design](#)
 - [5.1..... Structural Design Process](#)
 - [5.2.....Structural Design Need](#)
- [14-15-10.....Life-Cycle Cost Analysis \(LCCA\)](#)
 - [10.1..... LCCA Process](#)
 - [10.2.....LCCA Need](#)
 - [10.3.....LCCA Parameters](#)
 - [10.4.....LCCA Computation](#)
- [14-15-15.....Exception Process](#)
 - [15.1.....General](#)
- [14-15-20.....Pavement Design Report](#)
 - [20.1.....Requirement and Purpose](#)
 - [20.2.....Need for Reevaluation](#)
 - [20.3.....Pavement Design Report and Certification Approval](#)
 - [20.4.....Pavement Design Report Submittal](#)
- [14-15-25Pavement Design Report Content](#)
 - [25.1.....Introduction](#)

25.2.....Report Content

Attachment 25.1.....Pavement Design Report Template

Attachment 25.2..... Abbreviated Pavement Design Report Template

Section 14-25 Pavement Rehabilitation

14-25-10 Pavement Rehabilitation Guidelines

10.1.....General

10.2.....Concrete Pavement

10.3.....Hot Mix Asphalt (HMA) Pavement

Exhibit 10.1Concrete Pavement Rehabilitation Manual

14-25-15 Concrete Pavement Rubblization

15.1.....General

15.2.....Why Rubblize

15.3.....Selecting Rubblization Projects

15.4.....Structural Design

15.5.....Structure Clearance

15.6.....Other Considerations

15.7.....Staging

14-25-20HMA Pavement Pulverization

20.1.....General

20.2.....Why Pulverize

20.3.....Selecting Pulverization Projects

20.4.....Structural Design of Pavements Over Pulverized Material

20.5.....How to Pulverize

20.6.....Pavement Design Report

20.7.....Pavement Widening

20.8.....Curb and Gutter

20.9.....Structure Clearance

20.10..... Traffic Over Pulverized HMA

20.11.....Tack Coat

14-25-25HMA Pavement Cold In-Place Recycling (CIR)

25.1.....General

25.2.....Reasons for CIR

25.3..... Selecting CIR Projects

25.4.....Structural Design of Pavements Over CIR Material

25.5.....How to Construct CIR

25.6.....Pavement Design Report

25.7.....Curb and Gutter

25.8.....Structural Clearance

25.9.....Traffic Over CIR Rehabilitated Surface

25.10.....Surfacing

25.11.....Tack Coat