

Corrugated Polyethylene Culvert Pipe: AASHTO M294

Date last edited 3/12/2025

Manufacturer	Plant Location	Approved Pipe Sizes (inches)	Date Approved	Notes
Advanced Drainage Systems (ADS)	Brazil, IN	12, 15, 18, 24	5/4/2022	Type S, SP(C2)
	Buxton, ND	12, 15, 18, 24, 30	2/2/2024	Type S, SP(C2)
	Eagle Grove, IA	12, 15, 18, 24, 30	1/1/2012	Type S, SP(C2)
	Fairmont, MN	12, 15, 18, 24, 30	1/1/2012	Type S, SP(C2)
	Findlay, OH	12, 15, 18, 24, 30, 36	8/8/2013	Type S, SP(C2)
	Harrisonville, MO	12, 15, 18, 24, 30, 36	1/4/2018	Type S, SP(C2)
	Livermore, KY	12, 15, 18, 24, 30	2/2/2024	Type S, SP(C2)
	London, OH	15, 18, 24, 30, 36	8/8/2013	Type S, SP(C2)
	Mendota, IL	12, 15, 18, 24, 30, 36	1/1/2012	Type S, SP(C2)
Fratco	Algona, IA	12, 15, 18, 30	3/12/2025	Type S, SP(C2)
	Francesville, IN	12, 15, 18, 24, 30, 36	3/12/2025	Type S, SP(C2)
Haviland Drainage Products Co.	Haviland, OH	12, 15, 18, 24, 30, 36	1/1/2012	Type S, SP(C2)
Lane Enterprises, Inc.	Shippensburg, PA	12, 15, 18, 30, 36	1/27/2021	Type S, SP(C2)
	Wytheville, VA	12, 15, 18, 24, 30, 36	1/27/2021	Type S, SP(C2)
	Temple, TX (294V pipe only)	18, 24, 30, 36	1/27/2021	Type S
Prinsco	Chatsworth, IL	12, 15, 18, 24, 30, 36	1/1/2012	Type S, SP(C2)
	Fresno, CA	12, 15, 18, 24, 30, 36	3/3/2021	Type S, SP(C2)
	Jesup, IA	12, 15, 18	1/16/2024	Type S, SP(C2)
	Hubbard, OR	18, 24, 30, 36	9/18/2024	Type S, SP(C2)
	Prinsburg, MN	12, 15, 18, 24, 30, 36	1/1/2012	Type S, SP(C2)
Timewell Drainage	Timewell, IL	12, 15, 18, 24, 30, 36	1/1/2012	Type S, SP(C2)

Products accepted on the basis of compliance to AASHTO Product Evaluation and Audit Solutions (formerly NTPEP Program)

Production of pipe in fully compliant plant with valid Certificate of Compliance Authentication is required.

Products must show compliant to both audits and split sample.

If the pipe manufacturer plant and size is on the above list and the pipe is stamped "AASHTO M294"

and shows no apparent damage, the pipe may be incorporated into the work with a certification of compliance identifying manufacturer, plant, type, size and compliance to AASHTO M 294

Pipe not properly marked AASHTO M 294 shall be rejected

Contact:

DOTProductSubmittal@dot.wi.gov