

**Corrugated Polypropylene Culvert Pipe: AASHTO M330****Date last edited: 3/11/2025**

<u>Manufacturer</u>	<u>Plant Location</u>	<u>Approved Pipe Sizes</u>	<u>Date Approved</u>	<u>Notes</u>
Advanced Drainage Systems (ADS)	Fairmont, MN	12, 15, 18, 24	5/19/2016	Type S
	Mendota, IL	12, 15, 18, 24, 30, 36	5/19/2016	Type S, SP(C2)
	Findlay, OH	12, 15, 18, 30	5/19/2016	Type S
	Harrisonville, MO	12, 15, 18, 24, 30, 36	1/31/2018	Type S
Lane Enterprises, Inc.	Shippensburg, PA	12, 15, 18, 24, 30, 36	1/27/2021	Type S, SP(C2)
	Wytheville, VA	12, 15, 18, 24, 30, 36	1/27/2021	Type S
	Temple, TX	18, 24, 30, 36	1/27/2021	Type S
Prinsco	Chatsworth, IL	12, 15, 18, 24, 30, 36	10/4/2017	Type S, SP(C2)
	Fresno, CA	12, 15, 18, 24, 30, 36	10/4/2017	Type S, SP(C2)
	Hubbard, OR	18, 24, 30, 36	9/18/2024	Type S, SP(C2)
	Jesup, IA	12, 15, 18	1/16/2024	Type S, SP(C2)
	Prinsburg, MN	12, 15, 18, 24, 30, 36	3/3/2021	Type S
Haviland Drainage Products	Haviland, OH	12, 15, 18, 24, 30, 36	3/16/2020	Type S, SP(C2)
Fratco	Francesville, IN	12, 15, 18, 24, 30, 36	3/11/2025	Type S
Timewell Drainage Products	Timewell, IL	12, 15, 18, 30	2/26/2024	Type S, SP(C2)

Products accepted on the basis of compliance to AASHTO Product Evaluation and Audit Solutions (formerly NTPEP Program)

**Production of pipe in fully compliant plant with valid Certificate of Compliance Authentication is required.**

**Products must show compliant to both audits and split sample**

**If the pipe manufacturer plant and size is on the above list and the pipe is stamped "AASHTO M330"**

**and shows no apparent damage , the pipe may be incorporated into the work with a certification of compliance identifying manufacturer, plant , type, size and compliance to AASHTO M330**

**Pipe not properly marked AASHTO M330 shall be rejected**

**Contact:**

[DOTProductSubmittal@dot.wi.gov](mailto:DOTProductSubmittal@dot.wi.gov)