


2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.

Contractor:	A.W. Oakes & Son, Inc. 2000 Oakes Road Racine, WI 53406	Approved IRI Settings	
Date Approved:	Certified 05/05/2025	Collection Software Version:	SSI Profiler 3.3
Approved for Testing	PCC and HMA	Data Collection Interval:	1 inch or shortest possible
Manufacturer:	SSI	Filters:	None
Device Type:	Light Weight Profiler Dual Laser	Other Selectable Settings:	None
Model:	CS8700	Profile Initiation on/off	Auto if possible
Serial Number:	A186	Reference Point Locator:	Auto if possible
Host Vehicle:	2018 Polaris	Analysis Software Version:	ProVAL 3.61.50
Host Vehicle Model:	Ranger 500	250 mm Filter:	Yes
Host Vehicle Serial:	3NSRMA506JE223824	IRI Filter:	Yes
Contact Person:	Jason Andrews	Other Selectable Settings	None
Cell Number:	414-491-8111	ProVAL Training Video and Input Import:	
E-mail Address	jandrews@awoakes.com	http://roadwaystandards.dot.wi.gov/standards/qmp/index.htm	
Profiler Operator:	Jason Andrews	IRI and Localized Roughness Areas Are Determined Using ProVAL:	
		http://www.roadprofile.com/	
		IRI and Localized Roughness Data Reported In MRS:	
		http://www.atwoodsystems.com/mrs	
		Contact: dotproductsubmittal@dot.wi.gov	

2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.


Contractor:	Chippewa Concrete Services	Approved IRI Settings	
	3030 110th Street		
	Chippewa Falls, WI 54729		
Date Approved:	Certified 05/13/2025	Collection Software Version:	Profiler System Software 6.1.2.91
Approved for Testing:	PCC	Data Collection Interval:	1 inch or shortest possible
Manufacturer:	Ames	Filters:	None
Device Type:	Light Weight Profiler Dual Laser	Other Selectable Settings:	
Model:	6200	Profile Initiation on/off	Auto
Serial Number:	620810	Reference Point Locator:	Manual
Host Vehicle:	John Deere Gator	Analysis Software Version:	Pro VAL 3.61.50
Host Vehicle Model:	TS Gator	250 mm Filter:	Yes
Host Vehicle Serial:	M04X2SD051637	IRI Filter:	Yes
Contact Person:	Brandon Demars	Other Selectable Settings	
Cell Number:	715-577-6452	ProVAL Training Video and Input Import:	
E-mail Address	Brandon@chippewaconcrete.net	http://roadwaystandards.dot.wi.gov/standards/gmp/index.htm	
Profiler Operator:	Riley Patrow	IRI and Localized Roughness Areas Are Determined Using ProVAL:	



<http://www.roadprofile.com/>

IRI and Localized Roughness Data Reported In MRS:

<http://www.atwoodsystems.com/mrs>



Contact: dotproductsubmittal@dot.wi.gov

2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.


Contractor:	Diamond Surface Inc.	Approved IRI Settings	
Address:	21025 Commerce Blvd. Suite 900		
	Rogers, MN 55374		
Date Approved:	Certified 05/06/2025	Collection Software Version:	SSI 3.4.8.135
Approved for Testing:	PCC and HMA	Data Collection Interval:	1 inch or shortest possible
Manufacturer:	SSI	Filters:	None
Device Type:	High Speed	Other Selectable Settings:	None
Model:	RoLine 1145, Gocator	Profile Initiation on/off	Auto if possible
Serial Number:	206396, 206397, 206401, 206394	Reference Point Locator:	Auto if possible
Host Vehicle:	Ford	Analysis Software Version:	Proval 3.61.50
Host Vehicle Model:	F-150	250 mm Filter:	Yes
Host Vehicle Serial:	1FTFW1E82PFB71093	IRI Filter:	Yes
Contact Person:	Marisa Klumper	Other Selectable Settings	None
Cell Number:	605-214-2176	ProVAL Training Video and Input Import:	
E-mail Address	marisa@diamondsurfaceinc.com	http://roadwaystandards.dot.wi.gov/standards/gmp/index.htm	
Profiler Operator:	Marisa Klumper	IRI and Localized Roughness Areas Are Determined Using ProVAL:	



<http://www.roadprofile.com/>

IRI and Localized Roughness Data Reported In MRS:


<http://www.atwoodsystems.com/mrs>



Contact: dotproductsubmittal@dot.wi.gov


2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.

Contractor:	Contractor:GeoTest, Inc.	Approved IRI Settings	
	2135 South 116th Street		
	West Allis, WI 53227		
Date Approved:	Certified 05/13/2025	Collection Software Version:	Profiler System Software 6.1.1.112
Approved for Testing:	PCC and HMA	Data Collection Interval:	1 inch or shortest possible
Manufacturer:	AMES Engineering	Filters:	None
Device Type:	Light Weight Profiler Single Laser	Other Selectable Settings:	
Model:	6200	Profile Initiation on/off	Auto if possible
Serial Number:	620907	Reference Point Locator:	Auto if possible
Host Vehicle:	John Deere Gator	Analysis Software Version:	Pro VAL 3.61.50
Host Vehicle Model:	TS Gator	250 mm Filter:	Yes
Host Vehicle Serial:	JD4X2SD014569	IRI Filter:	Yes
Contact Person:	Brad Schmidt	Other Selectable Settings	
Cell Number:	414-531-6624	ProVAL Training Video and Input Import:	
E-mail Address	Bschiidt@888geotest.com	http://roadwaystandards.dot.wi.gov/standards/gmp/index.htm	
Profiler Operator:	Brad Schmidt	IRI and Localized Roughness Areas Are Determined Using ProVAL:	
		http://www.roadprofile.com/	
		IRI and Localized Roughness Data Reported In MRS:	
		http://www.atwoodsystems.com/mrs	
			


2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.

Contractor:	Interstate Improvement, Inc. 16871 Canby Ave. Faribault, MN 55021	Approved IRI Settings	
Date Approved:	Certified 05/13/2025	Collection Software Version:	6.1.2.38
Approved for Testing:	HMA and PCC	Data Collection Interval:	1 inch or shortest possible
Manufacturer:	Ames	Filters:	None
Device Type:	High Speed Profiler Dual Laser	Other Selectable Settings:	None
Model:	8300	Profile Initiation on/off	Auto if possible
Serial Number:	830425-1 & 830425-2	Reference Point Locator:	Auto if possible
Host Vehicle:	2025 Chevrolet	Analysis Software Version:	Pro Val 3.61.50
Host Vehicle Model:	Silverado 1500	250 mm Filter:	Yes
Host Vehicle Serial:	3GCUKDEDXSG116996	IRI Filter:	Yes
Contact Person:	Nate Sirek / Larry Meyer	Other Selectable Settings	N/A
Cell Number:	952-292-6330 / 612-743-3382	ProVAL Training Video and Input Import:	
E-mail Address	nsirek@interstateimprovement.com	http://roadwaystandards.dot.wi.gov/standards/gmp/index.htm	
Profiler Operator:	Nate Sirek or Larry Meyer	IRI and Localized Roughness Areas Are Determined Using ProVAL:	
		http://www.roadprofile.com/	
		IRI and Localized Roughness Data Reported In MRS:	
		http://www.atwoodsyste.ms.com/mrs	
			


2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.

Contractor:	Mathy Construction Company 915 Commerical Court Onalaska, WI 54650	Approved IRI Settings	
Date Approved:	Certified 05/05/2025	Collection Software Version:	SSI Profiler Version 3.4.8.132
Approved for Testing:	PCC and HMA	Data Collection Interval:	1 inch or shortest possible
Manufacturer:	SSI	Filters:	None
Device Type:	Mid-Mount Zero Speed IP	Other Selectable Settings:	None
Model:	CS9100, Zero Speed Upgrade	Profile Initiation on/off	Auto if possible
Serial Number:	A 258	Reference Point Locator:	Auto if possible
Host Vehicle:	Black 2020 Dodge (14-1469)	Analysis Software Version:	3.61.50
Host Vehicle Model:	Ram 1500 Classic Crew Cab	250 mm Filter:	Yes
Host Vehicle Serial:	1C6RR6TT8LS135376	IRI Filter:	Yes
Contact Person:	Patrick Jenkins	Other Selectable Settings	None
Cell Number:	(608) 797-3955	ProVAL Training Video and Input Import:	
E-mail Address	pat.jenkins@mathy.com	http://roadwaystandards.dot.wi.gov/standards/gmp/index.htm	
Profiler Operator:	Pat Jenkins, Michael Harris, Kevin Olson	IRI and Localized Roughness Areas Are Determined Using ProVAL:	
		http://www.roadprofile.com/	
		IRI and Localized Roughness Data Reported In MRS:	
		http://www.atwoodsystems.com/mrs	
			
		Contact: dotproductsubmittal@dot.wi.gov	

2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.

Contractor:	Mathy Construction Company 915 Commerical Court Onalaska, WI 54650	Approved IRI Settings	
Date Approved:	Certified 05/05/2025	Collection Software Version:	SSI Profiler Version 3.4.8.132
Approved for Testing:	PCC and HMA	Data Collection Interval:	1 inch or shortest possible
Manufacturer:	SSI	Filters:	None
Device Type:	Mid-Mount Zero Speed IP	Other Selectable Settings:	None
Model:	CS9100, Zero Speed Upgrade	Profile Initiation on/off	Auto if possible
Serial Number:	A 213	Reference Point Locator:	Auto if possible
Host Vehicle:	2023 White Dodge (14-1611)	Analysis Software Version:	ProVal 3.61.50
Host Vehicle Model:	White Ram 1500 Classic Quad Cab	250 mm Filter:	Yes
Host Vehicle Serial:	1C6RR6FG1PS588419	IRI Filter:	Yes
Contact Person:	Michael Harris	Other Selectable Settings	None
Cell Number:	(563) 380-0484	ProVAL Training Video and Input Import:	
E-mail Address	michael.harris@mathy.com	http://roadwaystandards.dot.wi.gov/standards/gmp/index.htm	
Profiler Operator:	Pat Jenkins, Michael Harris, Kevin Olson	IRI and Localized Roughness Areas Are Determined Using ProVAL:	
		http://www.roadprofile.com/	
		IRI and Localized Roughness Data Reported In MRS:	
		http://www.atwoodsystems.com/mrs	
			
		Contact: dotproductsubmittal@dot.wi.gov	

2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.


Contractor:	Michels Road & Stone 817 Main Street Brownsville, WI 53006	Approved IRI Settings	
Date Approved:	Certified 04/24/2025	Collection Software Version:	3.4.4.86
Approved for Testing:	PCC and HMA	Data Collection Interval:	1 inch or shortest possible
Manufacturer:	SSI	Filters:	None
Device Type:	High Speed Zero Stop	Other Selectable Settings:	None
Model:	CS9100ZS	Profile Initiation on/off	Auto if possible
Serial Number:	A259	Reference Point Locator:	Auto if possible
Host Vehicle:	Ford	Analysis Software Version:	ProVal 3.61.50
Host Vehicle Model:	F-250	250 mm Filter:	Yes
Host Vehicle Serial:	1FT7W2B64NEC67131	IRI Filter:	Yes
Contact Person:	Phil Gaertner	Other Selectable Settings	None
Cell Number:	(920) 952-0465	ProVAL Training Video and Input Import:	
E-mail Address	pgaertner@michels.us	http://roadwaystandards.dot.wi.gov/standards/gmp/index.htm	
Profiler Operator:	Phil Gaertner/ Jake Corlett	IRI and Localized Roughness Areas Are Determined Using ProVAL:	



<http://www.roadprofile.com/>

IRI and Localized Roughness Data Reported In MRS:


<http://www.atwoodsystems.com/mrs>



Contact: dotproductsubmittal@dot.wi.gov


2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.

Contractor:	Michels Road & Stone 817 Main Street Brownsville, WI 53006	Approved IRI Settings	
Date Approved:	Certified 04/24/2025	Collection Software Version:	6.1.1.152
Approved for Testing:	PCC and HMA	Data Collection Interval:	1 inch or shortest possible
Manufacturer:	Ames	Filters:	None
Device Type:	Light Weight Profiler Dual Laser	Other Selectable Settings:	None
Model:	6300	Profile Initiation on/off	Auto if possible
Serial Number:	630119	Reference Point Locator:	Auto if possible
Host Vehicle:	John Deere	Analysis Software Version:	ProVal 3.61.50
Host Vehicle Model:	Gator TS	250 mm Filter:	Yes
Host Vehicle Serial:	1M04X2SJLJM131446	IRI Filter:	Yes
Contact Person:	Phil Gaertner	Other Selectable Settings	None
Cell Number:	(920) 952-0465	ProVAL Training Video and Input Import:	
E-mail Address	Pgartner@michels.us	http://roadwaystandards.dot.wi.gov/standards/gmp/index.htm	
Profiler Operator:	Phil Gaertner/ Jake Corlett	IRI and Localized Roughness Areas Are Determined Using ProVAL:	
		http://www.roadprofile.com/	
		IRI and Localized Roughness Data Reported In MRS:	
		http://www.atwoodsystems.com/mrs	
			
		Contact: dotproductsubmittal@dot.wi.gov	


2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.

Contractor:	Northeast Asphalt Inc. W6380 Design Drive Greenville WI. 54942	Approved IRI Settings	
Date Approved:	Certified 05/13/2025	Collection Software Version:	3.4.4.86
Approved for Testing:	PCC and HMA	Data Collection Interval:	1 inch or shortest possible
Manufacturer:	SSI	Filters:	None
Device Type:	Zero-Speed Inertial Profiler, Gocators Lasers	Other Selectable Settings:	None
Model:	Zero-Speed, Portable, Mid Mount CS 9100	Profile Initiation on/off	Auto if possible
Serial Number:	A239	Reference Point Locator:	Auto if possible
Host Vehicle:	315350	Analysis Software Version:	Proval 3.61.50
Host Vehicle Model:	2022 F-150 4x2 Supercab	250 mm Filter:	Yes
Host Vehicle Serial:	1FTEX1CB5NKD03176	IRI Filter:	Yes
Contact Person:	Ben Beschta	Other Selectable Settings	None
Cell Number:	920-588-7866	ProVAL Training Video and Input Import:	
E-mail Address	bbeschta@walbecgroup.com	http://roadwaystandards.dot.wi.gov/standards/qmp/index.htm	
Profiler Operator:	Qualified Field Technician	IRI and Localized Roughness Areas Are Determined Using ProVAL:	
		http://www.roadprofile.com/	
		IRI and Localized Roughness Data Reported In MRS:	
		http://www.atwoodsyste.ms.com/mrs	
		Contact: dotproductsubmittal@dot.wi.gov	


2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.

Contractor:	Payne & Dolan, Inc. W228N683 Westmound Drive Pewaukee, WI 53072	Approved IRI Settings	
Date Approved:	Certified 05/13/2025	Collection Software Version:	3.4.4.86
Approved for Testing:	PCC and HMA	Data Collection Interval:	1 inch or shortest possible
Manufacturer:	SSI	Filters:	None
Device Type:	Inertial Profiler, 1145 Roline Laser	Other Selectable Settings:	None
Model:	Zero speed, Portable, Mid Mount CS 9100	Profile Initiation on/off	Auto if possible
Serial Number:	169	Reference Point Locator:	Auto if possible
Host Vehicle:	115625	Analysis Software Version:	ProVAL 3.61.50
Host Vehicle Model:	2017 Ford F-150	250 mm Filter:	Yes
Host Vehicle Serial:	1FTMF1C87HKC85867	IRI Filter:	Yes
Contact Person:	Brandon Stone	Other Selectable Settings	None
Cell Number:	906-458-8320	ProVAL Training Video and Input Import:	
E-mail Address	bstone@walbecgroup.com	http://roadwaystandards.dot.wi.gov/standards/qmp/index.htm	
Profiler Operator:	Paul Aardappel	IRI and Localized Roughness Areas Are Determined Using ProVAL:	
		http://www.roadprofile.com/	
		IRI and Localized Roughness Data Reported In MRS:	
		http://www.atwoodsyste.ms.com/mrs	
		Contact: dotproductsubmittal@dot.wi.gov	


2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.

Contractor:	Pitlik & Wick, Inc. 8075 Hwy D Eagle River, WI 54521	Approved IRI Settings	
Date Approved:	Certified 05/13/2025	Collection Software Version:	Latest
Approved for Testing:	HMA and PCC	Data Collection Interval:	1 inch or shortest possible
Manufacturer:	Surface Systems & Instruments, LLC.	Filters:	None
Device Type:	High Speed Inertial Profiler Dual Laser	Other Selectable Settings:	None
Model:	CS9100 Mid Mount	Profile Initiation on/off	Auto if possible
Serial Number:	A273	Reference Point Locator:	Auto if possible
Host Vehicle:	Dodge	Analysis Software Version:	ProVal 3.61.50
Host Vehicle Model:	Ram 1500	250 mm Filter:	Yes
Host Vehicle Serial:	1C6SRFFT0RN201181	IRI Filter:	Yes
Contact Person:	Brad Pitlik	Other Selectable Settings	None
Cell Number:	715-891-0200	ProVAL Training Video and Input Import:	
E-mail Address	bkpitlik@pitlikandwick.com	http://roadwaystandards.dot.wi.gov/standards/gmp/index.htm	
Profiler Operator:	Brad Pitlik	IRI and Localized Roughness Areas Are Determined Using ProVAL:	
		http://www.roadprofile.com/	
		IRI and Localized Roughness Data Reported In MRS:	
		http://www.atwoodsystems.com/mrs	
			
		Contact: dotproductsubmittal@dot.wi.gov	

2025 WisDOT Approved Profiler Listing


Note: Profiler Approvals Expire on May 31, in the year following approval.

Contractor:		Rock Road Companies, Inc.		Approved IRI Settings	
		301 W.B.R. Townline Rd.			
		Beloit , Wi. 53511			
Date Approved:		Certified 05/06/2025		Collection Software Version:	Dual Laser Collection Version 4.5
Approved for Testing:		HMA and PCC		Data Collection Interval:	1 Inch
Manufacturer:		SSI		Filters:	None
Device Type:		High Speed Profiler Dual Laser		Other Selectable Settings:	None
Model:		CS9100 Mid Mount		Profile Initiation on/off	Auto
Serial Number:		103		Reference Point Locator:	Auto
Host Vehicle:		2017 GMC		Analysis Software Version:	ProVal 3.61.50
Host Vehicle Model:		Sierra 1500		250 mm Filter:	Yes
Host Vehicle Serial:		1GTV2MEC7H2199341		IRI Filter:	Yes
Contact Person:		Jake Amundson		Other Selectable Settings	None
Cell Number:		608-225-3568		ProVAL Training Video and Input Import:	
E-mail Address		jamundson@rockroads.com		http://roadwaystandards.dot.wi.gov/standards/gmp/index.htm	
Profiler Operator:		Jake Amundson		IRI and Localized Roughness Areas Are Determined Using ProVAL:	
				http://www.roadprofile.com/	
				IRI and Localized Roughness Data Reported In MRS:	
				http://www.atwoodsystems.com/mrs	
					
		Contact: dotproductsubmittal@dot.wi.gov			

Contact: dotproductsubmittal@dot.wi.gov


2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.

Contractor:	Stark Pavement Corp 12845 W Burleigh Rd Brookfield, WI 53005	Approved IRI Settings	
Date Approved:	Certified 05/06/2025	Collection Software Version:	Ames Profiler 6.1.2.95
Approved for Testing:	HMA and PCC	Data Collection Interval:	1 inch or shortest possible
Manufacturer:	Ames	Filters:	None
Device Type:	High Speed Profiler - Digital Gocator	Other Selectable Settings:	
Model:	8200	Profile Initiation on/off	Auto if possible
Serial Number:	820311	Reference Point Locator:	Auto if possible
Host Vehicle:	Ford	Analysis Software Version:	Proval 3.61.50
Host Vehicle Model:	F150	250 mm Filter:	Yes
Host Vehicle Serial:	1FTEX1EP5GKE21997	IRI Filter:	Yes
Contact Person:	Tony Ketchpaw/Aaron Glowinski	Other Selectable Settings	
Cell Number:	262-749-4412 / 262-930-9990	ProVAL Training Video and Input Import:	
E-mail Address	tonyk@starkcorp.us / AaronG@starkcorp.us	http://roadwaystandards.dot.wi.gov/standards/gmp/index.htm	
Profiler Operator:	TONY KETCHPAW	IRI and Localized Roughness Areas Are Determined Using ProVAL:	
		http://www.roadprofile.com/	
		IRI and Localized Roughness Data Reported In MRS:	
		http://www.atwoodsyste.ms.com/mrs	
			
		Contact: dotproductsubmittal@dot.wi.gov	

2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.

Contractor:	STATE Testing LLC K, 570 Rock Rd Dr East Dundee, IL 60118	Approved IRI Settings	
Date Approved:	Certified 05/06/2025	Collection Software Version:	3.4.8.132
Approved for Testing:	PCC and HMA	Data Collection Interval:	1 inch or shortest possible
Manufacturer:	SSI	Filters:	None
Device Type:	Zero-Speed Inertial Profiler	Other Selectable Settings:	None
Model:	Zero-Speed, Portable, Mid Mount CS 9100	Profile Initiation on/off	Auto if possible
Serial Number:	A335	Reference Point Locator:	Auto if possible
Host Vehicle:	Ford	Analysis Software Version:	Proval 4.0.69
Host Vehicle Model:	F150	250 mm Filter:	Yes
Host Vehicle Serial:	1FTFX1E45KKC99659	IRI Filter:	Yes
Contact Person:	Fabian Calvillo	Other Selectable Settings	None
Cell Number:	(608) 481 - 1052	ProVAL Training Video and Input Import:	
E-mail Address	fcalvillo@behnkematerialsengineering.com	http://roadwaystandards.dot.wi.gov/standards/qmp/index.htm	
Profiler Operator:	Fabian Calvillo	IRI and Localized Roughness Areas Are Determined Using ProVAL:	
		http://www.roadprofile.com/	
		IRI and Localized Roughness Data Reported In MRS:	
		http://www.atwoodsyste.ms.com/mrs	
			
		Contact: dotproductsubmittal@dot.wi.gov	

2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.


Contractor:	Trierweiler Construction 2916 South Cherry Ave Marshfield WI, 54449	Approved IRI Settings	
Date Approved:	Certified 05/06/2025	Collection Software Version:	6.1.2.24
Approved for Testing:	PCC and HMA	Data Collection Interval:	1 inch or shortest possible
Manufacturer:	Ames	Filters:	None
Device Type:	High Speed Profiler Dual Laser	Other Selectable Settings:	
Model:	8200	Profile Initiation on/off	GPS
Serial Number:	630509	Reference Point Locator:	GPS
Host Vehicle:	2022 Chevy Silverado	Analysis Software Version:	Pro Val 3.61.50
Host Vehicle Model:	Silverado 2500 HD	250 mm Filter:	Yes
Host Vehicle Serial:	2GC4YLE78N1245500	IRI Filter:	Yes
Contact Person:	Seth Naedler	Other Selectable Settings	
Cell Number:	(715)-255-3462	ProVAL Training Video and Input Import:	
E-mail Address	profiler@tpaving.com	http://roadwaystandards.dot.wi.gov/standards/qmp/index.htm	
Profiler Operator:	Seth Naedler	IRI and Localized Roughness Areas Are Determined Using ProVAL:	



<http://www.roadprofile.com/>

IRI and Localized Roughness Data Reported In MRS:


<http://www.atwoodsystems.com/mrs>



Contact: dotproductsubmittal@dot.wi.gov


2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.

Contractor:	Vinton Construction Company 2705 North Rapids Road P.O. Box 1987 Manitowoc, WI 54221	Approved IRI Settings	
Date Approved:	Certified 05/13/2025	Collection Software Version:	AMES 5.5.1.79
Approved for Testing:	PCC and HMA	Data Collection Interval:	1 inch or shortest possible
Manufacturer:	Ames	Filters:	None
Device Type:	Light Weight Profiler Single Laser	Other Selectable Settings:	
Model:	6200	Profile Initiation on/off	Auto if possible
Serial Number:	621308	Reference Point Locator:	Auto if possible
Host Vehicle:	John Deere	Analysis Software Version:	PROVAL 3.61.50
Host Vehicle Model:	Gator	250 mm Filter:	Yes
Host Vehicle Serial #:	8729	IRI Filter:	Yes
Contact Person:	TOM SAND	Other Selectable Settings	
Cell Number:	920-973-8942		
E-mail address:	tsand@vintonwis.com		
Profiler Operator:	Tom Sand	IRI and Localized Roughness Areas Are Determined Using ProVAL:	
		http://www.roadprofile.com/	
		IRI and Localized Roughness Data Reported In MRS:	
		http://www.atwoodsystems.com/mrs	
			


2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.

Contractor:	WisDOT 3502 Kinsman Blvd. Madison, WI 53704	Approved IRI Settings	
Date Approved:	Certified 04/24/2025	Collection Software Version:	6.1
Approved for Testing:	PCC and HMA	Data Collection Interval:	1 Inch
Manufacturer:	Ames	Filters:	None
Device Type:	High Speed Profiler Dual Laser	Other Selectable Settings:	None
Model:	8200	Profile Initiation on/off:	Auto
Serial Number:	621308	Reference Point Locator:	Manual
Host Vehicle:	2012 Chevy Silverado	Analysis Software Version:	3.61.50
Host Vehicle Model:	2500 HD	250 mm Filter:	On
Host Vehicle Serial:	1GC2KVC9CZ316473	IRI Filter:	On
Contact Person:	Christopher Norton		
Cell Number:	608-516-6360		
E-mail Address:	christopher.norton.dot.wi.gov		
Profiler Operator:	Christopher Norton	IRI and Localized Roughness Areas Are Determined Using ProVAL:	
		http://www.roadprofile.com/	
		IRI and Localized Roughness Data Reported In MRS:	
		http://www.atwoodsystems.com/mrs	
			
		Contact: dotproductsubmittal@dot.wi.gov	

2025 WisDOT Approved Profiler Listing


Note: Profiler Approvals Expire on May 31, in the year following approval.

Contractor:	WisDOT 3502 Kinsman Blvd. Madison, WI 53704	Approved IRI Settings	
Date Approved:	Certified 04/24/2025	Collection Software Version:	6.1
Approved for Testing:	PCC and HMA	Data Collection Interval:	1 Inch
Manufacturer:	Ames	Filters:	None
Device Type:	Light Weight Profiler Dual Laser	Other Selectable Settings:	None
Model:	6200	Profile Initiation on/off:	Auto
Serial Number:	620209	Reference Point Locator:	Manual
Host Vehicle:	John Deere	Analysis Software Version:	ProVAL 3.61.50
Host Vehicle Model:	Gator	250 mm Filter:	On
Host Vehicle Serial:	W04X2SD033472	IRI Filter:	On
Contact Person:	Christopher Norton		
Cell Number:	608-516-6360		
E-mail Address:	christopher.norton@dot.wi.gov	<u>Collection Software Version:</u>	
Profiler Operator:	Christopher Norton	IRI and Localized Roughness Areas Are Determined Using ProVAL:	
		http://www.roadprofile.com/	
		IRI and Localized Roughness Data Reported In MRS:	
		http://www.atwoodsystems.com/mrs	
			

gov

2025 WisDOT Approved Profiler Listing

Note: Profiler Approvals Expire on May 31, in the year following approval.

Contractor:	Zignego Company W35N23877 Highfield Ct. Pewaukee, WI 53072	Approved IRI Settings	
Date Approved:	Certified 05/13/2025	Collection Software Version:	Ames Engineering 6.1.1.135
Approved for Testing:	PCC & HMA	Data Collection Interval:	1 inch or shortest possible
Manufacturer:	Ames	Filters:	None
Device Type:	Light Weight Profiler Single laser	Other Selectable Settings:	None
Model:	6300	Profile Initiation on/off	Auto if possible
Serial Number:	620708	Reference Point Locator:	Auto if possible
Host Vehicle:	John Deere Gator	Analysis Software Version:	ProVal 3.61.50
Host Vehicle Model:	4x2 TS	250 mm Filter:	Yes
Host Vehicle Serial:	W04X2SD030167	IRI Filter:	Yes
Contact Person:	Will Zignego	Other Selectable Settings	
Cell Number:	262-409-0676	ProVAL Training Video and Input Import:	
E-mail Address	willz@zignego.com	http://roadwaystandards.dot.wi.gov/standards/gmp/index.htm	
Profiler Operator:	Will Zignego / Jeff Zignego	IRI and Localized Roughness Areas Are Determined Using ProVAL:	
		http://www.roadprofile.com/	
		IRI and Localized Roughness Data Reported In MRS:	
		http://www.atwoodsystems.com/mrs	
			
		Contact: dotproductsubmittal@dot.wi.gov	