

**CORRESPONDENCE/MEMORANDUM**\_\_\_\_\_ *State of Wisconsin*

**DATE:** 4/8/2025

**TO:** All WisDOT Standard Sign Plate Holders

**FROM:** Ryan A. Mayer, P.E.  
State Signing Engineer

**SUBJECT:** Revised WisDOT Standard Sign Plates

Listed below and placed in the Traffic Operations Manuals website are changes and additions to the WisDOT Standard Sign Plates. Please make your coworkers aware of the following changes and that they can be found at: <http://wisconsindot.gov/Pages/doing-bus/local-gov/traffic-ops/manuals-and-standards/manuals.aspx>

Many changes have taken place in this listing. The revisions are as follows:

Sign Plate Additions/Revisions

|         |         |        |        |       |      |      |
|---------|---------|--------|--------|-------|------|------|
| D10-5   | E5-63   | I55-56 | I59-1  | M4-50 | R1-2 | RS-Y |
| W10-52P | W13-20A | W21-52 | W21-53 |       |      |      |

All Revisions are Underlined in Standard Sign Plate Listing.

Retired Sign Plates

|       |       |       |        |
|-------|-------|-------|--------|
| M4-10 | R2-1C | R6-4B | W10-52 |
|-------|-------|-------|--------|

If you want to be removed from our distribution list or if your address has changed, please contact Ryan Mayer at the email address or phone number below.

**Ryan Mayer**  
**WisDOT Central Office**  
**Bureau of Traffic Operations**  
**3609 Pierstorff St**  
**Madison, WI 53704**  
**(608) 246-3810**  
[ryan.mayer@dot.wi.gov](mailto:ryan.mayer@dot.wi.gov)

## STANDARD SIGN PLATE LISTING

|       |         |        |        |
|-------|---------|--------|--------|
| A1-1  | A5-7    | A11-15 | D4-54  |
| A1-2  | A5-8    | A11-16 | D4-54A |
| A2-1  | A5-9    | A11-17 | D4-55  |
| A2-1S | A5-10   | A11-18 | D4-55A |
| A3-1  | A5-11   | D1-51  | D4-56  |
| A3-1M | A11-1   | D1-55  | D5-5A  |
| A3-2  | A11-2   | D1-56  | D5-5B  |
| A3-3  | A11-3   | D1-57  | D5-61  |
| A4-1  | A11-4   | D1-60  | D5-62  |
| A4-2  | A11-5   | D1-60A | D5-63  |
| A4-3  | A11-6   | D1-61  | D5-64  |
| A4-3B | A11-7   | D1-63  | D5-65  |
| A4-3S | A11-8A  | D1-64  | D5-66  |
| A4-4  | A11-8B  | D1-65  | D5-67  |
| A4-5  | A11-8C  | D1-66  | D5-68  |
| A4-6  | A11-9   | D1-70  | D5-70  |
| A4-7A | A11-10  | D1-71  | D6-4   |
| A4-7B | A11-11A | D1-72  | D6-4N  |
| A4-8  | A11-11B | D1-80  | D6-4S  |
| A4-9  | A11-11D | D1-81  | D6-51  |
| A4-10 | A11-11F | D1-82  | D6-53  |
| A4-11 | A11-11G | D4-1   | D7-51  |
| A4-12 | A11-11H | D4-2   | D7-53  |
| A4-14 | A11-11I | D4-2A  | D7-54  |
| A4-15 | A11-11J | D4-3   | D7-54C |
| A4-16 | A11-11K | D4-4   | D7-56  |
| A4-17 | A11-11L | D4-5A  | D7-56C |
| A4-18 | A11-12  | D4-5   | D7-57  |
| A5-2  | A11-13  | D4-51  | D7-59  |
| A5-3  | A11-14  | D4-52  | D7-60  |

## STANDARD SIGN PLATE LISTING

|        |              |              |         |
|--------|--------------|--------------|---------|
| D7-61  | D9-54A       | E5-1A        | E7-4    |
| D7-63  | D10-3        | E5-1B        | E9-1    |
| D7-64  | <u>D10-5</u> | E5-51        | E10-51  |
| D7-66  | D11-1        | E5-52        | E10-56  |
| D7-67  | D11-1A       | E5-52B       | E10-60  |
| D7-68  | D11-6        | E5-53        | E10-61  |
| D7-69  | D11-7        | E5-53A       | E10-62  |
| D7-71  | D11-8        | E5-54        | E10-63  |
| D7-72  | D11-9        | E5-54A       | E10-64  |
| D7-74  | D11-10       | E5-56A       | E10-82  |
| D7-75  | D11-10A      | E5-56L       | E10-82A |
| D7-77  | D11-10P      | E5-57        | E10-83  |
| D7-77A | D12-2B       | E5-57D       | E10-83A |
| D7-81  | D12-3        | E5-57E       | E11-1   |
| D7-81A | D12-3A       | E5-58        | E13-1P  |
| D7-82  | D12-5        | E5-60        | G20-1   |
| D7-82A | D12-50       | E5-61        | G20-2A  |
| D7-82B | D13-3        | E5-62        | G20-4   |
| D7-91  | D15-1        | <u>E5-63</u> | G20-40  |
| D7-92  | D15-2        | E5-64        | G20-51  |
| D7-93  | D16-1        | E5-65        | G20-52  |
| D7-95  | D17-2        | E6-51        | G20-52A |
| D9-2   | D17-7        | E6-52        | G20-53  |
| D9-6   | D52-53       | E6-53        | G20-53A |
| D9-13C | D52-54       | E6-54A       | G20-55  |
| D9-16D | D52-58       | E6-54L       | G20-56  |
| D9-51  | DB5-69       | E6-54R       | G20-57  |
| D9-52  | E1-5         | E7-1         | G20-57B |
| D9-52A | E2-1         | E7-2         | G20-57C |
| D9-54  | E5-1         | E7-3         | G20-58  |

## STANDARD SIGN PLATE LISTING

|               |        |              |             |
|---------------|--------|--------------|-------------|
| G20-59        | M1-6   | M4-1A        | M6-1        |
| G20-60        | M1-6B  | M4-2         | M6-4        |
| G20-61        | M1-7   | M4-3         | M6-7        |
| G20-62        | M1-8   | M4-4         | M6-50       |
| G20-63        | M1-8A  | M4-5         | M7-1        |
| G20-64        | M1-9   | M4-6         | M50         |
| G20-65        | M1-51  | M4-8         | MR1-99      |
| G20-66        | M1-54  | M4-8A        | MR4-53      |
| G20-67        | M1-55  | M4-9A        | MR4-56      |
| G20-68        | M1-56  | M4-9AA       | MR5-53      |
| I2-1          | M1-56B | M4-9BA       | R1-1        |
| I2-1B         | M1-86  | M4-9B        | R1-1B       |
| I2-2          | M1-87  | M4-9CA       | R1-1F       |
| I2-2R         | M1-88  | M4-9C        | <u>R1-2</u> |
| I2-3          | M1-88A | M4-9DA       | R1-3P       |
| I2-3A         | M1-90  | M4-9D        | R1-5L       |
| I3-1          | M1-91  | M4-9RA       | R1-5R       |
| I5-1          | M1-92  | M4-9R        | R1-6        |
| I52-52        | M1-93  | M4-20        | R1-9        |
| <u>I55-56</u> | M1-94  | M4-21        | R1-10P      |
| I55-56B       | M1-94H | M4-22        | R1-53       |
| I55-57        | M1-94S | <u>M4-50</u> | R1-54       |
| I56-50        | M1-95  | M4-59A       | R1-55       |
| I57-10        | M1-95A | M4-59        | R1-61       |
| I57-10W       | M1-96  | M4-60        | R2-1        |
| <u>I59-1</u>  | M1-97  | M4-60A       | R2-4        |
| JV-F          | M1-98  | M4-60D       | R2-6P       |
| M1-1          | M2-1   | M5-1         | R3-1        |
| M1-4          | M3-1   | M5-51        | R3-2        |
| M1-5A         | M4-1   | M5-52        | R3-3        |

## STANDARD SIGN PLATE LISTING

|         |        |             |       |
|---------|--------|-------------|-------|
| R3-4    | R3-33  | R4-50       | R7-5  |
| R3-4A   | R3-50  | R4-52       | R7-6  |
| R3-4B   | R3-50A | R4-53       | R7-7  |
| R3-5    | R3-50U | R4-55       | R7-8  |
| R3-5A   | R3-51  | R5-1        | R7-8A |
| R3-5U   | R3-51L | R5-1A       | R7-8V |
| R3-5X   | R3-51R | R5-2        | R7-51 |
| R3-6    | R3-52B | R5-2A       | R7-52 |
| R3-6T   | R3-52C | R5-3        | R7-53 |
| R3-6U   | R3-52P | R5-6        | R7-63 |
| R3-6V   | R3-53  | R5-50       | R7-64 |
| R3-6W   | R3-54  | R5-51       | R7-65 |
| R3-6X   | R3-55A | R5-54       | R7-66 |
| R3-7    | R3-57  | R5-57       | R7-67 |
| R3-7B   | R3-58  | R5-57A      | R8-4  |
| R3-7C   | R3-59  | R5-57B      | R8-7  |
| R3-7S   | R3-60  | R5-60       | R8-8  |
| R3-8    | R3-60T | R5-96       | R8-9  |
| R3-9B   | R3-60X | R5-97       | R8-10 |
| R3-9C   | R4-1   | R5-98       | R8-51 |
| R3-11D  | R4-2   | R5-99       | R8-52 |
| R3-12G  | R4-3   | <u>R6-1</u> | R8-53 |
| R3-17   | R4-4   | R6-2        | R8-54 |
| R3-18   | R4-5   | R6-3        | R8-55 |
| R3-20L  | R4-7   | R6-5P       | R8-56 |
| R3-20LL | R4-9   | R6-6        | R8-74 |
| R3-20R  | R4-11  | R6-7        | R8-75 |
| R3-20RR | R4-13  | R7-1        | R9-1  |
| R3-25U  | R4-14  | R7-2        | R9-2  |
| R3-27   | R4-18  | R7-4        | R9-3  |

## STANDARD SIGN PLATE LISTING

|        |         |         |             |
|--------|---------|---------|-------------|
| R9-3A  | R10-6B  | R11-2   | R52-55      |
| R9-3B  | R10-7   | R11-2B  | R52-57A     |
| R9-3BL | R10-10  | R11-3   | R52-59      |
| R9-4   | R10-10A | R11-3C  | R53-51      |
| R9-4A  | R10-11  | R11-4   | R53-52      |
| R9-8   | R10-11B | R11-5   | R53-53      |
| R9-9   | R10-11C | R11-51  | R53-55      |
| R9-9A  | R10-11F | R11-52  | R53-56      |
| R9-10  | R10-11L | R11-53  | R53-57      |
| R9-11  | R10-11S | R11-54F | R55-51      |
| R9-11A | R10-11T | R12-1   | R55-53      |
| R9-20  | R10-12  | R12-2   | R55-54      |
| R9-53  | R10-15L | R12-52  | R55-58      |
| R9-55  | R10-15R | R12-53  | R55-58A     |
| R9-56  | R10-16  | R12-54  | R55-59      |
| R9-98  | R10-17A | R12-55  | R55-61      |
| R9-99  | R10-23  | R12-56  | R55-61M     |
| R10-1  | R10-25  | R12-57  | R55-62      |
| R10-2  | R10-26  | R12-58  | R55-63      |
| R10-3  | R10-30A | R12-58F | R55-64      |
| R10-3B | R10-50  | R12-59  | R55-65      |
| R10-3E | R10-61  | R12-70  | R55-66      |
| R10-3H | R10-62  | R12-70B | R55-67      |
| R10-3N | R10-63  | R13-1   | R59-51      |
| R10-4  | R10-64  | R13-49  | <u>RS-Y</u> |
| R10-4B | R10-65  | R13-50  | S1-1        |
| R10-4D | R10-70  | R14-1   | S3-1        |
| R10-4X | R10-71  | R14-52  | S3-51       |
| R10-5  | R10-72  | R15-3   | S4-2        |
| R10-6  | R10-85  | R15-50  | S4-5        |

## STANDARD SIGN PLATE LISTING

|        |        |        |       |
|--------|--------|--------|-------|
| S4-51  | W2-6   | W5-57  | W8-11 |
| S4-52  | W2-7L  | W5-58  | W8-12 |
| S5-2   | W2-7R  | W5-59  | W8-14 |
| S13-1  | W2-50  | W5-60  | W8-15 |
| S16-5P | W3-1   | W5-61  | W8-16 |
| S16-7  | W3-1B  | W5-64  | W8-17 |
| S16-8  | W3-2   | W5-65  | W8-25 |
| S16-9P | W3-3   | W6-1   | W8-57 |
| S54-61 | W3-4   | W6-3   | W8-58 |
| S57-51 | W3-5   | W6-4   | W8-60 |
| W1-1   | W3-6   | W6-53  | W8-61 |
| W1-2   | W3-8   | W6-54  | W8-62 |
| W1-3   | W4-1   | W6-54A | W8-63 |
| W1-4   | W4-2   | W6-60  | W8-64 |
| W1-4B  | W4-3   | W7-1   | W8-65 |
| W1-4C  | W4-4A  | W7-2B  | W8-66 |
| W1-5   | W4-4B  | W7-3   | W8-67 |
| W1-6   | W4-4C  | W7-6   | W8-68 |
| W1-7   | W4-4P  | W7-61  | W8-69 |
| W1-8   | W4-5   | W8-1   | W8-70 |
| W1-8B  | W4-6   | W8-1A  | W8-71 |
| W1-10  | W4-7   | W8-2   | W8-72 |
| W1-10F | W5-1   | W8-3   | W8-73 |
| W1-11  | W5-2   | W8-4   | W8-75 |
| W1-13  | W5-3   | W8-5   | W8-77 |
| W1-51  | W5-52  | W8-6   | W9-1  |
| W1-60  | W5-53  | W8-7   | W9-2  |
| W2-1   | W5-53S | W8-8   | W9-3A |
| W2-2   | W5-54  | W8-9   | W9-62 |
| W2-3   | W5-56  | W8-9A  | W9-63 |




## STANDARD SIGN PLATE LISTING

|                |                |               |         |
|----------------|----------------|---------------|---------|
| W10-1          | W12-50         | W20-4         | W21-67A |
| W10-1A         | W12-52         | W20-5         | W21-67B |
| W10-2          | W12-52P        | W20-7A        | W21-68  |
| W10-3          | W13-1          | W20-40        | W22-1   |
| W10-4          | W13-2          | W20-50        | W22-2   |
| W10-5          | W13-2A         | W20-50M       | W22-3   |
| W10-11A        | W13-2B         | W20-53        | W23-2   |
| W10-11B        | W13-2C         | W20-58        | W24-1   |
| W10-12         | W13-2D         | W21-1A        | W24-1aL |
| <u>W10-52P</u> | W13-3          | W21-2         | W24-1bL |
| W11-1          | W13-3A         | W21-3         | W24-1P  |
| W11-2          | W13-3B         | W21-5         | W25-2   |
| W11-4          | W13-3C         | W21-5A        | W54-51  |
| W11-5          | W13-3D         | W21-5B        | W54-52  |
| W11-6          | <u>W13-20A</u> | W21-6         | W54-53  |
| W11-7          | W14-1          | W21-7         | W54-54  |
| W11-8          | W14-2          | W21-51        | W54-55  |
| W11-9          | W14-3          | <u>W21-52</u> | W54-56  |
| W11-11         | W16-1P         | <u>W21-53</u> | W54-57  |
| W11-14         | W16-2A         | W21-60        | W54-58  |
| W11-15         | W16-5P         | W21-61        | W54-59  |
| W11-15A        | W16-7          | W21-62Q       | W54-60  |
| W11-50         | W16-7D         | W21-62R       | W54-62  |
| W11-55         | W16-9P         | W21-63        | W54-63  |
| W11-57         | W16-15P        | W21-64A       | W56-51  |
| W11-59P        | W19-1          | W21-64B       | W57-51  |
| W12-1          | W19-2          | W21-64C       | W57-52  |
| W12-1D         | W20-1          | W21-65        | WO1-1   |
| W12-2          | W20-2          | W21-66        | WO1-2   |
| W12-2A         | W20-3          | W21-67        | WO1-3   |

# STANDARD SIGN PLATE LISTING

|        |         |
|--------|---------|
| WO1-4  | WO8-2   |
| WO1-4B | WO8-3   |
| WO1-4C | WO8-4   |
| WO1-6  | WO8-5   |
| WO1-7  | WO8-6   |
| WO3-1  | WO8-6A  |
| WO3-2  | WO8-6B  |
| WO3-3  | WO8-6C  |
| WO3-4  | WO8-7   |
| WO3-5  | WO8-8   |
| WO4-1  | WO8-9   |
| WO4-2  | WO8-15  |
| WO4-3  | WO8-76  |
| WO4-5  | WO8-78  |
| WO4-5P | WO9-1   |
| WO4-6  | WO9-2   |
| WO5-1  | WO11-2  |
| WO5-2  | WO11-15 |
| WO5-52 | WO12-1  |
| WO5-53 | WO12-1D |
| WO5-58 | WO12-2  |
| WO5-59 | WO13-1  |
| WO5-60 | WO13-2  |
| WO6-1  | WO16-7  |
| WO6-3  | WO16-9P |
| WO6-50 | WO14-3  |
| WO6-51 | WO24-1  |
| WO7-61 | WO57-51 |
| WO8-1  | WO57-52 |
| WO8-1A |         |

7



NOTES

1. Sign is Type II - Type H Reflective
2. Color:  
Background - GREEN  
Message - WHITE
3. Interstate Shield Color  
Background - Top Red  
- Bottom Blue  
Message - White
4. Message Series - C or as noted on the Sign.
5. The decimal point is required for all digits except "0".
6. Optically adjust mileage numbers about the centerline of the sign to achieve proper balance.
7. Optically adjust Ramp direction letters about the centerline of the sign to achieve proper balance.

|      |    |    |       |   |     |        |       |   |       |   |   |   |    |       |       |   |       |       |    |   |   |       |       |       |   |   |                 | D10-5           | D10-5A          | D10-5R |
|------|----|----|-------|---|-----|--------|-------|---|-------|---|---|---|----|-------|-------|---|-------|-------|----|---|---|-------|-------|-------|---|---|-----------------|-----------------|-----------------|--------|
| SIZE | A  | B  | C     | D | E   | F      | G     | H | I     | J | K | L | M  | N     | O     | P | Q     | R     | S  | T | U | V     | W     | X     | Y | Z | Area<br>sq. ft. | Area<br>sq. ft. | Area<br>sq. ft. |        |
| 1    |    |    |       |   |     |        |       |   |       |   |   |   |    |       |       |   |       |       |    |   |   |       |       |       |   |   |                 |                 |                 |        |
| 2    |    |    |       |   |     |        |       |   |       |   |   |   |    |       |       |   |       |       |    |   |   |       |       |       |   |   |                 |                 |                 |        |
| 3    |    |    |       |   |     |        |       |   |       |   |   |   |    |       |       |   |       |       |    |   |   |       |       |       |   |   |                 |                 |                 |        |
| 4    | 21 | 60 | 1 1/2 |   | 1/2 | 12 1/4 | 2 1/4 | 8 | 4 1/2 | 2 | 6 | 4 | 13 | 6 5/8 | 3 1/4 | 7 | 6 1/2 | 7 1/8 | 72 | 3 |   | 7 1/2 | 8 1/4 | 6 3/4 |   |   | 8.75            | 10.5            | 10.5            |        |
| 5    | 21 | 60 | 1 1/2 |   | 1/2 | 12 1/4 | 2 1/4 | 8 | 4 1/2 | 2 | 6 | 4 | 13 | 6 5/8 | 3 1/4 | 7 | 6 1/2 | 7 1/8 | 72 | 3 |   | 7 1/2 | 8 1/4 | 6 3/4 |   |   | 8.75            | 10.5            | 10.5            |        |

STANDARD SIGN  
D10-5

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*  
For State Traffic Engineer

DATE 3/13/2025 PLATE NO. D10-5.4


7

7

7

NOTES

- 1. Sign is Type I - Type SH Reflective
- 2. Color:
  - Background - Blue
  - Message - White
- 3. Message Series - E



\*Varies

| SIZE | A   | B  | C | D | E | F  | G                              | H                              | I                              | J                              | K                              | L  | M                              | N                              | O                             | P | Q | R | S | T | U | V | W | X | Y | Z | Area<br>sq. ft. |
|------|-----|----|---|---|---|----|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|----|--------------------------------|--------------------------------|-------------------------------|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| 1    |     |    |   |   |   |    |                                |                                |                                |                                |                                |    |                                |                                |                               |   |   |   |   |   |   |   |   |   |   |   |                 |
| 2    |     |    |   |   |   |    |                                |                                |                                |                                |                                |    |                                |                                |                               |   |   |   |   |   |   |   |   |   |   |   |                 |
| 3    |     |    |   |   |   |    |                                |                                |                                |                                |                                |    |                                |                                |                               |   |   |   |   |   |   |   |   |   |   |   |                 |
| 4    | 168 | 60 | 9 |   | 2 | 10 | 13 <sup>3</sup> / <sub>8</sub> | 10 <sup>3</sup> / <sub>4</sub> | 11 <sup>1</sup> / <sub>4</sub> | 70 <sup>3</sup> / <sub>8</sub> | 13 <sup>5</sup> / <sub>8</sub> | 15 | 43 <sup>3</sup> / <sub>8</sub> | 31 <sup>1</sup> / <sub>8</sub> | 3 <sup>3</sup> / <sub>4</sub> |   |   |   |   |   |   |   |   |   |   |   | 70.0            |
| 5    |     |    |   |   |   |    |                                |                                |                                |                                |                                |    |                                |                                |                               |   |   |   |   |   |   |   |   |   |   |   |                 |

STANDARD SIGN

E5-63




WISCONSIN DEPT OF TRANSPORTATION

APPROVED

Matthew R. Rauch


State Traffic Engineer

DATE 9/11/2024PLATE NO. E5-63.4



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
  - Background - Blue
  - Message - White
  - Rainbow detail - See Below
- 3. Message Series - Adopt a Highway - Dutch 8011L  
All other Text - Series C
- 4. Contractor shall provide and install a new post bracket in accordance with the I55-56B sign detail.



\*1/4" Black Border between each color of rainbow and border of rainbow  
\*3/8" White Border surrounds the whole image of the rainbow

| SIZE | A  | B  | C     | D   | E   | F | G | H     | I     | J     | K     | L     | M  | N  | O     | P     | Q | R   | S      | T     | U | V     | W      | X | Y | Z | Area<br>sq. ft. |
|------|----|----|-------|-----|-----|---|---|-------|-------|-------|-------|-------|----|----|-------|-------|---|-----|--------|-------|---|-------|--------|---|---|---|-----------------|
| 1    |    |    |       |     |     |   |   |       |       |       |       |       |    |    |       |       |   |     |        |       |   |       |        |   |   |   |                 |
| 2    | 30 | 18 | 1 1/2 | 1/2 | 5/8 | 3 | 2 | 3 1/2 | 2 1/4 | 1 1/2 | 8 1/2 | 2 1/2 | 11 | 12 | 9 3/8 | 1 1/4 |   | 3/4 | 12 5/8 | 7 1/2 | 4 | 9 7/8 | 11 1/2 |   |   |   | 3.75            |
| 3    |    |    |       |     |     |   |   |       |       |       |       |       |    |    |       |       |   |     |        |       |   |       |        |   |   |   |                 |
| 4    |    |    |       |     |     |   |   |       |       |       |       |       |    |    |       |       |   |     |        |       |   |       |        |   |   |   |                 |
| 5    |    |    |       |     |     |   |   |       |       |       |       |       |    |    |       |       |   |     |        |       |   |       |        |   |   |   |                 |


STANDARD SIGN  
I55-56

WISCONSIN DEPT OF TRANSPORTATION


APPROVED *Matthew R. Rauch*  
for State Traffic Engineer

DATE 3/13/2025 PLATE NO. I55-56.5


7



I59-1S  
SIGN BRIDGE SIGN SUPPORT



I59-1G  
RAMP GATE



I59-1L  
LIGHT POLE CIRCUIT/SEQUENCE  
PLAQUE

NOTES

1. Sign is Type II - Non-Reflective
2. Color:  
Background - White  
Message - Black
3. Message Series - D
4. Base Material - .060" Aluminum blank
5. Color Patches - various colors (see chart)

COLOR PATCH CODE FOR HPS AND LED LUMINAIRES

| HPS       | LED          | COLOR PATCH CODE         |
|-----------|--------------|--------------------------|
| 1000 WATT |              | NO PATCH                 |
| 400 WATT  | CATEGORY D   | ORANGE                   |
| 310 WATT  |              | BLUE                     |
| 250 WATT  | CATEGORY C   | ORANGE WITH WHITE STRIPE |
| 200 WATT  |              | RED                      |
| 150 WATT  | CATEGORY B   | GREEN                    |
| 100 WATT  | CATEGORY A   | BROWN                    |
| 70 WATT   | CATEGORY UDL | BROWN WITH WHITE STRIPE  |

| SIZE | A | B  | C   | D     | E     | F     | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z | Area<br>sq. ft. |
|------|---|----|-----|-------|-------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| 1    |   |    |     |       |       |       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |
| 2S   | 3 | 27 | 1/2 | 2 1/2 | 1 1/2 | 7 1/2 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 0.56            |
| 2M   | 3 | 27 | 1/2 | 2 1/2 | 1 1/2 | 7 1/2 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 0.56            |
| 3    |   |    |     |       |       |       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |
| 4    |   |    |     |       |       |       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |
| 5    |   |    |     |       |       |       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |

PROJECT NO:

HWY:


COUNTY:

SHEET NO:

E

7

7



NOTES

1. Sign is Type II - Type F Reflective
2. Color:  
Background - Orange  
Message - Black
3. Message Series - B
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.

7

| SIZE | A  | B  | C     | D   | E   | F | G     | H     | I     | J | K      | L | M | N | O | P | Q | R | S | T | U | v | W | X | Y | Z | Area<br>sq. ft. |
|------|----|----|-------|-----|-----|---|-------|-------|-------|---|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| 1    |    |    |       |     |     |   |       |       |       |   |        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |
| 2    | 24 | 12 | 1 1/2 | 3/8 | 3/8 | 5 | 3 1/2 | 2 1/4 | 5 1/8 | 3 | 11 3/8 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 2.0             |
| 2M   | 24 | 12 | 1 1/2 | 3/8 | 3/8 | 5 | 3 1/2 | 2 1/4 | 5 1/8 | 3 | 11 3/8 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 2.0             |
| 3    | 36 | 18 | 1 1/2 | 3/8 | 1/2 | 8 | 5     | 2 1/4 | 8 1/4 | 5 | 18 1/4 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 4.5             |
| 4    |    |    |       |     |     |   |       |       |       |   |        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |
| 5    |    |    |       |     |     |   |       |       |       |   |        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |

STANDARD SIGN


M4-50

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*  
For State Traffic Engineer

DATE 12/17/2024 PLATE NO. M4-50.1

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:  
Background - White  
Message - See note 4
- 3. Message Series - C
- 4. The border strip and word message are reflectorized red.

7

| SIZE | A  | B      | C | D     | E     | F     | G     | H     | I     | J     | K | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z | Area<br>sq. ft. |
|------|----|--------|---|-------|-------|-------|-------|-------|-------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| 1    | 30 | 26     | 2 | 5⁄8   | 4     | 2 1⁄2 | 6 3⁄8 | 7⁄8   | 4     | 3 5⁄8 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 2.71            |
| 2S   | 36 | 31     | 2 | 3⁄4   | 5     | 3     | 7 3⁄4 | 1 1⁄4 | 4 3⁄4 | 4 3⁄8 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 3.88            |
| 2M   | 48 | 42     | 3 | 1     | 6     | 4     | 9 3⁄4 | 2     | 6 1⁄4 | 5 7⁄8 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 7.00            |
| 3    | 48 | 42     | 3 | 1     | 6     | 4     | 9 3⁄4 | 2     | 6 1⁄4 | 5 7⁄8 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 7.00            |
| 4    | 48 | 42     | 3 | 1     | 6     | 4     | 9 3⁄4 | 2     | 6 1⁄4 | 5 7⁄8 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 7.00            |
| 5    | 60 | 52     | 3 | 1 1⁄2 | 8     | 5     | 13    | 2 1⁄2 | 7 7⁄8 | 7 1⁄4 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 10.83           |
| 6    |    |        |   |       |       |       |       |       |       |       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |
| 7    | 18 | 15 1⁄2 | 1 | 3⁄8   | 2 1⁄2 | 1 1⁄2 | 3 7⁄8 | 5⁄8   | 2 3⁄8 | 2 1⁄4 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 0.97            |


PROJECT NO:

HWY:

COUNTY:


SHEET NO:

E



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:  
Background - Black  
Message - Black Legend & White Arrow & Border
- 3. Message Series - D



| SIZE | A  | B  | C     | D   | E | F | G     | H     | I     | J      | K     | L     | M     | N   | O     | P      | Q | R   | S      | T   | U | V | W | X | Y | Z | Area<br>sq. ft. |
|------|----|----|-------|-----|---|---|-------|-------|-------|--------|-------|-------|-------|-----|-------|--------|---|-----|--------|-----|---|---|---|---|---|---|-----------------|
| 1    |    |    |       |     |   |   |       |       |       |        |       |       |       |     |       |        |   |     |        |     |   |   |   |   |   |   |                 |
| 2S   | 36 | 12 | 1 1/2 | 1/2 |   | 4 | 2     | 7 1/2 | 9 5/8 | 9 1/8  | 1 1/4 | 3     | 3 3/8 | 5/8 | 4 3/8 | 11     |   | 3/8 | 7 1/2  | 3/4 | 2 |   |   |   |   |   | 3.0             |
| 2M   | 48 | 18 | 1 7/8 | 3/4 |   | 5 | 2 1/2 | 11    | 13    | 12 1/4 | 2 3/4 | 3 1/2 | 5 1/2 | 1   | 7 1/8 | 13 1/2 |   | 1/2 | 10 1/8 | 7/8 | 3 |   |   |   |   |   | 6.0             |
| 3    | 48 | 18 | 1 7/8 | 3/4 |   | 5 | 2 1/2 | 11    | 13    | 12 1/4 | 2 3/4 | 3 1/2 | 5 1/2 | 1   | 7 1/8 | 13 1/2 |   | 1/2 | 10 1/8 | 7/8 | 3 |   |   |   |   |   | 6.0             |
| 4    | 48 | 18 | 1 7/8 | 3/4 |   | 5 | 2 1/2 | 11    | 13    | 12 1/4 | 2 3/4 | 3 1/2 | 5 1/2 | 1   | 7 1/8 | 13 1/2 |   | 1/2 | 10 1/8 | 7/8 | 3 |   |   |   |   |   | 6.0             |
| 5    |    |    |       |     |   |   |       |       |       |        |       |       |       |     |       |        |   |     |        |     |   |   |   |   |   |   |                 |

STANDARD SIGN  
R6-1 L&R


WISCONSIN DEPT OF TRANSPORTATION

APPROVED

*Matthew R. Rauch*  
for State Traffic Engineer

DATE 4/7/2025 PLATE NO. R6-1.5

7



NOTES

- 1. Sign is Type II - Type F Reflective or as Noted
- 2. Color:  
Background - As noted in Note 3
- 3. USE APPROPRIATE CODE FOR DIFFERENT COLOR:  
RS-Y = YELLOW  
RS-G = YELLOW-GREEN (School Zones Only)  
RS-W = WHITE - Type H Reflective  
RS-R = RED - Type H Reflective
- 4. Base Material .080" aluminum blank

7

| SIZE | A | B  | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z | Area<br>sq. ft. |
|------|---|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| 1    |   |    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |
| 2S   | 2 | 72 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1.0             |
| 2M   | 2 | 72 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1.0             |
| 3    |   |    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |
| 4    |   |    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |
| 5    |   |    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |

STANDARD SIGN

RS-Y


WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*  
for State Traffic Engineer

DATE 7/11/24 PLATE NO. RS-Y.2

NOTES


- 1. Sign is Type II - Type F Reflective
- 2. Color:
  - Background - Yellow
  - Message - Black
- 3. Message Series - C



W10-52P

| SIZE | A  | B  | C     | D   | E   | F | G     | H     | I     | J     | K     | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z | Area<br>sq. ft. |
|------|----|----|-------|-----|-----|---|-------|-------|-------|-------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| 1    |    |    |       |     |     |   |       |       |       |       |       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |
| 2S   | 24 | 30 | 1 1/2 | 3/8 | 1/2 | 4 | 3 5/8 | 2 1/4 | 8 1/8 | 8 1/4 | 2 5/8 | 9 |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 5.0             |
| 2M   | 24 | 30 | 1 1/2 | 3/8 | 1/2 | 4 | 3 5/8 | 2 1/4 | 8 1/8 | 8 1/4 | 2 5/8 | 9 |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 5.0             |
| 3    |    |    |       |     |     |   |       |       |       |       |       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |
| 4    |    |    |       |     |     |   |       |       |       |       |       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |
| 5    |    |    |       |     |     |   |       |       |       |       |       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |

7



W13-20A

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:  
Background - Yellow  
Message - Black
- 3. Message Series - Line 1 is series C  
Line 2 is series E
- 4. Variable speed screen allows minor modifications to accommodate manufacture specifications.

7

| SIZE | A  | B  | C     | D   | E   | F | G     | H     | I  | J     | K      | L     | M   | N      | O      | P  | Q     | R | S | T | U | V | W | X | Y | Z | Area<br>sq. ft. |      |
|------|----|----|-------|-----|-----|---|-------|-------|----|-------|--------|-------|-----|--------|--------|----|-------|---|---|---|---|---|---|---|---|---|-----------------|------|
| 1    |    |    |       |     |     |   |       |       |    |       |        |       |     |        |        |    |       |   |   |   |   |   |   |   |   |   |                 |      |
| 2S   | 24 | 18 | 1 1/2 | 3/8 | 1/2 | 3 | 2 1/4 | 1 1/2 | 10 | 1 3/8 | 8 3/8  | 1 5/8 | 3/8 | 9 5/8  | VARIES | 8  | 2 1/2 |   |   |   |   |   |   |   |   |   |                 | 3.0  |
| 2M   | 30 | 24 | 1 1/2 | 3/8 | 1/2 | 4 | 3     | 2     | 13 | 2     | 10 7/8 | 2 1/8 | 3/8 | 12 3/4 | VARIES | 10 | 3 1/2 |   |   |   |   |   |   |   |   |   |                 | 5.0  |
| 3    | 36 | 30 | 1 7/8 | 1/2 | 3/4 | 5 | 4     | 2 1/2 | 16 | 2 1/2 | 13 1/4 | 2 5/8 | 3/8 | 15 1/2 | VARIES | 12 | 4 1/2 |   |   |   |   |   |   |   |   |   |                 | 7.5  |
| 4    | 36 | 30 | 1 7/8 | 1/2 | 3/4 | 5 | 4     | 2 1/2 | 16 | 2 1/2 | 13 1/4 | 2 5/8 | 3/8 | 15 1/2 | VARIES | 12 | 4 1/2 |   |   |   |   |   |   |   |   |   |                 | 7.5  |
| 5    | 48 | 36 | 2 1/4 | 5/8 | 7/8 | 6 | 4 1/4 | 3     | 20 | 2 3/4 | 17     | 3 1/4 | 3/4 | 19 5/8 | VARIES | 14 | 5 3/4 |   |   |   |   |   |   |   |   |   |                 | 12.0 |

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
  - Background - Orange
  - Message - Black
- 3. Message Series - See note 4
- 4. Line 1 - Series B  
Line 2 - Series C

7

| SIZE | A  | B | C     | D   | E   | F | G | H     | I      | J      | K      | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z | Area<br>sq. ft. |
|------|----|---|-------|-----|-----|---|---|-------|--------|--------|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| 1    | 36 |   | 2 1/4 | 5/8 | 3/4 | 6 | 4 | 5 5/8 | 16 1/8 | 16 1/8 | 8 1/2  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 9.0             |
| 2S   | 48 |   | 3     | 3/4 | 1   | 8 | 6 | 7 1/2 | 21 3/8 | 21 1/2 | 11 1/4 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 16.0            |
| 2M   | 48 |   | 3     | 3/4 | 1   | 8 | 6 | 7 1/2 | 21 3/8 | 21 1/2 | 11 1/4 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 16.0            |
| 3    | 48 |   | 3     | 3/4 | 1   | 8 | 6 | 7 1/2 | 21 3/8 | 21 1/2 | 11 1/4 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 16.0            |
| 4    | 48 |   | 3     | 3/4 | 1   | 8 | 6 | 7 1/2 | 21 3/8 | 21 1/2 | 11 1/4 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 16.0            |
| 5    | 48 |   | 3     | 3/4 | 1   | 8 | 6 | 7 1/2 | 21 3/8 | 21 1/2 | 11 1/4 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 16.0            |

STANDARD SIGN  
W21-52

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*  
For State Traffic Engineer

DATE 1/16/2024 PLATE NO. W21-52.2


PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E



NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:  
Background - Orange  
Message - Black
- 3. Message Series - See note 4
- 4. Line 1, 3 - Series C  
Line 2 - Series B

7

7

| SIZE | A  | B | C | D | E | F | G | H | I   | J    | K  | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z | Area<br>sq. ft. |
|------|----|---|---|---|---|---|---|---|-----|------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| 1    |    |   |   |   |   |   |   |   |     |      |    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |
| 2S   | 48 |   | 3 | ¾ | 1 | 8 | 4 | 5 | 6 ¾ | 24 ⅜ | 11 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 16.0            |
| 2M   | 48 |   | 3 | ¾ | 1 | 8 | 4 | 5 | 6 ¾ | 24 ⅜ | 11 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 16.0            |
| 3    | 48 |   | 3 | ¾ | 1 | 8 | 4 | 5 | 6 ¾ | 24 ⅜ | 11 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 16.0            |
| 4    | 48 |   | 3 | ¾ | 1 | 8 | 4 | 5 | 6 ¾ | 24 ⅜ | 11 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 16.0            |
| 5    | 48 |   | 3 | ¾ | 1 | 8 | 4 | 5 | 6 ¾ | 24 ⅜ | 11 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 16.0            |

STANDARD SIGN  
W21-53

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*  
for State Traffic Engineer

DATE 4/8/2025 PLATE NO. W21-53.1

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E