

CORRESPONDENCE/MEMORANDUM_____ *State of Wisconsin*

DATE: 7/13/26

TO: All WisDOT Standard Sign Plate Holders

FROM: Ryan A. Mayer, P.E.
Traffic Design Unit Supervisor

SUBJECT: Revised WisDOT Standard Sign Plates

Listed below and placed in the Traffic Operations Manuals website are changes and additions to the WisDOT Standard Sign Plates. Please make your coworkers aware of the following changes and that they can be found at: <http://wisconsindot.gov/Pages/doing-bus/local-gov/traffic-ops/manuals-and-standards/manuals.aspx>

Many of the changes that have taken place in this listing are for compliance with the 2023 MUTCD 11th Edition updates and the approved updated Wisconsin MUTCD. The revisions are as follows:

Sign Plate Additions/Revisions

All 255 Additions and Revisions are Underlined in the Standard Sign Plate Listing.

Retired Sign Plates

All1-10 D4-5 D4-5A D4-51 D4-55 D4-55A D5-5A D5-5B D6-51 D6-53 D7-57 D7-59 D7-64
D7-66 D7-72 D7-74 D7-77A D7-81A D7-82AB D9-51 D9-52 D9-52A D12-3A D17-2 E5-51
E5-52 E5-52B E5-53 E5-53A E5-54 E5-54A E5-56A E5-56L E5-57 E5-57D E5-58 E5-60
E5-61 E5-62 E5-63 E5-64 E5-65 E9-1 E10-51 E10-60 E10-61 E10-62 E10-63 E10-64 E13-1P
G20-59 G20-61 G20-63 G20-64 I2-2R I2-3 I2-3A I3-1 I5-1 I55-56 I55-56B I55-57 M1-86
M1-87 M1-88A M1-95 M1-95A M4-60A R1-55 R2-4 R2-6P R3-7B R3-50 R3-50A R3-50U
R3-51 R3-51L R3-51R R3-52 R3-52B R3-52C R3-52P R3-53 R3-54 R3-55A R3-57 R3-59
R3-60 R3-60T R3-60X R4-52 R5-51 R5-54 R5-57A R7-8 R7-8B R7-8V R7-51 R7-52 R7-53
R7-63 R7-66 R8-52 R8-51 R8-56 R9-20 R9-98 R9-99 R10-10A R10-11F R10-50 R10-62
R10-63 R10-65 R10-70 R10-85 R11-5 R11-52 R11-53 R12-52 R12-53 R12-54 R12-55 R12-56
R12-57 R12-58 R12-58F R12-59 R12-70 R13-49 R14-52 R52-57A R52-59 R55-59 R55-61M
R55-61 R55-62 R55-63 R55-64 R55-65 R55-66 R55-67 S57-51 W1-51 W1-60 W2-50 W4-4C
W4-7 W5-52 W5-53 W5-53S W5-54 W5-56 W5-57 W5-58 W5-59 W5-60 W5-65 W6-60

W7-61 W8-57 W8-58 W8-60 W8-61 W8-62 W8-63 W8-64 W8-65 W8-66 W8-69 W8-70
W8-72 W8-75 W8-77 W11-55 W12-1D W12-50 W13-2A W13-2B W13-2C W13-2D W13-3A
W13-3B W13-3C W13-3D W20-7A W20-40 W20-58 W21-1A W21-51 W21-60 W21-61 W21-62
W21-62Q W21-67 W54-60 W56-51 W57-51 W57-52 WO5-52 WO5-53 WO5-58 WO5-59
WO5-60 WO6-50 WO6-51 WO7-61 WO57-51 WO57-52

All non-listed D, I, M, R series Sign Plates that are no longer in the standard sign plate listing have a changeable message which moves them to a New A-Series Plate (please note that some A-plates have several pages of examples). The appropriate sign plate will still have the same sign code (unless the code is listed above) but the standalone sign plate is now removed or retired.

If you have any questions or comments regarding the updated sign plates please contact:

Jason Henning
WisDOT Central Office
Bureau of Traffic Operations
3609 Pierstorff St
Madison, WI 53704
(608) 245-5345
DOTBTOsigndetails@dot.wi.gov

If you want to be removed from our distribution list or if your address has changed, please contact Ryan Mayer at the email address or phone number below.

Ryan Mayer
WisDOT Central Office
Bureau of Traffic Operations
3609 Pierstorff St
Madison, WI 53704
(608) 246-3810
ryan.mayer@dot.wi.gov

STANDARD SIGN PLATE LISTING

A1-1	A5-9	<u>A11-15</u>	<u>D4-2B</u>
A1-2	A5-10	<u>A11-16</u>	D4-3
A2-1S	A5-11	<u>A11-17</u>	D4-4
A3-1	<u>A11-1</u>	<u>A11-18</u>	<u>D4-52</u>
A3-1M	<u>A11-2</u>	<u>A11-19</u>	<u>D4-54</u>
A3-2	<u>A11-3</u>	<u>A11-20</u>	<u>D4-54A</u>
A3-3	<u>A11-4</u>	<u>A11-21</u>	<u>D4-56</u>
A4-1	<u>A11-4A</u>	<u>A11-21A</u>	<u>D5-1</u>
A4-2	<u>A11-5</u>	<u>A11-22</u>	<u>D5-1A</u>
A4-3	<u>A11-6</u>	<u>A11-23</u>	<u>D5-2</u>
A4-3B	<u>A11-6A</u>	<u>A11-23A</u>	<u>D5-2A</u>
A4-3S	<u>A11-6B</u>	<u>A11-24</u>	<u>D5-6</u>
A4-4	A11-7	<u>A11-25</u>	<u>D5-7</u>
A4-6	<u>A11-8</u>	<u>A11-26</u>	<u>D5-8</u>
A4-7A	<u>A11-8A</u>	<u>A11-27</u>	<u>D5-10</u>
A4-7B	<u>A11-8B</u>	<u>A11-28</u>	<u>D5-10B</u>
A4-8	A11-9	<u>A11-29</u>	<u>D5-11</u>
A4-9	<u>A11-11A</u>	<u>A11-30</u>	D5-61
A4-10	<u>A11-11B</u>	<u>A11-31</u>	D5-62
A4-11	<u>A11-11D</u>	<u>A11-32</u>	D5-63
A4-12	<u>A11-11F</u>	<u>A11-33</u>	D5-64
A4-14	<u>A11-11G</u>	<u>A11-34</u>	D5-67
A4-15	<u>A11-11H</u>	<u>A11-35</u>	D5-68
A4-16	<u>A11-11I</u>	<u>D1-51</u>	<u>D5-70</u>
A4-17	<u>A11-11J</u>	D1-55	D6-4
A4-18	<u>A11-11K</u>	D1-56	D6-4S
A5-2	<u>A11-11L</u>	D1-57	D7-54
<u>A5-3</u>	<u>A11-12</u>	D4-1	D7-54C
A5-7	<u>A11-13</u>	<u>D4-2</u>	D7-56
A5-8	<u>A11-14</u>	<u>D4-2A</u>	D7-56C

STANDARD SIGN PLATE LISTING

D7-60	D12-50	G20-56	M1-56
<u>D8-1</u>	D13-3	G20-57	M1-56B
<u>D8-1L</u>	<u>D17-4</u>	G20-57B	<u>M1-88</u>
<u>D8-2</u>	D17-7	G20-57C	M1-90
<u>D8-3</u>	<u>D52-53</u>	G20-60	M1-91
D9-2	<u>D52-54</u>	G20-62	M1-92
D9-6	<u>D52-58</u>	G20-65	M1-93
<u>D9-10</u>	DB5-69	G20-66	M1-96
D9-13C	E1-5	G20-67	M1-97
<u>D9-16</u>	E2-1	G20-68	M1-98
D9-16D	E5-1	<u>G20-69</u>	M2-1
<u>D9-18AH</u>	E5-1A	<u>I3-5</u>	M3-1
<u>D9-18AT</u>	E5-1B	<u>I20-3</u>	M4-1
<u>D9-18CH</u>	E10-56	<u>I20-4</u>	M4-1A
<u>D9-18CT</u>	E10-82	I52-52	M4-2
<u>D9-20AP</u>	E10-82A	I56-50	M4-3
D10-3	E10-83	I59-1	M4-4
D10-5	E10-83A	JV-F	M4-5
D11-1	E11-1	M1-1	M4-6
D11-1A	G20-1	M1-4	M4-8
D11-6	G20-2A	M1-5A	M4-8A
D11-7	G20-4	M1-6	M4-9A
D11-8	<u>G20-5AP</u>	M1-6B	M4-9AA
D11-9	G20-40	M1-7	M4-9BA
D11-10	G20-51	M1-8	M4-9B
D11-10A	G20-52	M1-8A	M4-9CA
D11-10P	G20-52A	M1-9	M4-9C
D12-2B	G20-53	M1-51	M4-9DA
D12-3	G20-53A	M1-54	M4-9D
D12-5	G20-55	M1-55	M4-9RA

STANDARD SIGN PLATE LISTING

M4-9R	<u>OM5-58</u>	R3-1	<u>R3-11V</u>
<u>M4-11BP</u>	<u>OM5-59</u>	R3-2	<u>R3-12G</u>
M4-20	<u>OM5-60</u>	R3-3	R3-17
M4-21	<u>OM5-65</u>	<u>R3-4</u>	R3-18
<u>M4-22</u>	<u>P55-59</u>	R3-4A	R3-20L
M4-50	<u>P55-61</u>	R3-4B	R3-20LL
M4-59A	<u>P55-61M</u>	<u>R3-4D</u>	R3-20R
<u>M4-59</u>	<u>P55-62</u>	<u>R3-5</u>	R3-20RR
M4-60	<u>P55-63</u>	<u>R3-5A</u>	R3-25U
M4-60D	<u>P55-64</u>	<u>R3-5U</u>	R3-27
M5-1	<u>P55-65</u>	<u>R3-5X</u>	<u>R3-33</u>
M5-51	<u>P55-66</u>	<u>R3-6</u>	<u>R3-33A</u>
M5-52	<u>P55-67</u>	<u>R3-6T</u>	R3-58
M6-1	<u>R1-1</u>	<u>R3-6U</u>	R4-1
M6-4	R1-1F	<u>R3-6V</u>	R4-2
M6-7	R1-2	<u>R3-6W</u>	R4-3
M6-50	<u>R1-3P</u>	<u>R3-6X</u>	R4-4
M7-1	R1-5L	<u>R3-7</u>	R4-5
M50	R1-5R	<u>R3-7C</u>	R4-7
MR1-99	<u>R1-5DL</u>	<u>R3-7S</u>	<u>R4-7B</u>
MR4-53	<u>R1-5DR</u>	R3-8	<u>R4-7C</u>
MR4-56	R1-6	R3-9B	<u>R4-8B</u>
MR5-53	<u>R1-9</u>	R3-9C	<u>R4-8C</u>
<u>OM1-3</u>	R1-10P	R3-11D	R4-9
<u>OM2-2H</u>	R1-53	<u>R3-11L</u>	R4-11
<u>OM2-2V</u>	R1-54	<u>R3-11M</u>	R4-13
<u>OM3</u>	R1-61	<u>R3-11R</u>	R4-14
<u>OM4-3</u>	R2-1	<u>R3-11S</u>	R4-18
<u>OM5-53B</u>	<u>R2-2ATV</u>	<u>R3-11T</u>	<u>R4-21</u>
<u>OM5-53S</u>	<u>R2-6AP</u>	<u>R3-11U</u>	R4-50

STANDARD SIGN PLATE LISTING

R4-53	<u>R7-5</u>	R9-8	R10-11B
R4-55	R7-6	R9-9	<u>R10-11C</u>
R5-1	R7-7	R9-9A	R10-11L
R5-1A	R7-8A	R9-10	R10-11S
R5-2	<u>R7-8AP</u>	R9-11	R10-11T
R5-2A	<u>R7-8AW</u>	R9-11A	<u>R10-12</u>
<u>R5-2P</u>	<u>R7-8W</u>	<u>R9-16</u>	<u>R10-12A</u>
R5-3	R7-64	<u>R9-50</u>	R10-15L
R5-6	R7-65	R9-53	R10-15R
<u>R5-12</u>	R7-67	R9-55	R10-16
R5-50	<u>R7-68</u>	R9-56	R10-17A
R5-57	<u>R8-1B</u>	<u>R10-1</u>	R10-23
R5-57B	R8-4	R10-2	<u>R10-25</u>
R5-60	R8-7	<u>R10-3</u>	R10-26
R5-96	R8-8	R10-3B	R10-30A
R5-97	<u>R8-9</u>	R10-3E	R10-61
R5-98	<u>R8-10</u>	R10-3H	R10-64
R5-99	R8-53	R10-3N	R10-71
R6-1	R8-54	<u>R10-4</u>	R10-72
R6-2	R8-55	R10-4B	<u>R11-2</u>
<u>R6-3</u>	R8-74	R10-4D	R11-2B
R6-5P	<u>R8-75</u>	R10-4X	R11-3
R6-6	R9-1	R10-5	R11-3C
R6-7	R9-2	R10-6	<u>R11-3D</u>
R7-1	<u>R9-3</u>	R10-6B	R11-4
<u>R7-1C</u>	<u>R9-3A</u>	<u>R10-7</u>	R11-51
R7-2	R9-3B	R10-10	R11-54F
<u>R7-2A</u>	R9-3BL	<u>R10-10B</u>	R12-1
<u>R7-3P</u>	<u>R9-4</u>	R10-11	<u>R12-2</u>
<u>R7-4</u>	<u>R9-4A</u>	<u>R10-11A</u>	<u>R12-6</u>

STANDARD SIGN PLATE LISTING


<u>R12-7</u>	<u>S7-3AP</u>	<u>W2-8</u>	W7-1
R12-70B	S13-1	W3-1	W7-2B
<u>R13-1</u>	<u>S16-3P</u>	W3-2	W7-3
R13-50	S16-5P	W3-3	<u>W7-3AP</u>
R14-1	<u>S16-7</u>	W3-4	W7-6
R15-3	<u>S16-7AP</u>	W3-5	W8-1
R15-50	S16-8	W3-6	W8-1A
<u>R22-2</u>	S16-9P	W3-8	W8-2
R52-55	S54-61	W4-1	W8-3
<u>R53-51</u>	W1-1	W4-2	W8-4
R53-52	W1-2	W4-3	W8-5
<u>R53-53</u>	W1-3	W4-4A	W8-6
R53-55	W1-4	W4-4B	W8-7
R53-56	W1-4B	W4-4P	W8-8
R53-57	W1-4C	W4-5	W8-9
R55-51	W1-5	W4-6	W8-9A
R55-53	W1-6	<u>W4-50</u>	W8-11
R55-54	W1-7	W5-1	W8-12
R55-58	W1-8	W5-2	<u>W8-13</u>
R55-58A	W1-10	W5-3	W8-14
R59-51	W1-10F	<u>W5-61</u>	W8-15
RS-Y	W1-11	<u>W5-64</u>	W8-16
S1-1	W1-13	W6-1	<u>W8-17</u>
S3-1	<u>W1-15</u>	W6-3	<u>W8-18</u>
S3-51	W2-1	W6-4	<u>W8-21</u>
S4-2	W2-2	<u>W6-5</u>	<u>W8-22</u>
S4-5	W2-3	<u>W6-5A</u>	<u>W8-23</u>
<u>S4-51</u>	W2-6	W6-53	W8-25
<u>S4-52</u>	W2-7L	W6-54	W8-67
S5-2	W2-7R	W6-54A	W8-68

STANDARD SIGN PLATE LISTING

W8-71	W11-50	W16-9P	W21-64B
W8-73	W11-57	<u>W16-15P</u>	W21-64C
W9-1	W11-59P	<u>W16-21P</u>	W21-65
W9-2	<u>W12-1</u>	<u>W19-1</u>	W21-66
<u>W9-3</u>	W12-2	<u>W19-2</u>	W21-67A
W9-3A	<u>W12-2A</u>	W20-1	W21-67B
W9-62	<u>W12-2B</u>	W20-2	W21-68
W9-63	<u>W12-2M</u>	W20-3	W22-1
W10-1	W12-52	W20-4	W22-2
W10-1A	W12-52P	<u>W20-5</u>	W22-3
W10-2	W13-1	<u>W20-5A</u>	W23-2
W10-3	<u>W13-1AP</u>	<u>W20-5B</u>	W24-1
W10-4	W13-2	<u>W20-7</u>	W24-1aL
W10-5	W13-3	W20-50	W24-1bL
W10-11A	<u>W13-6</u>	W20-50M	W24-1P
W10-11B	<u>W13-7</u>	W20-53	W25-2
W10-12	<u>W13-8</u>	<u>W21-1</u>	W54-51
<u>W10-52P</u>	<u>W13-9</u>	W21-2	W54-52
W11-1	W13-20A	W21-3	W54-53
W11-2	W14-1	W21-5	W54-54
W11-4	W14-2	W21-5A	W54-55
W11-5	W14-3	W21-5B	W54-56
W11-6	<u>W15-1</u>	W21-6	W54-57
W11-7	<u>W16-1P</u>	W21-7	W54-58
W11-8	W16-2A	<u>W21-8</u>	W54-59
W11-9	<u>W16-3P</u>	W21-52	W54-62
<u>W11-11</u>	<u>W16-5P</u>	W21-53	W54-63
W11-14	<u>W16-7</u>	W21-62R	WO1-1
W11-15	<u>W16-7AP</u>	W21-63	WO1-2
W11-15A	W16-7D	W21-64A	WO1-3

STANDARD SIGN PLATE LISTING

WO1-4	WO8-6C
WO1-4B	WO8-7
WO1-4C	WO8-8
WO1-6	WO8-9
WO1-7	WO8-15
WO3-1	WO8-76
WO3-2	WO8-78
WO3-3	WO9-1
WO3-4	WO9-2
WO3-5	WO11-2
WO4-1	WO11-15
WO4-2	WO12-1
WO4-3	WO12-1D
WO4-5	WO12-2
WO4-5P	WO13-1
WO4-6	WO13-2
WO5-1	WO14-3
WO5-2	<u>WO16-3AP</u>
WO6-1	<u>WO16-7</u>
WO6-3	WO16-9P
<u>WO7-3AP</u>	WO24-1
WO8-1	<u>WOM2-2V</u>
WO8-1A	<u>WOM3</u>
WO8-2	<u>WOM5-58</u>
WO8-3	<u>WOM5-59</u>
WO8-4	<u>WOM5-60</u>
WO8-5	
WO8-6	
WO8-6A	
WO8-6B	




1

TYPE 1							
A	B	C	D	E	Area Sq. Ft.	Mounting Holes	
18	18	18	1½	14	2.25	2	
24	24	24	1½	20	4.0	2	
30	30	30	1⅞	22	6.25	2	
36	36	36	2¼	26	9.0	2	

TYPE 2						
A	B	C	E	Area Sq. Ft.	Mounting Holes	
24	24	20	2	3.31	2	
30	30	24	3	5.18	2	
36	36	28	4	7.46	2	
48	48	36	6	13.25	3	


TYPE 3						
A	B	C	D	E	Area Sq. Ft.	Mounting Holes
48	48	26	3	13	16.0	4



2


TYPE 4							
A	B	C	D	E	Area Sq. Ft.	Mounting Holes	
18	15½	10½	1	2	.97	2	
30	26	20	2	2	2.71	2	
36	31	25	2	2	3.9	2	
48	42	33	3	3	7.0	2	
60	52	43	3	3	10.83	2	

TYPE 5							
A	B	C	D	E	Area Sq. Ft.	Mounting Holes	
6	9	7	1½	1	.38	2	
6	10	8	1½	1	.42	2	
8	8	6	1½	1	0.44	2	
9	12	9	1½	1½	.75	2	
9	15	12	1½	1½	.94	2	
12	9	6	1½	1½	.75	2	
12	12	9	1½	1½	1.00	2	
15	10	7	1½	1½	1.04	2	
16	8	6	1½	1	.89	2	
18	6	4	1½	1	.75	2	
18	18	14	1½	2	2.25	2	
21	15	11	1½	2	2.19	2	
21	21	17	1½	2	3.06	2	
24	6	4	1½	1	1.0	2	




3

TYPE 5 CONT'D.							
A	B	C	D	E	Area Sq. Ft.	Mounting Holes	
24	9	6	1½	1½	1.5	2	
24	12	8	1½	2	2.0	2	
24	18	14	1½	2	3.0	2	
24	24	20	1½	2	4.0	2	
30	12	8	1½	2	2.5	2	
30	15	11	1½	2	3.13	2	
30	18	14	1½	2	3.75	2	
30	21	17	1½	2	4.37	2	
30	24	20	1½	2	5.0	2	
30	30	22	1⅞	4	6.25	2	
36	12	8	1½	2	3.0	2	
36	15	11	1½	2	3.75	2	
36	18	14	1½	2	4.5	2	
36	24	20	1½	2	6.0	2	
36	30	22	1⅞	4	7.5	2	
36	36	26	2¼	5	9.0	2	
40	9	6	1½	2	2.5	2	
40	15	12	1½	2	4.16	2	
40	18	14	1½	2	5.00	2	
42	15	11	1½	2	4.38	2	
42	21	17	1⅞	2	6.13	2	



4

TYPE 5 CONT'D.							
A	B	C	D	E	Area Sq. Ft.	Mounting Holes	
42	24	20	1⅞	2	7.0	2	
42	30	22	1⅞	4	8.75	2	
42	36	28	1⅞	4	10.5	2	
44	8	6	1½	1	2.46	2	
48	12	8	1½	2	4.0	2	
48	18	14	1½	2	6.0	2	
48	24	20	1⅞	2	8.0	2	
48	30	22	1⅞	4	10.0	2	
48	36	28	2¼	4	12.0	2	



5

NOTES

1. All sign blanks shall have ⅞" Diameter mounting hole.

ALUMINUM THICKNESS

SIGN WIDTH	NOMINAL THICKNESS
30 inches and under	0.080 inch
Greater than 30-36 inches	0.100 inch
Over 36 inches	0.125 inch

STOP SIGN THICKNESS


SIGN WIDTH	NOMINAL THICKNESS
30 inches	0.100 inch
36-48 inches	0.125 inch

STANDARD LAYOUT OF
ALUMINUM SIGN BLANKS
SHEET 1 OF 3


WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 4/10/26 PLATE NO. A5-3.26



6



7



8

NOTES

1. All sign blanks shall have 7/16" Diameter mounting holes.

TYPE 6						
A	B	C	D	E	Area Sq. Ft.	Mounting Holes
30	30	24	1 3/8	3	4.68	2
36	36	26	1 5/8	5	6.75	2
48	48	32	1 7/8	8	12.0	3

TYPE 7 *						
A	B	C	D	E	Area Sq. Ft.	Mounting Holes
2	72	52	Ø	10	1.0	3
12	18	15	1 1/2	1 1/2	1.5	2
12	24	20	1 1/2	2	2.0	2
12	36	24	1 1/2	6	3.0	2
12	48	32	1 1/2	8	4.0	3
15	21	18	1 1/2	1 1/2	2.19	2
18	24	20	1 1/2	2	3.0	2
18	36	24	1 1/2	6	4.5	2
18	54	36	2 1/2	9	6.75	3
21	60	40	1 1/2	10	8.75	3
21	72	52	1 1/2	10	10.5	3
24	30	22	1 1/2	4	5.0	2
24	36	24	1 1/2	6	6.0	2
24	39	27	1 1/2	6	6.5	3
24	40	28	1 1/2	6	6.67	3
24	45	33	1 7/8	6	7.5	3
24	48	32	1 7/8	8	8.0	3
24	57	37	1 7/8	10	9.5	3
30	36	24	1 7/8	6	7.5	2
30	42	30	1 7/8	6	8.75	2
36	42	30	1 7/8	6	10.5	3
36	48	32	1 7/8	8	12.0	3
36	54	36	1 7/8	9	12.75	3
36	57	37	1 7/8	10	14.25	3

TYPE 7 CONT'D ✱						
A	B	C	D	E	Area Sq. Ft.	Mounting Holes
36	60	40	1 7/8	10	15.0	3
36	72	52	1 7/8	10	14.0	3
42	42	22	1 7/8	10	12.25	3
42	48	28	1 7/8	10	14.0	3
42	54	34	1 7/8	10	15.75	3
48	39	19	1 7/8	10	13.0	3
48	42	22	1 7/8	10	15.0	3
48	45	25	1 7/8	10	15.0	3
48	48	28	1 7/8	10	16.0	3
48	54	34	3	10	18.0	3
48	57	37	3	10	19.0	3

TYPE 8					
A	B	C	E	Area Sq. Ft.	Mounting Holes
30	—	24	3	4.91	2
36	—	26	5	7.07	2
48	—	32	8	12.5	3

* FOR SIGNS OVER 57" IN HEIGHT, PROVIDE 3 MOUNTING HOLES AT 10" FROM THE TOP AND BOTTOM OF SIGN AND IN THE CENTER OF SIGN.

STANDARD LAYOUT OF
ALUMINUM SIGN BLANKS
SHEET 2 OF 3

WISCONSIN DEPT OF TRANSPORTATION

APPROVED

Matthew R. Rauch
for State Traffic Engineer

DATE 4/10/26

PLATE NO. A5-3.26


PROJECT NO:

HWY:

COUNTY:

SHEET NO:


E



10


TYPE 10 (NOTE 1)						
A	B	C	D	E	Area Sq.Ft.	Mounting Holes
48	36	14	2 $\frac{1}{4}$	16	6.0	2

TYPE 11						
A	B	C	D	E	Area Sq. Ft.	Mounting Holes
66	12	8	3	2	5.5	4
66	15	11	3	2	6.88	4
66	18	14	3	2	8.25	4
66	21	17	3	2	9.63	4
66	24	20	3	2	11.0	4
66	30	22	3	4	13.75	4
66	36	28	3	4	16.5	4
66	42	34	3	4	19.25	4
66	48	40	3	4	22.0	4
72	12	8	3	2	6.0	4
72	15	11	3	2	7.5	4
72	18	14	3	2	9.0	4
72	21	17	3	2	10.5	4
72	24	20	3	2	12.0	4
72	30	22	3	4	15.0	4
72	36	28	3	4	18.0	4
72	42	34	3	4	21.0	4
72	48	40	3	4	24.0	4




11

TYPE 12 (NOTE 2)					
A	B	C	E	Area Sq. Ft.	Mounting Holes
24	24	18	3	3.13	2
30	24	18	3	3.91	2
36	36	28	4	7.03	2
45	36	28	4	8.79	2




12

TYPE 13						
A	B	C	D	E	Area Sq. Ft.	Mounting Holes
48	60	40	3	10	20.0	4
54	12	8	1 1/2	2	4.5	4
54	15	11	1 1/2	2	5.63	4
54	18	14	1 1/2	2	6.75	4
54	21	17	1 1/2	2	7.88	4
54	24	20	1 7/8	2	9.0	4
54	30	22	1 7/8	4	11.25	4
54	36	28	1 7/8	4	13.5	4
54	42	34	1 7/8	4	15.75	4
54	48	40	1 7/8	4	18.0	4
54	54	46	1 7/8	4	20.25	4
60	12	8	1 1/2	2	5.0	4
60	15	11	1 1/2	2	6.25	4
60	18	14	1 1/2	2	7.5	4
60	21	17	1 7/8	2	8.75	4
60	24	20	1 7/8	2	10.0	4
60	30	22	1 7/8	4	12.5	4
60	36	28	1 7/8	4	15.0	4
60	42	34	1 7/8	4	17.5	4
60	48	40	3	4	20.0	4



13

TYPE 14						
A	B	C	D	E	Area Sq. Ft.	Mounting Holes
42	48	28	17/8	6	14	4



14

NOTES

1. Dimension A on type #10 is measured to the theoretical intersections of the edges.
2. Shape of type #12 shall conform to FHWA standard for Interstate route markers.
3. All signs over 60" in width shall have 3" radius on the outside corners of the aluminum blank.
4. For signs over 72" in width see sign plate A4-18 for hole placement.

STANDARD LAYOUT OF ALUMINUM SIGN BLANKS

SHEET 3 OF 3

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 4/10/26 PLATE NO. A5-3.26


PROJECT NO.:	HWY.:	COUNTY:		SHEET NO.:	E
--------------	-------	---------	--	------------	----------

GENERAL RULES

- 1. The border and radius for each sign shall be determined from the table parameters.
- 2. Every sign detail sheet shall have notes. Refer to the sample for examples.
- 3. Every sign shall have a radius and border size designation. Signs with an exit number will require two as shown in the example.
- 4. Exit number panel shall go on right side or left side of sign depending upon a right or left exit situation.
- 5. Overall length of signs is in one foot increments.
- 6. Overall height of signs is in 6 inch increments.

SIGNS WITH EXIT NUMBERS & BORDER - RADIUS NOTES

Border=
Radius=



Border=
Radius=

BORDER-RADIUS TABLE

BORDER

60 - 150 sq. ft. = 2" Border
Over 150 sq. ft. = 3" Border




CORNER RADIUS

6' - 8' High = 9" Radius
Over 8' High = 12" Radius

NOTES


- 1. All Signs are Type I - Type SH Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - E
- 4. Exit Only panel is a Type F Yellow reflective background with a Black non-reflective message

7



* Adjust spacing to achieve proper balance

7




GENERAL GUIDANCE
FOR EXIT PANEL USAGE

WISCONSIN DEPT OF TRANSPORTATION


APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 3/6/26 PLATE NO. A11-1.8




TYPICAL EXAMPLES

(IH, USH, STH-MKR)
Particular shield
with cardinal
and one line
of message copy.



(CTH-MKR)
Particular shield
and one line
of message copy.





NOTES

- All signs shall have 15" LC/20" UC message copy, Series E Modified. All Cap letters are 12" Series E.
- Vertical spacing shall be as shown in the typicals. Note the differences between the various marker heads, and the associated spacings.
- The sign code for these signs is normally E1-1A.

* Minimum dimension is normally height of lower case letter.

** To be optically centered on the sign.



(IH, USH, STH-MKR)

GROUND MOUNTED
ADVANCE GUIDE SIGNS

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 3/6/26 PLATE NO. A11-2.5

PROJECT NO:

SHEET NO:

E

1. All signs shall have 15" LC/20" UC message copy, Series E Modified.
All CAP Words are Series E lettering
2. Vertical spacing shall be as shown in the typical. Note the difference between the county marker heads and all the other marker heads and the associated spacings.
3. The sign code for these signs is normally E4-1A.

- * Minimum dimension is normally height of lower case letter.


(CTH-MKR)

Particular s
and two line
message co


Particular shield
and two lines of
message copy.

Particular shield
with cardinal
and two lines of
message copy.

7



(IH, USH, STH-MKR)



One line of message copy.

Technical drawing of a rectangular plate with dimensions and hole locations. The plate has a total width of 162 and a total height of 131. The dimensions are as follows:


- Top edge: 15, 28, 15, 20, 10, 30, 14
- Left edge: 14, 20, 10, 10, 36, 13, 13
- Right edge: 15, 16

The drawing shows a rectangular plate with a total width of 162 and a total height of 131. The dimensions are as follows:

- Top edge: 15, 28, 15, 20, 10, 30, 14
- Left edge: 14, 20, 10, 10, 36, 13, 13
- Right edge: 15, 16

Particular shield
and one line
of message copy.

Particular shield
with cardinal
and one line
of message copy.




(IH, USH, STH-MKR)

DATE 3/6/26 PLATE NO. A11-3.6

SHEET NO:


11

TYPICAL VERTICAL SPACING LAYOUTS




(CTH-MKR)

Particular shield and one line of message copy.




(IH, USH, STH-MKR)

Particular shield with cardinal and one line of message copy.



(CTH-MKR)


Particular shield and two lines of message copy.




(IH, USH, STH-MKR)

Particular shield with cardinal and two lines of message copy.

TYPICAL EXAMPLES



(IH, USH, STH-MKR)



(IH, USH, STH-MKR)


NOTES

1. All signs shall have 12" LC/16" UC message copy, Series E Modified. All CAP words are Series E lettering
2. Vertical spacing shall be as shown in the typicals. Note the differences between the various marker heads, and the associated spacings.
3. The sign code for these signs is normally E6-51.

* Minimum dimension is normally height of lower case letter.


** To be optically centered on the sign.

TYPICAL VERTICAL SPACING LAYOUTS



Particular shield and one line of message copy.


Particular shield with cardinal and one line of message copy.




Particular shield and two lines of message copy.

Particular shield and two lines of message copy.

TYPICAL EXAMPLES



(IH, USH, STH-MKR)




(IH, USH, STH-MKR)

NOTES

1. All signs shall have 12" LC/16" UC message copy, Series E Modified. All Cap letters are 10" Series E.
2. Vertical spacing shall be as shown in the typicals. Note the differences between the various marker heads, and the associated spacings.
3. The sign code for these signs is normally E6-2.

* Minimum dimension is normally height of lower case letter.

** Adjust spacing to achieve proper balance



(IH, USH, STH-MKR)

OVERHEAD MOUNTED
PULL-THRU GUIDE SIGNS

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For STATE TRAFFIC ENGINEER


DATE 3/13/26 PLATE NO. A11-4A.2

PROJECT NO:


SHEET NO:

E

VERTICAL SPACING LAYOUTS



TYPICAL EXAMPLES






NOTES

1. All signs shall have 12" LC/16" UC message copy, Series E Modified. AllCAP words are Series E lettering
2. Vertical spacing shall be as shown in the typicals. Note the difference between the county marker heads and all the other marker heads and the associated spacings.
3. The sign code for these signs is normally E4-51.

* Minimum dimension is normally height of Lower case letter. However the Exit Only Panel may control the horizontal dimension of the sign.

VERTICAL SPACING LAYOUTS



OVERHEAD MOUNTED
EXIT GUIDE SIGNS

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 3/18/26 PLATE NO. A11-5.9

PROJECT NO:

SHEET NO:







E

TYPICAL EXAMPLES

NOTES

- 1. All signs shall have 10" LC/13.3" UC message copy, Series E Modified. All CAP words are Series E lettering
- 2. Vertical spacing shall be as shown in the typicals.
- 3. The sign code for these signs is normally E3-1.

* Minimum dimension is normally height of lower case letter.
** To be optically centered on the sign.



GROUND MOUNTED
SUPPLEMENTAL GUIDE
SIGNS

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer
DATE 3/19/26 PLATE NO. A11-6.6



7

TYPICAL EXAMPLES

NOTES

- 1. All signs shall have 10" LC/13.3" UC message copy, Series E Modified. All CAP words are Series E lettering
- 2. Vertical spacing shall be as shown in the typicals.
- 3. The sign code for these signs is normally E9-3.

* Minimum dimension is normally height of lower case letter.
** To be optically centered on the sign.




7

GROUND MOUNTED
SUPPLEMENTAL GUIDE
SIGNS

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 3/20/26 PLATE NO. A11-6A.1



E9-5



E9-4

NOTES

1. All signs shall have 10" LC/13.33"UC message copy. Series E Modified. Numerals for fractions are series E caps.
 2. Vertical spacing shall be shown in the typical.
 3. The sign code for these signs is normally E9-4 or E9-5.
- * Minimum is 20"


EXIT SEQUENCE
GROUND MOUNT
SIGNS

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 3/27/26 PLATE NO. A11-6B.1


TYPICAL EXAMPLES



E9-1



E9-1




E9-2




E9-2



E9-2



E9-2






E9-2

NOTES

1. All signs shall have 10" LC/13.3" UC message copy, Series E Modified. Numerals for fractions are series E caps
2. Vertical spacing shall be as shown in the typical.
3. The sign code for these signs is normally E9-1 or E9-2.


** 20" Minimum dimension

TYPICAL EXAMPLES



NOTES

1. All signs are Type I - Type SH Reflective.
 2. Message copy 10" LC/13.33" UC Series E modified.
 3. Vertical spacing shall be as shown.
 4. The sign code is normally E7-X with X indicating the number of communities.
 5. Overall length of these signs is in 12" increments.
 6. Color:
 - Background - Green
 - Message - White
- * Minimum dimension is twice the height of lower case letter.




DESTINATION-DISTANCE
SIGNS

WISCONSIN DEPT OF TRANSPORTATION


APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 3/24/26 PLATE NO. A11-8.4


TYPICAL EXAMPLES



D2-1



D2-2



D2-3




NOTES

- 1. All signs are Type II - Type H Reflective.
- 2. Message copy is 4.5"LC/6"UC Series E.
- 3. Vertical spacing shall be as shown.
- 4. The sign code is normally D2-X with X indicating the number of communities.
- 5. Overall length of these signs is in 6" increments.
- 6. Color:
Background - Green
Message - White

* Minimum dimension is twice the height of lower case letter.

DESTINATION-DISTANCE SIGNS	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 3/24/26	PLATE NO. A11-8A.3

TYPICAL EXAMPLES



NOTES

1. All signs are Type II - Type H Reflective.
 2. Message copy is 6"LC/8"UC Series E.
 3. Vertical spacing shall be as shown.
 4. The sign code is normally D2-X with X indicating the number of communities.
 5. Overall length of these signs is in 6" increments.
 6. Color:
Background - Green
Message - White
- * Minimum dimension is twice the height of lower case letter.

DESTINATION-DISTANCE SIGNS	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 3/24/26	PLATE NO. A11-8B.3


TYPICAL EXAMPLES

NOTES


1. All signs are Type II - Type H Reflective
2. Color:
Background - Green
Message - White
3. Message Series for 3 3/4" LC is Series C and Series E for 4 1/2" LC and 6" LC.
4. Overall length of these signs is in 6" increments.
5. Arrows as per standard plate A1-2.
6. Tilt arrow is always at 45°.
7. Each line of copy including the arrow is centered on the board.

* Minimum dimension normally height of lower case letter.


Size 1




D1-1




5/8" Border
1 1/2" Radius



7" X 6"



6" X 7"




6" X 7"

TYPICAL ARROW PLACEMENTS


Size 2




D1-1




3/4" Border
3" Radius



8" X 8 1/2"



8 1/2" X 8"




8" X 8 1/2"

TYPICAL ARROW PLACEMENTS


Size 3




D1-1




1" Border
3" Radius



12" X 10 3/4"



10 3/4" X 12"



10 3/4" X 12"

TYPICAL ARROW PLACEMENTS

DESTINATION-DIRECTIONAL
SIGNS

WISCONSIN DEPT OF TRANSPORTATION

APPROVED

Matthew R. Rauch
for State Traffic Engineer

DATE 3/27/26

PLATE NO. A11-11A.5

PROJECT NO:

HWY:

COUNTY:

SHEET NO:


E

TYPICAL EXAMPLES

NOTES


1. All signs are Type II - Type H Reflective
2. Color:
Background - Green
Message - White
3. Message Series for 3 $\frac{3}{4}$ " L C is Series C and Series E for 4 $\frac{1}{2}$ " L C and 6" L C.
4. Overall length of these signs is in 6" increments.
5. Arrows as per standard plate A1-2.
6. Tilt arrow is always at 45°.
7. Center shorter destination over or under the longer destination and that combination including the arrow is centered on the board.

* Minimum dimension normally height of lower case letter.




D1-2

5/8" Border
1 1/2" Radius




TYPICAL ARROW PLACEMENTS



D1-2

3/4" Border
3" Radius




TYPICAL ARROW PLACEMENTS



D1-2

1" Border
3" Radius




TYPICAL ARROW PLACEMENTS


DESTINATION - DIRECTIONAL SIGNS	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<u>Matthew R Rauch</u> for State Traffic Engineer
DATE <u>3/27/26</u>	PLATE NO. <u>A11-11B.4</u>

NOTES


- * Minimum dimension normally height of lower case letter.



TYPICAL ARROW PLACEMENTS



TYPICAL ARROW PLACEMENTS



TYPICAL ARROW PLACEMENTS




DESTINATION - DIRECTIONAL SIGNS	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<u>Matthew R Rauch</u> for State Traffic Engineer
DATE <u>3/27/26</u>	PLATE NO. <u>A11-11C.5</u>

TYPICAL EXAMPLES

NOTES

- 1. All signs are Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series for 3¾" L C is Series C and Series E for 4½" L C and 6" L C.
- 4. Overall length of these signs is in 6" increments.
- 5. Arrows as per standard plate A1-2.
- 6. Tilt arrow is always at 45°.
- 7. Center 2nd and 3rd destination over or under the longer destination and that combination including the arrow is centered on the board.

* Minimum dimension normally height of lower case letter.



DESTINATION - DIRECTIONAL
SIGNS

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer







DATE 3/27/26 PLATE NO. A11-11D.5

TYPICAL EXAMPLES

NOTES

- 1. All signs are Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series for 3 3/4" L C is Series C and Series E for 4 1/2" L C and 6" L C.
- 4. Over all length of these signs is in 6" increments.
- 5. Arrows as per standard plate A1-2.
- 6. Tilt arrow is always at 45°.
- 7. Each line of copy including arrow is centered on the board.

* Minimum dimension normally height of lower case letter.






DESTINATION - DIRECTIONAL SIGNS	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 3/27/26	PLATE NO. A11-11E.4

TYPICAL EXAMPLES

NOTES

- 1. All signs are Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series for 3 3/4" L C is Series C and Series E for 4 1/2" L C and 6" L C.
- 4. Overall length of these signs is in 6" increments.
- 5. Arrows as per standard plate A1-2.
- 6. Tilt arrow is always at 45°.
- 7. Center shorter destination over or under longer destination.
- 8. Each line of copy including arrow or a grouping of two lines with arrow are centered on the board.

* Minimum dimension normally height of lower case letter.







DESTINATION - DIRECTIONAL SIGNS	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 3/31/26	PLATE NO. A11-11F.4



TYPICAL EXAMPLES

NOTES

- 1. All signs are Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series for 3 3/4" L C is Series C and Series E for 4 1/2" L C and 6" L C.
- 4. Overall length of these signs is in 6" increments.
- 5. Arrows as per standard plate A1-2.
- 6. Tilt arrow is always at 45°.
- 7. Center shorter destination over or under longer destination.
- 8. Each line of copy including arrow or a grouping of two lines with arrow are centered on the board.





* Minimum dimension normally height of lower case letter.



DESTINATION - DIRECTIONAL SIGNS	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 4/1/26	PLATE NO. A11-11G.4



TYPICAL EXAMPLES



TYPICAL ARROW PLACEMENTS

- NOTES
1. All signs are Type II - Type H Reflective
 2. Color:
Background - Green
Message - White
 3. Message Series for 3 3/4" L C is Series C and Series E for 4 1/2" L C and 6" L C.
 4. Overall length of these signs is in 6" increments.
 5. Arrows as per standard plate A1-2.
 6. Tilt arrow is always at 45°.
 7. Center shorter destination over or under longer destination.
 8. Each line of copy including arrow or a grouping of two lines with arrow are centered on the board.

* Minimum dimension normally height of lower case letter.



TYPICAL ARROW PLACEMENTS






DESTINATION - DIRECTIONAL SIGNS	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 4/1/26	PLATE NO. A11-11H.2

TYPICAL EXAMPLES

NOTES

- 1. All signs are Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series for 3 3/4" L C is Series C and Series E for 4 1/2" L C and 6" L C.
- 4. Overall length of these signs is in 6" increments.
- 5. Arrows as per standard plate A1-2.
- 6. Tilt arrow is always at 45°.
- 7. Center shorter destination over or under longer destination.
- 8. Each line of copy including arrow or a grouping of two lines with arrow are centered on the board.

* Minimum dimension normally height of lower case letter.




DESTINATION - DIRECTIONAL SIGNS	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 4/1/26	PLATE NO. A11-111.2

TYPICAL EXAMPLES


NOTES

- 1. All signs are Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series for 3¾" L C is Series C and Series E for 4½" L C and 6" L C.
- 4. Overall length of these signs is in 6" increments.
- 5. Arrows as per standard plate A1-2.
- 6. Tilt arrow is always at 45°.
- 7. Center shorter destination over or under longer destination.
- 8. Each line of copy including arrow or a grouping of two lines with arrow are centered on the board.

* Minimum dimension normally height of lower case letter.



TYPICAL ARROW PLACEMENTS



TYPICAL ARROW PLACEMENTS


DESTINATION - DIRECTIONAL SIGNS	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> For State Traffic Engineer
DATE 4/2/26	PLATE NO. A11-11J.2

TYPICAL EXAMPLES


NOTES

- 1. All signs are Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series for 3 3/4" L C is Series C and Series E for 4 1/2" L C and 6" L C.
- 4. Overall length of these signs is in 6" increments.
- 5. Arrows as per standard plate A1-2.
- 6. Tilt arrow is always at 45°.
- 7. Center shorter destination over or under longer destination.
- 8. Each line of copy including arrow or a grouping of two lines with arrow are centered on the board.

* Minimum dimension normally height of lower case letter.



TYPICAL ARROW PLACEMENTS



TYPICAL ARROW PLACEMENTS



DESTINATION - DIRECTIONAL SIGNS	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 4/2/26	PLATE NO. A11-11K.2

TYPICAL EXAMPLES

NOTES

- 1. All signs are Type II - Type H Reflective
- 2. Color:
 - Background - Green
 - Message - White
- 3. Message Series E
- 4. Overall length of these signs is in 6" increments.
- 5. Arrows as per standard plate A1-2.

A=Minimum 6 inches
B=Minimum 5 inches, Norm would be 6 inches





DESTINATION - DIRECTIONAL
SIGNS

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/2/26 PLATE NO. A11-11L.2



TYPICAL EXAMPLES



NOTES

- 1. All signs are Type II - Type H Reflective
Signs over 12' wide shall be Type I - Type SH Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - E
- 4. Colors for shields shall be according to the applicable route marker specifications.
- 5. Splits shown are for Type II Only
- 6. Shield size is 18" except for M1-55 size shall be 15"
- 7. Cardinals are Series C, see plate M3-1 thru M3-4 Size 2.

* Minimum dimension is 4"
** Optically center over the arrowhead










ARROW DETAILS

ROUNDAABOUT GUIDE SIGNS	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 4/2/26	PLATE NO. A11-12.7

TYPICAL EXAMPLES

NOTES

- 1. All signs are Type I - Type SH Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - E Modified except for cardinals
- 4. Colors for shields shall be according to the applicable route marker specifications.
- 5. Cardinals are Series C




OVERHEAD ROUNDBOUT GUIDE SIGNS	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> For State Traffic Engineer
DATE 4/3/26	PLATE NO. A11-13.6


TYPICAL EXAMPLES

NOTES


- 1. All signs are Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - E
- 4. Colors for shields shall be according to the applicable route marker specifications.
- 5. Shields shall be a minimum of 12" except M1-55 will be 10"
- 6. Cardinals are Series C, see plate M3-1 thru M3-4 size 2.
- 7. See Plate A1-2 for arrow sizes.




D1-1G; 3.000" Radius, 0.750" Border




D1-1F; 3.000" Radius, 0.750" Border




D1-1G; 3.000" Radius, 0.750" Border




D1-1F; 3.000" Radius, 0.750" Border




D1-1F; 3.000" Radius, 0.750" Border



D1-1F; 3.000" Radius, 0.750" Border



D1-1E; 3.000" Radius, 0.750" Border



D1-1E; 3.000" Radius, 0.750" Border



D1-1D; 3.000" Radius, 0.750" Border, White on Green;


ROUNDBOUT EXIT GUIDE SIGNS	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 4/3/26	PLATE NO. A11-14.7

TYPICAL EXAMPLES


NOTES

- 1. All signs are Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - E except as noted
- 4. Colors for shields shall be according to the applicable route marker specifications.
- 5. Size 1 - 6" UC 4 1/2" LC letters, 12" Shield
Size 2 - 8" UC 6" LC Letters, 18" Shield


SIZE 1



SIZE 1




SIZE 2




SIZE 2




SIZE 2



SIZE 2



SIZE 2



MULTI - LANE
ENTRANCE DIRECTION SIGNING
PAGE 1

WISCONSIN DEPT OF TRANSPORTATION



APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/3/26 PLATE NO. A11-15.4

TYPICAL EXAMPLES


NOTES

- 1. All signs are Type I- Type SH Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - E Modified
- 4. Colors for shields shall be according to the applicable route marker specifications.
- 5. Size 3 - 10" UC 8" LC Letters, 24" Shield




MULTI - LANE ENTRANCE DIRECTION SIGNING PAGE 2	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> For State Traffic Engineer
DATE 4/3/26	PLATE NO. A11-15.4

TYPICAL EXAMPLES





NOTES

1. All signs are Type II - Type H Reflective except Size 3 is Type I -Type SH Sheeting
2. Color:
Background - Green
Message - White
3. Message Series - E
4. Colors for shields shall be according to the applicable route marker specifications.
5. Size 1- 6" Upper Case Letters, 18" Shield
Size 2 - 8" Upper Case Letters, 24" Shield
Size 3 - 10" Upper Case Letters, 36" Shield





MULTI - LANE ENTRANCE ADVANCED SIGNING	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 4/3/26	PLATE NO. A11-16.2

TYPICAL EXAMPLES







NOTES

1. All signs are Type I - Type SH Reflective except see Note 6
2. Color:
Background - Green
Message - White
3. Message Series - As noted
4. Colors for shields shall be according to the applicable route marker specifications.
5. ONLY Plaque Background is Type F Reflective Yellow
Message is Non-Reflective Black.
6. Signs 4' or less in width shall be Type II - Type SH Reflective



STANDARD SIGN OVERHEAD SIGNING	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> For State Traffic Engineer
DATE 4/3/26	PLATE NO. A11-17.4

TYPICAL EXAMPLES



NOTES

- 1. All signs shall have 12" LC/16" UC message copy, Series E Modified. All Cap letters are 10" Series E.
- 2. Vertical spacing shall be as shown in the typicals. Note the differences between the various marker heads, and the associated spacings.
- 3. The sign code for these signs is normally E6-51.

BORDER-RADIUS TABLE

BORDER


60 - 150 sq. ft. = 2" Border
Over 150 sq. ft. = 3" Border

CORNER RADIUS

6' - 8' High = 9" Radius
Over 8' High = 12" Radius

* Adjust spacing to achieve proper balance

TYPICAL ARROW EXAMPLES



PROJECT NO:

FILE NAME : C:\CAEfiles\Projects\tr_stdplate\A1118.dgn

PLOT DATE : 3-APR 2026 3:05

PLOT BY : mscj9h

SHEET NO:


E

OVERHEAD MOUNTED
ADVANCE GUIDE SIGNS

WISCONSIN DEPT OF TRANSPORTATION


APPROVED *Matthew R. Rauch*
for Director, Office of Traffic

DATE 4/3/26 PLATE NO. A11-18.2



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - E
- 4. Overall length of this sign is in 6" increments.
- 5. I2-1C Minimum is 36 inches for width for size 2.
Minimum is 48 inches width for size 3 & 4.



* Minimum is height of Lower case letter



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	60	21	3		¾	6	4 ½	3 ½	4	4	7 ⅛	45 ⅞	10 ¾	19 ¾	14 ⅝	26 ⅝											8.75
3	78	30	3		1	8	6	5 ½	6	5	8 ⅜	61 ¼	15	24 ⅝	18 ⅜	33 ¼											16.25
4	78	30	3		1	8	6	5 ½	6	5	8 ⅜	61 ¼	15	24 ⅝	18 ⅜	33 ¼											16.25
5																											

JURISDICTIONAL
BOUNDARY SIGNING

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/6/26 PLATE NO. A11-19.1



NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - Green
Message - White
3. Message Series - E
4. "VILLAGE OF" shall be used in place of "CITY OF" when applicable.
5. Substitute appropriate message and adjust spacing to achieve proper balance.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3																											
4	Varies	30	3		1	6	8	6 1/2	4	5 1/2	21 3/4	9	12 1/4	31 1/4	10 3/8	9 3/4											Varies
5	Varies	30	3		1	6	8	6 1/2	4	5 1/2	21 3/4	9	12 1/4	31 1/4	10 3/8	9 3/4											Varies

PROJECT NO:

HWY:

COUNTY:

SHEET NO:


E

JURISDICTIONAL
BOUNDARY SIGNING


WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/6/26 PLATE NO. A11-19.1



- NOTES
1. Sign is Type II - Type H Reflective
 2. Color:
Background - Green
Message - White
 3. Message Series - See Note 4
 4. First line is Series D, and the second line is series C.
 5. Horizontal board length will be in 6 inch increments to accomodate variable messages. Minimum dimensions are noted. Substitute appropriate population figure but note the minimum 6 inch spacing between the word and the numerals. Optically balance the Community name around the centerline of the sign.



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2	Varies	24	3		1	6	8	4	12 1/8	3 1/2	5 1/2		28	20 3/4													Varies
3																											
4																											
5																											

JURISDICTIONAL
BOUNDARY SIGNING

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 5/6/26 PLATE NO. A11-19.1

PROJECT NO:

HWY:

COUNTY:



SHEET NO: E

7

7

NOTES

- 1. All Signs Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - D
- 4. Sign layout can be either a one-line or two-line design.
- 5. Substitute appropriate name and adjust spacing to achieve proper balance.



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	Varies	24	3		3/4	4 1/2	6	4 3/8	4 1/2	4 3/4	4	4	46 1/4	36													Varies
2M	Varies	24	3		3/4	4 1/2	6	4 3/8	4 1/2	4 3/4	4	4	46 1/4	36													Varies
3	Varies	36	3		1	6	8	7	4 1/4	5 3/4	6 1/4	7 1/2	58 1/2	48													Varies
4	Varies	36	3		1	6	8	7	4 1/4	5 3/4	6 1/4	7 1/2	58 1/2	48													Varies
5	Varies	36	3		1	6	8	7	4 1/4	5 3/4	6 1/4	7 1/2	58 1/2	48													Varies

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E

JURISDICTIONAL
BOUNDARY SIGNING

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 5/6/26 PLATE NO. A11-19.1



Varies

I2-2

* Minimum dimension is normally height of lower case letter.

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - Green
 - Message - White
- 3. Message Series - E except Size 1 is Series C



I2-2

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	Varies	12	1 1/4		5/8	3 3/4	5	4	3 1/8	3 3/4	4 1/8	12 7/8		3				21									Varies
2	Varies	15	2 1/4		3/4	4 1/2	6	5	3 1/2	4	4 1/2	14 1/2		4				24									Varies
2M	Varies	15	2 1/4		3/4	4 1/2	6	5	3 1/2	4	4 1/2	14 1/2		4				24									Varies
3	Varies	21	3		1	6	8	7 1/8	6 1/4	6 1/4	7 1/2	21 3/4		5 7/8				36									Varies
4	Varies	21	3		1	6	8	7 1/8	6 1/4	6 1/4	7 1/2	21 3/4		5 7/8				36									Varies
5	Varies	21	3		1	6	8	7 1/8	6 1/4	6 1/4	7 1/2	21 3/4		5 7/8				36									Varies


WATERWAY
SIGNING

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer


DATE 5/6/26 PLATE NO. A11-20.1

7



NOTES

- 1. All Signs Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - C except as Shown



Arrow Detail

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3	102	72	6		1	8	19	4	6	9	15	60	14 1/8	8 5/8	16	23 1/4		20	17 3/4	21 1/2	18	22 5/8	23 1/2				51.0
4	114	72	6		1	8	10	4	6	9	20	60	14 1/8	12 7/8	15 7/8	23 1/4		24 1/4	27 7/8	21 1/2	24	23 7/8	25 7/8				57.0
5																											

SIZE	AA	BB	CC	DD	EE	FF	GG	HH	II	JJ
1										
2										
3	10 1/2	6	3	7/8	3/4	18 1/8	9	30 1/8	12 7/8	33 5/8
4	10 1/2	6	3	7/8	3/4	18 1/8	9	30 1/8	12 7/8	33 5/8
5										

R-CUT SIGNING
D1-80

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/6/26 PLATE NO. A11-21.1


7

NOTES

1. All Signs Type II - Type H Reflective
2. Color:

Background - Green

Message - White
3. Message Series - E except as noted



D1-81

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3	114	60	6		1 1/4	9	8	5 3/8	7 1/4	15	18	14 3/8	4	22 1/4	5	17 1/4		25 3/4	12	24 3/8	14 5/8	3 3/8	6	23 1/4	14 1/4	13 3/4	47.5
4																											
5																											

SIZE	AA	BB	CC	DD	EE	FF
1						
2						
3	5/8	21 3/8	19	17	1	28 1/8
4						
5						

R-CUT SIGNING
D1-81

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R. Rauch
for State Traffic Engineer

DATE 5/6/26 PLATE NO. A11-21.1

PROJECT NO:

HWY:

COUNTY:



SHEET NO: **E**

NOTES

1. All Signs Type II - Type H Reflective
2. Color:

Background - Green

Message - White
3. Message Series - E except as noted



D1-82

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3	132	66	6		1	9	8	6 ¾	3	18	15	5	4 ¾	3 ¾	12 ⅛	23 ⅜	33 ⅝	5 ⅛	7 ½	25 ⅛	21 ½	13 ½	6 ¾	34 ⅝	25 ⅛	16	60.5
4																											
5																											

SIZE	AA	BB	CC	DD	EE	FF	GG	HH	II	JJ	KK	LL	MM	NN	OO	PP	QQ	RR	SS
1																			
2																			
3	14 7/8	13 7/8	1 7/8	19 1/8	21 5/8	9 7/8	38 1/4	17 1/2	42 1/2	9	6	3	6 3/8	7/8	20 7/8	29 3/8		20 3/8	60
4																			
5																			

R-CUT SIGNING
D1-82

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/6/26 PLATE NO. A11-21.1

PROJECT NO:

HWY:


COUNTY:

SHEET NO:

E

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - GREEN
 - Message - WHITE
- 3. Message Series - E except as shown




SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	VARIES	84	3		1	8	6	21 1/2	26 3/4	24	5 3/4	9	5 1/4	21 1/2	10 3/4	24	3 1/2	2	33 1/2	9 5/8	16	60 1/2	66				VARIES
3																											
4																											
5																											

MULTIPLE INTERSECTION
ADVANCED CROSSROAD
NAME SIGNING


WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R. Rauch
for State Traffic Engineer

DATE 5/6/26 PLATE NO. A11-21A.1



D1-61



D1-61

NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - Green
Message - White
3. Message Series - E
4. Overall length of this sign is in 6" increments.
5. Minimum is 42 inches for width of this sign for size 2.
Minimum is 54 inches for width of this sign for size 3 & 4.
6. Arrows as per standard plate A1-2.

* "M" Minimum dimension is 16 inches for size 2


* "M" Minimum dimension is 18 inches for sizes 3 and 4

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	VARIES	24	3		$\frac{3}{4}$	6	4 $\frac{1}{2}$	3 $\frac{1}{4}$	8	3 $\frac{1}{4}$	3 $\frac{1}{2}$	8 $\frac{1}{2}$	*														Varies
3	VARIES	30	3		1	8	6	3	10 $\frac{3}{4}$	3 $\frac{3}{4}$	4 $\frac{1}{2}$	12	*														Varies
4	VARIES	30	3		1	8	6	3	10 $\frac{3}{4}$	3 $\frac{3}{4}$	4 $\frac{1}{2}$	12	*														Varies
5																											

ADVANCED CROSSROAD NAME SIGNING	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 5/6/26	PLATE NO. A11-22.1

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - E
- 4. Overall length of this sign is in 6" increments.
- 5. Minimum is 78 inches for width of this sign for size 2.
Minimum is 102 inches for width of this sign for size 3 & 4.



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	VARIES	21	3		$\frac{3}{4}$	6	$4\frac{1}{2}$	$3\frac{1}{2}$	4	4	$16\frac{5}{8}$	$49\frac{5}{8}$	$3\frac{7}{8}$														VARIES
3	VARIES	30	3		1	8	6	$5\frac{1}{2}$	6	5	$20\frac{3}{4}$	$61\frac{7}{8}$	$7\frac{1}{8}$														VARIES
4	VARIES	30	3		1	8	6	$5\frac{1}{2}$	6	5	$20\frac{3}{4}$	$61\frac{7}{8}$	$7\frac{1}{8}$														VARIES
5																											

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E

ADVANCED CROSSROAD
NAME SIGNING


WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/6/26 PLATE NO. A11-22.1

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - E
- 4. Overall length of this sign is in 6" increments.
- 5. Minimum is 90 inches for width of this sign for size 2.
Minimum is 114 inches for width of this sign for size 3 & 4.



D1-64

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	VARIES	21	3		¾	6	4 ½	3 ½	4	4	27 ¼	49 ⅝	4 ⅝														VARIES
3	VARIES	30	3		1	8	6	5 ½	6	5	34 ⅛	61 ⅞	6 ½														VARIES
4	VARIES	30	3		1	8	6	5 ½	6	5	34 ⅛	61 ⅞	6 ½														VARIES
5																											

PROJECT NO:

HWY:


COUNTY:

SHEET NO:

E

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - E
- 4. Overall length of this sign is in 6" increments.
- 5. Minimum is 54 inches for width of this sign for size 2.
Minimum is 72 inches for width of this sign for size 3 & 4.



D1-65

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	VARIES	21	3		¾	6	4 ½	3 ½	4	4	16 ½	25 ¼	4 ⅛														VARIES
3	VARIES	30	3		1	8	6	5 ½	6	5	20 ¾	31 ⅝	7 ⅜														VARIES
4	VARIES	30	3		1	8	6	5 ½	6	5	20 ¾	31 ½	7 ⅜														VARIES
5																											

ADVANCED CROSSROAD
NAME SIGNING

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 5/6/26 PLATE NO. A11-22.1

PROJECT NO:

HWY:

COUNTY:

SHEET NO: E

7

7

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - E



* Minimum dimension is normally height of lower case letter.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	Varies	15	2 1/4		3/4	4 1/2	6	5																			Varies
2M	Varies	15	2 1/4		3/4	4 1/2	6	5																			Varies
3	Varies	21	3		1	6	8	7																			Varies
4	Varies	21	3		1	6	8	7																			Varies
5	Varies	21	3		1	6	8	7																			Varies

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - D for Size 1 except when over 120" use Series C
C for Size 2 except when over 120" use Series B
- 4. Base material shall be 0.125 aluminum
- 5. Width may be no more than 120"
- 6. For use on Monotube Signals ONLY
- 7. NOT Permitted for use on Trombone Arm Signals



*Minimum dimension is 6 inch for
Size 2S, 2M, and 3. 4 inch for Size 1

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1	Varies	18	3		3/4	6	8	5 5/8	4	3	6 5/8																Varies
2S	Varies	24	3		1	9	12	7	6	4 1/2	8 1/2																Varies
2M	Varies	24	3		1	9	12	7	6	4 1/2	8 1/2																Varies
3	Varies	24	3		1	9	12	7	6	4 1/2	8 1/2																Varies
4																											
5																											

MONOTUBE
OVERHEAD CROSSROAD
NAME SIGNING

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 5/6/26 PLATE NO. A11-23A.1

7

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - D for Size 1 except when over 120" use Series C
C for Size 2 except when over 120" use Series B
- 4. Base material shall be 0.125 aluminum
- 5. Width may be no more than 120"
- 6. For use on Monotube Signals ONLY
- 7. NOT Permitted for use on Trombone Arm Signals



* Minimum dimension is 6 inches for
Size 2 and 4 inches for Size 1.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1	Varies	18	3		3/4	6	8	5 5/8	4	3	6 5/8																Varies
2	Varies	24	3		1	9	12	7	6	4 1/2	8 1/2																Varies
2	Varies	24	3		1	9	12	7	6	4 1/2	8 1/2																Varies
3	Varies	24	3		1	9	12	7	6	4 1/2	8 1/2																Varies
4																											
5																											

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



D7-51

NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - Brown
Message - White
Message Series - D
3. Substitutue appropriate name and optically adjust spacing as required to achieve proper balance. When necessary to accommodate name, lengthen board by 6" increments. Minimum board width is 54".


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2	Varies	36	3		3/4	4 1/2	6	5	5	4 1/2	20 5/8	5/8	4 3/8	16 7/8	1 1/4	4 3/8	10 5/8										Varies
3	Varies	48	3		1	6	8	7	6 1/2	6	27 1/2	2	5	22 1/2	1 3/4	6 1/2	15 1/4										Varies
4																											
5																											

STATE PARK
SIGNING

WISCONSIN DEPT OF TRANSPORTATION


APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 5/6/26 PLATE NO. A11-24.1



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Brown
Message - White
- 3. Message Series - D
- 4. Substitutue appropriate name and optically adjust spacing to achieve proper balance. When necessary to accommodate name, lengthen board by 6" increments. Minimum sign width is 54".
- 5. D7-53L is the same as D7-53R except the arrow is reversed.



Arrow Details

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	Varies	36	3		$\frac{3}{4}$	$4\frac{1}{2}$	6	$4\frac{5}{8}$	$4\frac{1}{2}$	$7\frac{1}{8}$	$7\frac{3}{4}$	$20\frac{5}{8}$	$\frac{5}{8}$	$4\frac{3}{8}$	$16\frac{7}{8}$	$3\frac{1}{4}$			$\frac{1}{8}$	$2\frac{1}{8}$	$\frac{5}{8}$	$6\frac{1}{8}$	21		$3\frac{1}{8}$		Varies
3	Varies	48	3		1	6	8	6	6	10	10	$27\frac{1}{2}$	1	6	$22\frac{1}{2}$	$4\frac{1}{4}$			$\frac{1}{4}$	$2\frac{3}{4}$	$\frac{3}{4}$	$7\frac{7}{8}$	27		4		Varies
4																											
5																											


STATE PARK
SIGNING

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 5/6/26 PLATE NO. A11-24.1

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Brown
Message - White
- 3. Message Series - D
- 4. Substitutue appropriate name and optically adjust spacing as required to achieve proper balance. When necessary to accommodate name lengthen board by 6" increments. Minimum board width is 60".



7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	Varies	36	3		¾	4 ½	6	5	5	4 ½	24 ⅞	3	16 ⅞	1 ¼	4 ⅜	10 ⅝	8	1	14								Varies
3	Varies	48	3		1	6	8	7	6 ½	6	33 ⅜	3 ⅞	22 ½	1 ¾	6 ½	15 ¼	9 ¼	2 ¾	19								Varies
4																											
5																											


PROJECT NO:

HWY:

COUNTY:

SHEET NO:


E



D7-68R

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Brown
Message - White
- 3. Message Series - D
- 4. Substitutue appropriate name and optically adjust spacing to achieve proper balance. When necessary to accommodate name, lengthen board by 6" increments. Minimum sign width is 60".
- 5. D7-68L is same as D7-68R except that the arrow is reversed.



Arrow Detail

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	varies	36	3		$\frac{3}{4}$	4 $\frac{1}{2}$	6	4 $\frac{5}{8}$	4 $\frac{1}{2}$	7 $\frac{1}{8}$	7 $\frac{3}{4}$	24 $\frac{7}{8}$	3	5	16 $\frac{7}{8}$	21		3 $\frac{1}{4}$	2 $\frac{1}{8}$	$\frac{1}{8}$	6 $\frac{1}{8}$	$\frac{5}{8}$			3 $\frac{1}{8}$		Varies
3	varies	48	3		1	6	8	6	6	10	10	33 $\frac{3}{8}$	3 $\frac{7}{8}$	7	22 $\frac{1}{2}$	27		4 $\frac{1}{4}$	2 $\frac{3}{4}$	$\frac{1}{4}$	7 $\frac{7}{8}$	$\frac{3}{4}$			4		Varies
4																											
5																											


COUNTY PARK
SIGNING

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 5/7/26 PLATE NO. A11-25.1

7



NOTES

- 1. Sign is Type II - Type H Reflective - reference
- 2. Color:
Background - Brown
Message - White
- 3. Message Series - D
- 4. Substitute appropriate name and adjust spacing as required to achieve proper balance. When necessary to accommodate name, lengthen board by 6" increments. Minimum sign length is 48".

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	Varies	36	3		$\frac{3}{4}$	$4\frac{1}{2}$	6	5	5	$4\frac{1}{2}$	$13\frac{1}{8}$	$4\frac{5}{8}$	$\frac{3}{8}$	$17\frac{1}{2}$	$6\frac{1}{4}$	$4\frac{3}{4}$		11									Varies
3	Varies	48	3		1	6	8	7	$6\frac{1}{2}$	6	18	$6\frac{3}{8}$	$\frac{5}{8}$	$23\frac{3}{4}$	$8\frac{3}{4}$	$6\frac{1}{2}$		$15\frac{1}{4}$									Varies
4																											
5																											

RECREATION AREA
SIGNING

WISCONSIN DEPT OF TRANSPORTATION


APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/7/26 PLATE NO. A11-26.1


SHEET NO: E

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Brown
Message - White
- 3. Message Series - D
- 4. D7-77L is same as D7-77R except the arrow is reversed.
- 5. Substitute appropriate name and adjust spacing as required to achieve proper balance. When necessary to accomodate name, lengthen board by 6" increments. Minimum sign length is 48".
- 6. Use 15" arrow for sign lengths up to 54" and use 21" arrow for sign lengths of 60" or larger for size 2 signs. Use 21" arrow for sign lengths up to 60 and use 27" arrow for sign lengths of 66" or larger for size 3 signs.



D7-77R



Arrow Detail

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
2	Varies	36	3		3/4	4 1/2	6	4 5/8	4 1/2	7 1/8	7 3/4	13 1/8	4 5/8	3/8	17 1/2	21	15	3 1/8	6 1/8	2 1/8	5/8	1/8	3 1/4				Varies
3	Varies	48	3		1	6	8	6	6	10	10	18	6 3/8	5/8	23 3/4	27	21	4	7 7/8	2 3/4	3/4	1/4	4 1/4				Varies
4																											
5																											


RECREATION AREA
SIGNING

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/7/26 PLATE NO. A11-26.1

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - Brown
 - Message - White
 - Message Series - D
- 3. Substitutue appropriate name and optically adjust spacing as required to achieve proper balance. When necessary to accommodate name, lengthen board by 6" increments. Minimum board width is 54".

7


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	varies	36	3		$\frac{3}{4}$	4 $\frac{1}{2}$	6	5	5	4 $\frac{1}{2}$	20 $\frac{5}{8}$	$\frac{7}{8}$	4 $\frac{1}{8}$	17 $\frac{3}{8}$	1 $\frac{1}{4}$	4 $\frac{3}{8}$	10 $\frac{5}{8}$										Varies
3	varies	48	3		1	6	8	7	6 $\frac{1}{2}$	6	27 $\frac{1}{2}$	1 $\frac{5}{8}$	5 $\frac{3}{8}$	23 $\frac{3}{4}$	1 $\frac{3}{4}$	6 $\frac{1}{2}$	13 $\frac{1}{4}$										Varies
4																											
5																											

STATE TRAIL
SIGNING


WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/7/26 PLATE NO. A11-27.1



D7-95R



Arrow Detail

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Brown
Message - White
- 3. Message Series - D
- 4. Substitutue appropriate name and optically adjust spacing to achieve proper balance. When necessary to accommodate name, lengthen board by 6" increments. Minimum sign width is 54".
- 5. D7-95L is the same as D7-95R except the arrow is reversed.


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	Varies	36	3		¾	4 ½	6	4 ⅝	4 ½	7 ⅛	7 ¾	20 ⅝	7/8	4 ⅛	17 ⅜	3 ¼			⅛	2 ⅛	⅝	6 ⅛	21		3 ⅛		Varies
3	Varies	48	3		1	6	8	6	6	10	10	27 ½	1 ⅝	5 ⅜	23 ¾	4 ¼			¼	2 ¾	¾	7 ⅞	27		4		Varies
4																											
5																											

PROJECT NO:

SHEET NO:

E

7



NOTES


- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - Brown
 - Message - White
- 3. Message Series - D

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	Varies	48	3		$\frac{3}{4}$	$4\frac{1}{2}$	6	5	$5\frac{3}{4}$	$30\frac{5}{8}$	$1\frac{1}{2}$	24	$25\frac{3}{8}$	$1\frac{1}{4}$	$4\frac{5}{8}$	$10\frac{7}{8}$											Varies
2M	Varies	48	3		$\frac{3}{4}$	$4\frac{1}{2}$	6	5	$5\frac{3}{4}$	$30\frac{5}{8}$	$1\frac{1}{2}$	24	$25\frac{3}{8}$	$1\frac{1}{4}$	$4\frac{5}{8}$	$10\frac{7}{8}$											Varies
3	Varies	60	3		1	6	8	7	$5\frac{1}{2}$	41	$1\frac{7}{8}$	32	$33\frac{7}{8}$	$1\frac{3}{4}$	$6\frac{1}{2}$	$15\frac{1}{4}$											Varies
4																											
5																											


NATIONAL FOREST CAMPGROUND SIGNING	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 5/7/26	PLATE NO. A11-28.1

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Brown
Message - White
- 3. Message Series - D
- 4. D7-63R is the same as D7-63L except that the arrow is reversed.



Arrow Detail

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	Varies	48	3		$\frac{3}{4}$	4 $\frac{1}{2}$	6	6 $\frac{1}{4}$	5 $\frac{1}{8}$	30 $\frac{5}{8}$	1 $\frac{1}{2}$	24	25 $\frac{3}{8}$	15	21	36	3 $\frac{1}{4}$	$\frac{5}{8}$	6 $\frac{1}{8}$	3 $\frac{1}{8}$	2 $\frac{1}{8}$	$\frac{1}{8}$	5				Varies
2M	Varies	48	3		$\frac{3}{4}$	4 $\frac{1}{2}$	6	6 $\frac{1}{4}$	5 $\frac{1}{8}$	30 $\frac{5}{8}$	1 $\frac{1}{2}$	24	25 $\frac{3}{8}$	15	21	36	3 $\frac{1}{4}$	$\frac{5}{8}$	6 $\frac{1}{8}$	3 $\frac{1}{8}$	2 $\frac{1}{8}$	$\frac{1}{8}$	5				Varies
3	Varies	60	3		1	6	8	8	5	41	1 $\frac{7}{8}$	32	33 $\frac{7}{8}$	21	27	48	4 $\frac{1}{4}$	$\frac{3}{4}$	7 $\frac{7}{8}$	4	2 $\frac{3}{4}$	$\frac{1}{4}$	7				Varies
4																											
5																											

NATIONAL FOREST
CAMPGROUND SIGNING

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/7/26 PLATE NO. A11-28.1

7

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Brown
Message - White
- 3. Message Series - D
- 4. Substitute appropriate name and adjust spacing as required to achieve proper balance. When necessary to accomodate name, lengthen board by 6" increments. Minimum sign length is 60".



D7-92


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	Varies	36	3		$\frac{3}{4}$	4 $\frac{1}{2}$	6	5	5	20 $\frac{5}{8}$	4 $\frac{1}{2}$	24	1 $\frac{1}{4}$	4 $\frac{3}{8}$	10 $\frac{5}{8}$												Varies
3	Varies	48	3		1	6	8	7	6 $\frac{1}{2}$	28 $\frac{1}{4}$	6	33	1 $\frac{3}{4}$	6 $\frac{1}{2}$	15 $\frac{1}{4}$												Varies
4																											
5																											

STATE FOREST
SIGNING

WISCONSIN DEPT OF TRANSPORTATION

APPROVED
Matthew R. Rauch
for State Traffic Engineer


DATE 5/7/26 PLATE NO. A11-29.1



D7-91R

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Brown
Message - White
- 3. Message Series - D
- 4. D7-91L is same as D7-91R except that the arrow is reversed.
- 5. Substitute appropriate name and adjust spacing as required to achieve proper balance. When necessary to accomodate name, minimum sign length is 60".




Arrow Detail

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	varies	36	3		$\frac{3}{4}$	$4\frac{1}{2}$	6	$4\frac{5}{8}$	$4\frac{1}{2}$	$7\frac{1}{8}$	$7\frac{3}{4}$	$20\frac{5}{8}$	$4\frac{1}{4}$	24	21			$3\frac{1}{4}$	$2\frac{1}{8}$	$\frac{1}{8}$	$6\frac{1}{8}$	$\frac{5}{8}$	$3\frac{1}{8}$				Varies
3	varies	48	3		1	6	8	6	6	10	10	$28\frac{1}{4}$	6	33	27			$4\frac{1}{4}$	$2\frac{3}{4}$	$\frac{1}{4}$	$7\frac{7}{8}$	$\frac{3}{4}$	4				Varies
4																											
5																											

NOTES

1. Sign is Type II - Type H Reflective
2. Color:
 - Background - Brown
 - Message - White
3. Message Series - D

[illegible]


NATIONAL FOREST
CAMPGROUND SIGNING

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R Rauch*
for State Traffic Engineer


DATE 5/7/26 PLATE NO. A11-30.1

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Brown
Message - White
- 3. Message Series - D
- 4. D7-61R is the same as D7-61L except that the arrow is reversed.



Arrow Detail

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	Varies	48	3		¾	4 ½	6	6 ¼	5 ⅛	20 ⅝	4 ⅛	24	25 ⅜	15	21	36	3 ¼	⅝	6 ⅛	3 ⅛	2 ⅛	⅛	5				Varies
2M	Varies	48	3		¾	4 ½	6	6 ¼	5 ⅛	20 ⅝	4 ⅛	24	25 ⅜	15	21	36	3 ¼	⅝	6 ⅛	3 ⅛	2 ⅛	⅛	5				Varies
3	Varies	60	3		1	6	8	8	5	28 ¼	5 ⅞	32	33 ⅞	21	27	48	4 ¼	¾	7 ⅞	4	2 ¾	¼	7				Varies
4																											
5																											

STATE FOREST
CAMPGROUND SIGNING


WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R Rauch*
for State Traffic Engineer

DATE 5/7/26 PLATE NO. A11-30.1

7

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - Brown
 - Message - White
- 3. Message Series - D
- 4. Substitute appropriate site name and optically adjust spacing as required to achieve proper balance. When necessary to accommodate name, lengthen board by 6" increments.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	Varies	36	3		$\frac{3}{4}$	4 $\frac{1}{2}$	6	5	4 $\frac{3}{4}$	4 $\frac{1}{2}$	25 $\frac{3}{8}$	5 $\frac{3}{8}$		15	1 $\frac{1}{4}$	4 $\frac{3}{8}$	10 $\frac{5}{8}$										Varies
3	Varies	48	3		1	6	8	7	6	6	33 $\frac{7}{8}$	6 $\frac{1}{2}$		20 $\frac{3}{8}$	1 $\frac{3}{4}$	6 $\frac{1}{2}$	15 $\frac{1}{4}$										Varies
4																											
5																											

PROJECT NO:

SHEET NO:

E

HISTORIC SITE
SIGNING


WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 5/7/26 PLATE NO. A11-31.1

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - Brown
 - Message - White
- 3. Message Series - D
- 4. Substitute appropriate site name and optically adjust spacing as required to achieve proper balance. When necessary to accommodate name, lengthen board by 6" increments.
- 5. D5-66L is the same as D5-66R except arrow is reversed.



D5 - 66R



Arrow Detail

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2	Varies	36	2 1/4		3/4	4 1/2	6	4 5/8	4 1/2	7 1/8	7 3/4	25 3/8	5	5 3/8	15	21		2 3/4	1/8	2 1/8	5/8	6 1/8	3 1/8				Varies
3	Varies	48	3		1	6	8	6	6	10	10	33 7/8	7	6 1/2	20 3/8	27		4 1/4	1/4	2 3/4	3/4	7 7/8	4				Varies
4																											
5																											



HISTORIC SITE
SIGNING

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/7/26 PLATE NO. A11-31.1

7




NOTES

1. Signs are Type II - Type H Reflective
2. Color:
Background - Brown
Message - White
3. Message Series - D

SKI AREA SIGNING	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 5/7/26	PLATE NO. A11-31.1

7

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - Green
 - Message - White
- 3. Message Series - C except Series B if sign will exceed 24" width
- 4. Select appropriate message series and adjust spacing to achieve proper balance.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	24	30	1 1/2			3	2	2 1/4	2 3/8	16 3/8	7 1/8	1															5.0
3																											
4																											
5																											

PROJECT NO:

SHEET NO:

E

FIRE HYDRANT
SIGNING


WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/7/26 PLATE NO. A11-33.1

NOTES

1. Sign is Type II - Type H Reflective
2. Color:
 - Background - GREEN
 - Message - WHITE (HYDRANT)




D9-52A

[illegible]



FIRE HYDRANT SIGNING	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<u>Matthew R Rauch</u> for State Traffic Engineer
DATE <u>5/7/26</u>	PLATE NO. <u>A11-33.1</u>
SHEET NO:	E

PROJECT NO:				SHEET NO:	E
-------------	--	--	--	-----------	----------

7



- NOTES
1. Sign is Type II - Type H Reflective
 2. Color:
 - Background - See Note 5
 - Message - See Note 5
 3. Message Series - C
 4. Top symbol and legend are White Type H Reflective with Red background.
Bottom legend is Red with White Type H Reflective background.
 5. Line 1 of Sign - Optically Center the Municipality designation.
 6. A maximum of three supplemental messages shall be used.
 7. Additional allowable supplemental messages:



7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	48	48	1 7/8	5/8	1/2	5	3	2 1/2	4	11 3/8	18 5/8	9 1/2	5 7/8	8 7/8	2	4 1/2	15 3/8	5 3/8	12 1/4	1	6 1/4	2 3/4	6 1/2	13 3/4	7 1/8		16.0
2M	48	48	1 7/8	5/8	1/2	5	3	2 1/2	4	11 3/8	18 5/8	9 1/2	5 7/8	8 7/8	2	4 1/2	15 3/8	5 3/8	12 1/4	1	6 1/4	2 3/4	6 1/2	13 3/4	7 1/8		16.0
3																											
4																											
5																											

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - WHITE
Message - BLACK
- 3. Message Series - B
- 4. USE CORRECT PHONE NUMBER ACCORDING TO REGION,
OPTICALLY CENTER CORRECT PHONE NUMBER

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	48		1 7/8	3/4	1	8	4	3 1/2	6	7	12 1/2	17 1/2	19 1/4	2 1/4	3/4	8 5/8		3	9	21							16.0
2M	48		1 7/8	3/4	1	8	4	3 1/2	6	7	12 1/2	17 1/2	19 1/4	2 1/4	3/4	8 5/8		3	9	21							16.0
3																											
4																											
5																											

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - WHITE
Message - BLACK
- 3. Message Series - B
- 4. USE CORRECT PHONE NUMBER ACCORDING TO REGION,
OPTICALLY CENTER CORRECT PHONE NUMBER

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	48	54	3	1/2	5/8	8	4	3 1/2	6	7	2 1/2	12 1/2	17 1/2	19 1/4	2 1/4	3/4		8 5/8	3	9	21	17					18.0
2M	48	54	3	1/2	5/8	8	4	3 1/2	6	7	2 1/2	12 1/2	17 1/2	19 1/4	2 1/4	3/4		8 5/8	3	9	21	17					18.0
3																											
4																											
5																											

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E

STANDARD SIGN
I57-10W

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R Rauch*
for State Traffic Engineer

DATE 5/7/26 PLATE NO. A11-35.1





1. Sign is Type II - Type H Reflective
2. Color:
 - Background - Green
 - Message - White
3. Message Series - D, except as noted.
4. For Region Offices Substitute appropriate message and adjust horizontal spacing as needed.



1

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - D
- 4. The D4-2L is the same as a D4-2R except the arrow is reversed.



ARROW DETAIL

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7⁄8		5⁄8	5	3 1⁄8	9	2	5	1 5⁄8	3 1⁄4	11 3⁄4	5 1⁄2	2 3⁄4	3 3⁄4	1 7⁄8	8	6 1⁄8	4	4 3⁄8	3⁄8	1⁄2				7.5
2M	30	36	1 7⁄8		5⁄8	5	3 1⁄8	9	2	5	1 5⁄8	3 1⁄4	11 3⁄4	5 1⁄2	2 3⁄4	3 3⁄4	1 7⁄8	8	6 1⁄8	4	4 3⁄8	3⁄8	1⁄2				7.5
3	36	48	1 7⁄8		3⁄4	6	4	12	3	7	2	5	14 5⁄8	6 7⁄8	3 1⁄4	4 1⁄2	1 7⁄8	9 1⁄2	7 1⁄2	5 1⁄4	6 1⁄4	3⁄8	5⁄8				12.0
4																											
5																											


STANDARD SIGN
D4-2

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/23/26 PLATE NO. D4-2.8

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - D

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7⁄8		5⁄8	5	3 3⁄8	9	2	5 7⁄8	1 5⁄8	3	12 1⁄4	5 1⁄8	3 3⁄8	3 3⁄4		8	11 3⁄8								7.5
2M	30	36	1 7⁄8		5⁄8	5	3 3⁄8	9	2	5 7⁄8	1 5⁄8	3	12 1⁄4	5 1⁄8	3 3⁄8	3 3⁄4		8	11 3⁄8								7.5
3	36	48	1 7⁄8		3⁄4	6	5	12	3	7	2	5	14 5⁄8	6 7⁄8	3 1⁄4	4 1⁄2		9 1⁄2	14 1⁄4								12.0
4																											
5																											


STANDARD SIGN
D4-2A

WISCONSIN DEPT OF TRANSPORTATION


APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/23/26 PLATE NO. D4-2A.5

7




- NOTES
- 1. Sign is Type II - Type H Reflective
 - 2. Color:
Background - Green
Message - White
 - 3. Message Series - D
 - 4. The D4-2BL is the same as a D4-2BR except the arrow is reversed.



7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7⁄8		5⁄8	5	2	9	1 5⁄8	5 1⁄2	1 5⁄8	4 5⁄8	12 1⁄4	5 1⁄8	3 3⁄8	3 3⁄4	1 7⁄8	8	6 1⁄8	4 3⁄8	5 1⁄4	3⁄8	1⁄2	7⁄8	11 3⁄4	12 1⁄2	7.50
2M	30	36	1 7⁄8		5⁄8	5	2	9	1 5⁄8	5 1⁄2	1 5⁄8	4 5⁄8	12 1⁄4	5 1⁄8	3 3⁄8	3 3⁄4	1 7⁄8	8	6 1⁄8	4 3⁄8	5 1⁄4	3⁄8	1⁄2	7⁄8	11 3⁄4	12 1⁄2	7.50
3	36	48	1 7⁄8		3⁄4	6	4	12	3	7	2	5	14 5⁄8	6 7⁄8	3 1⁄4	4 1⁄2	1 7⁄8	9 1⁄2	7 1⁄2	5 1⁄4	6 1⁄4	3⁄8	5⁄8	1	14	15	12.0
4																											
5																											



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - D

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7⁄8		5⁄8	5	1 7⁄8	9	2	11 3⁄8	1 5⁄8	4 1⁄2	12 1⁄4	5 1⁄8	3 3⁄8	3 3⁄4		8	12 1⁄2	7⁄8	11 3⁄4	12					7.5
2M	30	36	1 7⁄8		5⁄8	5	1 7⁄8	9	2	11 3⁄8	1 5⁄8	4 1⁄2	12 1⁄4	5 1⁄8	3 3⁄8	3 3⁄4		8	12 1⁄2	7⁄8	11 3⁄4	12					7.5
3	36	48	1 7⁄8		3⁄4	6	5	12	3	14 1⁄4	2	5	14 5⁄8	6 7⁄8	3 1⁄4	4 1⁄2		9 1⁄2	15	1	14	15					12.0
4																											
5																											

STANDARD SIGN
D4-2BA

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 4/23/26 PLATE NO. D4-2BA.5

7

7

NOTES

- 1. Sign is Type I - Type SH Reflective
- 2. Color:
 - Background - BLUE
 - Message - WHITE
- 3. Message Series - E



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3																											
4	156	90	9		2	10	10 1/2	15	8	27 3/4	64 3/4	17 3/4	34 5/8	10 3/8	4 5/8												97.5
5	156	90	9		2	10	10 1/2	15	8	27 3/4	64 3/4	17 3/4	34 5/8	10 3/8	4 5/8												97.5

PROJECT NO:


HWY:

COUNTY:


SHEET NO:

E

7



- NOTES
- 1. Sign is Type II - Type H Reflective
 - 2. Color:
Background - BLUE
Message - WHITE
 - 3. Message Series - C
 - 4. D4-54R is same as D4-54L except arrow is reversed



Arrow Detail

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	42	36	2 1/4	3/4		4	3	4 3/8	6 1/4	7	16	4 1/2	15	3 1/4	3/8	2 1/8	5 1/2	5/8	2 1/2								10.5
2M	42	36	2 1/4	3/4		4	3	4 3/8	6 1/4	7	16	4 1/2	15	3 1/4	3/8	2 1/8	5 1/2	5/8	2 1/2								10.5
3																											
4																											
5																											

STANDARD SIGN
D4-54 L & R

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/2/2026 PLATE NO. D4-54.4

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - BLUE
Message - WHITE
- 3. Message Series - C

7


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	42	30	2 1/4	3/4		4	3	3 1/4	2 1/2	7	16	4 1/2															8.75
2M	42	30	2 1/4	3/4		4	3	3 1/4	2 1/2	7	16	4 1/2															8.75
3																											
4																											
5																											

STANDARD SIGN
D4-54A

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 4/9/26 PLATE NO. D4-54A.3



D4-56L

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - BLUE
Message - WHITE
- 3. Message Series - C
- 4. D4-56R is same as D4-56L except arrow is reversed



Arrow Detail

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	42	36	2 1/4	3/4		4	2 1/2	3 1/8	2	7	16	4 1/2	14	2 1/4	3/8	10 3/4	5	3/8	3	5 3/8							10.5
2M	42	36	2 1/4	3/4		4	2 1/2	3 1/8	2	7	16	4 1/2	14	2 1/4	3/8	10 3/4	5	3/8	3	5 3/8							10.5
3																											
4																											
5																											

STANDARD SIGN


D4-56

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/23/26 PLATE NO. D4-56.3


7



NOTES

1. Sign is Type I - Type SH Reflective
2. Color:
Background - Blue
Message - White
3. Message Series - E
4. Substitute appropriate numeral and adjust spacing to achieve proper balance.

7




SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3																											
4	144	60	6		2	13 1/4	15	10	10 7/8	10	10 7/8	12 7/8	49 3/4	13 3/8	55 1/8	12 7/8	42 7/8	37 1/8	11 7/8	37 1/8	45 7/8	4 3/8	32 7/8	45 7/8	2 1/2		60.0
5	144	60	6		2	13 1/4	15	10	10 7/8	10	10 7/8	12 7/8	49 3/4	13 3/8	55 1/8	12 7/8	42 7/8	37 1/8	11 7/8	37 1/8	45 7/8	4 3/8	32 7/8	45 7/8	2 1/2		60.0

PROJECT NO:				HWY:				COUNTY:								SHEET NO:				E
-------------	--	--	--	------	--	--	--	---------	--	--	--	--	--	--	--	-----------	--	--	--	---

NOTES

- 1. Sign is Type I - Type SH - Reflective
- 2. Color:
 - Background - Blue
 - Message - White
- 3. Message Series - E



D5-1A

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3																											
4	144	54	6		2	13 1/4	10	10 3/8	12 7/8	49 3/4	9 3/8	4	55 1/8	12 7/8	37 1/4	7 3/4		2 1/4	42 3/4								54.0
5	144	54	6		2	13 1/4	10	10 3/8	12 7/8	49 3/4	9 3/8	4	55 1/8	12 7/8	37 1/4	7 3/4		2 1/4	42 3/4								54.0

PROJECT NO:

HWY:


COUNTY:

SHEET NO:

E

7

7



D5-2

NOTES

- 1. Sign is Type I - Type SH Reflective
- 2. Color:
 - Background - Blue
 - Message - White
- 3. Message Series - E
- 4. Arrow is standard Interstate Type A.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2																											
3																											
4	144	54	6		2	15	8	8	13	28	20 1/4	62	16 1/4	68	15 1/2	45°											54.0
5	144	54	6		2	15	8	8	13	28	20 1/4	62	16 1/4	68	15 1/2	45°											54.0


PROJECT NO:

HWY:

COUNTY:

SHEET NO:


E



D5-2AR

NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - Blue
Message - White
3. Message Series - E
4. Arrow is Type A as per A1-1 standard
5. Dimensions N & O Indicate cutting lines for splice.
6. D5-2AL is the same as D5-2AR except the arrow is reversed.



Arrow Detail

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3																											
4	72	72	12	1	3	7 1/4	7	8	18 1/2	7 1/4	25	27	13 1/2	48	24	30°	18 1/4	29 1/4	14	6	1 1/2	4 1/2	3/4				36.0
5	72	72	12	1	3	7 1/4	7	8	18 1/2	7 1/4	25	27	13 1/2	48	24	30°	18 1/4	29 1/4	14	6	1 1/2	4 1/2	3/4				36.0

PROJECT NO:

HWY:

COUNTY:

SHEET NO:


E

7

7

NOTES

- 1. Sign is Type I - Type SH Reflective
- 2. Color:
Background - Blue
Message - White
- 3. Message Series - D for Line 1 & Series E for Line 2
- 4. Substitute appropriate numerals and optically adjust spacing.



* See Note 4

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3																											
4	120	30	6		1	8	5	25 3⁄8	9	14 7⁄8	11	29 1⁄8	25 1⁄2														25.0
5	120	30	6		1	8	5	25 3⁄8	9	14 7⁄8	11	29 1⁄8	25 1⁄2														25.0

STANDARD SIGN
D5-6

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 3/30/26 PLATE NO. D5-6.1

NOTES

- 1. Sign is Type I - Type SH Reflective
- 2. Color:
Background - Blue
Message - White
- 3. Message Series - See note 4
- 4. Lines 1, 2 and 3 are Series D.
Line 4 is Series E



7

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S																											
2M																											
3																											
4																											
5	168	102	12		2	12	10	9	8 1/2	6 1/2	15	47 1/4	47	79 1/2	1 3/4	54	40 1/2	5 1/2	45	19 1/2	8	28 7/8	55	11	10	28 1/2	119.0

STANDARD SIGN
D5-7

WISCONSIN DEPT OF TRANSPORTATION


APPROVED *Matthae R Rauch*
for State Traffic Engineer

DATE 3/30/26 PLATE NO. D5-7.1

PROJECT NO: HWY: COUNTY: SHEET NO: E

7

7



NOTES

- 1. Sign is Type I - Type SH Reflective
- 2. Color:
 - Background - Blue
 - Message - White
- 3. Message Series - D
- 4. Arrow is Type A as per standard A1-1.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2																											
2M																											
3																											
4																											
5	180	120	9		2	12	9 1/2	9	28	46 1/2	75 5/8	1 3/4	62 7/8	79	39 3/4	8 1/4		3 3/4	44 1/4	76	45°						150.0

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



D5 - 10

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Blue
Message - White
- 3. Message Series - C

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7/8		3/4	6	7	5	4 1/2	4	10 1/2	8 1/4	1 3/8	5	2 3/4	9 1/8											7.5
2M	30	36	1 7/8		3/4	6	7	5	4 1/2	4	10 1/2	8 1/4	1 3/8	5	2 3/4	9 1/8											7.5
3																											
4																											
5																											


PROJECT NO:

HWY:


COUNTY:

SHEET NO:

E



- NOTES
1. Sign is Type II - Type H Reflective
 2. Color:
Background - Blue
Message - White
 3. Message Series - C
 4. D5-10BL is the same as D5-10BR except that arrow is rotated 120° about the center line.



Arrow Detail

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7⁄8		3⁄4	6	7 1⁄2	4	4 1⁄4	10 1⁄2	8 1⁄4	5 1⁄2	30°	7	12	6		2 1⁄2	1	5⁄8							7.5
2M	30	36	1 7⁄8		3⁄4	6	7 1⁄2	4	4 1⁄4	10 1⁄2	8 1⁄4	5 1⁄2	30°	7	12	6		2 1⁄2	1	5⁄8							7.5
3																											
4																											
5																											


STANDARD SIGN
D5-10B

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 6/8/26 PLATE NO. D5-10B.1

7



D5-11

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - Blue
 - Message - White
- 3. Message Series - D

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	54	36	2 1/4		3/4	6	4	4 3/4	4 1/2	4	15 1/4	22 1/8	22 1/4	8	4	12											13.5
2M	54	36	2 1/4		3/4	6	4	4 3/4	4 1/2	4	15 1/4	22 1/8	22 1/4	8	4	12											13.5
3	72	48	3		1	8	6	6	6	6	20	28 1/4	28 1/4	10 5/8	6	18 7/8											24.0
4																											
5																											


PROJECT NO:

SHEET NO:


E

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - Blue
 - Message - White
- 3. Message Series - D
- 4. D5-11AL is the same as D5-11R except that the arrow is reversed.



D5-11AR



Arrow Detail

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	54	36	2 1/4		3/4	6	4 5/8	4 1/2	7 1/8	7 3/4	15 1/4	22 1/8	22 1/4	15	2 3/4	5/8	1/8	2 1/8	3 1/8	6 1/8							13.5
2M	54	36	2 1/4		3/4	6	4 5/8	4 1/2	7 1/8	7 3/4	15 1/4	22 1/8	22 1/4	15	2 3/4	5/8	1/8	2 1/8	3 1/8	6 1/8							13.5
3	72	48	3		1	8	6	6	10	10	20	28 1/4	28 1/4	21	4 1/4	3/4	1/4	2 3/4	4	7 7/8							24.0
4																											
5																											

STANDARD SIGN
D5-11A

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/24/26 PLATE NO. D5-11A.1

PROJECT NO:

SHEET NO:


E

7

7

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Brown
Message - White
- 3. Message Series - D



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	66	36	3		¾	6	4 ½	4 ⅜	4 ¾	25 ½	⅝	21 ⅞	18 ⅛	17 ¼													16.5
2M	66	36	3		¾	6	4 ½	4 ⅜	4 ¾	25 ½	⅝	21 ⅞	18 ⅛	17 ¼													16.5
3																											
4																											
5																											

STANDARD SIGN
D5-70

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 4/24/26 PLATE NO. D5-70.3

NOTES

1. Sign is Type I- Type SH Reflective
2. Color:

Background - Green

Message - White
3. Message Series - E



D8-1

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3																											
4	144	72	9		2	12	9	8	10	15	32 1/8	41	19 1/2	8 3/4	28 1/4												72.0
5	144	72	9		2	12	9	8	10	15	32 1/8	41	19 1/2	8 3/4	28 1/4												72.0

STANDARD SIGN

D8-1

WISCONSIN DEPT OF TRANSPORTATION


APPROVED

Matthew R. Rauch

for State Traffic Engineer

DATE 4/24/26

PLATE NO. D8-1.1



D8-1L

NOTES

- 1. Sign is Type I- Type SH Reflective
- 2. Color:
Background - Green except as noted
Message - White except as noted
- 3. Message Series - E
- 4. LEFT LANE PLAQUE COLOR:
Background - Yellow - Type F Reflective
Message - Black

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3																											
4	144	96	9		2	12	10	9 1/2	9	15	32	41	19 1/2	8 3/4	28 1/4	38 1/4	7 1/2	2 1/2	43 1/4	14	96						96.0
5	144	96	9		2	12	10	9 1/2	9	15	32	41	19 1/2	8 3/4	28 1/4	38 1/4	7 1/2	2 1/2	43 1/4	14	96						96.0

STANDARD SIGN
D8-1L



WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/24/26 PLATE NO. D8-1L.1

NOTES


1. Sign is Type I - Type SH Reflective
2. Color:
Background - Green
Message - White
3. Message Series - E
4. LEFT LANE PLAQUE COLOR:
Background - Yellow - Type F Reflective
Message - Black
5. RIGHT LANE is on Green Background
with White Message



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3																											
4	144	60	6		1	10	8	7	26 ¾	34	38 ¼	7 ½	2 ½	43 ¼	50 ⅛	1 ⅝	8 ⅜	14	96	6							60.0
5	144	60	6		1	10	8	7	26 ¾	34	38 ¼	7 ½	2 ½	43 ¼	50 ⅛	1 ⅝	8 ⅜	14	96	6							60.0

STANDARD SIGN D8-2	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> For State Traffic Engineer
DATE 4/24/26	PLATE NO. D8-2.1


7



D8-3R

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - E
- 4. Arrow is Type A as per A1-1 standard
- 5. Dimensions N & O Indicate cutting lines for panels
- 6. D8-3L is the same as D8-3R except the arrow is reversed.



Arrow Detail

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3																											
4																											
5	90	72	3	1	9	7 1/4	7	8	18 1/2	7 1/4	26 7/8	36 3/4	13 1/2	48	24	30°	18 1/4	29 1/4	14	6	1 1/2	4 1/2	3/4				45.0

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



D9 - 10

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - See note 4
 - Message - White
- 3. Message Series - E Modified
- 4. MB9-10 = Blue Background
- MR9-10 = Brown Background

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											2.25
2S	24		1 1/2		1/2	12	6	10 1/8																			4.0
2M	24		1 1/2		1/2	12	6	10 1/8																			4.0
3	36		2 1/4		3/4	18	9	15 1/4																			9.0
4	36		2 1/4		3/4	18	9	15 1/4																			9.0
5	36		2 1/4		3/4	18	9	15 1/4																			9.0

STANDARD SIGN


D9 - 10

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/8/26 PLATE NO. D9-10.1

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Blue
Message - White
- 3. Message Series - E Modified

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											2.25
2S	24		1 1/2		1/2	8	3 1/2	3	7	2 1/2	3 1/4	10 1/2															4.0
2M	24		1 1/2		1/2	8	3 1/2	3	7	2 1/2	3 1/4	10 1/2															4.0
3	36		2 1/4		3/4	15	3 1/2	4	10 1/2	3	6	15 3/4															9.0
4	36		2 1/4		3/4	15	3 1/2	4	10 1/2	3	6	15 3/4															9.0
5	36		2 1/4		3/4	15	3 1/2	4	10 1/2	3	6	15 3/4															9.0

STANDARD SIGN
D9-16

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 5/8/26 PLATE NO. D9-16.1

7

7

NOTES

- 1. Sign is Type I - Type SH Reflective
- 2. Color:
Background - Blue
Message - White
- 3. Message Series - E
- 4. Apply proper Exit Numbers and letters, optically center to adjust spacing to achieve proper balance.



D9-18AH

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3																											
4	144	54	9		2	13 ³ / ₈	15	10	8	8 ¹ / ₂	9 ¹ / ₄	55 ¹ / ₄	34 ⁵ / ₈	9 ⁵ / ₈	5 ³ / ₈	39											54.0
5	144	54	9		2	13 ³ / ₈	15	10	8	8 ¹ / ₂	9 ¹ / ₄	55 ¹ / ₄	34 ⁵ / ₈	9 ⁵ / ₈	5 ³ / ₈	39											54.0

TYPICAL SIGNS

D9-18AH

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 4/24/26 PLATE NO. D9-18AH.1

7

7

NOTES

- 1. Sign is Type I - Type SH Reflective
- 2. Color:
Background - Blue
Message - White
- 3. Message Series - E



D9-18AT

*Varies

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3																											
4	144	84	9		2	12	12 1/2	10	15	37 7/8	60 1/8	31 1/8															84.0
5	144	84	9		2	12	12 1/2	10	15	37 7/8	60 1/8	31 1/8															84.0

STANDARD SIGN
D9-18AT

WISCONSIN DEPT OF TRANSPORTATION

APPROVED
Matthew R. Rauch
for State Traffic Engineer

DATE 4/24/26 PLATE NO. D9-18AT.1


SHEET NO: E

7

7

NOTES

- 1. Sign is Type I - Type SH Reflective
- 2. Color:
Background - Blue
Message - White
- 3. Message Series - E



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3																											
4	144	54	9		2	13 ³ / ₈	10	10 ¹ / ₂	11	9 ¹ / ₄	55 ¹ / ₄	41 ³ / ₈	50 ¹ / ₈													54.0	
5	144	54	9		2	13 ³ / ₈	10	10 ¹ / ₂	11	9 ¹ / ₄	55 ¹ / ₄	41 ³ / ₈	50 ¹ / ₈													54.0	

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E

7


7

NOTES

1. Sign is Type I - Type SH Reflective
2. Color:

Background - Blue

Message - White
3. Message Series - E



D9-18CT

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3																											
4	144	78	9		2	12	12	10	7 ¾	37 ⅞	60 ⅛	37 ¼	42 ¾	2 ¼													78.0
5	144	78	9		2	12	12	10	7 ¾	37 ⅞	60 ⅛	37 ¼	42 ¾	2 ¼													78.0

PROJECT NO:

HWY:

COUNTY:

SHEET NO:


E

7

7

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Blue
Message - White
- 3. Message Series - C



D9-20AP

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	12	1 1/2	3/8	1/2	6	3	7 1/2	2 1/8	1 7/8	7 7/8																2.00
2M	24	12	1 1/2	3/8	1/2	6	3	7 1/2	2 1/8	1 7/8	7 7/8																2.00
3	36	18	1 1/2	3/8	1/2	9	4 1/2	10 1/8	3 1/8	2 7/8	10 3/8																4.5
4	36	18	1 1/2	3/8	1/2	9	4 1/2	10 1/8	3 1/8	2 7/8	10 3/8																4.5
5	36	18	1 1/2	3/8	1/2	9	4 1/2	10 1/8	3 1/8	2 7/8	10 3/8																4.5

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E


STANDARD SIGN
D9-20AP

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/8/26 PLATE NO. D9-20AP.1

7



D17 -4

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - D

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2S	42	42	1 7⁄8		¾	6	9	4	5	7 ½	17	10 ¾	1 ⅛	17 ½													12.25
2M	42	42	1 7⁄8		¾	6	9																				12.25
3																											
4																											
5																											


PROJECT NO:

HWY:

COUNTY:

SHEET NO:


E



D52 - 53L

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - Green
 - Message - White
- 3. Message Series - C
- 4. D52-53R is the same as D52-53L except that the arrow is reversed.



Arrow Detail


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	24		1 1/2	3/8	1/2	4	8	4	10 1/8	10 1/4	4	2 5/8	3/8	1/2	6	5 1/4	10		S	T	U	V	W	X	Y	Z	4.0
2S	24		1 1/2	3/8	1/2	4	8	4	10 1/8	10 1/4	4	2 5/8	3/8	1/2	6	5 1/4	10										4.0
2M	24		1 1/2	3/8	1/2	4	8	4	10 1/8	10 1/4	4	2 5/8	3/8	1/2	6	5 1/4	10										4.0
3																											
4																											
5																											

STANDARD SIGN
D52 - 53

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 4/10/26 PLATE NO. D52-53.8



D52-54L

NOTES


- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Green
Message - White
- 3. Message Series - E
- 4. D52-54R is the same as D52-54L except that the arrow is reversed.



Arrow Detail

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	24		1 1/2	3/8	1/2	5	8	4	3 1/2	8 1/8	8 3/8	4	2 5/8	3/8	1/2	6	5 1/4	10									4.0
2S	24		1 1/2	3/8	1/2	5	8	4	3 1/2	8 1/8	8 3/8	4	2 5/8	3/8	1/2	6	5 1/4	10									4.0
2M	24		1 1/2	3/8	1/2	5	8	4	3 1/2	8 1/8	8 3/8	4	2 5/8	3/8	1/2	6	5 1/4	10									4.0
3																											
4																											
5																											


7



D52-58

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - Green
 - Message - White
- 3. Message Series - C



Arrow Detail

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	48	24	1 7⁄8	3⁄8	1⁄2	5	8	4	11 1⁄4	4 1⁄8	2 5⁄8	1 5⁄8	21 1⁄8	10	6	3	2 5⁄8	3⁄8	1⁄2	6	5 1⁄4	10	18 7⁄8	26 7⁄8			8.0
2M	48	24	1 7⁄8	3⁄8	1⁄2	5	8	4	11 1⁄4	4 1⁄8	2 5⁄8	1 5⁄8	21 1⁄8	10	6	3	2 5⁄8	3⁄8	1⁄2	6	5 1⁄4	10	18 7⁄8	26 7⁄8			8.0
3																											
4																											
5																											

STANDARD SIGN
D52-58


WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*

For State Traffic Engineer

DATE 4/10/26 PLATE NO. D52-58.4

7



G20-5AP

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Orange
Message - Black
- 3. Message Series - D

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	48	30	1 7⁄8	3⁄4	1	7	5 1⁄2	5	13 1⁄4	12 1⁄4																	10.0
2M	48	30	1 7⁄8	3⁄4	1	7	5 1⁄2	5	13 1⁄4	12 1⁄4																	10.0
3	48	30	1 7⁄8	3⁄4	1	7	5 1⁄2	5	13 1⁄4	12 1⁄4																	10.0
4	48	30	1 7⁄8	3⁄4	1	7	5 1⁄2	5	13 1⁄4	12 1⁄4																	10.0
5	48	30	1 7⁄8	3⁄4	1	7	5 1⁄2	5	13 1⁄4	12 1⁄4																	10.0

PROJECT NO:

HWY:


COUNTY:

SHEET NO:

E

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Orange
Message - Black
- 3. Message Series - D
- 4. For use with R10-71 standard sign plate



G20-69


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	66	12	3	3/8	1/2	5	3 1/2	4 5/8	26 1/8	4	26 5/8																4.0
2M																											4.0
3																											9.0
4																											9.0
5																											

STANDARD SIGN
G20-69

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/23/26 PLATE NO. G20-69.1






NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - Green
Message - White

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	18		1 1/2		3/8	15	1 1/2																				2.25
2	24		1 1/2		1/2	20	2																				4.0
2M	24		1 1/2		1/2	20	2																				4.0
3	30		1 7/8		3/4	25	2 1/2																				6.25
4																											
5																											


STANDARD SIGN I3-5	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 4/24/26	PLATE NO. I3-5.1



*1/4" Black Border between each color of rainbow and border of rainbow
*3/8" White Border surrounds the whole image of the rainbow

NOTES


- Sign is Type II - Type H Reflective
- Color:
Background - Blue
Message - White
Rainbow detail - See Below
- Message Series - Adopt a Highway - Dutch 8011L
All other Text - Series C
- Contractor shall provide and install a new post bracket in accordance with the I20-3B sign detail.




SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	30	18	1 1/2	1/2	5/8	3	2	3 1/2	2 1/4	1 1/2	8 1/2	2 1/2	11	12	9 3/8	1 1/4		3/4	12 5/8	7 1/2	4	9 7/8	11 1/2				3.75
3																											
4																											
5																											

STANDARD SIGN I20-3	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 4/24/26	PLATE NO. I20-3.1


ISOMETRIC VIEW




TOP VIEW



SIDE VIEW




END VIEW



NOTES

1. Must be capable of permanent attachment to a wood or steel channel sign post utilizing the fastening hardware specified on the A4-8 sign plate.
2. Shall be entirely primed and painted with two coats of a black powder coated enamel paint.
3. Shall be made with 12 gauge steel, and incorporate no welds, no hinged components, no threaded lock-type components, and no parts which are loose or can be separated from the main body.
4. Shall have rounded edges with at least 1/8" radii.
5. Shall not have unrounded and uncoated metal edges which can contact the back surface of the roll-up sign.
6. Top of bracket shall be mounted 2' below the bottom of the I55-56 sign.
7. Cost of bracket and fastening hardware shall be incidental to the I20-3 sign.

SIDE VIEW




ROLLUP SIGN BRACKET
I20-3B

WISCONSIN DEPT OF TRANSPORTATION
APPROVED *Matthew R. Rauch*
for State Traffic Engineer
DATE 4/24/26 PLATE NO. I20-3B.1


7

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - Blue
 - Message - White
- 3. Message Series - D



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	72	48	2 1/4	1	3/4	4	3 1/4	8 1/2	5	24	7 1/2	27 3/8	25 3/4	5 3/4	13	14 5/8		12	48								24.0
2M	72	48	2 1/4	1	3/4	4	3 1/4	8 1/2	5	24	7 1/2	27 3/8	25 3/4	5 3/4	13	14 5/8		12	48								24.0
3																											
4																											
5																											

STANDARD SIGN
I20-4 & I20-4A

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 4/24/26 PLATE NO. I20-4.1

PROJECT NO:

HWY:

COUNTY:

SHEET NO: E



M1-88

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Brown
Message - White

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24		1 1/2	3/8			3	3 3/8	6	2	1 1/2	5 1/2	2 5/8	2 3/8	3 1/2	1 1/8	3/8	1	6 3/4	2 7/8	1 3/8						4.0
2M	24		1 1/2	3/8			3	3 3/8	6	2	1 1/2	5 1/2	2 5/8	2 3/8	3 1/2	1 1/8	3/8	1	6 3/4	2 7/8	1 3/8						4.0
3																											
4																											
5																											

STANDARD SIGN

M1-88

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/24/26 PLATE NO. M1-88.6

7


7

NOTES

1. Sign is Type II - Type H Reflective or see Note 4
2. Color:

Background - Green

Message - White
3. Message Series - B
4. M04-11BP is on Type F Orange background with with Black Non-Reflective Message



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	12	1 1/2	3/8	3/8	4	1 1/2	1	10 1/8	8 7/8	1 7/8	3	3 7/8														2.0
2M	24	12	1 1/2	3/8	3/8	4	1 1/2	1	10 1/8	8 7/8	1 7/8	3	3 7/8														2.0
3	36	18	1 1/2	3/8	1/2	6	2	2	15 1/4	13	3 1/8	4	5 7/8														4.5
4	36	18	1 1/2	3/8	1/2	6	2	2	15 1/4	13	3 1/8	4	5 7/8														4.5
5	36	18	1 1/2	3/8	1/2	6	2	2	15 1/4	13	3 1/8	4	5 7/8														4.5


PROJECT NO:

HWY:


COUNTY:

SHEET NO:

E



M4-22R
MM4-22R
M04-22R
MP4-22R



M4-22L MN4-22L
MB4-22L M04-22L
MK4-22L MP4-22L
MM4-22L MR4-22L

NOTES

1. Sign is Type II - Type H except as Shown
2. Color:
Background - See note 5
Message - See note 5
3. Message Series - C
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
5. M4-22 Background - White
Message - Black
MB4-22 Background - Blue
Message - White
MK4-22 Background - Green
Message - White
MM4-22 Background - White
Message - Green
MN4-22 Background - Brown
Message - White
M04-22 Background - Orange - Type F Reflective
Message - Black
MP4-22 Background - White
Message - Blue
MR4-22 Background - Brown
Message - Yellow

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	24	21	1 1/2	3/8	1/2	5	3 3/4	3 1/2	8 1/8	7 3/4	7 7/8	1 1/2															3.5
2M	24	21	1 1/2	3/8	1/2	5	3 3/4	3 1/2	8 1/8	7 3/4	7 7/8	1 1/2															3.5
3	36	30	1 7/8	5/8	3/4	8	4 3/4	4 1/2	13 1/8	12 5/8	12 1/2	1 7/8															7.5
4	36	30	1 7/8	5/8	3/4	8	4 3/4	4 1/2	13 1/8	12 5/8	12 1/2	1 7/8															7.5
5																											


PROJECT NO:

HWY:

COUNTY:

SHEET NO:


E



M4-59R

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Orange
Message - Black
- 3. Message Series - D
- 4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown when base material is metal.
- 5. M4-59L is the same as M4-59R except the arrow is reversed.



Arrow Detail

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	30	1 7/8	3/8	1/2	5	3 1/2	2 3/4	16 5/8	11 1/2	12	10 1/2	3/4	4 1/4	2 1/8	5/8	3 3/4	7 1/2	13 1/2								6.25
2M	30	30	1 7/8	3/8	1/2	5	3 1/2	2 3/4	16 5/8	11 1/2	12	10 1/2	3/4	4 1/4	2 1/8	5/8	3 3/4	7 1/2	13 1/2								6.25
3	30	30	1 7/8	3/8	1/2	5	3 1/2	2 3/4	16 5/8	11 1/2	12	10 1/2	3/4	4 1/4	2 1/8	5/8	3 3/4	7 1/2	13 1/2								6.25
4	48	48	2 1/4	1/2	5/8	8	5 5/8	4 3/8	26 5/8	20 5/8	20 1/2	17	1 1/4	6 3/4	3 3/8	7/8	6	12	21 3/4								16.0
5	48	48	2 1/4	1/2	5/8	8	5 5/8	4 3/8	26 5/8	20 5/8	20 1/2	17	1 1/4	6 3/4	3 3/8	7/8	6	12	21 3/4								16.0

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	12		1 1/2																								1.0
2S	18		1 1/2																								2.25
2M	18		1 1/2																								2.25
3																											
4																											
5																											

STANDARD SIGN

OM1 - 3

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer


DATE 9/2/25 PLATE NO. OM1-3.1

7

7

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	12	6	1 1/2																								.5
2M	12	6	1 1/2																								.5
3																											
4																											
5																											

STANDARD SIGN


OM2-2H

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 9/2/25 PLATE NO. OM2-2H.1

7



NOTES

- 1. Sign is Type II -Type F Reflective
- 2. Color:
Background - Yellow

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	6	12	1 1/2																								.5
2M	6	12	1 1/2																								.5
3																											
4																											
5																											



STANDARD SIGN
OM2-2V

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 9/2/25 PLATE NO. OM2-2V.1

7



NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - Yellow
Message - Black
3. Alternate colors of stripes as shown.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2S	12	36	1 1/2			4 3/8	3 1/2	5 5/8	45°	4	4																3.0
2M	12	36	1 1/2			4 3/8	3 1/2	5 5/8	45°	4	4																3.0
3	18	54	1 1/2			6	5 1/2	8 1/2	45°	6	6 9/16																6.75
4																											
5																											

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E


STANDARD SIGN
OM3-L & OM3-R

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 9/2/25 PLATE NO. OM3.1

7



NOTES

- 1. Sign is Type II - Type SH Reflective
- 2. Color:
Background - Red

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1	12		1 1/2																								1.0
2S	18		1 1/2																								2.25
2M	18		1 1/2																								2.25
3																											
4																											
5																											

STANDARD SIGN
OM4-3

WISCONSIN DEPT OF TRANSPORTATION

APPROVED
Matthew R. Rauch
For State Traffic Engineer


DATE 9/2/25 PLATE NO. OM4-3.1

7

7

NOTES

- 1. Sign is Type II -Type H Reflective
- 2. Color:
Background - Blue



OM5-53B

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2S	36	6	1 1/2																								1.5
2M	36	6	1 1/2																								1.5
3																											
4																											
5																											

STANDARD SIGN
OM5-53B

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/1/26 PLATE NO. OM5-53B.1

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



NOTES

- 1. Sign is Type II -Type H Reflective
- 2. Color:
Background - Green
- 3. Base material shall be .040" aluminum.
Corners shall be rounded.

7


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	4	12	1 1/2																								.33
2M	4	12	1 1/2																								.33
3																											
4																											
5																											

STANDARD SIGN
OM5-53S

WISCONSIN DEPT OF TRANSPORTATION



APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 9/8/25 PLATE NO. OM5-53S.1



NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black
- 3. Sign shall be a sheeting overlay no aluminum base material
- 4. Overall sign size varies depending upon manufacturer of crash cushion.



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	36					8 1/2	2	9 1/2	45°	19	8 1/2	6 1/4	6														9.0
2M	36					8 1/2	2	9 1/2	45°	19	8 1/2	6 1/4	6														9.0
3																											
4																											
5																											

PROJECT NO:



HWY:

COUNTY:

SHEET NO:

E

7



NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black
- 3. Base material is to be .040 sheet aluminum.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	12					2	45°	2 7/8	2 1/8																		1.00
2S	18					3	45°	3 1/8	4 1/4																		2.25
2M	18					3	45°	3 1/8	4 1/4																		2.25
3																											
4																											
5																											

PROJECT NO:

HWY:


COUNTY:

SHEET NO:


E

7

7



OM5-60R



OM5-60L

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black
- 3. Base material is to be .040 sheet aluminum.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	13	27 1/2				4	45°	1 3/4	5 5/8																		2.48
2M	13	27 1/2				4	45°	1 3/4	5 5/8																		2.48
3																											
4																											
5																											


PROJECT NO:

HWY:


COUNTY:

SHEET NO:

E




OM5-65D



OM5-65L

NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - Yellow
Message - Black
3. Base material is to be .040" sheet aluminum.



OM5-65R

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	36				8 1/2	2 1/4	4 1/2	45°	9 3/4	4 3/4	7	6	5	3 1/4	11		4	3/8	1 3/4	16 1/2	5/8					6.0
2M	24	36				8 1/2	2 1/4	4 1/2	45	9 3/4	4 3/4	7	6	5	3 1/4	11		4	3/8	1 3/4	16 1/2	5/8					6.0
3																											
4																											
5																											

PROJECT NO:

HWY:


COUNTY:

SHEET NO:

E

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black
- 3. Message - C



P55-59

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	15	10	1 1/2	3/8	3/8	3	1 1/2	1	5 1/8	5 5/8																	1.04
2S	15	10	1 1/2	3/8	3/8	3	1 1/2	1	5 1/8	5 5/8																	1.04
2M	15	10	1 1/2	3/8	3/8	3	1 1/2	1	5 1/8	5 5/8																	1.04
3																											
4																											
5																											

STANDARD SIGN
P55-59

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 5/4/26 PLATE NO. P55-59.1

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black
- 3. Message Series - Lines 1 and 2 are Series B.
Lines 3, 4, 5 and 6 are Series D.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	24	18	1 1/2	3/8	1/2	2	5/8	1 3/4	7/8	3 3/4	1 3/8	4 3/8		8 1/4	3	1	10 5/8	5 1/2	7 1/2	9 3/8	3/4	6 5/8	4 7/8	7 1/4	8 1/2		3.0
2S	24	18	1 1/2	3/8	1/2	2	5/8	1 3/4	7/8	3 3/4	1 3/8	4 3/8		8 1/4	3	1	10 5/8	5 1/2	7 1/2	9 3/8	3/4	6 5/8	4 7/8	7 1/4	8 1/2		3.0
2M	24	18	1 1/2	3/8	1/2	2	5/8	1 3/4	7/8	3 3/4	1 3/8	4 3/8		8 1/4	3	1	10 5/8	5 1/2	7 1/2	9 3/8	3/4	6 5/8	4 7/8	7 1/4	8 1/2		3.0
3																											
4																											
5																											

PROJECT NO:


HWY:

COUNTY:


SHEET NO:

E

7



P55-61W



P55-61M

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - White
 - Message - Black
- 3. Message Series - B

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	16	8	1 1/2	3/8	3/8	4	2	6	3 3/8																		0.89
2S	16	8	1 1/2	3/8	3/8	4	2	6	3 3/8																		0.89
2M	16	8	1 1/2	3/8	3/8	4	2	6	3 3/8																		0.89
3																											
4																											
5																											

PROJECT NO:

HWY:

COUNTY:


SHEET NO:

E

7



P55-62A



P55-62B

NOTES

1. Signs are Type II - Type H Reflective
2. Color:
Background - White
Message - Black
3. Message Series - C



P55-62C

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1	30	12	1 1/2	3/8	1/2	1 1/2	2	1 3/8		1	6	3 1/8	4	3 7/8	4 1/8	5/8	6 7/8	4 1/4	5 1/4		5	6 3/4					2.50
2S	30	12	1 1/2	3/8	1/2	1 1/2	2	1 3/8		1	6	3 1/8	4	3 7/8	4 1/8	5/8	6 7/8	4 1/4	5 1/4		5	6 3/4					2.50
2M	30	12	1 1/2	3/8	1/2	1 1/2	2	1 3/8		1	6	3 1/8	4	3 7/8	4 1/8	5/8	6 7/8	4 1/4	5 1/4		5	6 3/4					2.50
3																											
4																											
5																											

STANDARD SIGN P55-62A, B & C	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 5/4/26	PLATE NO. P55-62.1


PROJECT NO:	HWY:	COUNTY:	SHEET NO:	E
-------------	------	---------	-----------	---

NOTES

1. Sign is Type II - Type H Reflective
2. Color:

Background - White

Message - Black
3. Message Series - D



P55-63

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	12	1 1/2	3/8		1 1/2	2 1/4	6 3/8	2 3/8	10 3/8	3 3/4	2	7 1/8	7 1/4	1/2	5 1/4											2.0
2M	24	12	1 1/2	3/8		1 1/2	2 1/4	6 3/8	2 3/8	10 3/8	3 3/4	2	7 1/8	7 1/4	1/2	5 1/4											2.0
3																											
4																											
5																											

STANDARD SIGN

P55-63

WISCONSIN DEPT OF TRANSPORTATION

APPROVED

Matthew R. Rauch

For State Traffic Engineer

DATE 5/4/26



PLATE NO. P55-63.1

NOTES

- 1. Signs are Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black
- 3. Message Series - Lines 1, 2 & 3 are Series D
Bottom line is Series C
- 4. R55-64R, R55-64AR and R55-64BR the same as R55-64L, R55-64AL and R55-64BL except arrow is reversed.



ARROW DETAIL



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24		1 1/2	3/8	1/2	3	1	2 3/4	1 3/4	1 1/2	3 5/8	7/8	3 1/2	8 3/4	5 1/2	3 7/8		9 1/4	6 3/4	1 1/4	2 3/8	7 3/4	3 1/4	1/4			4.0
2M	24		1 1/2	3/8	1/2	3	1	2 3/4	1 3/4	1 1/2	3 5/8	7/8	3 1/2	8 3/4	5 1/2	3 7/8		9 1/4	6 3/4	1 1/4	2 3/8	7 3/4	3 1/4	1/4			4.0
3																											
4																											
5																											

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black
- 3. Message Series - D



P55-65

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24		1 1/2	3/8	1/2	3	4	5	3 1/2	8 3/4	5 1/2																4.0
2M	24		1 1/2	3/8	1/2	3	4	5	3 1/2	8 3/4	5 1/2																4.0
3																											
4																											
5																											

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E

STANDARD SIGN
P55-65

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer


DATE 5/4/26 PLATE NO. P55-65.1

NOTES

1. Sign is Type II - Type H Reflective
2. Color:

Background - White

Message - Black
3. Message Series - B except Line 4 is Series C



7

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2S	30	18	1 1/2	3/8	1/2	3	1 1/2	1	2	3 1/8	3 3/8	8	5 1/8	12 1/8	2 3/4	7 3/4		12 3/4	2 1/8	1 5/8	7 7/8						3.75
2M	30	18	1 1/2	3/8	1/2	3	1 1/2	1	2	3 1/8	3 3/8	8	5 1/8	12 1/8	2 3/4	7 3/4		12 3/4	2 1/8	1 5/8	7 7/8						3.75
3																											
4																											
5																											

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E

STANDARD SIGN
P55-66

WISCONSIN DEPT OF TRANSPORTATION

APPROVED

Matthew R. Rauch

for State Traffic Engineer

DATE 5/4/26


PLATE NO. P55-66.1

NOTES

1. Sign is Type II - Type H Reflective
2. Color:

Background - White

Message - Black
3. Message Series - B



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	36	12	1 1/2	3/8	1/2	3	2 1/4	1 1/2	3 1/8	1 7/8	8 5/8	1 1/4	1/2	14 5/8	5 1/2	1 3/4	1 5/8	4 1/2									3.0
2M	36	12	1 1/2	3/8	1/2	3	2 1/4	1 1/2	3 1/8	1 7/8	8 5/8	1 1/4	1/2	14 5/8	5 1/2	1 3/4	1 5/8	4 1/2									3.0
3																											
4																											
5																											

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - Red
Message - White
- 3. Message Series - C

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	30				5/8	10	12 1/2	45°		12 3/4																	5.18
2S	30				5/8	10	12 1/2	45°		12 3/4																	5.18
2M	36				3/4	12	15	45°		15 3/8																	7.46
3	36				3/4	12	15	45°		15 3/8																	7.46
4	48				1	16	20	45°		20 1/2																	13.25
5	48				1	16	20	45°		20 1/2																	13.25
6	18				3/8	6	7 3/4	45°		7 3/4																	1.86

STANDARD SIGN
R1-1

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 7/9/2025 PLATE NO. R1-1.14

7

7

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - Red
 - Message - White
- 3. Message Series - C
- 4. For 30"x30" R1-1 use 18"x6" R1-3P sign
- For 36"x36" R1-1 use 30"x12" R1-3P sign
- For 48"x48" R1-1 use 30"x12" R1-3P sign



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	18	6	1 1/2		1/2	3		6 1/4	1 1/4	7/8	6 3/8																0.75
2S	18	6	1 1/2		1/2	3		6 1/4	1 1/4	7/8	6 3/8																0.75
2M	30	12	1 1/2		5/8	6		11	2 1/4	1 1/2	11 3/4																2.5
3	30	12	1 1/2		5/8	6		11	2 1/4	1 1/2	11 3/4																2.5
4	30	12	1 1/2		5/8	6		11	2 1/4	1 1/2	11 3/4																2.5
5	30	12	1 1/2		5/8	6		11	2 1/4	1 1/2	11 3/4																2.5

STANDARD SIGN

R1-3P

WISCONSIN DEPT OF TRANSPORTATION

APPROVED


Matthew R. Rauch

for State Traffic Engineer

DATE 7/9/2025PLATE NO. R1-3P.5

SHEET NO:

E




NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - WHITE
 - Message - BLACK
 - YIELD SYMBOL - RED ON WHITE
 - PED SYMBOL - BLACK ON WHITE

3. Message Series - C

- ** INSERT R1-2 AND SIZE TO FIT
- *** INSERT W11-2 AND SIZE TO FIT

Arrow Detail



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA	BB	CC	DD	EE	FF	GG	HH	Area sq. ft.
1	36	42	1 7/8	1/2	5/8	4	3 1/4	14	1 3/4	3	2	5	8	1	11	14 1/8	7/8	1 7/8	10 3/4	6 3/4	1/8	4 7/8	2	1	3/8	3 1/4	5 1/4	6	16 3/4	27 3/4	28 1/2	2 1/8	2 1/2		10.5
2S	36	42	1 7/8	1/2	5/8	4	3 1/4	14	1 3/4	3	2	5	8	1	11	14 1/8	7/8	1 7/8	10 3/4	6 3/4	1/8	4 7/8	2	1	3/8	3 1/4	5 1/4	6	16 3/4	27 3/4	28 1/2	2 1/8	2 1/2		10.5
2M	36	42	1 7/8	1/2	5/8	4	3 1/4	14	1 3/4	3	2	5	8	1	11	14 1/8	7/8	1 7/8	10 3/4	6 3/4	1/8	4 7/8	2	1	3/8	3 1/4	5 1/4	6	16 3/4	27 3/4	28 1/2	2 1/8	2 1/2		10.5
3	36	42	1 7/8	1/2	5/8	4	3 1/4	14	1 3/4	3	2	5	8	1	11	14 1/8	7/8	1 7/8	10 3/4	6 3/4	1/8	4 7/8	2	1	3/8	3 1/4	5 1/4	6	16 3/4	27 3/4	28 1/2	2 1/8	2 1/2		10.5
4																																			
5																																			

STANDARD SIGN
R1-5DL

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R Rauch*
for State Traffic Engineer

DATE 4/28/26 PLATE NO. R1-5DL.1



7

** INSERT R1-2 AND SIZE TO FIT
 *** INSERT W11-2 AND SIZE TO FIT

7


7

NOTES

1. Sign is Type II - Type F Reflective
2. Color:

Background - Top Panel Yellow, Bottom Panel White Type H

Message - Black
3. Message Series - D



R1-9
OVERHEAD PEDESTRIAN CROSSING

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2S	90	24	3	3⁄8	1⁄2	4	3	2	10	8	14	15	1⁄2	10 1⁄2	4 1⁄4	16		6	4	34	4 7⁄8	12 3⁄8	21 1⁄4				15.0
2M	90	24	3	3⁄8	1⁄2	4	3	2	10	8	14	15	1⁄2	10 1⁄2	4 1⁄4	16		6	4	34	4 7⁄8	12 3⁄8	21 1⁄4				15.0
3																											
4																											
5																											

STANDARD SIGN
R1 - 9

WISCONSIN DEPT OF TRANSPORTATION

APPROVED

Matthew R. Rauch

for State Traffic Engineer

DATE 7/10/2025 PLATE NO. R1-9.4

NOTES


1. Sign is Type II - Type H Reflective
2. Color:
Background - White
Message - Black
3. Message Series - E
4. Substitute appropriate numerals and optically adjust spacing to achieve proper balance.



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2S	24		1 1/2	3/8	1/2	4	10	3	3 1/2	5 1/2																	4.0
2M																											
3																											
4																											
5																											

STANDARD SIGN R2-2ATV	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 4/10/26	PLATE NO. R2-2ATV.1

7



R2-6AP

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	18	1 1/2	3/8	3/8	4	3 1/2	3	7 5/8	10 1/4																	3.0
2M	24	18	1 1/2	3/8	3/8	4	3 1/2	3	7 5/8	10 1/4																	3.0
3	36	24	1 1/2	3/8	1/2	6	4 1/8	3 3/4	12	15 3/8																	6.0
4	36	24	1 1/2	3/8	1/2	6	4 1/8	3 3/4	12	15 3/8																	6.0
5	48	36	1 7/8	1/2	5/8	8	7	6	15 1/8	20 1/2																	12.0

PROJECT NO:		HWY:		COUNTY:		SHEET NO:										E
-------------	--	------	--	---------	--	-----------	--	--	--	--	--	--	--	--	--	---

NOTES


1. Sign is Type II - Type H Reflective
2. Color:

Background - White

Message - Black
3. Message Series - D


7

7



NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - White
Message - See note 3
3. Border & Arrow are non reflective black, the circle with diagonal bar is reflective red.



7


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24		1 1/2	3/8	1/2		4 3/4	13 1/4	6	2	2 1/2	5 1/4	10 1/2	45°	1/2		5										4.0
2M	36		2 1/4	5/8	3/4		7 1/8	19 7/8	9	3	3 3/4	7 7/8	15 3/4	45°	3/4		7 5/8										9.0
3	36		2 1/4	5/8	3/4		7 1/8	19 7/8	9	3	3 3/4	7 7/8	15 3/4	45°	3/4		7 5/8										9.0
4	36		2 1/4	5/8	3/4		7 1/8	19 7/8	9	3	3 3/4	7 7/8	15 3/4	45°	3/4		7 5/8										9.0
5	48		3	3/4	1		9 1/2	26 1/2	12	4	5	10 1/2	21	45°	1		10										16.0

STANDARD SIGN
R3-4

WISCONSIN DEPT OF TRANSPORTATION


APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 7/10/2025 PLATE NO. R3-4.13



NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - White
Message - See note 3
3. Border & Arrow are non reflective black, the circle with diagonal bar is reflective red.
4. For use with Diverging Diamond Interchanges




SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24		1 1/2	3/8	1/2		4 3/4	13 1/4	6	2	2 1/2	5 1/4	10 1/2	45°	1/2		5										4.0
2M	36		2 1/4	5/8	3/4		7 1/8	19 7/8	9	3	3 3/4	7 7/8	15 3/4	45°	3/4		7 5/8										9.0
3	36		2 1/4	5/8	3/4		7 1/8	19 7/8	9	3	3 3/4	7 7/8	15 3/4	45°	3/4		7 5/8										9.0
4	36		2 1/4	5/8	3/4		7 1/8	19 7/8	9	3	3 3/4	7 7/8	15 3/4	45°	3/4		7 5/8										9.0
5	48		3	3/4	1		9 1/2	26 1/2	12	4	5	10 1/2	21	45°	1		10										16.0


STANDARD SIGN R3-4D	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 4/8/26	PLATE NO. R3-4D.1

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - White
 - Message - Black
- 3. Message Series - D
- 4. R3-5R is the same as R3-5L except curved portion of arrow points right.



R3-5L



ARROW DETAIL

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7⁄8	1⁄2	5⁄8	6	4	7	3 3⁄4	2 1⁄2	9 1⁄4	11 1⁄4	9 1⁄2	5 3⁄4	3 7⁄8	10	10 1⁄2										7.5
2M	42	48	1 7⁄8	1⁄2	5⁄8	8	5	9 3⁄8	5	3 1⁄8	12 3⁄8	15	12 5⁄8	7 5⁄8	5 1⁄8	13 3⁄8	14										14.0
3	42	48	1 7⁄8	1⁄2	5⁄8	8	5	9 3⁄8	5	3 1⁄8	12 3⁄8	15	12 5⁄8	7 5⁄8	5 1⁄8	13 3⁄8	14										14.0
4																											
5																											

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E


7



R3-5A

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black
- 3. Message Series - D



ARROW DETAIL

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7/8	1/2	5/8	6	4	7	3 1/2	2 3/4	15 1/4	5 3/4	2 1/2	3 3/4	10	10 1/2											7.5
2M	42	48	1 7/8	1/2	5/8	8	5 1/8	9 1/8	4 5/8	3 5/8	20 3/8	7 5/8	3 3/8	5	13 3/8	14											14.0
3	42	48	1 7/8	1/2	5/8	8	5 1/8	9 1/8	4 5/8	3 5/8	20 3/8	7 5/8	3 3/8	5	13 3/8	14											14.0
4																											
5																											

STANDARD SIGN
R3-5A

WISCONSIN DEPT OF TRANSPORTATION



APPROVED *Matthae R Rauch*
for State Traffic Engineer

DATE 10/9/25 PLATE NO. R3-5A.6

7

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - White
 - Message - Black



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7/8	1 3/8	5/8	13 5/8	4	7	3 3/4	5 3/8	2 1/8	1 1/4	9 1/2	4 1/8	2 1/4	2 1/2		1 5/8	3 3/8	3/4							7.5
2M	42	48	1 7/8	1 3/8	5/8	18 1/4	5 3/8	9 3/8	5	7 1/4	2 3/4	1 3/4	12 5/8	5 1/2	3	3 3/8		2 1/8	4 1/2	1							14.0
3	42	48	1 7/8	1 3/8	5/8	18 1/4	5 3/8	9 3/8	5	7 1/4	2 3/4	1 3/4	12 5/8	5 1/2	3	3 3/8		2 1/8	4 1/2	1							14.0
4																											
5																											

PROJECT NO:

HWY:



COUNTY:

SHEET NO:

E


NOTES

1. Sign is Type II - Type H Reflective
2. Color:
 - Background - White
 - Message - Black
3. Message Series - D


[illegible]

STANDARD SIGN	
R3-5X	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<u>Matthew R. Rauch</u> for State Traffic Engineer
DATE <u>11/6/25</u>	PLATE NO. <u>R3-5X.1</u>

PROJECT NO:	HWY:	COUNTY:		SHEET NO:	E
-------------	------	---------	--	-----------	----------




- NOTES
1. Sign is Type II - Type H Reflective
 2. Color:
Background - White
Message - Black
 3. R3-6R is the same as R3-6L except curved portion of arrow points to right.



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7⁄8	1⁄2	5⁄8	5 5⁄8	15 3⁄8	11 1⁄4	5 3⁄8	14 1⁄2	8 7⁄8	14 1⁄4	3 7⁄8	7		4	3 1⁄2	2 5⁄8	3 3⁄4								7.5
2M	42	48	1 7⁄8	1⁄2	5⁄8	7 1⁄2	20 1⁄2	15 5⁄8	15	19 1⁄8	11 7⁄8	19	5 1⁄8	9 3⁄8		5 3⁄8	4 5⁄8	3 1⁄2	5								14.0
3	42	48	1 7⁄8	1⁄2	5⁄8	7 1⁄2	20 1⁄2	15 5⁄8	15	19 1⁄8	11 7⁄8	19	5 1⁄8	9 3⁄8		5 3⁄8	4 5⁄8	3 1⁄2	5								14.0
4																											
5																											


PROJECT NO:				HWY:				COUNTY:				SHEET NO:												E
-------------	--	--	--	------	--	--	--	---------	--	--	--	-----------	--	--	--	--	--	--	--	--	--	--	--	---



R3-6T

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black



ARROW DETAIL

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7⁄8	1⁄2	5⁄8	7 3⁄8	10 5⁄8	11 5⁄8	12 5⁄8	14 7⁄8	4 7⁄8	6 3⁄8	3 3⁄4	4	1⁄2	7											7.5
2M	42	48	1 7⁄8	1⁄2	5⁄8	9 7⁄8	14 1⁄8	15 1⁄2	16 7⁄8	20 5⁄8	6 1⁄2	8 1⁄2	5	5	1⁄2	9 3⁄8											14.0
3	42	48	1 7⁄8	1⁄2	5⁄8	9 7⁄8	14 1⁄8	15 1⁄2	16 7⁄8	20 5⁄8	6 1⁄2	8 1⁄2	5	5	1⁄2	9 3⁄8											14.0
4																											
5																											

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - White
 - Message - Black

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7/8	1/2	5/8	11 1/2	11 3/4	4 1/4	8 3/4	2 3/8	5	7	13 1/4														7.5
2M	42	48	1 7/8	1/2	5/8	15 3/8	15 3/8	5 5/8	11 5/8	3 1/4	3 3/8	9 3/8	17 3/4														14.0
3	42	48	1 7/8	1/2	5/8	15 3/8	15 3/8	5 5/8	11 5/8	3 1/4	3 3/8	9 3/8	17 3/4														14.0
4																											
5																											

PROJECT NO:

HWY:

COUNTY:

SHEET NO:


E

7

7

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7⁄8	1⁄2	5⁄8	11 3⁄4	11 1⁄2	7	13 1⁄4	2 3⁄8																	7.5
2M	42	48	1 7⁄8	1⁄2	5⁄8	15 5⁄8	15 3⁄8	9 3⁄8	17 3⁄4	3 1⁄4																	14.0
3	42	48	1 7⁄8	1⁄2	5⁄8	15 5⁄8	15 3⁄8	9 3⁄8	17 3⁄4	3 1⁄4																	14.0
4																											
5																											


PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - White
 - Message - Black

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7⁄8	1⁄2	5⁄8	11 3⁄4	11 1⁄2	7	13 1⁄4	2 3⁄8	4 1⁄4	2 1⁄2															7.5
2M	42	48	1 7⁄8	1⁄2	5⁄8	15 5⁄8	15 3⁄8	9 3⁄8	17 3⁄4	3 1⁄4	5 5⁄8	3 3⁄8															14.0
3	42	48	1 7⁄8	1⁄2	5⁄8	15 5⁄8	15 3⁄8	9 3⁄8	17 3⁄4	3 1⁄4	5 5⁄8	3 3⁄8															14.0
4																											
5																											

STANDARD SIGN
R3-6W

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer



DATE 11/13/25 PLATE NO. R3-6W.1

NOTES

1. Sign is Type II - Type H Reflective
2. Color:

Background - White

Message - Black



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7⁄8	1⁄2	5⁄8	5 5⁄8	15 3⁄8	11 3⁄4	11 1⁄4	14 1⁄2	8 7⁄8	14 1⁄4	3 7⁄8	7		4	3 1⁄2	2 5⁄8	3 3⁄4	5							7.5
2M	42	48	1 7⁄8	1⁄2	5⁄8	7 1⁄2	20 1⁄2	15 5⁄8	15	19 1⁄8	11 7⁄8	19	5 1⁄8	9 3⁄8		5 3⁄8	4 5⁄8	3 1⁄2	5	6 7⁄8							14.0
3	42	48	1 7⁄8	1⁄2	5⁄8	7 1⁄2	20 1⁄2	15 5⁄8	15	19 1⁄8	11 7⁄8	19	5 1⁄8	9 3⁄8		5 3⁄8	4 5⁄8	3 1⁄2	5	6 7⁄8							14.0
4																											
5																											



7

NOTES

1. Sign is Type II - Type H Reflective
2. Color:

Background - White

Message - Black
3. Message Series - C



7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1	30		1 7⁄8	1⁄2	5⁄8	5	9 3⁄4	1 7⁄8	1 1⁄8	7 1⁄8	7 1⁄8	10 7⁄8	2	1		4 1⁄2	4	2 1⁄2	10 3⁄8	12 3⁄8	1⁄4	2 1⁄4	2	1⁄2			6.25
2S	30		1 7⁄8	1⁄2	5⁄8	5	9 3⁄4	1 7⁄8	1 1⁄8	7 1⁄8	7 1⁄8	10 7⁄8	2	1		4 1⁄2	4	2 1⁄2	10 3⁄8	12 3⁄8	1⁄4	2 1⁄4	2	1⁄2			6.25
2M	30		1 7⁄8	1⁄2	5⁄8	5	9 3⁄4	1 7⁄8	1 1⁄8	7 1⁄8	7 1⁄8	10 7⁄8	2	1		4 1⁄2	4	2 1⁄2	10 3⁄8	12 3⁄8	1⁄4	2 1⁄4	2	1⁄2			6.25
3	36		2 1⁄4	5⁄8	3⁄4	6	11 3⁄4	2 1⁄8	1 3⁄8	8 1⁄2	8 1⁄2	13 1⁄8	2 1⁄8	1 1⁄8		5 3⁄8	4 3⁄4	3	12 1⁄2	14 3⁄4	3⁄8	2 5⁄8	2 3⁄8	5⁄8			9.00
4	48		3	3⁄4	1	8	15 5⁄8	2 7⁄8	1 7⁄8	11 3⁄8	11 3⁄8	17 1⁄2	3 1⁄4	1 1⁄2		7 1⁄8	6 3⁄8	4	16 3⁄4	19 3⁄4	1⁄2	3 1⁄2	3 1⁄8	7⁄8			16.00
5																											

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E

7



7

NOTES

1. Sign is Type II - Type H Reflective
2. Color:

Background - White

Message - Black
3. Message Series - C



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	30		1 7⁄8	1⁄2	5⁄8	5	13 3⁄8	1 1⁄2	2	7 1⁄8	7 1⁄8	10 7⁄8	2	1⁄2	9 3⁄4	4 1⁄2	4	2 1⁄2	10 1⁄8	12 7⁄8	1⁄4	2 1⁄2	3⁄4	1 3⁄4			6.25
2S	30		1 7⁄8	1⁄2	5⁄8	5	13 3⁄8	1 1⁄2	2	7 1⁄8	7 1⁄8	10 7⁄8	2	1⁄2	9 3⁄4	4 1⁄2	4	2 1⁄2	10 1⁄8	12 7⁄8	1⁄4	2 1⁄2	3⁄4	1 3⁄4			6.25
2M	30		1 7⁄8	1⁄2	5⁄8	5	13 3⁄8	1 1⁄2	2	7 1⁄8	7 1⁄8	10 7⁄8	2	1⁄2	9 3⁄4	4 1⁄2	4	2 1⁄2	10 1⁄8	12 7⁄8	1⁄4	2 1⁄2	3⁄4	1 3⁄4			6.25
3	36		2 1⁄4	5⁄8	3⁄4	6	16 1⁄8	1 3⁄4	2 3⁄8	8 1⁄2	8 1⁄2	13 1⁄8	1 7⁄8	1⁄2	11 3⁄4	5 3⁄8	4 3⁄4	3	11 7⁄8	15 3⁄8	1⁄4	3	7⁄8	2 1⁄8			9.00
4	48		3	3⁄4	1	8	21 1⁄2	2 3⁄8	3 1⁄4	11 3⁄8	11 3⁄8	17 1⁄2	2 1⁄2	3⁄4	15 5⁄8	7 1⁄4	6 3⁄8	4	16 1⁄8	20 1⁄2	3⁄8	4	1 1⁄8	2 7⁄8			16.00
5																											

PROJECT NO:

HWY:



COUNTY:

SHEET NO:

E

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black
- 3. Message Series - D



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	48	30	1 7/8	1/2	5/8	5	3 3/4	3 1/2	3 3/8	4 1/4	3 1/4	11 3/4	20 3/8	4 1/4	16 1/4	17 1/8	1 1/2	15	5 3/4	13 1/8	3	1	18 7/8			10.0	
2M	48	30	1 7/8	1/2	5/8	5	3 3/4	3 1/2	3 3/8	4 1/4	3 1/4	11 3/4	20 3/8	4 1/4	16 1/4	17 1/8	1 1/2	15	5 3/4	13 1/8	3	1	18 7/8			10.0	
3																											
4																											
5																											


STANDARD SIGN
R3-7S

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/15/26 PLATE NO. R3-7S.6

PROJECT NO: HWY: COUNTY: SHEET NO: **E**



R3-11L

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - See Note 4
 - Message - See Note 4
- 3. Message Series - See Note 5
- 4. Top symbol and legend are white Type H Reflective with Black background.
Bottom legend is Black with White Type H Reflective background.
- 5. Lines 1, 2 and 5 are Series D.
Lines 3, 6, 7 and 8 are Series C.
Line 4 is Series B.
Bottom Line is Series E.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	48	78	3	1/2	5/8	6	3	2 1/2	5	2	4	15	1 1/4	8	12	14	10 1/8	20 7/8	6 3/4	3 1/8	17 1/2	16 1/2	12 1/8	19	12 3/4	3 3/4	26.0
2M	48	78	3	1/2	5/8	6	3	2 1/2	5	2	4	15	1 1/4	8	12	14	10 1/8	20 7/8	6 3/4	3 1/8	17 1/2	16 1/2	12 1/8	19	12 3/4	3 3/4	26.0
3																											
4																											
5																											

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E


STANDARD SIGN
R3-11L

WISCONSIN DEPT OF TRANSPORTATION

APPROVED
Matthew R. Rauch
for State Traffic Engineer

DATE 7/16/25 PLATE NO. R3-11L.1

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - See Note 5
 - Message - See Note 5
- 3. Message Series - See Note 6
- 4. Top symbol and legend are white Type H Reflective with Black background.
Bottom legend is Black with White Type H Reflective background.
- 5. Lines 1 and 4 are Series D.
Lines 2, 3, 5, 6, and 7 are Series C.
Bottom Line is Series E.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	48	78	3	1/2	5/8	6	3	2 1/2	5	2	4	15	1 1/4	8	6 1/2	14 3/4	10 1/8	20 7/8	6 3/4	3 1/8	17 1/2	16 1/2	12 1/8	19	12 3/4		26.0
2M	48	78	3	1/2	5/8	6	3	2 1/2	5	2	4	15	1 1/4	8	6 1/2	14 3/4	10 1/8	20 7/8	6 3/4	3 1/8	17 1/2	16 1/2	12 1/8	19	12 3/4		26.0
3																											
4																											
5																											

STANDARD SIGN

R3-11M


WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 8/12/25 PLATE NO. R3-11M.1

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - See Note 4
 - Message - See Note 4
- 3. Message Series - See Note 5
- 4. Top symbol and legend are white Type H Reflective with Black background.
Bottom legend is Black with White Type H Reflective background.
- 5. Lines 1, 2 and 5 are Series D.
Lines 3, 6, 7 and 8 are Series C.
Line 4 is Series B.
Bottom Line is Series E.



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	48	78	3	1/2	5/8	6	3	2 1/2	5	2	4	15	1 1/4	8	15 3/8	14	10 1/8	20 7/8	6 3/4	3 1/8	17 1/2	16 1/2	12 1/8	19	12 3/4	3 3/4	26.0
2M	48	78	3	1/2	5/8	6	3	2 1/2	5	2	4	15	1 1/4	8	15 3/8	14	10 1/8	20 7/8	6 3/4	3 1/8	17 1/2	16 1/2	12 1/8	19	12 3/4	3 3/4	26.0
3																											
4																											
5																											

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



NOTES


- Sign is Type II - Type H Reflective
- Color:
 - Background - See Note 4
 - Message - See Note 4
- Message Series - Lines 1 and 2 are series D
 - Lines 3 and 4 are Series C
 - Bottom line is series E
- Top Message is White Type H reflective with a Black background,
Bottom Message is Black with White Type H reflective background

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7⁄8	1⁄2	5⁄8	3	4	3 1⁄2	2	2 1⁄2	4 1⁄2		5	11 1⁄2	2 1⁄8	6 5⁄8	9 1⁄4	1 1⁄2	1	10 1⁄2	7 1⁄2	8					7.5
2M	30	36	1 7⁄8	1⁄2	5⁄8	3	4	3 1⁄2	2	2 1⁄2	4 1⁄2		5	11 1⁄2	2 1⁄8	6 5⁄8	9 1⁄4	1 1⁄2	1	10 1⁄2	7 1⁄2	8					7.5
3																											
4																											
5																											

PROJECT NO:		HWY:		COUNTY:		SHEET NO:		E
-------------	--	------	--	---------	--	-----------	--	---

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - See Note 4
Message - See Note 4
- 3. Message Series - Lines 1 and 2 are series D
Lines 3 and 4 are Series C
Bottom line is series E
- 4. Top Message is White Type H reflective with a Black background,
Bottom Message is Black with White Type H reflective background.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7⁄8	1⁄2	5⁄8	3	4	3 1⁄2	2	2 1⁄2	4 1⁄2	3⁄4	5	9 1⁄2	2 1⁄8	6 5⁄8	9 1⁄4	1 1⁄2	1	10 1⁄2	7 1⁄2	8					7.5
2M	30	36	1 7⁄8	1⁄2	5⁄8	3	4	3 1⁄2	2	2 1⁄2	4 1⁄2	3⁄4	5	9 1⁄2	2 1⁄8	6 5⁄8	9 1⁄4	1 1⁄2	1	10 1⁄2	7 1⁄2	8					7.5
3																											
4																											
5																											

PROJECT NO:		HWY:		COUNTY:		SHEET NO:										E
-------------	--	------	--	---------	--	-----------	--	--	--	--	--	--	--	--	--	---


STANDARD SIGN
R3-11T

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 8/12/25 PLATE NO. R3-11T.1

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - See Note 4
 - Message - See Note 4
- 3. Message Series - See Note 5
- 4. Top symbol and legend are White Type H Reflective with a Black background,
Bottom legend is Black with White Type H Reflective background.
- 5. Lines 1 and 2 are series D.
Lines 3 and 4 and 5 are Series C
Bottom line is series E.

7


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	42	1 7⁄8	1⁄2	5⁄8	3	4	3 1⁄2	2	2 1⁄2	4 1⁄2		5	11 1⁄2	2 1⁄8	6 5⁄8	9 1⁄4	1 1⁄2	1	10 1⁄2	7 1⁄2	8			5 1⁄8		8.75
2M	30	42	1 7⁄8	1⁄2	5⁄8	3	4	3 1⁄2	2	2 1⁄2	4 1⁄2		5	11 1⁄2	2 1⁄8	6 5⁄8	9 1⁄4	1 1⁄2	1	10 1⁄2	7 1⁄2	8			5 1⁄8		8.75
3																											
4																											
5																											

STANDARD SIGN
R3-11U

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 8/12/25 PLATE NO. R3-11U.1



NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - See Note 4
Message - See Note 4
3. Message Series - See Note 5
4. Top symbol and legend are White Type H Reflective with a Black background,
Bottom legend is Black with White Type H Reflective background.
5. Lines 1 and 2 are series D.
Lines 3 and 4 and 5 are Series C
Bottom line is series E.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	42	1 7⁄8	1⁄2	5⁄8	3	4	3 1⁄2	2	2 1⁄2	4 1⁄2		5	11 1⁄2	2 1⁄8	6 5⁄8	9 1⁄4	1 1⁄2	1	10 1⁄2	7 1⁄2	8			7 1⁄4		8.75
2M	30	42	1 7⁄8	1⁄2	5⁄8	3	4	3 1⁄2	2	2 1⁄2	4 1⁄2		5	11 1⁄2	2 1⁄8	6 5⁄8	9 1⁄4	1 1⁄2	1	10 1⁄2	7 1⁄2	8			7 1⁄4		8.75
3																											
4																											
5																											


STANDARD SIGN
R3-11V

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 8/12/25 PLATE NO. R3-11V.1

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black
- 3. Message Series - D

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 3⁄8	3⁄4	1⁄2	6	5	4	7 3⁄4	10 3⁄8	10 5⁄8																7.5
2M	30	36	1 3⁄8	3⁄4	1⁄2	6	5	4	7 3⁄4	10 3⁄8	10 5⁄8																7.5
3																											
4																											
5																											

PROJECT NO:

HWY:



COUNTY:

SHEET NO:

E

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black
- 3. Message Series - E



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2S																											
2M																											
3																											
4	78	36	3	¾	1	8	7	6	32 ⅝	1 ½	4 ⅝	29 ½	31 ⅜	6	25	27		⅜									19.5
5	78	36	3	¾	1	8	7	6	32 ⅝	1 ½	4 ⅝	29 ½	31 ⅜	6	25	27		⅜									19.5


STANDARD SIGN
R3-33

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 7/16/25 PLATE NO. R3-33.3

7



NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - White
Message - Black
3. Message Series - E




7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S																											
2M																											
3																											
4	48	60	3	3/4	1	8	6 1/8	5 1/4	17 1/8	15 1/4	15 7/8	12 1/2	14														20.0
5	48	60	3	3/4	1	8	6 1/8	5 1/4	17 1/8	15 1/4	15 7/8	12 1/2	14														20.0

STANDARD SIGN R3-33A	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 4/9/26	PLATE NO. R3-33A.1


7



NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - White
Message - Black
3. Message Series - D

ARROW DETAIL



7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	30	1 1/2	1/2	5/8	5	3	2 5/8	4 3/8	7 7/8	6 1/2	9 1/4	14 1/4	5 1/4	1/2	3		1/8	1 1/4								5.0
2M	24	30	1 1/2	1/2	5/8	5	3	2 5/8	4 3/8	7 7/8	6 1/2	9 1/4	14 1/4	5 1/4	1/2	3		1/8	1 1/4								5.0
3	36	48	1 7/8	1/2	5/8	8	5	3 7/8	7 1/8	12 5/8	10 1/2	14 3/4	22 7/8	9 1/8	7/8	5 1/4		3/8	2 1/4								12.0
4	36	48	1 7/8	1/2	5/8	8	5	3 7/8	7 1/8	12 5/8	10 1/2	14 3/4	22 7/8	9 1/8	7/8	5 1/4		3/8	2 1/4								12.0
5	36	48	1 7/8	1/2	5/8	8	5	3 7/8	7 1/8	12 5/8	10 1/2	14 3/4	22 7/8	9 1/8	7/8	5 1/4		3/8	2 1/4								12.0

STANDARD SIGN
R4-7B



WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 8/11/2025 PLATE NO. R4-7B.1

SHEET NO: E

DIVIDER DETAIL




R4-7C

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - White
 - Message - Black

ARROW DETAIL



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	18	30	1 1/2	3/8	5/8	5 3/8	4 1/2	5 1/2	4 1/8	5	2 1/2	9	1 1/4	29 3/4	3 1/2	1 1/2	6 1/8	1/2	2 1/4	4 1/2	6 1/8	1/2	21 3/4				3.75
2M	18	30	1 1/2	3/8	5/8	5 3/8	4 1/2	5 1/2	4 1/8	5	2 1/2	9	1 1/4	29 3/4	3 1/2	1 1/2	6 1/8	1/2	2 1/4	4 1/2	6 1/8	1/2	21 3/4				3.75
3																											
4																											
5																											



STANDARD SIGN
R4-7C

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 8/19/25 PLATE NO. R4-7C.1

7



7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	30	1 1/2	1/2	5/8	5	3	2 5/8	4 3/8	7 7/8	6 1/2	7 7/8	14 1/4	5 1/4	1/2	3		1/8	1 1/4								5.0
2M	24	30	1 1/2	1/2	5/8	5	3	2 5/8	4 3/8	7 7/8	6 1/2	7 7/8	14 1/4	5 1/4	1/2	3		1/8	1 1/4								5.0
3	36	48	1 7/8	1/2	5/8	8	5	3 7/8	7 1/8	12 5/8	10 1/2	12 1/2	22 7/8	9 1/8	7/8	5 1/4		3/8	2 1/4								12.0
4	36	48	1 7/8	1/2	5/8	8	5	3 7/8	7 1/8	12 5/8	10 1/2	12 1/2	22 7/8	9 1/8	7/8	5 1/4		3/8	2 1/4								12.0
5	36	48	1 7/8	1/2	5/8	8	5	3 7/8	7 1/8	12 5/8	10 1/2	12 1/2	22 7/8	9 1/8	7/8	5 1/4		3/8	2 1/4								12.0

PROJECT NO:



HWY:

COUNTY:

SHEET NO:

E

DIVIDER DETAIL




R4-8C

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - White
 - Message - Black

ARROW DETAIL



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	18	30	1 1/2	3/8	5/8	5 3/8	4 1/2	5 1/2	4 1/8	5	2 1/2	9	1 1/4	29 3/4	3 1/2	1 1/2	6 1/8	1/2	2 1/4	4 1/2	6 1/8	1/2	21 3/4				3.75
2M	18	30	1 1/2	3/8	5/8	5 3/8	4 1/2	5 1/2	4 1/8	5	2 1/2	9	1 1/4	29 3/4	3 1/2	1 1/2	6 1/8	1/2	2 1/4	4 1/2	6 1/8	1/2	21 3/4				3.75
3																											
4																											
5																											

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - White
Message - Black
3. Message Series - D
4. R4-21L same as R4-21R except LEFT is substituted for RIGHT


7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	30	1 1/2	3/8	1/2	5	8 3/4	9 1/2	7 3/4	8	4	3 1/4	4 1/2	7 1/2													5.0
2M	24	30	1 1/2	3/8	1/2	5	8 3/4	9 1/2	7 3/4	8	4	3 1/4	4 1/2	7 1/2													5.0
3	24	30	1 1/2	3/8	1/2	5	8 3/4	9 1/2	7 3/4	8	4	3 1/4	4 1/2	7 1/2													5.0
4																											
5																											

PROJECT NO:					HWY:					COUNTY:					SHEET NO:										E
-------------	--	--	--	--	------	--	--	--	--	---------	--	--	--	--	-----------	--	--	--	--	--	--	--	--	--	---

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black
- 3. Message Series - See note 4
- 4. Line 1 is Series "C"
Line 2 is Series "B"
Numeral is Series "D"
- 5. Substitute appropriate numerals.



R5-2P

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	12	1 1/2	3/8	3/8	4	3	1 3/4	1 1/4	2	6	1 3/4	2 1/2	8 1/2	5/8	1 1/2	6 3/8										2.0
2M	24	12	1 1/2	3/8	3/8	4	3	1 3/4	1 1/4	2	6	1 3/4	2 1/2	8 1/2	5/8	1 1/2	6 3/8										2.0
3	30	15	1 1/2	3/8	1/2	5	4	2 1/8	1 3/8	2 1/2	7	2 1/4	3 1/8	10 1/2	1	2 3/8	8 1/2										2.25
4	36	18	1 1/2	3/8	1/2	6	5	2 5/8	1 3/8	3	9	2 1/2	3 3/4	12 5/8	1 3/8	3 1/8	10 1/2										4.5
5	48	24	1 7/8	3/8	5/8	8	6	3 1/2	2 1/2	4	12	3 1/2	4 7/8	16 7/8	1 1/4	3	12 3/4										8.0

STANDARD SIGN
R5-2P

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 8/13/25 PLATE NO. R5-2P.1

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - White
 - Message - Black
- 3. Line 1 is Series D and Lines 2 and 3 are Series B.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	30	1 1/2	3/8	1/2	6	4	2	5 1/8	6 1/2	10 3/8																5.0
2M	24	30	1 1/2	3/8	1/2	6	4	2	5 1/8	6 1/2	10 3/8																5.0
3																											
4																											
5																											

STANDARD SIGN

R5-12


WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 4/24/26 PLATE NO. R5-12.1

NOTES


- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black
- 3. Message Series - D



R6-3



R6-3A



ARROW DETAIL

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	24	1 1/2	3/8	1/2	4	2 5/8	10 3/4	1 3/8	10 1/2	10 5/8	7/8	12 1/2	7 7/8	12 1/4	12 3/8	1/2	3/8	4 5/8	3 5/8							5.0
2M	30	24	1 1/2	3/8	1/2	4	2 5/8	10 3/4	1 3/8	10 1/2	10 5/8	7/8	12 1/2	7 7/8	12 1/4	12 3/8	1/2	3/8	4 5/8	3 5/8							5.0
3																											
4																											
5																											

STANDARD SIGN
R6-3 & R6-3A

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 8/13/25 PLATE NO. R6-3.7

PROJECT NO:

SHEET NO:

E


7



R7-1C

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Red
- 3. Message Series - Lines 1, 3 and 4 are Series C.
Line 2 is Series B.
- 4. R7-1CD (double arrow)
R7-1CR (right arrow)
R7-1CL (left arrow)



ARROW DETAIL

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2S	18	24	1 1/2	3/8	1/2	4	2 1/2	2 1/2	1 1/4	1	2	3 1/4	2 3/4	2 5/8	7 1/8	7	5 3/4	1 1/8	1 1/2	3 1/8	5 1/2	5 7/8	1 1/8	2 5/8	1/4	2 1/4	3.0
2M	24	30	1 1/2	3/8	1/2	5	3	3	2	1 1/4	2 1/2	4	3 1/4	3 3/8	9 1/4	9 1/4	7 1/8	1 1/4	2	3 3/4	6 1/2	7 3/4	1 1/2	3 1/2	1/4	3	5.0
3	24	30	1 1/2	3/8	1/2	5	3	3	2	1 1/4	2 1/2	4	3 1/4	3 3/8	9 1/4	9 1/4	7 1/8	1 1/4	2	3 3/4	6 1/2	7 3/4	1 1/2	3 1/2	1/4	3	5.0
4																											
5																											

STANDARD SIGN
R7-1C

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/29/26 PLATE NO. R7-1C.1

7




R7-2A

* - See Note 5

NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - White
Message - Red
3. Message Series - See Note 6
4. Substitute appropriate numerals as required
& adjust spacing to achieve proper balance.
5. R7-2AD (double arrow)
R7-2AL (left arrow)
R7-2AR (right arrow)
6. Lines 1, 3 and 4 are series C, line 2 is series B.

ARROW DETAIL



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	12	18	1 1/2	3/8	3/8	3	1 7/8	1 1/2	7/8	7/8	2	2 1/2	2	2	4 7/8	4 7/8	3 7/8	1 3/4	1 1/2	3/4	1/8						1.5
2S	18	24	1 1/2	3/8	1/2	4	2 1/2	2 1/2	1 1/4	1	2	3 1/4	2 3/4	2 5/8	7 1/8	7	5 7/8	2 5/8	2 1/4	1 1/8	1/4						3.0
2M	24	30	1 1/2	3/8	1/2	5	3	3	2	1 1/4	2 1/2	4	3 1/4	3 3/8	9 1/4	9 1/4	7 3/4	3 1/2	3	1 1/2	1/4						5.0
3	24	30	1 1/2	3/8	1/2	5	3	3	2	1 1/4	2 1/2	4	3 1/4	3 3/8	9 1/4	9 1/4	7 3/4	3 1/2	3	1 1/2	1/4						5.0
4																											
5																											


STANDARD SIGN
R7-2A

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 8/13/25 PLATE NO. R7-2A.1

7




R7-3P

* SEE NOTE 4

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Red
- 3. Message Series - Lines 1, 3, 4, & 5 are series D
Line 2 is series C
- 4. Substitute appropriate numeral for distance
& adjust spacing to achieve proper balance.
- 5. R7-3PL (Left arrow)
R7-3PR (Right arrow)
R7-3PD (Double arrow)



Arrow Detail

7


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	18	24	1 1/2	3/8	1/2	2 1/4	3	1 1/4	1 1/2	1 1/2	1	2 1/4	4	3 1/4	3 3/8	6 7/8	3 3/8	4 5/8	5 1/4	5 1/8	5 7/8	1/4	1 1/4	2 5/8	1 1/8		3.0
2S	24	30	1 1/2	3/8	1/2	2 1/2	4	1 3/4	2 1/4	2	1 1/4	3	4	4	3 3/8	9 1/8	4 1/2	6 1/4	7	6 7/8	7 3/4	1/4	1 3/4	3 1/2	1 1/2		5.0
2M	24	30	1 1/2	3/8	1/2	2 1/2	4	1 3/4	2 1/4	2	1 1/4	3	4	4	3 3/8	9 1/8	4 1/2	6 1/4	7	6 7/8	7 3/4	1/4	1 3/4	3 1/2	1 1/2		5.0
3	24	30	1 1/2	3/8	1/2	2 1/2	4	1 3/4	2 1/4	2	1 1/4	3	4	4	3 3/8	9 1/8	4 1/2	6 1/4	7	6 7/8	7 3/4	1/4	1 3/4	3 1/2	1 1/2		5.0
4	36	48	1 7/8	1/2	5/8	4 1/2	6	2 1/2	3	3	2	4 1/2	8	6 1/2	6 5/8	13 5/8	7 1/4	9 1/2	11 1/4	11	11 5/8	3/8	2 3/4	5 1/4	2 1/4		12.0
5																											

STANDARD SIGN
R7-3P

WISCONSIN DEPT OF TRANSPORTATION


APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/29/26 PLATE NO. R7-3P.1



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Red
- 3. Message Series - C
- 4. R7-4L (left arrow)
R7-4R (right arrow)
R7-4D (double arrow)



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	12	18	1 1/2	3/8	3/8	3	2	2	1	1 1/2	2 1/2	2	2	4 7/8	2 1/4	2 3/8	3 7/8	1 3/4	1/8	3/4	1 1/2						1.5
2S	18	24	1 1/2	3/8	1/2	4	3	3	1 1/8	2	3 1/4	2 3/8	2 5/8	7 1/4	3 1/4	3 5/8	5 7/8	2 5/8	1/4	1 1/8	2 1/4						3.0
2M	24	30	1 1/2	3/8	1/2	5	4	3	1 1/2	3	4	2 1/2	3 3/8	10	3 1/4	4 3/4	7 3/4	3 1/2	1/4	1 1/2	3						5.0
3	24	30	1 1/2	3/8	1/2	5	4	3	1 1/2	3	4	2 1/2	3 3/8	10	3 1/4	4 3/4	7 3/4	3 1/2	1/4	1 1/2	3						5.0
4																											
5																											


STANDARD SIGN
R7-4

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 8/14/25 PLATE NO. R7-4.10

7




R7-5

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - White
 - Message - Green
- 3. Message Series - C
- 4. R7-5D (double arrow)
 - R7-5L (left arrow)
 - R7-5R (right arrow)

ARROW DETAIL



7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	12	18	1 1/2	3/8	3/8	2	2	2 1/8	2	2 7/8	4 5/8	3 7/8	1 3/4	1/8	3/4	1 1/2											1.5
2S	18	24	1 1/2	3/8	1/2	3	2 5/8	2 1/4	3 1/8	4 1/4	7	5 7/8	2 5/8	1/4	1 1/8	2 1/4											3.0
2M	24	30	1 1/2	3/8	1/2	4	3	2 3/4	4 1/8	5 3/4	9 1/4	7 3/4	3 1/2	1/4	1 1/2	3											5.0
3	24	30	1 1/2	3/8	1/2	4	3	2 3/4	4 1/8	5 3/4	9 1/4	7 3/4	3 1/2	1/4	1 1/2	3											5.0
4																											
5																											

PROJECT NO:

HWY:

COUNTY:

SHEET NO:


E

7

7

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Green
- 3. Message Series - D



R7-8AP


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	12	6	1 1/2	3/8	3/8	2	1/2	1	1 1/4	5/8	2 3/4	2 5/8	4 1/4	1 3/4													0.50
2M																											
3																											
4																											
5																											

STANDARD SIGN
R7-8AP

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 4/29/26 PLATE NO. R7-8AP.1



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - Sign is white Type H Reflective; paraplegic background is blue.
 - Message - Legend and border are green; paraplegic symbol is white
- 3. Message Series - Lines 1 & 2 are Series B
Lines 3, 4, 5 & 6 are Series C

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	12	18	1 1/2	3/8	3/8	2	5	1/2	1 1/2	3/4	5/8	3/8	1 3/8	1 1/4	4	5/8		3 1/2	4 3/8	4	2 1/2	3	3 7/8	1 1/4	1/4	4 3/4	1.5
2M																											
3																											
4																											
5																											

STANDARD SIGN
R7-8AW



WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/5/26 PLATE NO. R7-8AW.1

NOTES

1. Sign is Type II - Type H Reflective
2. Color:
 - Background - Sign is white Type H Reflective; paraplegic background is blue.
 - Message - Legend and border are green; paraplegic symbol is white
3. Message Series - Lines 1 & 2 are Series B
Lines 3, 4, 5 & 6 are Series C
4. R7-8WR (RIGHT ARROW)
R7-8WL (LEFT ARROW)




R7-8WR

[illegible]

STANDARD SIGN	
R7-8W	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<u>Matthew R Rauch</u> for State Traffic Engineer
DATE <u>5/5/26</u>	PLATE NO. <u>R7-8W.1</u>

PROJECT NO:	HWY:	COUNTY:		SHEET NO:	E
-------------	------	---------	--	-----------	----------

7



NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - WHITE
Message - BLACK
3. Message Series - C

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2S	42		1 7⁄8	3⁄8	3⁄8	2	1 1⁄2	3⁄4	1	1 3⁄4	1 5⁄8	1 1⁄8	1⁄2	7	7 3⁄4	10 1⁄2	4 7⁄8	7 1⁄4	9 7⁄8	5 1⁄8	19	11 1⁄4	10 3⁄8	5 1⁄4	9 3⁄4	5 7⁄8	12.25
2M	42		1 7⁄8	3⁄8	3⁄8	2	1 1⁄2	3⁄4	1	1 3⁄4	1 5⁄8	1 1⁄8	1⁄2	7	7 3⁄4	10 1⁄2	4 7⁄8	7 1⁄4	9 7⁄8	5 1⁄8	19	11 1⁄4	10 3⁄8	5 1⁄4	9 3⁄4	5 7⁄8	12.25
3																											
4																											
5																											

SIZE	AA	BB	CC	DD	EE	FF	GG	HH	II	JJ	KK	LL	MM	NN	OO	PP	QQ	RR	SS	TT	UU	vv	WW	XX	YY	ZZ	Area sq. ft.
1																											
2S	8 1⁄4	4 5⁄8	3	4	8 1⁄8	7 1⁄2	8 7⁄8	11 1⁄8	1 3⁄8	4 1⁄4	4 1⁄2	2 7⁄8	4 1⁄8	7	3 5⁄8	8 1⁄4	3 3⁄8	2 1⁄2	1 1⁄4	5	3 1⁄8	4 1⁄8	2 1⁄4	2 7⁄8	2 1⁄2		12.25
2M	8 1⁄4	4 5⁄8	3	4	8 1⁄8	7 1⁄2	8 7⁄8	11 1⁄8	1 3⁄8	4 1⁄4	4 1⁄2	2 7⁄8	4 1⁄8	7	3 5⁄8	8 1⁄4	3 3⁄8	2 1⁄2	1 1⁄4	5	3 1⁄8	4 1⁄8	2 1⁄4	2 7⁄8	2 1⁄2		12.25
3																											
4																											
5																											

PROJECT NO:

SHEET NO:

E

7



NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - White
Message - Red
3. Message Series - Lines 1, 3, and 4 are Series D.
Line 2 shall be Series B

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	18	24	1 1/2	3/8	1/2	4	2 1/2	2 1/2	2	3 3/8	7	2 1/8	6 1/8														3.0
2S	24	30	1 1/2	3/8	1/2	5	3 5/8	3	2 1/4	4 1/8	8 3/4	2 5/8	7 5/8														5.0
2M	24	30	1 1/2	3/8	1/2	5	3 5/8	3	2 1/4	4 1/8	8 3/4	2 5/8	7 5/8														5.0
3	24	30	1 1/2	3/8	1/2	5	3 5/8	3	2 1/4	4 1/8	8 3/4	2 5/8	7 5/8														5.0
4	36	48	1 7/8	1/2	5/8	8	6 1/4	4	3 7/8	6 5/8	14	3 3/8	9 7/8														12.0
5																											

PROJECT NO:		HWY:		COUNTY:												SHEET NO:		E
-------------	--	------	--	---------	--	--	--	--	--	--	--	--	--	--	--	-----------	--	---


STANDARD SIGN
R8-1B

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 4/29/26 PLATE NO. R8-1B.1

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black
- 3. Message Series - D



7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2S	24	36	1 1/2	3/8	1/2	5	3	7	2 1/4	5 1/4	8	8 3/8	5 1/4	5 5/8	6	10		5 5/8	60°	5 1/4	2 1/4	7 1/8	1/2	3/8	1		6.0
2M	24	36	1 1/2	3/8	1/2	5	3	7	2 1/4	5 1/4	8	8 3/8	5 1/4	5 5/8	6	10		5 5/8	60°	5 1/4	2 1/4	7 1/8	1/2	3/8	1		6.0
3																											
4																											
5																											


PROJECT NO:

HWY:

COUNTY:

SHEET NO:



E



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - White
 - Message - Black
- 3. Message Series - C

Arrow Details



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2S	54	42	1 7⁄8	1⁄2	5⁄8	5	3 3⁄4	13 5⁄8	3 3⁄4	7	3 7⁄8	3	7	8 5⁄8	10	2 3⁄4		4 5⁄8	16 1⁄4	6 7⁄8	18 5⁄8	10 7⁄8	6 5⁄8	10 7⁄8	15 1⁄2	3 5⁄8	15.75
2M	54	42	1 7⁄8	1⁄2	5⁄8	5	3 3⁄4	13 5⁄8	3 3⁄4	7	3 7⁄8	3	7	8 5⁄8	10	2 3⁄4		4 5⁄8	16 1⁄4	6 7⁄8	18 5⁄8	10 7⁄8	6 5⁄8	10 7⁄8	15 1⁄2	3 5⁄8	15.75
3	72	54	3	3⁄4	1	7	4 3⁄8	16 3⁄4	4 3⁄8	9 7⁄8	4 3⁄4	3 5⁄8	9	14	11 7⁄8	3		6 5⁄8	22 1⁄2	6 7⁄8	26	14 7⁄8	9 1⁄2	15 1⁄4	20 1⁄8	4 1⁄4	27.00
4	72	54	3	3⁄4	1	7	4 3⁄8	16 3⁄4	4 3⁄8	9 7⁄8	4 3⁄4	3 5⁄8	9	14	11 7⁄8	3		6 5⁄8	22 1⁄2	6 7⁄8	26	14 7⁄8	9 1⁄2	15 1⁄4	20 1⁄8	4 1⁄4	27.00
5	72	54	3	3⁄4	1	7	4 3⁄8	16 3⁄4	4 3⁄8	9 7⁄8	4 3⁄4	3 5⁄8	9	14	11 7⁄8	3		6 5⁄8	22 1⁄2	6 7⁄8	26	14 7⁄8	9 1⁄2	15 1⁄4	20 1⁄8	4 1⁄4	27.00

SIZE	AA	BB	CC	DD	EE	FF	GG
1							
2S	8 1/2	3/8	2 5/8	5 1/2	8	3/8	11
2M	8 1/2	3/8	2 5/8	5 1/2	8	3/8	11
3	12	1/2	3 1/2	7 3/8	10 3/4	1/2	18
4	12	1/2	3 1/2	7 3/8	10 3/4	1/2	18
5	12	1/2	3 1/2	7 3/8	10 3/4	1/2	18

STANDARD SIGN
R8-75

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 11/20/2025 PLATE NO. R8-74.10


PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E



R9 - 3

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - See note 3
- 3. Border & Pedestrian are non-reflective black.
Circle with diagonal bar is reflective red.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	18		1 1/2	3/8	3/8		1 1/2	6 1/4	7 7/8	12	3																2.25
2S	24		1 1/2	3/8	1/2		2	8 1/2	10 1/2	15	4																4.00
2M	24		1 1/2	3/8	1/2		2	8 1/2	10 1/2	15	4																4.00
3																											
4																											
5																											

STANDARD SIGN
R9-3

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 11/20/25 PLATE NO. R9-3.1



R9 - 3A

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black
- 3. Message Series - Lines 1 & 3 are Series C
Line 2 is Series B

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2S	12	18	1 1/2	3/8	3/8	3	2	2 1/4	3 1/2	4 7/8																	1.5
2M	12	18	1 1/2	3/8	3/8	3	2	2 1/4	3 1/2	4 7/8																	1.5
3																											
4																											
5																											

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - See note 3
- 3. Border & Hand are non-reflective black.
Circle with diagonal bar is reflective red.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	18		1 1/2	3/8	3/8		1 1/2	6 3/8	7 7/8	10 1/2	3 3/4																2.25
2S	24		1 1/2	3/8	1/2		2	8 1/2	10 1/2	14	5																4.00
2M	24		1 1/2	3/8	1/2		2	8 1/2	10 1/2	14	5																4.00
3																											
4																											
5																											

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E

STANDARD SIGN
R9-4

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R Rauch*
for State Traffic Engineer

DATE 11/24/25 PLATE NO. R9-4.1

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - White
 - Message - Black
- 3. Message Series - C

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	18	24	1 1/2	3/8	1/2	6	4	2	3	4 3/8	7 1/4	7 1/8															3.0
2M	18	24	1 1/2	3/8	1/2	6	4	2	3	4 3/8	7 1/4	7 1/8															3.0
3																											
4																											
5																											

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - White
 - Message - Black
- 3. Message Series - C

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2S	12	18	1 1/2	3/8	3/8	2	4 1/2	1	2 1/4	3 7/8	2	2	3 7/8														1.5
2M	12	18	1 1/2	3/8	3/8	2	4 1/2	1	2 1/4	3 7/8	2	2	3 7/8														1.5
3																											
4																											
5																											

STANDARD SIGN
R9-5


WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/12/26 PLATE NO. R9-5.1

NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - White
Message - See note 3
3. Border & Hand are non-reflective black.
Circle with diagonal bar is reflective red.



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	18		1 1/2	3/8	3/8		1 1/2	6 3/8	7 7/8	4 1/8	4 7/8	3 1/8	5 7/8														2.25
2S	24		1 1/2	3/8	1/2		2	8 1/2	10 1/2	5 3/8	6 5/8	4 1/8	7 7/8														4.00
2M	24		1 1/2	3/8	1/2		2	8 1/2	10 1/2	5 3/8	6 5/8	4 1/8	7 7/8														4.00
3																											
4																											
5																											

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E

NOTES

1. Sign is Type II - Type H Reflective
2. Color:

Background - White

Message - Black
3. Message Series - C



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	12	1 1/2	3/8	3/8	2	3	10 1/8	1/2	1 1/2	8 1/4	4 7/8	4	3/4	12 5/8												2.5
2M	30	12	1 1/2	3/8	3/8	2	3	10 1/8	1/2	1 1/2	8 1/4	4 7/8	4	3/4	12 5/8												2.5
3																											
4																											
5																											

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black except Circle shall be Green
- 3. Message Series - D

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	12	18	1 1/2	3/8	3/8	1 3/4	2	1	3/4	3	1 1/2	4 1/2	3 5/8	1 3/4	4 1/2												1.5
2M	12	18	1 1/2	3/8	3/8	1 3/4	2	1	3/4	3	1 1/2	4 1/2	3 5/8	1 3/4	4 1/2												1.5
3																											
4																											
5																											

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E


STANDARD SIGN
R10-1

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 1/27/26 PLATE NO. R10-1.6

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - White
 - Message - Black
- 3. Message Series - C
- 4. R10-3D (Double Arrow)
R10-3L (Left Arrow)
R10-3R (Right Arrow)

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	9	12	1 1/2	3/8	3/8	1	3/4	3	1/2	2 1/2	3/8	1 1/8	2	2 3/8	1 3/8	3 3/4											0.75
2M	9	12	1 1/2	3/8	3/8	1	3/4	3	1/2	2 1/2	3/8	1 1/8	2	2 3/8	1 3/8	3 3/4											0.75
3																											
4																											
5																											

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



R10-4

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black except Circle is Green
- 3. Message Series - C for Line 1
D for Line 2 and 3
- 4. R10-4D (Double Arrow)
R10-4L (Left Arrow)
R10-4R (Right Arrow)

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	9	12	1 1/2	3/8	3/8	1	3/4	1/2	2	7/8	2	2 7/8	1 1/8	3	3 3/4												0.75
2M	9	12	1 1/2	3/8	3/8	1	3/4	1/2	2	7/8	2	2 7/8	1 1/8	3	3 3/4												0.75
3																											
4																											
5																											


PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E



NOTES


1. Sign is Type II - Type H Reflective
2. Color:
Background - White
Message - Black
3. Message Series -LINE 1 & 2 - C
Message Series -LINE 3 - B

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	30	1 ³ / ₈	¹ / ₂	⁵ / ₈	5	4 ¹ / ₂	3 ¹ / ₂	4	6 ¹ / ₂	2 ¹ / ₂	¹ / ₈	9 ¹ / ₈	8 ⁵ / ₈	10												5.0
2M	24	30	1 ³ / ₈	¹ / ₂	⁵ / ₈	5	4 ¹ / ₂	3 ¹ / ₂	4	6 ¹ / ₂	2 ¹ / ₂	¹ / ₈	9 ¹ / ₈	8 ⁵ / ₈	10												5.0
3	36	48	1 ⁷ / ₈	¹ / ₂	⁵ / ₈	8	7	6	6	10 ³ / ₈	5	³ / ₈	15 ³ / ₄	13 ³ / ₄	15 ⁷ / ₈												12.0
4																											
5																											

STANDARD SIGN R10-7	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 1/28/2026	PLATE NO. R10-7.7


PROJECT NO:	HWY:	COUNTY:	SHEET NO:		E
-------------	------	---------	-----------	--	---

7



NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - White
Message - Black
3. Message Series - C




7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	30	1 1/2	3/8	1/2	5	4	3 1/2	6	6 1/4	7	6 3/4	9 1/2	9 7/8	7 5/8	7 7/8	10										5.0
2M	24	30	1 1/2	3/8	1/2	5	4	3 1/2	6	6 1/4	7	6 3/4	9 1/2	9 7/8	7 5/8	7 7/8	10										5.0
3																											
4																											
5																											

STANDARD SIGN R10-10B	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> For State Traffic Engineer
DATE 11/24/25	PLATE NO. R10-10B.1

PROJECT NO:	HWY:	COUNTY:	SHEET NO:		E
-------------	------	---------	-----------	--	---

7



NOTES

- 1. Signs are Type II - Type H Reflective
- 2. Color:
 - Background - White
 - Message - Black
- 3. Message Series - R10-11 - D except line 1 is Series E
R10-11D - Series C
- 4. Signs used with Driveway Assistance Device Only



7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	30	1 1/2	3/8	1/2	5	4	2	2 3/4	1 1/2	4 5/8	6 3/8	6 1/4	3	9 1/4	6	8 1/4	1	8 1/4	1 3/8	8 3/8	3 7/8	8 5/8				5.0
2M	24	30	1 1/2	3/8	1/2	5	4	2	2 3/4	1 1/2	4 5/8	6 3/8	6 1/4	3	9 1/4	6	8 1/4	1	8 1/4	1 3/8	8 3/8	3 7/8	8 5/8				5.0
3																											
4																											
5																											

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black
- 3. Message Series - C

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 3⁄8	1⁄2	5⁄8	4	3 1⁄2	2 1⁄4	5 3⁄8	3	1 1⁄4	9 5⁄8	2 3⁄4	1⁄4	7 7⁄8	8		5 5⁄8	11 5⁄8	3⁄4	2 1⁄4	10 1⁄8					7.5
2M	30	36	1 3⁄8	1⁄2	5⁄8	4	3 1⁄2	2 1⁄4	5 3⁄8	3	1 1⁄4	9 5⁄8	2 3⁄4	1⁄4	7 7⁄8	8		5 5⁄8	11 5⁄8	3⁄4	2 1⁄4	10 1⁄8					7.5
3																											
4																											
5																											


PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - White
 - Message - Black except Circle shall be Green
- 3. Message Series - C

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7⁄8	5⁄8	1⁄2	3 1⁄2	4	2 1⁄2	5	2 3⁄4	1 3⁄4	10	9 3⁄4	2	1	10 7⁄8		7 5⁄8	5 3⁄8	3	2 5⁄8	11					7.5
2M	30	36	1 7⁄8	5⁄8	1⁄2	3 1⁄2	4	2 1⁄2	5	2 3⁄4	1 3⁄4	10	9 3⁄4	2	1	10 7⁄8		7 5⁄8	5 3⁄8	3	2 5⁄8	11					7.5
3																											
4																											
5																											

STANDARD SIGN

R10-12


WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer


DATE 2/4/2026 PLATE NO. R10-12.6

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black
- 3. Message Series - Line 1 is Series C.
Lines 2-5 are Series D.



R10-12AL



R10-12AR

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	36	1 7/8	1/2	5/8	4	3	3	2 1/2	2	10	1	11 1/4	12 1/2	2 3/4	6 3/4	10 1/2	9 1/2	9 5/8								7.5
2M	30	36	1 7/8	1/2	5/8	4	3	3	2 1/2	2	10	1	11 1/4	12 1/2	2 3/4	6 3/4	10 1/2	9 1/2	9 5/8								7.5
3																											
4																											
5																											


STANDARD SIGN
R10-12A

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/8/26 PLATE NO. R10-12A.1

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
 - Background - White
 - Message - Black
- 3. Message Series - C

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	9	12	1 1/2	3/8	3/8	1	1/2	3/4	1/4	3	2	2 7/8	1 7/8	1 1/8	3 1/2	1 3/4	2 3/8	4 1/4	3 3/4								.75
2M	9	12	1 1/2	3/8	3/8	1	1/2	3/4	1/4	3	2	2 7/8	1 7/8	1 1/8	3 1/2	1 3/4	2 3/8	4 1/4	3 3/4								.75
3																											
4																											
5																											

PROJECT NO:

HWY:


COUNTY:

SHEET NO:

E

NOTES

1. Sign is Type II - Type H Reflective
2. Color:
 - Background - White
 - Message - Black
3. Message Series - C

[illegible]


STANDARD SIGN
R10-30

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer


DATE 4/16/26 PLATE NO. R10-30.2

PROJECT NO:	HWY:	COUNTY:		SHEET NO:	E
-------------	------	---------	--	-----------	----------




R11-2


- NOTES
1. Sign is Type II - Type H Reflective
 2. Color:
Background - White
Message - Black
 3. Message Series - D
 4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
 5. Modify the message as required.




R11-2R



R11-2C



R11-2T




R11-2L

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	48	30	1 7⁄8	1⁄2	5⁄8	8	5	4	13 1⁄4	13 1⁄2	19	14	15	13	15 5⁄8	12 3⁄4											10.0
2M	48	30	1 7⁄8	1⁄2	5⁄8	8	5	4	13 1⁄4	13 1⁄2	19	14	15	13	15 5⁄8	12 3⁄4											10.0
3	48	30	1 7⁄8	1⁄2	5⁄8	8	5	4	13 1⁄4	13 1⁄2	19	14	15	13	15 5⁄8	12 3⁄4											10.0
4	48	30	1 7⁄8	1⁄2	5⁄8	8	5	4	13 1⁄4	13 1⁄2	19	14	15	13	15 5⁄8	12 3⁄4											10.0
5	48	30	1 7⁄8	1⁄2	5⁄8	8	5	4	13 1⁄4	13 1⁄2	19	14	15	13	15 5⁄8	12 3⁄4											10.0

STANDARD SIGN R11-2	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> For State Traffic Engineer
DATE 2/3/26	PLATE NO. R11-2.13


PROJECT NO:	HWY:	COUNTY:	SHEET NO:	E
-------------	------	---------	-----------	---

7



R11-3D

** See Note 5



NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - White
Message - Black
3. Message Series - C
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
5. Substitute appropriate numerals to nearest quarter mile and optically adjust spacing to achieve proper balance.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	36	18	1 1/2	3/8	3/8	4	3	2	11 1/4	3	1 1/8	15 3/8	2	3 3/4	8 1/4	5/8		1 3/8	13 1/4	8 3/8	7/8	10 1/2	7 1/8				4.5
2S	60	30	1 7/8	1/2	5/8	6	5	3 1/2	16 7/8	5	1 3/8	23 1/4	3	6 1/4	13 5/8	1 1/8		1 7/8	22 1/8	14	1 1/2	17 1/2	11 7/8				12.5
2M	60	30	1 7/8	1/2	5/8	6	5	3 1/2	16 7/8	5	1 3/8	23 1/4	3	6 1/4	13 5/8	1 1/8		1 7/8	22 1/8	14	1 1/2	17 1/2	11 7/8				12.5
3																											
4																											
5																											


STANDARD SIGN
R11-3D

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew P. Rauch*
for State Traffic Engineer

DATE 11/24/25 PLATE NO. R11-3D.1

7



* Varies (see note 4)

NOTES


1. Sign is Type II - Type H Reflective
2. Color:
Background - White
Message - Black
3. Message Series - Line 3 is series E
Lines 1, 2 & 4 are series D
4. Substitute appropriate numeral and optically adjust spacing to achieve proper balance.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	24	30	1 1/2	3/8	1/2	4	6	3	2	9	7 1/8	7															5.0
2S	24	30	1 1/2	3/8	1/2	4	6	3	2	9	7 1/8	7															5.0
2M	24	30	1 1/2	3/8	1/2	4	6	3	2	9	7 1/8	7															5.0
3	36	48	1 7/8	1/2	5/8	6	10	4	4	13 1/2	10 5/8	10 1/2															12.0
4																											
5																											

PROJECT NO:			HWY:			COUNTY:													SHEET NO:			E
-------------	--	--	------	--	--	---------	--	--	--	--	--	--	--	--	--	--	--	--	-----------	--	--	---

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black
- 3. Message Series - D
- 4. Substitute appropriate numerals and optically adjust spacing to achieve proper balance.
- 5. Substitute name of county or town on County Trunk and Town Highways respectively. Community name on City or Village Streets including Connecting Highways is optional.

7


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	30	1 1⁄8	3⁄8	1⁄2	3 1⁄4	4	2	2 1⁄2	5	6 1⁄4	10 1⁄4	7 1⁄8	5 1⁄4	10 1⁄8												5.0
2M	24	30	1 1⁄8	3⁄8	1⁄2	3 1⁄4	4	2	2 1⁄2	5	6 1⁄4	10 1⁄4	7 1⁄8	5 1⁄4	10 1⁄8												5.0
3	36	48	1 3⁄8	1⁄2	5⁄8	5 1⁄4	6	3 1⁄2	4 1⁄2	8	9 3⁄8	15 3⁄8	10 5⁄8	8 3⁄8	16 1⁄4												12.0
4	36	48	1 3⁄8	1⁄2	5⁄8	5 1⁄4	6	3 1⁄2	4 1⁄2	8	9 3⁄8	15 3⁄8	10 5⁄8	8 3⁄8	16 1⁄4												12.0
5																											

STANDARD SIGN
R12-2

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 2/3/26 PLATE NO. R12-2.9



- NOTES
- 1. Sign is Type II - Type H Reflective
 - 2. Color:
Background - White
Message - Black
 - 3. Message Series - C or as noted.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1																											
2S	42	48	2 1/4	5/8	3/4	4	2 3/8	5	2	1 1/2	1 1/4	1 1/8	1 3/4	1 7/8	14 3/4	1		3	10 3/4	5 1/8	7 1/2	8 3/4	8 1/8	8	3 1/4	6 7/8	14.0
2M	42	48	2 1/4	5/8	3/4	4	2 3/8	5	2	1 1/2	1 1/4	1 1/8	1 3/4	1 7/8	14 3/4	1		3	10 3/4	5 1/8	7 1/2	8 3/4	8 1/8	8	3 1/4	6 7/8	14.0
3																											
4																											
5																											

SIZE	AA	BB	CC	DD	EE	FF	GG	HH
1								
2S	4 1/4	12	1 5/8	8 3/8	7 1/4	9 3/4	12 3/8	5 5/8
2M	4 1/4	12	1 5/8	8 3/8	7 1/4	9 3/4	12 3/8	5 5/8
3								
4								
5								


STANDARD SIGN
R12-6

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 6/4/26 PLATE NO. R12-6.1

7



NOTES

1. Sign is Type II - Type H Reflective
2. Color:
Background - White
Message - Black
3. Message Series - Lines 1-3 Series D
Lines 4-6 Series C
4. Substitute appropriate numerals.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA	BB	CC	Area sq. ft.
1																														
2S	48	54	3	¾	1	4	4	3 ½	4 ¾	6	16 ¾	11 ¾	19	1 ½	3	14 ¼	15 ⅛	1 ⅝	9 ¼	4	6 ½	16 ¾	3	12	7 ¾	13 ⅞	5 ⅝	11 ⅜	8 ⅛	18.0
2M	48	54	3	¾	1	4	4	3 ½	4 ¾	6	16 ¾	11 ¾	19	1 ½	3	14 ¼	15 ⅛	1 ⅝	9 ¼	4	6 ½	16 ¾	3	12	7 ¾	13 ⅞	5 ⅝	11 ⅜	8 ⅛	18.0
3																														
4																														
5																														

STANDARD SIGN R12-7	
WISCONSIN DEPT OF TRANSPORTATION	
APPROVED	<i>Matthew R. Rauch</i> for State Traffic Engineer
DATE 5/13/26	PLATE NO. R12-7.1



PROJECT NO:	HWY:	COUNTY:	SHEET NO:	E
-------------	------	---------	-----------	---

NOTES

1. Sign is Type I - Type SH Reflective
2. Color:

Background - White

Message - Black
3. Message Series - E



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S																											
2M																											
3																											
4	132	90	9		2	10	7	8	29 3⁄8	38 7⁄8	10	4	38 3⁄4	39 3⁄4	8 1⁄4	1 3⁄4	3	46 1⁄4	44 3⁄4	3 1⁄4	58	29 3⁄4	6 1⁄4	34 1⁄4	5	27 7⁄8	82.5
5	132	90	9		2	10	7	8	29 3⁄8	38 7⁄8	10	4	38 3⁄4	39 3⁄4	8 1⁄4	1 3⁄4	3	46 1⁄4	44 3⁄4	3 1⁄4	58	29 3⁄4	6 1⁄4	34 1⁄4	5	27 7⁄8	82.5

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
 - Background - Orange
 - Message - Black
- 3. Message Series - C

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	42	36	1 7⁄8	1⁄2	5⁄8	7	5	4	1 1⁄2	18 1⁄4	3⁄8	12 7⁄8	5 1⁄4	8 3⁄8	3	4 3⁄4		10 1⁄2	14 3⁄8								10.5
2S	42	36	1 7⁄8	1⁄2	5⁄8	7	5	4	1 1⁄2	18 1⁄4	3⁄8	12 7⁄8	5 1⁄4	8 3⁄8	3	4 3⁄4		10 1⁄2	14 3⁄8								10.5
2M	42	36	1 7⁄8	1⁄2	5⁄8	7	5	4	1 1⁄2	18 1⁄4	3⁄8	12 7⁄8	5 1⁄4	8 3⁄8	3	4 3⁄4		10 1⁄2	14 3⁄8								10.5
3	42	36	1 7⁄8	1⁄2	5⁄8	7	5	4	1 1⁄2	18 1⁄4	3⁄8	12 7⁄8	5 1⁄4	8 3⁄8	3	4 3⁄4		10 1⁄2	14 3⁄8								10.5
4	42	36	1 7⁄8	1⁄2	5⁄8	7	5	4	1 1⁄2	18 1⁄4	3⁄8	12 7⁄8	5 1⁄4	8 3⁄8	3	4 3⁄4		10 1⁄2	14 3⁄8								10.5
5	42	36	1 7⁄8	1⁄2	5⁄8	7	5	4	1 1⁄2	18 1⁄4	3⁄8	12 7⁄8	5 1⁄4	8 3⁄8	3	4 3⁄4		10 1⁄2	14 3⁄8								10.5

STANDARD SIGN
R22-2

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 9/8/25 PLATE NO. R22-2.1

PROJECT NO:


HWY:

COUNTY:

SHEET NO:


E

7



NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:
Background - White
Message - Black
- 3. Message Series - C
- 4. R53-51R is same as R53-51L except that the arrow is reversed.



7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	30	1 1/2	3/8	1/2	3	1	2	8 1/2	1 1/2	6 1/2	4 1/2	7 1/2	2 3/4	2	2 3/4	8 1/2	5	60°	3 5/8	7 3/8	3/4	3/8	1/8	1	2 1/4	5.0
2M	24	30	1 1/2	3/8	1/2	3	1	2	8 1/2	1 1/2	6 1/2	4 1/2	7 1/2	2 3/4	2	2 3/4	8 1/2	5	60°	3 5/8	7 3/8	3/4	3/8	1/8	1	2 1/4	5.0
3																											
4																											
5																											

STANDARD SIGN
R53-51

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R Rauch*
for State Traffic Engineer


DATE 4/10/26 PLATE NO. R53-51.8

NOTES

1. All Signs Type II - Type H Reflective
2. Color:

Background - White

Message - Black
3. Message Series - E



R53-53

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30	12	1 1/2	3/8	1/2	2	1 3/4	1 1/4	7 7/8	3/4	10 5/8	3 1/2	2 3/4	8 1/4	9 1/2	1 7/8	13 3/8										2.50
2M	30	12	1 1/2	3/8	1/2	2	1 3/4	1 1/4	7 7/8	3/4	10 5/8	3 1/2	2 3/4	8 1/4	9 1/2	1 7/8	13 3/8										2.50
3																											
4																											
5																											

STANDARD SIGN

R53-53

WISCONSIN DEPT OF TRANSPORTATION

APPROVED


Matthew R. Rauch

for

State Traffic Engineer

DATE 4/10/26

PLATE NO. R53-53.8



S4-51

NOTES

- 1. Sign is Type II - See Note 2 for Sheeting Type
- 2. Color:
Background - See Note 4
Message - Black
- 3. Message Series - See Note 5
- 4. Top panel (SCH00L) background - Yellow Green - Type F Reflective
Lower panels background - White - Type SH Reflective
- 5. From top to bottom:
Lines 1, 5, 6, 7, 8 & 9 are series D
Lines 2, 3 & 4 are series E
- 6. Line 4 substitute appropriate numerals and adjust spacing to achieve proper balance.


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	66	1 7⁄8	1⁄2	5⁄8	4	10	2	2 1⁄2	1 3⁄4	3	1 1⁄4	3 3⁄4	9 7⁄8	10 1⁄4	9 5⁄8	7 1⁄8	7 5⁄8	3 1⁄2	3 3⁄8	6 5⁄8	6 3⁄8	9 1⁄4	9 3⁄8	3 1⁄8	3 7⁄8	11.0
2M	24	66	1 7⁄8	1⁄2	5⁄8	4	10	2	2 1⁄2	1 3⁄4	3	1 1⁄4	3 3⁄4	9 7⁄8	10 1⁄4	9 5⁄8	7 1⁄8	7 5⁄8	3 1⁄2	3 3⁄8	6 5⁄8	6 3⁄8	9 1⁄4	9 3⁄8	3 1⁄8	3 7⁄8	11.0
3	36	96	3	3⁄4	1	6	15	3	3 3⁄4	2 3⁄4	4 1⁄2	1 7⁄8	5 1⁄2	15	15 1⁄4	14 1⁄2	11 1⁄4	11 1⁄2	5 1⁄2	5 3⁄4	10	9 3⁄4	14	14 1⁄8	3 1⁄2	4 1⁄8	24.0
4																											
5																											

STANDARD SIGN
S4-51

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 4/15/26 PLATE NO. S4-51.12



NOTES

- 1. Sign is Type II - See Note 2 for Sheeting Type
- 2. Color:
 - Background - Yellow-Green (Type F Reflective)
 - Message - Black
 - Yield Symbol - Red on White (Type SH Reflective)
 - Ped Symbol - Black on White (Type SH Reflective)
- 3. Message Series - as shown and in table

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	12	42	1 1/2	1	4 1/8	1/2	1 1/2	3/4	2 D	24	8 1/2	2	1 1/4	8 1/4	7 3/4	3 7/8	4	1/4	2 5/8	7/8	1 1/8	2 3/8	38 1/2	36	3 1/2	4 1/4	3.5
3																											
4																											
5																											

STANDARD SIGN
S4-52

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 3/26/26 PLATE NO. S4-52.3

7

7

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow-Green
Message - Black
- 3. Message Series - D
- 4. Round distance to nearest whole Mile and substitute appropriate numerals and optically adjust spacing to achieve proper balance.



S7-3AP

* See note 4

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	24	12	1 1/2	3/8	3/8	3	2 1/4	1 1/2	5	5 1/8	3	2 3/4	9 5/8														2.0
2S	30	15	1 1/2	3/8	1/2	4	2 1/2	2	6 3/8	6 3/8	3	3 7/8	11 3/4														3.13
2M	36	18	1 1/2	3/8	1/2	5	2 3/4	2 1/2	7 7/8	8	5	4 1/8	15 3/8														4.5
3	36	18	1 1/2	3/8	1/2	5	2 3/4	2 1/2	7 7/8	8	5	4 1/8	15 3/8														4.5
4	48	24	1 7/8	1/2	5/8	6	4	4	10	10 1/8	6	5 5/8	19														8.0
5	48	24	1 7/8	1/2	5/8	6	4	4	10	10 1/8	6	5 5/8	19														8.0

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



S16 - 3P

* See note 4

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow-Green
Message - Black
- 3. Message Series - D
- 4. Round distance to nearest whole Mile and substitute appropriate numerals and optically adjust spacing to achieve proper balance.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	24	18	1 1/2	1/2	5/8	4	3 1/2	3	1 3/8	8																	3.0
2S	30	24	1 1/2	1/2	5/8	6	4 1/2	3	2	12 1/8																	5.0
2M	30	24	1 1/2	1/2	5/8	6	4 1/2	3	2	12 1/8																	5.0
3	30	24	1 1/2	1/2	5/8	6	4 1/2	3	2	12 1/8																	5.0
4	42	30	1 7/8	5/8	3/4	8	5	4	2 3/4	16 1/8																	8.75
5	42	30	1 7/8	5/8	3/4	8	5	4	2 3/4	16 1/8																	8.75

STANDARD SIGN

S16 - 3P

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 5/18/26 PLATE NO. S16-3P.1


PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E



NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - Yellow-Green
Message - Black
3. S16-7R is the same as S16-7L
except the arrow is reversed along
the vertical centerline.

- * For 36" x 36" Warning Signs, use 30" x 21" W16-7L signs.
- * For 48" x 48" Warning Signs, use 42" x 24" W16-7L signs.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	21	15	1 1/2	3/8	3/8	3	41°	5 1/4	5 1/8	1/2	6																2.19
* 2M	30	21	1 1/2	3/8	1/2	4 1/2	41°	8 5/8	7 3/4	5/8	9 1/4																4.38
* 3	30	21	1 1/2	3/8	1/2	4 1/2	41°	8 5/8	7 3/4	5/8	9 1/4																4.38
* 4	42	24	1 7/8	1/2	5/8	6	41°	10 1/4	9 1/8	1	12																7.0
5																											

STANDARD SIGN
S16-7

WISCONSIN DEPT OF TRANSPORTATION


APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/30/26 PLATE NO. S16-7.4

PROJECT NO: HWY: COUNTY: SHEET NO: E

FILE NAME : C:\CAEfiles\Projects\tr_stdplate\S167.dgn PLOT DATE : 30-APRIL 2026 6:40 PLOT BY : dotc4c PLOT NAME : PLOT SCALE : \$\$.....plotscale.....\$\$WISDOT/CADDs SHEET 42

7



S16 - 7AP

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow-Green
Message - Black

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	21	15	1 1/2	3/8	3/8	2 1/4	2 3/4	9 3/8	4 5/8	5 1/4	3/8	7 3/4	45°														2.0
2S	21	15	1 1/2	3/8	3/8	2 1/4	2 3/4	9 3/8	4 5/8	5 1/4	3/8	7 3/4	45°														2.0
2M	30	21	1 1/2	3/8	1/2	3	4 1/4	12 1/2	6 1/8	7	1/2	10 3/8	45°														3.75
3	30	21	1 1/2	3/8	1/2	3	4 1/4	12 1/2	6 1/8	7	1/2	10 3/8	45°														3.75
4	36	24	1 1/2	1/2	5/8	4	3 3/4	16 5/8	8 1/8	9 1/4	5/8	13 3/4	45°														8.0
5																											


PROJECT NO:

HWY:

COUNTY:


SHEET NO:

E



NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - Yellow
Message - Black
3. Message Series - E
4. W1-15L is same as W1-15R except the arrow curved down to the left.



Arrow Detail

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA	Area sq. ft.
1																												
2S	36		2 1/4	3/4	5/8	10	7 7/8	3 1/2	5 1/8	6 3/4	4 1/4	8	4	7	3	5/8												9.0
2M	36		2 1/4	3/4	5/8	10	7 7/8	3 1/2	5 1/8	6 3/4	4 1/4	8	4	7	3	5/8												9.0
3	36		2 1/4	3/4	5/8	10	7 7/8	3 1/2	5 1/8	6 3/4	4 1/4	8	4	7	3	5/8												9.0
4	48		3	3/4	1	14	11	4 7/8	7 1/8	9 3/8	5 7/8	11 1/8	5 1/2	9 3/4	1	3/4												16.0
5	48		3	3/4	1	14	11	4 7/8	7 1/8	9 3/8	5 7/8	11 1/8	5 1/2	9 3/4	1	3/4												16.0


PROJECT NO:	HWY:	COUNTY:	SHEET NO:	E
-------------	------	---------	-----------	---

STANDARD SIGN
W1-15

WISCONSIN DEPT OF TRANSPORTATION


APPROVED
Matthew R. Rauch
for State Traffic Engineer

DATE 5/14/26 PLATE NO. W1-15.1



NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - Yellow
Message - Black
3. Message Series - C
4. The symbol of the intersection should match actual field conditions.



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	AA	BB	CC	W2-8 Area sq. ft.	W2-8P Area sq. ft.
1																													
2S																													
2M																													
3																													
4	48		3	$\frac{3}{4}$	1	6	4	14	13	$9\frac{1}{4}$	$7\frac{5}{8}$	$15\frac{5}{8}$	$13\frac{1}{16}$	$11\frac{1}{2}$	$13\frac{1}{4}$	$13\frac{7}{8}$	$3\frac{1}{2}$	3	$18\frac{3}{4}$	$\frac{5}{8}$	$3\frac{3}{8}$	16	17	18	$1\frac{7}{8}$	$\frac{5}{8}$	$\frac{1}{2}$	16.0	6.0
5																													


PROJECT NO:

HWY:

COUNTY:


SHEET NO:

E



NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - ORANGE
Message - BLACK
3. Message Series - C
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	36		2 1/4	5/8	3/4	5	2 3/8	1 7/8	1/2	7	7	11 1/8	11 1/4	8 7/8	9	6 1/4	7 3/4	7 7/8									9.0
2S	48		3	3/4	1	6	3	2 1/4	3/4	8 3/8	8 1/2	13 3/8	13 1/2	10 3/4	10 3/4	7 1/2	9 3/8	9 3/8									16.0
2M	48		3	3/4	1	6	3	2 1/4	3/4	8 3/8	8 1/2	13 3/8	13 1/2	10 3/4	10 3/4	7 1/2	9 3/8	9 3/8									16.0
3	48		3	3/4	1	6	3	2 1/4	3/4	8 3/8	8 1/2	13 3/8	13 1/2	10 3/4	10 3/4	7 1/2	9 3/8	9 3/8									16.0
4	48		3	3/4	1	6	3	2 1/4	3/4	8 3/8	8 1/2	13 3/8	13 1/2	10 3/4	10 3/4	7 1/2	9 3/8	9 3/8									16.0
5	48		3	3/4	1	6	3	2 1/4	3/4	8 3/8	8 1/2	13 3/8	13 1/2	10 3/4	10 3/4	7 1/2	9 3/8	9 3/8									16.0

STANDARD SIGN
W4-50

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/9/26 PLATE NO. W4-50.1

PROJECT NO:

SHEET NO:

E

7



7

NOTES

- 1. Sign is Type II - Type H Reflective
- 2. Color:

Background - } as noted on detail.

Message - }
- 3. The sheeting and stripes shall be applied to both sides of the base material.



W5-61

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	96	8				6	45°																				5.33
2M	96	8				6	45°																				5.33
3	96	8				6	45°																				5.33
4	96	8				6	45°																				5.33
5																											

STANDARD SIGN

W5-61

WISCONSIN DEPT OF TRANSPORTATION

APPROVED

Matthew R. Rauch

for State Traffic Engineer

DATE 9/4/25PLATE NO. W5-61.9

NOTES

1. Sign is Type II - Type H Reflective
2. Color:

Background - } as noted on detail.

Message - }

3. The sheeting and stripes shall be applied to both sides of the base material.
-
-
- W5-64
- | SIZE | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z | Area
sq. ft. |
|------|----|---|---|---|---|---|-----|-----------------|
| 1 | | | | | | | | |
| 2S | 96 | 8 | | | | 6 | 45° | | | | | | | | | | | | | | | | | | | | 5.33 |
| 2M | 96 | 8 | | | | 6 | 45° | | | | | | | | | | | | | | | | | | | | 5.33 |
| 3 | 96 | 8 | | | | 6 | 45° | | | | | | | | | | | | | | | | | | | | 5.33 |
| 4 | 96 | 8 | | | | 6 | 45° | | | | | | | | | | | | | | | | | | | | 5.33 |
| 5 | | | | | | | | |
- STANDARD SIGN

W5-64

WISCONSIN DEPT OF TRANSPORTATION

APPROVED

Matthew R. Rauch


State Traffic Engineer

DATE 9/4/25PLATE NO. W5-64.6
- PROJECT NO:HWY:COUNTY:

SHEET NO: E

FILE NAME : C:\CAEfiles\Projects\tr_stdplate\W564.dgnPLOT DATE : 4-SEPT 2025 3:46PLOT BY : dotc4cPLOT NAME :PLOT SCALE : \$\$.....plotscale.....\$\$WISDOT/CADDs SHEET 42

7



NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black
- 3. Message Series - C

7


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	36		1 5/8	3/4	5/8	11 1/2	8 1/2	9	1 1/2	3	8	10	4														9.0
2M	36		1 5/8	3/4	5/8	11 1/2	8 1/2	9	1 1/2	3	8	10	4														9.0
3	36		1 5/8	3/4	5/8	11 1/2	8 1/2	9	1 1/2	3	8	10	4														9.0
4																											
5																											

STANDARD SIGN
W6-5

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/28/26 PLATE NO. W6-5.1



NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black
- 3. Message Series - C

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	36		1 5⁄8	3⁄4	5⁄8	11 1⁄2	8 1⁄2	3	9	3	8	10	4														9.0
2M	36		1 5⁄8	3⁄4	5⁄8	11 1⁄2	8 1⁄2	3	9	3	8	10	4														9.0
3	36		1 5⁄8	3⁄4	5⁄8	11 1⁄2	8 1⁄2	3	9	3	8	10	4														9.0
4																											
5																											

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



W7 - 3AP

* See note 4

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black
- 3. Message Series - D
- 4. Round distance to nearest whole Mile and substitute appropriate numerals and optically adjust spacing to achieve proper balance.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	24	12	1 1/2	3/8	3/8	3	2 1/4	1 1/2	5	5 1/8	3	2 3/4	9 5/8														2.0
2S	30	15	1 1/2	3/8	1/2	4	2 1/2	2	6 3/8	6 3/8	3	3 7/8	11 3/4														3.13
2M	36	18	1 1/2	3/8	1/2	5	2 3/4	2 1/2	7 7/8	8	5	4 1/8	15 3/8														4.5
3	36	18	1 1/2	3/8	1/2	5	2 3/4	2 1/2	7 7/8	8	5	4 1/8	15 3/8														4.5
4	48	24	1 7/8	1/2	5/8	6	4	4	10	10 1/8	6	5 5/8	19														8.0
5	48	24	1 7/8	1/2	5/8	6	4	4	10	10 1/8	6	5 5/8	19														8.0


PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E



NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - Yellow
Message - Black
3. Message Series - C


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	36		2 1/4	3/4	5/8	5	4	2 1/2	9 5/8	11 3/8	2 7/8	17 3/4	7														9.0
2M	36		2 1/4	3/4	5/8	5	4	2 1/2	9 5/8	11 3/8	2 7/8	17 3/4	7														9.0
3	36		2 1/4	3/4	5/8	5	4	2 1/2	9 5/8	11 3/8	2 7/8	17 3/4	7														9.0
4	36		2 1/4	3/4	5/8	5	4	2 1/2	9 5/8	11 3/8	2 7/8	17 3/4	7														9.0
5	48		3	1	3/4	7	5	3 1/2	13 3/8	16	4	25	9 3/4														16.0

STANDARD SIGN
W8-13

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 6/9/26 PLATE NO. W8-13.1



NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - Orange
Message - Black
3. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
4. W8-17R is same as W8-17L except the vehicle tips to the left.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	36		2 1/4	5/8	3/4	12 3/4	8 1/4	18 5/8	14 7/8																		9.0
2S	48		3	3/4	1	17	11	24 7/8	19 7/8																		16.0
2M	48		3	3/4	1	17	11	24 7/8	19 7/8																		16.0
3	48		3	3/4	1	17	11	24 7/8	19 7/8																		16.0
4	48		3	3/4	1	17	11	24 7/8	19 7/8																		16.0
5	48		3	3/4	1	17	11	24 7/8	19 7/8																		16.0

STANDARD SIGN
W8-17

WISCONSIN DEPT OF TRANSPORTATION


APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 8/28/25 PLATE NO. W8-17.4

PROJECT NO:

SHEET NO:

E



NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - Yellow
Message - Black
3. Message Series - C

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30		1 3/8	5/8	1/2	5	2 1/2	7	5 1/4	8 1/2																	6.25
2M	36		2 1/4	3/4	5/8	6	3	8 3/8	6 3/8	10 1/4																	9.0
3	36		2 1/4	3/4	5/8	6	3	8 3/8	6 3/8	10 1/4																	9.0
4	48		3	1	3/4	8	4	11 1/4	8 1/2	13 5/8																	16.0
5																											

STANDARD SIGN
W8-18

WISCONSIN DEPT OF TRANSPORTATION


APPROVED Matthew R. Rauch
for State Traffic Engineer

DATE 5/14/26 PLATE NO. W8-18.1

PROJECT NO: HWY: COUNTY: SHEET NO: **E**

FILE NAME : C:\CAEfiles\Projects\tr_stdplate\W818.dgn PLOT DATE : 14-MAY 2026 2:09 PLOT BY : dotc4c PLOT NAME : PLOT SCALE : \$\$.....plotscale.....\$\$ WISDOT/CADD SHEET 42

7



NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black
- 3. Message Series - C

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	48		3	1	3/4	8	4	13 5/8	13 1/8	11 1/8																	16.0
2M	48		3	1	3/4	8	4	13 5/8	13 1/8	11 1/8																	16.0
3	48		3	1	3/4	8	4	13 5/8	13 1/8	11 1/8																	16.0
4	48		3	1	3/4	8	4	13 5/8	13 1/8	11 1/8																	16.0
5	48		3	1	3/4	8	4	13 5/8	13 1/8	11 1/8																	16.0


STANDARD SIGN

W8-21

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/7/26 PLATE NO. W8-21.1



NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - Yellow
Message - Black
3. Message Series - C

7

7

W8-22

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	36		2 1/4	3/4	5/8	7	2 1/2	2 1/2	5	8 5/8	12 7/8																9.0
2M	36		2 1/4	3/4	5/8	7	2 1/2	2 1/2	5	8 5/8	12 7/8																9.0
3	36		2 1/4	3/4	5/8	7	2 1/2	2 1/2	5	8 5/8	12 7/8																9.0
4	48		3	1	3/4	10	5 1/2	1 1/2	7	12 3/8	18 3/8																16.0
5																											

PROJECT NO:	HWY:	COUNTY:			SHEET NO:	E
-------------	------	---------	--	--	-----------	---


STANDARD SIGN
W8-22

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/11/26 PLATE NO. W8-22.1

7



NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - Yellow
Message - Black
3. Message Series - C

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	36		2 1/4	3/4	5/8	6	5	1	5	4	17 1/8																9.0
2M	36		2 1/4	3/4	5/8	6	5	1	5	4	17 1/8																9.0
3	36		2 1/4	3/4	5/8	6	5	1	5	4	17 1/8																9.0
4	36		2 1/4	3/4	5/8	6	5	1	5	4	17 1/8																9.0
5	48		3	1	3/4	8	7	2	6	5 3/8	22 3/4																16.0

STANDARD SIGN
W8-23

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/11/26 PLATE NO. W8-23.1


PROJECT NO:

HWY:

COUNTY:

SHEET NO:


E



W9-3

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Orange
Message - Black
- 3. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.



ARROW DETAIL


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	36		2 1/4	1/2	5/8	10 1/2	6 5/8	3	15	8 5/8	4	21	7 3/8	4 3/4	7/8	8	12	3/4									9.0
2S	48		3	3/4	1	14	9	4	20	11 1/2	5 3/8	28	9 7/8	6 1/4	1 1/4	10 5/8	16	7/8									16.0
2M	48		3	3/4	1	14	9	4	20	11 1/2	5 3/8	28	9 7/8	6 1/4	1 1/4	10 5/8	16	7/8									16.0
3	48		3	3/4	1	14	9	4	20	11 1/2	5 3/8	28	9 7/8	6 1/4	1 1/4	10 5/8	16	7/8									16.0
4	48		3	3/4	1	14	9	4	20	11 1/2	5 3/8	28	9 7/8	6 1/4	1 1/4	10 5/8	16	7/8									16.0
5	48		3	3/4	1	14	9	4	20	11 1/2	5 3/8	28	9 7/8	6 1/4	1 1/4	10 5/8	16	7/8									16.0

STANDARD SIGN
W9-3

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 3/30/26 PLATE NO. W9-3.1



W10-52P

NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - Yellow
Message - Black
3. Message Series - C

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24		1 1/2	3/8	1/2	4	3	8 3/8	7 7/8	1/8	2 1/2	5 5/8	9														4.0
2M	24		1 1/2	3/8	1/2	4	3	8 3/8	7 7/8	1/8	2 1/2	5 5/8	9														4.0
3	36		2 1/4	1/2	5/8	6	4 1/2	12 1/2	11 1/8	1/8	4	7 3/4	13 1/2														9.0
4	36		2 1/4	1/2	5/8	6	4 1/2	12 1/2	11 1/8	1/8	4	7 3/4	13 1/2														9.0
5																											

STANDARD SIGN

W10-52P

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer


DATE 3/26/26 PLATE NO. W10-52P.2

PROJECT NO:

SHEET NO:

E

7



W11-11

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	v	W	X	Y	Z	Area sq. ft.
1	24		1 1/2	3/8	1/2		6 5/8	9 1/4																			4.00
2S	30		1 7/8	1/2	5/8		8 3/8	11 5/8																			6.25
2M	30		1 7/8	1/2	5/8		8 3/8	11 5/8																			6.25
3																											
4																											
5																											


STANDARD SIGN

W11-11

WISCONSIN DEPT OF TRANSPORTATION


APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 9/2/25 PLATE NO. W11-11.6



NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
 - Background - Yellow
 - Message - Black



Arrow Detail

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24		1 1/2	1/2	3/8		8	4	9 1/2	3/8	3 3/8	7 1/4	6 3/8	10 3/8	3 1/4												4.0
2M	24		1 1/2	1/2	3/8		8	4	9 1/2	3/8	3 3/8	7 1/4	6 3/8	10 3/8	3 1/4												4.0
3	30		1 7/8	1/2	5/8		10	5	11 7/8	3/4	4 1/2	9	7 7/8	13	4												6.25
4	36		2 1/4	1/2	5/8		12	6	14 1/4	1	5 1/2	10 7/8	9 5/8	15 3/4	4 3/4												9.0
5	48		3	3/4	1		16	8	19	1 1/4	7 1/4	14 1/2	12 3/4	21	6 1/4												16.0

STANDARD SIGN
W12-1

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 9/3/25 PLATE NO. W12-1.1

7

7

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black
- 3. Message Series - E
- 4. Substitute appropriate numerals and optically adjust spacing of numerals, foot and inch marks to achieve proper balance.



* Varies (See Note 4)

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	84	24	3	¾	1	6	4	8	12	4	12 ¾	9	9 ¾														14.0
2M	84	24	3	¾	1	6	4	8	12	4	12 ¾	9	9 ¾														14.0
3	84	24	3	¾	1	6	4	8	12	4	12 ¾	9	9 ¾														14.0
4	84	24	3	¾	1	6	4	8	12	4	12 ¾	9	9 ¾														14.0
5																											

PROJECT NO:

HWY:


COUNTY:

SHEET NO:

E

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black
- 3. Message Series - E
- 4. Substitute appropriate numerals and optically adjust spacing of numerals, foot and inch marks to achieve proper balance.



7

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	102	24	3	¾	1	5 ⅛	13 ¾	12	6 ⅞	4	8	12 ⅞	20	9 ¾													17.0
2M	102	24	3	¾	1	5 ⅛	13 ¾	12	6 ⅞	4	8	12 ⅞	20	9 ¾													17.0
3	102	24	3	¾	1	5 ⅛	13 ¾	12	6 ⅞	4	8	12 ⅞	20	9 ¾													17.0
4	102	24	3	¾	1	5 ⅛	13 ¾	12	6 ⅞	4	8	12 ⅞	20	9 ¾													17.0
5																											

PROJECT NO:


HWY:

COUNTY:

SHEET NO:


E

7



NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - Yellow
Message - Black
3. Message Series - B
4. Substitute appropriate numerals and optically adjust spacing of numerals, hyphen, foot & inch marks to achieve proper balance.



* Varies (See Note 4)

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	42	18	1 1/2	3/8	1/2	5	2 3/4	2 1/2	15 3/4	8 1/4	3	4 7/8	15 3/8	1 5/8	3/8	1 1/8	90°	1/2	3/16	5/8	11 3/8						5.25
2S	42	18	1 1/2	3/8	1/2	5	2 3/4	2 1/2	15 3/4	8 1/4	3	4 7/8	15 3/8	1 5/8	3/8	1 1/8	90°	1/2	3/16	5/8	11 3/8						5.25
2M	42	18	1 1/2	3/8	1/2	5	2 3/4	2 1/2	15 3/4	8 1/4	3	4 7/8	15 3/8	1 5/8	3/8	1 1/8	90°	1/2	3/16	5/8	11 3/8						5.25
3	42	18	1 1/2	3/8	1/2	5	2 3/4	2 1/2	15 3/4	8 1/4	3	4 7/8	15 3/8	1 5/8	3/8	1 1/8	90°	1/2	3/16	5/8	11 3/8						5.25
4	60	30	1 7/8	1/2	5/8	8	4 7/8	4 1/4	25 1/4	13 1/4	4 3/4	7 7/8	24 5/8	2 5/8	1/2	1 5/8	90°	3/4	5/16	7/8	18 1/4						12.5
5																											

STANDARD SIGN
W12-2M & W12-2N

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 8/27/2025 PLATE NO. W12-2M.1

7

7

NOTES

- 1. Sign is - Type F reflective
- 2. Color:
Background - Yellow
Message - Black
- 3. Message Series - E
- 4. The panel shown on this plate is for the use with E5-1A.
- 5. Sign width shall match the E5-1A.
- 6. Substitute appropriate numerals and adjust placement to achieve proper balance.



W13-1AP

* Varies (See note 6)


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S																											
2M																											
3																											
4	Varies	24	3	1	¾	9	7 ½	12	6	8	27 ¼																12.0
5	Varies	24	3	1	¾	9	7 ½	12	6	8	27 ¼																12.0

STANDARD SIGN
W13-1AP


WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 3/5/26 PLATE NO. W13-1AP.1



- NOTES
- 1. Sign is Type II - Type F Reflective
 - 2. Color:
Background - Yellow
Message - Black
 - 3. Message Series - E
 - 4. W13-6L is same as W13-6R except the arrow curved down to the left.



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA	Area sq. ft.
1																												
2S	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	12 ½	14 ¾	10 ¼	9 ⅞	4 ⅞	11 ⅛	5 ½	9 ¾	1	¾	10 ⅝	9 ⅜	5 ⅞	28.0
2M	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	12 ½	14 ¾	10 ¼	9 ⅞	4 ⅞	11 ⅛	5 ½	9 ¾	1	¾	10 ⅝	9 ⅜	5 ⅞	28.0
3	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	12 ½	14 ¾	10 ¼	9 ⅞	4 ⅞	11 ⅛	5 ½	9 ¾	1	¾	10 ⅝	9 ⅜	5 ⅞	28.0
4	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	12 ½	14 ¾	10 ¼	9 ⅞	4 ⅞	11 ⅛	5 ½	9 ¾	1	¾	10 ⅝	9 ⅜	5 ⅞	28.0
5	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	12 ½	14 ¾	10 ¼	9 ⅞	4 ⅞	11 ⅛	5 ½	9 ¾	1	¾	10 ⅝	9 ⅜	5 ⅞	28.0

STANDARD SIGN

W13-6

WISCONSIN DEPT OF TRANSPORTATION


APPROVED

Matthew R. Rauch


for State Traffic Engineer

DATE 3/20/26

PLATE NO. W13-6.1



- NOTES
- 1. Sign is Type II - Type F Reflective
 - 2. Color:
Background - Yellow
Message - Black
 - 3. Message Series - E
 - 4. W13-7L is same as W13-7R except the arrow curved down to the left.



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA	Area sq. ft.
1																												
2S	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	16 ¾	14 ¾	10 ¼	9 ⅞	4 ⅞	11 ⅛	5 ½	9 ¾	1	¾	10 ⅝	9 ⅜	5 ⅞	28.0
2M	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	16 ¾	14 ¾	10 ¼	9 ⅞	4 ⅞	11 ⅛	5 ½	9 ¾	1	¾	10 ⅝	9 ⅜	5 ⅞	28.0
3	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	16 ¾	14 ¾	10 ¼	9 ⅞	4 ⅞	11 ⅛	5 ½	9 ¾	1	¾	10 ⅝	9 ⅜	5 ⅞	28.0
4	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	16 ¾	14 ¾	10 ¼	9 ⅞	4 ⅞	11 ⅛	5 ½	9 ¾	1	¾	10 ⅝	9 ⅜	5 ⅞	28.0
5	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	16 ¾	14 ¾	10 ¼	9 ⅞	4 ⅞	11 ⅛	5 ½	9 ¾	1	¾	10 ⅝	9 ⅜	5 ⅞	28.0

STANDARD SIGN

W13-7


WISCONSIN DEPT OF TRANSPORTATION

APPROVED

Matthew R. Rauch
for State Traffic Engineer


DATE 3/20/26

PLATE NO. W13-7.1



NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - Yellow
Message - Black
3. Message Series - E
4. W13-8L is same as W13-8R except the arrow curved down to the left.



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	12 ½	14 ¾	10 ¼	5 ⅞	13 ⅞	16 ⅛	6 ⅞	12 ⅛	2 ⅜	⅞	9 ⅝	12 ⅜	28.0
2M	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	12 ½	14 ¾	10 ¼	5 ⅞	13 ⅞	16 ⅛	6 ⅞	12 ⅛	2 ⅜	⅞	9 ⅝	12 ⅜	28.0
3	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	12 ½	14 ¾	10 ¼	5 ⅞	13 ⅞	16 ⅛	6 ⅞	12 ⅛	2 ⅜	⅞	9 ⅝	12 ⅜	28.0
4	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	12 ½	14 ¾	10 ¼	5 ⅞	13 ⅞	16 ⅛	6 ⅞	12 ⅛	2 ⅜	⅞	9 ⅝	12 ⅜	28.0
5	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	12 ½	14 ¾	10 ¼	5 ⅞	13 ⅞	16 ⅛	6 ⅞	12 ⅛	2 ⅜	⅞	9 ⅝	12 ⅜	28.0


STANDARD SIGN

W13-8

WISCONSIN DEPT OF TRANSPORTATION


APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 3/20/26 PLATE NO. W13-8.1



NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black
- 3. Message Series - E
- 4. W13-9L is same as W13-9R except the arrow curved down to the left.



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	16 ¾	14 ¾	10 ¼	5 ⅞	13 ⅞	16 ⅛	6 ⅞	12 ⅛	2 ⅜	⅞	9 ⅝	12 ⅜	28.0
2M	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	16 ¾	14 ¾	10 ¼	5 ⅞	13 ⅞	16 ⅛	6 ⅞	12 ⅛	2 ⅜	⅞	9 ⅝	12 ⅜	28.0
3	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	16 ¾	14 ¾	10 ¼	5 ⅞	13 ⅞	16 ⅛	6 ⅞	12 ⅛	2 ⅜	⅞	9 ⅝	12 ⅜	28.0
4	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	16 ¾	14 ¾	10 ¼	5 ⅞	13 ⅞	16 ⅛	6 ⅞	12 ⅛	2 ⅜	⅞	9 ⅝	12 ⅜	28.0
5	48	84	3	¾	1	4 ½	3 ½	5	8	4	1	28	16	6	16 ¾	14 ¾	10 ¼	5 ⅞	13 ⅞	16 ⅛	6 ⅞	12 ⅛	2 ⅜	⅞	9 ⅝	12 ⅜	28.0

STANDARD SIGN

W13-9

WISCONSIN DEPT OF TRANSPORTATION


APPROVED

Matthew R. Rauch

for State Traffic Engineer

DATE 3/20/26

PLATE NO. W13-9.1



W15-1

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30		1 7⁄8	1⁄2	3⁄4	7 1⁄2	5 3⁄4																				6.25
2M	30		1 7⁄8	1⁄2	3⁄4	7 1⁄2	5 3⁄4																				6.25
3																											
4																											
5																											

STANDARD SIGN

W15-1

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 3/9/26 PLATE NO. W15-1.2

7

7

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black
- 3. Message Series - D



W16 - 1P

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	18	12	1 1/2	3/8	3/8	3	2	2	1 3/4	5 1/4																	1.5
2M	18	12	1 1/2	3/8	3/8	3	2	2	1 3/4	5 1/4																	1.5
3	24	18	1 1/2	3/8	3/8	4	3 1/2	3	2 3/8	7																	3.0
4	24	18	1 1/2	3/8	3/8	4	3 1/2	3	2 3/8	7																	3.0
5																											

STANDARD SIGN
W16 - 1P

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 3/5/26 PLATE NO. W16-1P.1

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



W16 -3P

* See note 4

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black
- 3. Message Series - D
- 4. Round distance to nearest whole Mile and substitute appropriate numerals and optically adjust spacing to achieve proper balance.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	24	18	1 1/2	1/2	5/8	4	3 1/2	3	1 3/8	8																	3.0
2S	30	24	1 1/2	1/2	5/8	6	4 1/2	3	2	12 1/8																	5.0
2M	30	24	1 1/2	1/2	5/8	6	4 1/2	3	2	12 1/8																	5.0
3	30	24	1 1/2	1/2	5/8	6	4 1/2	3	2	12 1/8																	5.0
4	42	30	1 7/8	5/8	3/4	8	5	4	2 3/4	16 1/8																	8.75
5	42	30	1 7/8	5/8	3/4	8	5	4	2 3/4	16 1/8																	8.75

PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E

STANDARD SIGN

W16 -3P

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer



DATE 5/18/26 PLATE NO. W16-3P.1

NOTES

1. Sign is Type II - Type F Reflective
2. Color:

Background - Yellow

Message - Black



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	21	15	1 1/2	1/2	5/8		7 1/2	7 1/2	3	1/4	5 3/8	5 3/4															2.2
2M	21	15	1 1/2	1/2	5/8		7 1/2	7 1/2	3	1/4	5 3/8	5 3/4															2.2
3																											
4																											
5																											

STANDARD SIGN

W16-5P


WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 3/5/26 PLATE NO. W16-5P.4

SHEET NO: **E**

7



NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black
- 3. W16-7R is the same as W16-7L except the arrow is reversed along the vertical centerline.

- * For 36" x 36" Warning Signs, use 30" x 21" W16-7L signs.
- * For 48" x 48" Warning Signs, use 42" x 24" W16-7L signs.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	21	15	1 1/2	3/8	3/8	3	41°	5 1/4	5 1/8	1/2	6																2.19
* 2M	30	21	1 1/2	3/8	1/2	4 1/2	41°	8 5/8	7 3/4	5/8	9 1/4																4.38
* 3	30	21	1 1/2	3/8	1/2	4 1/2	41°	8 5/8	7 3/4	5/8	9 1/4																4.38
* 4	42	24	1 7/8	1/2	5/8	6	41°	10 1/4	9 1/8	1	12																7.0
5																											

STANDARD SIGN


W16-7

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/29/26 PLATE NO. W16-7.10

7



W16 - 7AP

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	21	15	1 1/2	3/8	3/8	2 1/4	2 3/4	9 3/8	4 5/8	5 1/4	3/8	7 3/4	45°														2.0
2S	21	15	1 1/2	3/8	3/8	2 1/4	2 3/4	9 3/8	4 5/8	5 1/4	3/8	7 3/4	45°														2.0
2M	30	21	1 1/2	3/8	1/2	3	4 1/4	12 1/2	6 1/8	7	1/2	10 3/8	45°														3.75
3	30	21	1 1/2	3/8	1/2	3	4 1/4	12 1/2	6 1/8	7	1/2	10 3/8	45°														3.75
4	36	24	1 1/2	1/2	5/8	4	3 3/4	16 5/8	8 1/8	9 1/4	5/8	13 3/4	45°														8.0
5																											

PROJECT NO:

HWY:

COUNTY:

SHEET NO:


E

7

7

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black
- 3. Message Series - E



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	12	1 1/2	3/8	3/8	5	3 1/2	7 3/8																			2.0
2M	24	12	1 1/2	3/8	3/8	5	3 1/2	7 3/8																			2.0
3																											
4																											
5																											

STANDARD SIGN

W16-15P

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer


DATE 4/29/26 PLATE NO. W16-15P.4

7

7

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
 - Background - Yellow
 - Message - Black
- 3. Message Series - B



W16-21P

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	12	1 1/2	3/8	3/8	3	2 1/4	1 1/2	8 1/2	2	1/8	10 5/8	8 1/4	1/4	10 1/2												2.0
2M	24	12	1 1/2	3/8	3/8	3	2 1/4	1 1/2	8 1/2	2	1/8	10 5/8	8 1/4	1/4	10 1/2												2.0
3																											
4																											
5																											

PROJECT NO:

HWY:

COUNTY:

SHEET NO:



E

7

7

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Yellow
Message - Black
- 3. Message Series - E



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3																											
4	144	48	3	¾	1	10	12	8 ½	7 ½	58 ⅞	11	10	38	3 ⅝	9 ⅝	23 ¼		15 ¾	3 ½	29 ¼							48.0
5	144	48	3	¾	1	10	12	8 ½	7 ½	58 ⅞	11	10	38	3 ⅝	9 ⅝	23 ¼		15 ¾	3 ½	29 ¼							48.0

STANDARD SIGN
W19-1

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/29/26 PLATE NO. W19-1.3

PROJECT NO:

HWY:

COUNTY:

SHEET NO:



E

7

7

NOTES

- 1. Sign is Type II- Type F Reflective
- 2. Color:
Background - Yellow
Message - Black
- 3. Message Series - Line 1- Series D
Line 2 -Series E



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2																											
3																											
4	144	48	3	¾	1	10	12	8 ½	7 ½	65 ½	22 ⅛	10	38	3 ⅝	9 ⅝	23 ¼		15 ¾	3 ½	29 ¼							48.0
5	144	48	3	¾	1	10	12	8 ½	7 ½	65 ½	22 ⅛	10	38	3 ⅝	9 ⅝	23 ¼		15 ¾	3 ½	29 ¼							48.0









STANDARD SIGN

W19-2

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 4/29/26 PLATE NO. W19-2.3



NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - Orange
Message - Black
3. Message Series - See Note 5
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
5. " _____ LANE" is Series B.
All other copy is Series C.

7

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	36	6	2 1/4	5/8	3/4	5	7/8	2 1/2	13 1/8	10 3/4	9 1/2	14 1/4	13 5/8	12	12	1 3/8	1 1/8	4 1/2	3 1/2	9	1 7/8	5 5/8	10 1/8	2 1/2	1 3/4	8	9.0
2S	48	8	3	3/4	1	7	1 1/4	3 1/4	17 1/2	14 3/8	12 5/8	19	18 3/8	16	14 1/4	1 7/8	1 1/2	6	4 5/8	12	2 5/8	7 1/2	13 1/2	3 3/8	2 3/8	10 5/8	16.0
2M	48	8	3	3/4	1	7	1 1/4	3 1/4	17 1/2	14 3/8	12 5/8	19	18 3/8	16	14 1/4	1 7/8	1 1/2	6	4 5/8	12	2 5/8	7 1/2	13 1/2	3 3/8	2 3/8	10 5/8	16.0
3	48	8	3	3/4	1	7	1 1/4	3 1/4	17 1/2	14 3/8	12 5/8	19	18 3/8	16	14 1/4	1 7/8	1 1/2	6	4 5/8	12	2 5/8	7 1/2	13 1/2	3 3/8	2 3/8	10 5/8	16.0
4	48	8	3	3/4	1	7	1 1/4	3 1/4	17 1/2	14 3/8	12 5/8	19	18 3/8	16	14 1/4	1 7/8	1 1/2	6	4 5/8	12	2 5/8	7 1/2	13 1/2	3 3/8	2 3/8	10 5/8	16.0
5	48	8	3	3/4	1	7	1 1/4	3 1/4	17 1/2	14 3/8	12 5/8	19	18 3/8	16	14 1/4	1 7/8	1 1/2	6	4 5/8	12	2 5/8	7 1/2	13 1/2	3 3/8	2 3/8	10 5/8	16.0

PROJECT NO:

HWY:

COUNTY:

SHEET NO:


E

STANDARD SIGN
W20-5C,L,R

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 3/23/26 PLATE NO. W20-5.13



NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Orange
Message - Black
- 3. Message Series - See Note 5
- 4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
- 5. Line 1 - Series D
Lines 2, 3 & 4 Series C.
- 5. Substitute appropriate number if more than 2 Lanes

7

7


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA	BB	CC	Area sq. ft.
1	36		2 1/4	5/8	7/8	6	5	2 1/2	1 1/4	2 3/8	16 1/2	16 1/2	10 1/4	8 3/4	6	1 3/8	1	9 3/8	4 3/4	8 1/2	1 1/2	5 5/8	9 1/2	2 3/8	2	5 7/8	7 1/4	12 1/4	7/8	9.0
2S	48		3	3/4	1	8	6	4	2	2 3/4	21 1/4	21 1/4	12 3/8	10 1/2	7	1 1/2	1 1/4	11 1/2	4 7/8	10 3/4	2 1/2	6 5/8	12	2 7/8	2 1/8	6 7/8	8 5/8	14 3/4	5/8	16.0
2M	48		3	3/4	1	8	6	4	2	2 3/4	21 1/4	21 1/4	12 3/8	10 1/2	7	1 1/2	1 1/4	11 1/2	4 7/8	10 3/4	2 1/2	6 5/8	12	2 7/8	2 1/8	6 7/8	8 5/8	14 3/4	5/8	16.0
3	48		3	3/4	1	8	6	4	2	2 3/4	21 1/4	21 1/4	12 3/8	10 1/2	7	1 1/2	1 1/4	11 1/2	4 7/8	10 3/4	2 1/2	6 5/8	12	2 7/8	2 1/8	6 7/8	8 5/8	14 3/4	5/8	16.0
4	48		3	3/4	1	8	6	4	2	2 3/4	21 1/4	21 1/4	12 3/8	10 1/2	7	1 1/2	1 1/4	11 1/2	4 7/8	10 3/4	2 1/2	6 5/8	12	2 7/8	2 1/8	6 7/8	8 5/8	14 3/4	5/8	16.0
5	48		3	3/4	1	8	6	4	2	2 3/4	21 1/4	21 1/4	12 3/8	10 1/2	7	1 1/2	1 1/4	11 1/2	4 7/8	10 3/4	2 1/2	6 5/8	12	2 7/8	2 1/8	6 7/8	8 5/8	14 3/4	5/8	16.0

STANDARD SIGN
W20-5AR, AL

WISCONSIN DEPT OF TRANSPORTATION







APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 3/23/26 PLATE NO. W20-5A.2



NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
 - Background - Orange
 - Message - Black
- 3. Message Series - C



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	36	6	2 1/4	5/8	3/4	5	3	14 3/8	10 1/4	8 3/4	1 3/8	1 1/8	4 1/2	3 1/2	9	1 7/8		5 5/8	10 1/8	2 1/2	1 3/4	8	10 1/4				9.0
2S	48	8	3	3/4	1	7	4	19 3/4	14 3/8	12 1/2	1 7/8	1 1/2	6	4 5/8	12	2 5/8		7 1/2	13 1/2	3 3/8	2 3/8	10 5/8	14 3/8				16.0
2M	48	8	3	3/4	1	7	4	19 3/4	14 3/8	12 1/2	1 7/8	1 1/2	6	4 5/8	12	2 5/8		7 1/2	13 1/2	3 3/8	2 3/8	10 5/8	14 3/8				16.0
3	48	8	3	3/4	1	7	4	19 3/4	14 3/8	12 1/2	1 7/8	1 1/2	6	4 5/8	12	2 5/8		7 1/2	13 1/2	3 3/8	2 3/8	10 5/8	14 3/8				16.0
4	48	8	3	3/4	1	7	4	19 3/4	14 3/8	12 1/2	1 7/8	1 1/2	6	4 5/8	12	2 5/8		7 1/2	13 1/2	3 3/8	2 3/8	10 5/8	14 3/8				16.0
5	48	8	3	3/4	1	7	4	19 3/4	14 3/8	12 1/2	1 7/8	1 1/2	6	4 5/8	12	2 5/8		7 1/2	13 1/2	3 3/8	2 3/8	10 5/8	14 3/8				16.0

STANDARD SIGN
W20-5B

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 9/10/25 PLATE NO. W20-5B.1


PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E



W20-7

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Orange
Message - Black

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	36		2 1/4	5/8	3/4		2 3/4	13 1/2	14 5/8																		9.0
2S	48		3	3/4	1		3 3/4	18	19 1/2																		16.0
2M	48		3	3/4	1		3 3/4	18	19 1/2																		16.0
3	48		3	3/4	1		3 3/4	18	19 1/2																		16.0
4	48		3	3/4	1		3 3/4	18	19 1/2																		16.0
5	48		3	3/4	1		3 3/4	18	19 1/2																		16.0

STANDARD SIGN
W20-7

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 9/10/25 PLATE NO. W20-7.1

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
 - Background - Orange
 - Message - Black

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	36		2 1/4	5/8	3/4		2 1/4	16 7/8	12																		9.0
2S	48		3	3/4	1		3	22 3/8	16																		16.0
2M	48		3	3/4	1		3	22 3/8	16																		16.0
3	48		3	3/4	1		3	22 3/8	16																		16.0
4	48		3	3/4	1		3	22 3/8	16																		16.0
5	48		3	3/4	1		3	22 3/8	16																		16.0

STANDARD SIGN


W21-1

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 9/9/25 PLATE NO. W21-1.1

7



NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
 - Background - Orange
 - Message - Black
- 3. Message Series - D

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	36		2 1/4	5/8	3/4	6	1 3/4	1 3/4	14 1/2	14 1/2	13 7/8	14															9.0
2S	48		3	3/4	1	8	3	3	19	19	17 3/4	17 3/4															16.0
2M	48		3	3/4	1	8	3	3	19	19	17 3/4	17 3/4															16.0
3	48		3	3/4	1	8	3	3	19	19	17 3/4	17 3/4															16.0
4	48		3	3/4	1	8	3	3	19	19	17 3/4	17 3/4															16.0
5	48		3	3/4	1	8	3	3	19	19	17 3/4	17 3/4															16.0

STANDARD SIGN
W21-8

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 9/9/25 PLATE NO. W21-8.1

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



W07-3AP

* See note 4

NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - Orange
Message - Black
3. Message Series - D
4. Round distance to nearest whole Mile and substitute appropriate numerals and optically adjust spacing to achieve proper balance.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	24	12	1 1/2	3/8	3/8	3	2 1/4	1 1/2	5	5 1/8	3	2 3/4	9 5/8														2.0
2S	30	15	1 1/2	3/8	1/2	4	2 1/2	2	6 3/8	6 3/8	3	3 7/8	11 3/4														3.13
2M	36	18	1 1/2	3/8	1/2	5	2 3/4	2 1/2	7 7/8	8	5	4 1/8	15 3/8														4.5
3	36	18	1 1/2	3/8	1/2	5	2 3/4	2 1/2	7 7/8	8	5	4 1/8	15 3/8														4.5
4	48	24	1 7/8	1/2	5/8	6	4	4	10	10 1/8	6	5 5/8	19														8.0
5	48	24	1 7/8	1/2	5/8	6	4	4	10	10 1/8	6	5 5/8	19														8.0

STANDARD SIGN

W07-3AP

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 5/12/26 PLATE NO. W07-3AP.1

PROJECT NO:


HWY:

COUNTY:

SHEET NO:

E

7



W016-3AP

* See note 4

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Orange
Message - Black
- 3. Message Series - D
- 4. Round distance to nearest whole Mile and substitute appropriate numerals and optically adjust spacing to achieve proper balance.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	30	24	1 1/2	1/2	5/8	6	4 1/2	3	2	12 1/8																	5.0
2S	42	30	1 7/8	5/8	3/4	8	5	4	2 3/4	16 1/8																	8.75
2M	42	30	1 7/8	5/8	3/4	8	5	4	2 3/4	16 1/8																	8.75
3	42	30	1 7/8	5/8	3/4	8	5	4	2 3/4	16 1/8																	8.75
4	42	30	1 7/8	5/8	3/4	8	5	4	2 3/4	16 1/8																	8.75
5	42	30	1 7/8	5/8	3/4	8	5	4	2 3/4	16 1/8																	8.75

STANDARD SIGN

W016-3AP

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/18/26 PLATE NO. W016-3AP.1


PROJECT NO:

HWY:

COUNTY:

SHEET NO:

E



NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - Orange
Message - Black
3. W016-7R is the same as W016-7L
except the arrow is reversed along
the vertical centerline.

- * For 36" x 36" Warning Signs, use 30" x 21" W016-7L signs.
- * For 48" x 48" Warning Signs, use 42" x 24" W016-7L signs.

	SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Areq sq. ft.
✖	1																											
	2S	21	15	1 1/2	3/8	3/8	3	41°	5 1/4	5 1/8	1/2	6																2.19
	2M	30	21	1 1/2	3/8	1/2	4 1/2	41°	8 5/8	7 3/4	5/8	9 1/4																4.38
	3	30	21	1 1/2	3/8	1/2	4 1/2	41°	8 5/8	7 3/4	5/8	9 1/4																4.38
	4	42	24	1 7/8	1/2	5/8	6	41°	10 1/4	9 1/8	1	12																7.0
	5																											

STANDARD SIGN


W016-7

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 4/30/26 PLATE NO. W016-7.4

7



NOTES

- 1. Sign is Type II -Type F Reflective
- 2. Color:
Background - Orange
- 3. Corners may be square or rounded when base material is plywood. When base material is metal the corners shall be rounded.

7


SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	4	12	1 1/2																								.33
2M	4	12	1 1/2																								.33
3																											
4																											
5																											

STANDARD SIGN
WOM2-2V


WISCONSIN DEPT OF TRANSPORTATION

APPROVED
Matthew R. Rauch
for State Traffic Engineer

DATE 5/4/26
PLATE NO. WOM2-2V.1



WOM3 - L



WOM3 - R

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
 - Background - Orange
 - Message - Black
- 4. Alternate colors of stripes as shown.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	12	36	1 1/2			4 3/8	3 1/2	5 5/8	45°	4	4																3.0
2M	12	36	1 1/2			4 3/8	3 1/2	5 5/8	45°	4	4																3.0
3	18	54	1 1/2			6	5 1/2	8 1/2	45°	6	6 9/16																6.75
4																											
5																											


PROJECT NO:

HWY:

COUNTY:



SHEET NO:

E



NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Orange
Message - Black
- 3. Sign shall be a sheeting overlay no aluminum base material
- 4. Overall sign size varies depending upon manufacturer of crash cushion.



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	36					8 1/2	2	9 1/2	45°	19	8 1/2	6 1/4	6														9.0
2M	36					8 1/2	2	9 1/2	45°	19	8 1/2	6 1/4	6														9.0
3																											
4																											
5																											


STANDARD SIGN
WOM5-58

WISCONSIN DEPT OF TRANSPORTATION


APPROVED *Matthew R. Rauch*
For State Traffic Engineer

DATE 5/4/26 PLATE NO. WOM5-58.1

7



WOM5-59L



WOM5-59R

NOTES

- 1. Sign is Type II - Type F Reflective
- 2. Color:
Background - Orange
Message - Black
- 3. Base material is to be .040 sheet aluminum.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	12					3	45°	3 1/8	4 1/4																		1.00
2S	18					3	45°	3 1/8	4 1/4																		2.25
2M	18					3	45°	3 1/8	4 1/4																		2.25
3																											
4																											
5																											

PROJECT NO:

HWY:


COUNTY:

SHEET NO:


E

7

7



WOM5-60R



WOM5-60L

NOTES

1. Sign is Type II - Type F Reflective
2. Color:
Background - Orange
Message - Black
3. Base material is to be .040 sheet aluminum.

7

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	13	27 1/2				4	45°	1 3/4	5 5/8																		2.48
2M	13	27 1/2				4	45°	1 3/4	5 5/8																		2.48
3																											
4																											
5																											

PROJECT NO:	HWY:	COUNTY:	SHEET NO:	E
-------------	------	---------	-----------	---

STANDARD SIGN
WOM5-60

WISCONSIN DEPT OF TRANSPORTATION

APPROVED *Matthew R. Rauch*
for State Traffic Engineer

DATE 5/4/26 PLATE NO. WOM5-60.1