VUEWorks/CAVE Field Descriptions: Longline (LL) and Special Markings (SM) June 2024

Field	Description	Table Name
Marking ID*	Unique identifier assigned to the record. Upon creation of a new record, a Marking ID* will <u>automatically</u> be assigned. This attribute allows for asset managers to directly search for specific records.	MRKG_MAIN_GE
Region	Represents the WisDOT Region in which the marking is located. Select from dropdown: Northwest, North Central, Northeast, Southwest or Southeast.	MRKG_RGN
County	Represents the County in which the marking is located. Select from drop-down: All 72 counties are listed.	MRKG_CNTY
Route	Represents the freeway, expressway, conventional highway, or county/local road (under WisDOT jurisdiction) on which the marking is installed. Select from drop-down: All IH, USH, STH and applicable county/local roadways are listed.	MRKG_RTE
Travel Direction	Represents the placement of the marking on the roadway in reference to the direction of traffic it guides. Select from dropdown: Eastbound, Eastbound/ Westbound, Northbound, Northbound/Southbound, Southbound or Westbound. *Under the Segment-Based Approach, some longline records can represent combined footages within a pre-determined segment based on material, color, and applied year. For these records, the Eastbound/Westbound and Northbound/Southbound options can be used to indicate it represents footages for both directions. Each Turn Lane and Gore, along with all Special Markings, should have separate records by location with the correct travel direction they pertain to noted.	MRKG_TRVL_DRCTN
Segment Location (Longline) & Nearest Crossroad (Special Marking)	Used as a reference point to provide a location of the marking related to intersecting roadways. This is an open-ended field. For Longline records representing combined footages within a segment, this field can be used to give the segment limits a name (for example, "STH 73 to CTH K Loyal"). For Turn Lanes and Gores, along with all Special Markings, this field can be used to note the nearest crossroad to the marking.	LL: MRKG_STE_ID SM: MRKG_NEAR_XRD
Start Marker (Longline) & Starting Marker (Special Marking)	Represents a Longline Marking's start location, or a Special Marking's point location, based on Photolog Marker (PLM). This field is used to give the marking a reference point based on Photolog imagery and allowed records to be listed in order by travel direction on reports. Photolog Marker does not impact the record's Latitude and Longitude. This is an open-ended field. *Photolog, an image capturing software program used to photograph and log WisDOT's roadways, assigned each image (taken every 1/100 th of a mile) a PLM. Used as a reference tool, the closest PLM to the marking's start location on the roadway should be used.	MRKG_STRT_MRK

	NOTE: This field will be removed at a future date due to the addition of the new STN Cumulative Mileage field (added June 2024). Photolog stopped collecting imagery in 2018 and was replaced with PathWeb, which does not use PLMs.	
Start STN Cumulative Mileage (Longline & Special Marking)	Represents a Longline Marking's start location, or a Special Marking's point location, based on State Trunk Network (STN) Cumulative Mileage. This field is used to give the marking a reference point based on WisDOT PathWeb imagery and allows records to be listed in order by direction on reports. STN Cumulative Mileage does not impact the record's Latitude and Longitude. This is an open-ended field.	MRKG_STRT_STN_CMLG
	*PathWeb, an image capturing software program used to photograph and log WisDOT's roadways, assigns each image (taken approx. every 1/200 th of a mile) an STN Cumulative Mileage. Used as a reference tool, the closest STN Cumulative Mileage to the marking's location on the roadway should be used.	
	NOTE: PathWeb replaced Photolog (the previous referencing system which stopped collecting imagery in 2018) and will be the referencing system used for Asset Management purposes starting in 2024.	
Start Latitude (Longline) & Starting Latitude (Special Marking)	Represents the GPS location of a Longline Marking's starting point or a Special Marking's location. This field is auto populated based on the marking's placement on the map.	MRKG_STRT_LTTD
Start Longitude (Longline) & Starting Longitude (Special Marking)	Represents the GPS location of a Longline Marking's starting point or a Special Marking's location. This field is auto populated based on the marking's placement on the map.	MRKG_STRT_LNGTD
End Marker (Longline Only)	Represents the location of a Longline Marking's end point based on PLM (Photolog). This is an open-ended field.	MRKG_END_MRK
, , , , , , , , , , , , , , , , , , , ,	The closest PLM to a Longline Marking's end point on the roadway should be used.	
	NOTE: This field will be removed at a future date due to the addition of the new STN Cumulative Mileage field (added June 2024). Photolog stopped collecting imagery in 2018 and was replaced with PathWeb, which does not use PLMs.	
End STN Cumulative	Represents the location of a Longline Marking's end point based on STN Cumulative Mile (PathWeb). This is an open-ended field.	MRKG_END_STN_CMLG
Mileage (Longline Only)	The closest STN Cumulative Mileage to a Longline Marking's end point on the roadway should be used.	
	NOTE: PathWeb replaced Photolog (the previous referencing system which stopped collecting imagery in 2018) and will be	

	the referencing system used for Asset Management purposes	
End Latitude	starting in 2024. Represents the GPS location of a Longline Marking's end point.	MDVC FND LTTD
(Longline Only)	This field is auto populated based on the marking's placement on	MRKG_END_LTTD
(Longinic Omy)	the map.	
	the map.	
	This field only pertains to the Longline layer.	
End Longitude	Represents the GPS location of a Longline Marking's end point.	MRKG_END_LNGTD
(Longline Only)	This field is auto populated based on the marking's placement on	
	the map.	
	This field only pertains to the Longline layer.	
Bid Item	Indicates the type of marking the record represents and its	MRKG_BID_ITM_DESC
Number &	associated bid item number. Select from drop-down: There are 35 bid items available in the Longline layer and 35 bid items available	
Description	in the Special Marking layer.	
Marking	Used as another reference point for where the marking is placed	MRKG_MRK_LOC
Location	on the roadway and how it is being utilized. Select from drop-	
	down: Choose the best location from the available options (same	
	options for both Longline and Special Marking layers).	
	For example, this field can be used to indicate if the marking is	
	placed on an Exit Ramp, J-turn, Roundabout, or if it is Edgeline	
	Right or Edgeline Left, Centerline, Centerline with Rumble Strips,	
Marking Code	a Right or Left Turn Lane, Gore, etc.	MDVC CD
Marking Code	Another field to indicate what kind of marking the record represents (used in combination with the "Bid Item Number &	MRKG_CD
	Description"). Select from drop-down: Choose the best indicator	
	from the available options (options are specific to each layer).	
	(
	For example, a Longline record may be entered as "Solid",	
	"Edgeline", "Turnlane", "Bike Lane", etc. For a Special Marking	
	record, options include "Curb", "Diagonal", "Island Nose"	
	"StopBar-18-Inch", "Yield Line" and various types of Arrows.	
Color	Represents the marking's color. Select from drop-down: Yellow,	MRKG_CD_COLR
Sagment	White, or Black. Represents the length of a Longline Marking (in miles). This field is	MRKG_SEG_LN
Segment Length	auto populated within 24 hours of creating/updating a record	MILVIO_SEQ_FIN
(Longline Only)	based on the End Marker minus Start Marker fields.	
, ,		
	For example, if the End Marker is entered at PLM = 12.34 and the	
	Start Marker is entered at PLM = 7.89, the Segment Length will be	
	12.34-7.89 = 4.45 miles.	
	This field only portains to the Langline Issuer	
Verified	This field only pertains to the Longline layer. For Longline records, this field is the total footage of material	MRKG_PNT_FT
Footage	(paint, epoxy, etc.) the record represents. For Special Marking	
(Longline) &	records, if it is measured linearly, this field is also the total	
Painted	footage material (paint, epoxy, etc.) the record represents; if it is	
Footage	measured by units (arrows, words, etc.), this field is the quantity	
(Special	of markings the record represents. This is an open-ended field.	
Marking)		

	For Longline Markings: If the record represents the summed footage of a particular material/color across a segment, populate the total combined footage (i.e., if the record represents both edgelines in a segment, enter the combined footage). For Turn Lanes & Gores, each marking should have its own record with its footage noted, do not combine turn lane/gore footages throughout a segment. For Special Markings: 1.) If the marking is measured linearly (LF), enter the total footage the record represents. For example, if the record represents a	
	"Stop Line Epoxy 18-In" marking for NB mainline lanes at an intersection and the total linear footage is 58 feet, enter 58 (same for records measured in cubic feet - i.e., corrugated medians). 2.) If the marking is measured at a point (EACH), enter the number of units the record represents. For example, if the record represents one arrow, enter 1; if it represents 2 arrows, enter 2. While records can indicate multiple Special Markings measured in	
Performed By	units, guidance is to have each record represent 1 marking. Represents the county or contractor that installed or most	MRKG_PFMD_BY
Terrormed by	recently retraced the marking. This is an open-ended field.	WINKO_11WID_D1
Applied Year	Represents the year in which the marking was installed or most	MRKG_APD_YR
Retrace	recently retraced. This is an open-ended field. Indicates whether the marking is in its initial (first) application or	LL: MRKG_APD_MTHD
11001000	if it has been retraced. Select from drop-down: Yes or No.	SM: MRKG_RTRC
Pavement Type	Represents the type of surface on which the marking is applied. Select from drop-down: Asphalt, Chip Seal, Concrete or Unknown.	LL: MRKG_PVMT_CLS SM: MRKG_PVMT_TY
Project ID	Represents the project ID in which the marking was installed or last retraced. This is an open-ended field. Project ID should be entered in the correct format: XXXX-XX.	MRKG_PROJ_ID
Maintaining Authority	Represents the entity responsible for retracing & upholding the condition of the marking. This is an open-ended field. For most records, this should be entered with "WisDOT", "Wisconsin DOT" or left blank (if blank, assumption would be WisDOT maintains it). If a marking is installed on a state roadway, but the local municipality is responsible for ongoing maintenance, the municipality should be entered (for example, "City of Alma" or a more general "Local").	MRKG_MAINT_AUTHORITY
Comments	Can be used to make any additional notes regarding the record that is not covered in one of the other attribute fields. This is an open-ended field.	MRKG_CMNTS
Image Name	This field can be populated with a URL link to PathWeb, WisDOT's photo imaging system, to provide additional information on where the sign is physically installed in the field. Once a URL is populated and the record is saved, a link will be generated that can be clicked on to open PathWeb to that specific location (the image will display based on the PathWeb film year associated with the URL – so if it is a URL to 2022 PathWeb, the 2022 image will display).	MRKG_imag_NM

PathWeb Collection Cycle	This is a hidden field (not viewable to editors) that corresponds with the Start STN Cumulative Mileage and End STN Cumulative Mileage fields. It represents the year that utilized STN data was collected (i.e., "2023").	MRKG_CLLN_CYC
Data Source (Special Marking Only)	This is currently a hidden field that is utilized to differentiate between data that has historically been maintained in VUEWorks and what will be captured in the 2024/2025 LiDAR project.	SM: MRKG_DSRC
	Historical data = Will be populated with "2017" LiDAR data = Will be populated with "2025"	
	After LiDAR data is collected it will be uploaded to a Special Marking sub-layer, and the historical data will be compared with and used to enhance LiDAR data as needed/able, with the expectation that the historical records will eventually be removed and the LiDAR data will override it as the Special Marking layer.	
	NOTE: This field is hidden from view while awaiting the pending 2025 LiDAR data. Once the LiDAR data is uploaded, this field will become visible to editors for reference.	

Additional Notes

- There are two separate Pavement Markings layers:
 - Longline Markings: Contains records of markings with different Start & End Markers. The "Verified Footage" field should be entered with the total linear footage (LF) the record represents.
 - Examples include: Edgelines, Centerlines, Turn Lanes, and Gores.
 - Special Markings: There are two ways Special Markings are measured:
 - "Linear": While they are considered Special Markings, these types of markings are measured by linear footage (LF) for contract purposes. The "Painted Footage" field should be entered with the total linear footage (LF) of the marking the record represents.
 - Examples include: Stop Bars, Diagonals, Parking Stalls, Curbs, etc.
 - "Point": These types of markings are measured by quantity (EACH). The "Painted Footage" field can be entered to represent multiple markings (i.e., 2 arrows). However, guidance is to have a record for each Special Marking, in which case the "Painted Footage" would be 1.
 - Examples include: Arrows, Words (Only and Yield), Island Noses, Symbols, etc.
 - All editing of Longline records needs to be done in the Longline layer; all editing of Special Marking records needs to be done in the Special Marking layer. "Bid Item Number & Description" options are specific to each layer (i.e., only Longline bid items are available in the Longline layer).
 - Asset managers can turn on or off both layers.
- In addition to the attribute fields noted above, VUEWorks also provides additional features to assign supplementary information to records. Using the dropdown above the attribute fields, an asset manager can select the following:
 - o **Attributes:** Allows for editing the above fields. This is the default display.
 - o **Documents:** Allows for documents (contracts, agreements, notes, etc.) to be uploaded and assigned to specific records.
 - Work Orders: Any work orders (created in VUEWorks) that included the marking will be displayed here.
 - Projects: Any projects (created in VUEWorks) that included the marking will be displayed here.
- Longline records representing edgelines or centerline markings should start and end on the map as close to their actual
 locations in the field as possible and should follow the curves of the road within reason. Turn Lanes, Gores and all Special
 Markings should be placed on the map as close to their actual location as possible.