

**** REVISED ****

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT
NOTICE TO CONTRACTORS**

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, June 14, 2016, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in Room 601.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, 4802 Sheboygan Avenue, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development in Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

ELECTRONIC BIDDING

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

PROPOSAL GUARANTY

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND PROPOSALS

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

PLAN HOLDERS and ELIGIBLE BIDDERS

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

QUALIFICATIONS OF BIDDERS

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

For Proposal Number 4 ONLY, bidder prequalification is not required; however, prior to issuing a bidding proposal or awarding a contract, the Department may require the bidder to produce evidence that they have performed work of a similar character in a satisfactory manner. Bidders **MUST** obtain a bidding proposal as hereinbefore-discussed under PLAN HOLDERS and ELIGIBLE BIDDERS.

HOURS OF LABOR AND MINIMUM WAGE RATES

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION

The Department hereby notifies all bidders that for all proposals hereinafter described in this advertisement, the Department will affirmatively insure that disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation, and they will not be discriminated against on the grounds of race, color, sex, or national origin in consideration for an award.

AFFIDAVIT OF NON-COLLUSION

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

GENERAL CONSTRUCTION

2, 3, 5, 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 19, 20

GRADING

13

CONCRETE PAVEMENT

9

ASPHALTIC PAVEMENT

5, 11, 12, 17, 18, 20

STRUCTURES

4, 7, 19

BRIDGE PAINTING

STREET OR AIRPORT LIGHTING

BUILDING CONSTRUCTION

INCIDENTAL CONSTRUCTION

1, 2, 6, 16

1. Statewide Type 1 Sign Replacement, Locations on STN Per Annual Plan; Statewide; 1000-20-74, WISC 2016 217; Non-Hwy.; 0.000 Miles; Signs.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Signs, 71,376 SF.

DBE Goal: DISC

Contract Completion Date: September 18, 2017

Contact Information: Jay Hille, (608) 243-5981 / jay.hille@dot.wi.gov

2. Horizontal Alignment and One-Way Signing, Locations on STN Per Annual Plan; Statewide; 1000-20-80, WISC 2016 218; Non-Hwy.; 0.000 Miles; Signs.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Signs, 4,296 SF.

DBE Goal: DISC

Contract Completion Date: December 31, 2016

Contact Information: Jay Hille, (608) 243-5981 / jay.hille@dot.wi.gov

3. **Illinois State Line - Madison, Creek Road Bridge, B-53-0316; Illinois State Line - Madison, Woodman Road Bridge, B-53-0319; Illinois State Line - Madison, CTH S to STH 11; Illinois State Line - Madison, Stateline Road to CTH S; Illinois State Line – Madison, Stateline Road Bridge, B-53-0325;** Rock County; 1003-10-74; 1003-10-75; 1003-10-77; 1003-10-78; 1003-10-82; IH 39; 7.814 Miles; Mill, Grade, Base, Concrete Pavement Repair and Replacement, Concrete Pavement, Asphalt Pavement, Culvert Pipes, Curb and Gutter, Storm Sewer, Guardrail, Signs, Pavement Marking, ITS, and Structures B-53-316, B-53-319, and B-53-325.

Guaranty Required: \$440,000.00

Estimate of Principal Items: Excavation Common, 127,041 CY; Backfill Structure, 2,088 CY; Base Aggregate Dense, 199,512 Ton; Select Crushed Material, 4,395 Ton; Concrete Pavement, 452 SY; Concrete Masonry Bridges, 1,857 CY; Prestressed Girders, 4,338 LF 45W-Inch; Bar Steel Reinforcement, 31,090 Lbs; Bar Steel Reinforcement Coated, 289,650 Lbs; Structural Steel HS, 200 Lbs; Piling CIP Concrete, 6,655 LF 12 3/4-Inch; Pavement Marking Epoxy, 173,652 LF; Culvert Pipe Corrugated Steel, 130 LF 24"; Culvert Pipe Reinforced Concrete, 303 LF 18", 27 LF 36", 33 LF 54", 378 LF 24", 305 LF 42", 190 LF 30", 363 LF 48"; Storm Sewer Pipe Reinforced Concrete, 1,080 LF 12", 15 LF 18"; Concrete Curb and Gutter, 663 LF; Steel Plate Beam Guard, 11,502 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 22 Each; Asphaltic Surface, 64 Ton; HMA Pavement, 73,192 Ton; Removing Asphaltic Surface Milling, 5,593 SY; Tack Coat, 5,120 Gals; Signs, 90 SF; Concrete Pavement Repair SHES, 29 SY; Concrete Pavement Replacement SHES, 351 SY; Conduit, 4,124 LF; Base Camera Pole 50-Ft, 1 Each; Roadway Embankment, 264,401 CY.

DBE Goal: NA

Contract Completion Date: September 1, 2017

Contact Information: Jamie Grainger, (608) 884-1173 / jamie.grainger@dot.wi.gov

4. **Sauk City - Cambridge, Yahara River, B-13-315 and B-13-316;** Dane County; 1206-04-63, WISC 2016 219; USH 12; 0.000 Miles; Pile Rehabilitation.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Pile Rehabilitation, 776 Each; Site Access, 1 Lump Sum.

DBE Goal: DISC

Contract Completion Date: January 27, 2019

Contact Information: David Layton, (608) 246-3821 / david.layton@dot.wi.gov

5. Lang Drive, City of LaCrosse, LaCrosse Street to B-32-62; LaCrosse County; 5221-03-71, WISC 2016 220; STH 35; 0.740 Miles; Grade, Base, Base Patching Concrete, Diamond Grinding, Asphalt Pavement, Curb and Gutter, Sidewalk, Signs, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 1,458 CY; Base Aggregate Dense, 6,143 Ton; Select Crushed Material, 245 Ton; Pavement Marking Epoxy, 9,537 LF; Construction Staking, 11,761 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 7,852 LF; Concrete Sidewalk, 71 SF; Asphaltic Surface, 370 Ton; HMA Pavement, 4,849 Ton; Tack Coat, 1,645 Gals; Signs, 145 SF; Base Patching Concrete, 1,775 SY; Concrete Driveway, 98 SY; Continuous Diamond Grinding Concrete Pavement, 9,514 SY; Concrete Joint and Crack Cleaning, 3,909 LF; Install State Furnished Video Detection System, 1 Lump Sum.

DBE Goal: 12 %

Contract Completion Time: 45 Calendar Days

Contact Information: Todd Waldo, (608) 785-9462 / todd.waldo@dot.wi.gov

6. Zoo IC, Dual Lane On Ramps, USH 45 and Watertown Plank Road; Milwaukee County; 1060-34-87; USH 45; 0.000 Miles; Grade, Base, Storm Sewer, Utilities, Concrete Pavement, Curb and Gutter, Sidewalk, Signals, Lighting, FTMS, Signing, Pavement Marking, and Structures S-40-865 - 868.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 4,846 CY; Base Aggregate Dense, 1,050 Ton; Select Crushed Material, 1,008 CY; Concrete Pavement, 1,519 SY; Bar Steel Reinforcement Coated, 18,880 Lbs; Pavement Marking Wet Reflective Tape, 218 LF; Pavement Marking Epoxy, 8,705 LF; Storm Sewer Pipe Reinforced Concrete, 28 LF 18", 329 LF 24"; Concrete Curb, 22 LF; Concrete Curb and Gutter, 1,226 LF; Concrete Sidewalk, 9,886 SF; Signs, 1,440 SF; Sign Supports Concrete Masonry, 109 CY; Sign Bridge, 4 LS; Concrete Bases, 8 Each; Ramp Closure Gates, 4 Each; Signal Assembly Advance Flasher, 2 Each; Pull Boxes, 16 Each; Rectangular Rapid Flash Beacon, 6 LS.

DBE Goal: NA

Contract Completion Date: December 23, 2016

Contact Information: Jeff Bohlen, (414) 750-2928 / jeff.bohlen@dot.wi.gov

7. East - West Freeway, Elm Grove Road Bridge Over IH 94; Waukesha County; 1060-43-82; IH 94; 0.000 Miles; Mill, Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Concrete Barrier, Sidewalk, Sighting, Signing, Pavement Marking, and Structure B-67-345.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 5,275 CY; Borrow, 855 CY; Backfill Structure, 500 CY; Base Aggregate Dense, 4,500 Ton; Concrete Pavement, 226 SY; Concrete Masonry Bridges, 983 CY; Prestressed Girders, 2,329 LF 54W-Inch; Bar Steel Reinforcement, 10,890 Lbs; Bar Steel Reinforcement Coated, 159,880 Lbs; Piling Steel, 2,080 LF 10-Inch, 2,145 LF 12-Inch; Pavement Marking Epoxy, 11,565 LF; Storm Sewer Pipe Reinforced Concrete, 532 LF 12", 491 LF 15", 908 LF 24", 96 LF 30"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 77 LF 24" X 38"; Concrete Curb, 94 LF; Concrete Curb and Gutter, 1,977 LF; Concrete Sidewalk, 10,899 SF; Asphaltic Surface, 32 Ton; HMA Pavement, 2,257 Ton; Removing Asphaltic Surface Milling, 2,000 SY; Tack Coat, 330 Gals; Signs, 39 SF; Steel Diaphragms, 32 Each; Concrete Barrier, 381 LF; Riprap, 86 CY; Storm Sewer Pipe Composite, 24 LF; Reinforced Concrete Support Beam, 1 Each.

DBE Goal: NA

Contract Completion Date: August 31, 2017

Contact Information: Joshua LeVeque, (414) 220-5444 / joshua.leveque@dot.wi.gov

8. East - West Freeway, CTH F Between Ramp Terminals; East - West Freeway, Nemahbin Lake Bridge EB, B-67-0069; Waukesha County; 1060-44-71, WISC 2016 118; 1060-44-72, WISC 2016 221; IH 94; 0.000 Miles; Grade, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Beam Guard, Signals, Signing, Pavement Marking, and Structures B-67-0014, 0069, and 0140.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 2,102 CY; Borrow, 58 CY; Base Aggregate Dense, 832 Ton; Concrete Pavement, 7,801 SY; Pavement Marking Thermoplastic, 262 LF; Pavement Marking Wet Reflective Tape, 3,368 LF; Pavement Marking Epoxy, 10,399 LF; Concrete Curb and Gutter, 298 LF; Steel Plate Beam Guard, 128 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 2 Each; HMA Pavement, 184 Ton; Tack Coat, 34 Gals; Polymer Overlay, 2,420 SY; Riprap, 10 CY.

DBE Goal: 13 %

Contract Completion Date: March 31, 2017

Contact Information: David Pittman, (262) 548-6439 / david.pittman@dot.wi.gov

9. North 27th Street, West Highland Boulevard to West Lisbon Avenue; Milwaukee County; 2265-00-74, WISC 2016 222; Local Street; 0.000 Miles; Mill, Grade, Base, Storm Sewer, Underground Utilities, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signals, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 1,720 CY; Base Aggregate Dense, 1,200 Ton; Concrete Pavement, 8,640 SY; Pavement Marking Epoxy, 15,410 LF; Construction Staking, 19,530 LF; Construction Staking, 124 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 746 LF 12"; Concrete Curb, 50 LF; Concrete Curb and Gutter, 6,890 LF; Concrete Sidewalk, 34,240 SF; Asphaltic Surface, 3 Ton; HMA Pavement, 5,800 Ton; Removing Asphaltic Surface Milling, 10,620 SY; Tack Coat, 3,230 Gals; Concrete Bases, 8 Each; Rectangular Polymer Vault, 24 Each; Poles, 8 Each.

DBE Goal: 12 %

Contract Completion Date: November 23, 2016

Contact Information: Joe Klarkowski, (414) 225-9817 / joe.klarkowski@daarcop.com

10. STH 50, B-30-54 EB Over Des Plaines River; 104th Street, Village of Pleasant Prairie, Corporate Drive to East of Terwall Terrace; 104th Street, Village of Pleasant Prairie, IH 94 to STH 31; Kenosha County; 1310-16-70; 3738-02-73, WISC 2016 223; 3738-06-60, WISC 2016 224; STH 50; STH 165; STH 165; 0.000 Miles; Mill, Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signals, Lighting, FTMS, Signing, Pavement Marking, and Structures B-30-54, 67, 73, 74, and 133.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 23,917 CY; Borrow, 24,997 CY; Backfill Structure, 434 CY; Base Aggregate Dense, 24,182 Ton; Base Aggregate Open Graded, 4,636 Ton; Breaker Run, 1,999 Ton; Concrete Pavement, 57,113 SY; Concrete Masonry Bridges, 1,149 CY; Concrete Masonry Overlay, 6 CY; Prestressed Girders, 2,347 LF 54W-Inch; Bar Steel Reinforcement, 17,910 Lbs; Bar Steel Reinforcement Coated, 171,870 Lbs; Structural Steel Stainless, 1,940 Lbs; Piling Steel, 4,410 LF 12-Inch; Pavement Marking Thermoplastic, 1,621 LF; Pavement Marking Wet Reflective Tape, 22,227 LF; Pavement Marking Epoxy, 82,349 LF; Construction Staking, 48,603 LF; Construction Staking, 71 Each; Construction Staking, 4 LS; Storm Sewer Pipe Reinforced Concrete, 1,007 LF 12", 184 LF 15", 182 LF 18", 473 LF 21", 120 LF 24", 106 LF 30"; Concrete Curb and Gutter, 19,031 LF; Concrete Sidewalk, 6,514 SF; Steel Plate Beam Guard, 2,033 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 7 Each; Asphaltic Surface, 1,626 Ton; HMA Pavement, 3,348 Ton; Removing Asphaltic Surface Milling, 418 SY; Tack Coat, 155 Gals; Signs, 3,638 SF; Polymer Overlay, 1,164 SY; Riprap, 260 CY; Pull Boxes, 15 Each; Concrete Bases, 65 Each; Poles, 6 Each.

DBE Goal: 15 %

Contract Completion Date: May 31, 2017

Contact Information: Mark Wilfert, (262) 548-5936 / mark.wilfert@dot.wi.gov

11. Green Bay - Oconto, USH 141 - Kruegers Quarry Road; Oconto County; 1150-60-71, WISC 2016 225; USH 41; 7.898 Miles; Grading, Base, Milling, Asphalt Pavement, Culvert Pipe, Beam Guard, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 126 CY; Selected Borrow, 41 CY; Base Aggregate Dense, 13,761 Ton; Pavement Marking Wet Reflective Tape, 23,714 LF; Pavement Marking Epoxy, 159,615 LF; Construction Staking, 81,413 LF; Construction Staking, 2 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 160 LF 24"; Steel Plate Beam Guard, 338 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 1 Each; Asphaltic Surface, 228 Ton; HMA Pavement, 31,215 Ton; Removing Asphaltic Surface Milling, 179,470 SY; Tack Coat, 13,596 Gals; Signs, 2,805 SF.

DBE Goal: 10 %

Contract Completion Time: 40 Working Days

Contact Information: Matt Ternes, (920) 366-3028 / matthew.ternes@dot.wi.gov

12. Trempealeau - Fountain City, 10th Street - STH 93; Trempealeau County; 7153-03-61, WISC 2016 227; STH 35; 4.145 Miles; Mill, Base, Asphalt Pavement, Curb and Gutter, Signs, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 2,125 Ton; Pavement Marking Epoxy, 58,051 LF; Construction Staking, 21,889 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 487 LF; Asphaltic Surface, 330 Ton; HMA Pavement, 15,914 Ton; Removing Asphaltic Surface Milling, 74,774 SY; Tack Coat, 7,569 Gals; Signs, 477 SF.

DBE Goal: 6 %

Contract Completion Time: 75 Calendar Days

Contact Information: David Koepp, (715) 836-2078 / david.koepp@dot.wi.gov

13. City of Eau Claire, Melby Street, Victor Street - 115th Street; Chippewa County; 7995-02-22, WISC 2016 226; Local Street; 0.718 Miles; Grade, Base, Asphalt Pavement, Sidewalk, Curb and Gutter, Storm Sewer, Pavement Marking, Sanitary Sewer, and Water Main.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 71,066 CY; Base Aggregate Dense, 12,160 Ton; Pavement Marking Epoxy, 8,022 LF; Sanitary Sewer, 1,680 LF 15"; DI Water Main, 1,720 LF 12"; Storm Sewer Pipe Reinforced Concrete, 743 LF 12", 776 LF 24", 624 LF 15", 173 LF 30", 1,479 LF 18"; Concrete Curb and Gutter, 6,242 LF; Concrete Sidewalk, 500 SF; HMA Pavement, 6,543 Ton; Tack Coat, 1,650 Gals; Concrete Driveway, 659 SY.

DBE Goal: 8 %

Contract Completion Date: October 7, 2016

Contact Information: Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

14. Wausau - Wittenberg, Bus. 51 - CTH J; Marathon County; 1053-02-65, WISC 2016 272; STH 29; 6.014 Miles; Base, Milling, Diamond Grinding Concrete Pavement, Concrete Pavement, Concrete Pavement Repair, Asphalt Pavement, Rout and Seal, Signs, Pavement Markings, and Ramp Closure Gates.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 7,590 Ton; Base Aggregate Open Graded, 150 Ton; Concrete Pavement, 500 SY; Pavement Marking Wet Reflective Tape, 26,045 LF; Pavement Marking Epoxy, 146,351 LF; Construction Staking, 82,780 LF; Construction Staking, 1 LS; Asphaltic Surface, 50 Ton; HMA Pavement, 18,620 Ton; Removing Asphaltic Surface Milling, 71,770 SY; Signs, 4,412 SF; Rout and Seal, 145,270 LF; Concrete Pavement Partial Depth Joint Repair, 1,900 LF; Concrete Pavement Partial Depth Crack Repair, 1,460 LF; Concrete Pavement Partial Depth Surface Repair, 1,370 SF; Concrete Pavement Partial Depth Full Depth Adjustment, 1,000 SF; Concrete Pavement Repair, 580 SY; Concrete Pavement Replacement, 11,420 SY; Steel Poles, 6 Each; Traffic Signal Standards, 2 Each; Ramp Closure Gates, 6 Each; Conduit, 155 Each; Diamond Grinding Concrete Pavement, 12,000 SY.

DBE Goal: 7 %

Contract Completion Time: 70 Working Days

Contact Information: Jed Peters, (715) 365-5731 / jed.peters@dot.wi.gov

15. Wittenberg - Shawano, STH 29 Interchanges; Shawano County; 1058-16-60, WISC 2016 273; STH 29; 0.000 Miles; Grading, Base, Milling, Removing Concrete Surface Partial Depth, Concrete Pavement, Asphalt Pavement, Culvert Pipes, Curb and Gutter, Concrete Driveway, Sidewalk, Beam Guard, Bridge Deck Overlay, Pavement Markings, and Signs.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 4,152 CY; Borrow, 1,105 CY; Base Aggregate Dense, 4,310 Ton; Concrete Pavement, 5,130 SY; Pavement Marking Epoxy, 76,520 LF; Construction Staking, 38,809 LF; Construction Staking, 2 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 18 LF 24"; Concrete Curb, 55 LF; Concrete Curb and Gutter, 5,650 LF; Concrete Sidewalk, 125 SF; Steel Plate Beam Guard, 474 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 5 Each; Asphaltic Surface, 380 Ton; HMA Pavement, 6,840 Ton; Removing Asphaltic Surface Milling, 64,310 SY; Tack Coat, 4,715 Gals; Signs, 3,210 SF; Removing Concrete Surface Partial Depth, 24,450 SF; Concrete Driveway, 40 SY; Polymer Overlay, 4,770 SY.

DBE Goal: 12 %

Contract Completion Time: 50 Working Days

Contact Information: Jim Volkmann, (715) 365-5773 / jim.volkmann@dot.wi.gov

16. City of Clintonville, Main Street, 13th Street to STH 156; City of Clintonville, Main Street, 13th Street to STH 156; Waupaca County; 6250-01-78, WISC 2016 259; 6250-01-79; STH 22; 0.000 Miles; Mill, Grade, Base, Storm Sewer, Sanitary Sewer, Utilities, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Landscaping, Lighting, Signing, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 29,597 CY; Backfill Granular, 200 CY; Base Aggregate Dense, 16,484 Ton; Select Crushed Material, 13,791 Ton; Concrete Pavement, 20,627 SY; Pavement Marking Epoxy, 23,159 LF; Construction Staking, 28,412 LF; Construction Staking, 72 Each; Construction Staking, 2 LS; Storm Sewer Pipe PVC, 19 LF 8", 13 LF 10", 52 LF 12"; Storm Sewer Pipe Reinforced Concrete, 591 LF 12", 126 LF 15", 693 LF 18", 820 LF 21", 1,725 LF 24", 2,059 LF 30", 427 LF 36"; Concrete Curb, 170 LF; Concrete Curb and Gutter, 10,619 LF; Concrete Sidewalk, 38,614 SF; Asphaltic Surface, 260 Ton; HMA Pavement, 1,171 Ton; Removing Asphaltic Surface Milling, 851 SY; Tack Coat, 568 Gals; Signs, 558 SF; Riprap, 38 CY; Trees, 74 Each; Pull Boxes, 15 Each; Concrete Bases, 24 Each; Poles, 23 Each; Hydrant, 8 Each; Water Main, 4,460 LF; Sanitary Sewer, 6,376 Ft.

DBE Goal: 14 %

Contract Completion Date: October 27, 2017

Contact Information: Mark Steidl, (715) 421-8043 / mark.steidl@dot.wi.gov

17. Monroe - Beloit, STH 11 - City of Beloit Limit; Green and Rock Counties; 5340-00-61, WISC 2016 265; STH 81; 4.568 Miles; Grading, Base, Milling, Rubbilizing, Asphalt Pavement, Culvert Pipes, Curb and Gutter, Beam Guard, Bridge Deck Repair, Bridge Deck Overlay, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 2,188 CY; Base Aggregate Dense, 27,980 Ton; Select Crushed Material, 4,730 Ton; Pavement Marking Epoxy, 59,889 LF; Construction Staking, 49,875 LF; Construction Staking, 38 Each; Construction Staking, 1 LS; Culvert Pipe, 94 LF 36"; Culvert Pipe Corrugated Steel, 23 LF 15", 320 LF 18", 39 LF 24"; Culvert Pipe Reinforced Concrete, 78 LF 15", 192 LF 18"; Concrete Curb, 85 LF; Concrete Curb and Gutter, 210 LF; Steel Plate Beam Guard, 990 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 8 Each; Asphaltic Surface, 258 Ton; HMA Pavement, 21,968 Ton; Removing Asphaltic Surface Milling, 34,800 SY; Tack Coat, 7,136 Gals; Signs, 397 SF; Pulverize and Relay, 33,270 SY; Rubbilizing, 39,070 SY; Base Patching Concrete, 430 SY; Preparation Decks, 291 SY; Cleaning Decks, 831 SY; HMA Overlay Polymer-Modified, 124 SY.

DBE Goal: 8 %

Contract Completion Date: November 4, 2016

Contact Information: Mahesh Shrestha, (608) 245-2674 / mahesh.shrestha@dot.wi.gov

18. New Richmond - Wanderoos, STH 64 Eastbound - Jewell Street; St. Croix County; 1540-07-72, WISC 2016 258; STH 65; 3.985 Miles; Grading, Base, Milling, Asphalt Pavement, Concrete Driveway, Curb and Gutter, Sidewalk, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 1,422 CY; Base Aggregate Dense, 2,595 Ton; Pavement Marking Epoxy, 45,071 LF; Construction Staking, 23,717 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 2,677 LF; Concrete Sidewalk, 1,480 SF; Asphaltic Surface, 132 Ton; HMA Pavement, 30,255 Ton; Removing Asphaltic Surface Milling, 89,220 SY; Tack Coat, 12,720 Gals; Signs, 454 SF; Concrete Driveway, 75 SY.

DBE Goal: 7 %

Contract Completion Date: September 30, 2016

Contact Information: Beth Cunningham, (715) 635-4973 /
beth.cunningham@dot.wi.gov

19. Augusta - Cadott, Bridge Creek Bridge, B-18-226; Eau Claire County; 7070-08-73; STH 27; 0.000 Miles; Grade, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Pavement Marking, and Structure B-18-226.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 6,050 CY; Borrow, 6,590 CY; Backfill Structure, 510 CY; Base Aggregate Dense, 3,035 Ton; Concrete Pavement, 86 SY; Concrete Masonry Bridges, 390 CY; Prestressed Girders, 430 LF 45W-Inch; Bar Steel Reinforcement, 8,270 Lbs; Bar Steel Reinforcement Coated, 43,440 Lbs; Piling Steel, 495 LF 10-Inch; Pavement Marking Epoxy, 2,530 LF; Construction Staking, 4,420 LF; Construction Staking, 2 LS; Concrete Curb and Gutter, 940 LF; Concrete Sidewalk, 400 SF; Steel Plate Beam Guard, 117 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 650 Ton; Tack Coat, 290 Gals; Steel Diaphragms, 8 Each; Riprap, 740 CY.

DBE Goal: NA

Contract Completion Date: September 15, 2017

Contact Information: David Koepp, (715) 836-2078 / david.koepp@dot.wi.gov

20. Bruce - Radisson, South County Line to STH 27; Sawyer County; 8590-22-60; STH 40; 0.000 Miles; Mill, Grade, Base, Culvert Pipe, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 6,700 CY; Subbase, 1,870 SY; Base Aggregate Dense, 6,755 Ton; Concrete Pavement, 273 SY; Pavement Marking Epoxy, 269,476 LF; Construction Staking, 54,391 LF; Construction Staking, 9 Each; Construction Staking, 1 LS; Culvert Pipe, 60 LF 24", 118 LF 30", 50 LF 36", 60 LF 48"; Storm Sewer Pipe Reinforced Concrete, 168 LF 12"; Concrete Curb and Gutter, 2,326 LF; Concrete Sidewalk, 10,260 SF; Asphaltic Surface, 3,261 Ton; HMA Pavement, 16,440 Ton; Removing Asphaltic Surface Milling, 150,420 SY; Tack Coat, 9,529 Gals; Signs, 1,068 SF; Riprap, 25 CY.

DBE Goal: NA

Contract Completion Time: 60 Calendar Days

Contact Information: Philip Keppers, (715) 395-3027 / philip.keppers@dot.wi.gov

By order of:

Joe Olson
Administrator
Division of Transportation System Development