



Wisconsin Department of Transportation

Division of Transportation Systems Development

Bureau of Project Development
4802 Sheboygan Avenue, Rm 601
P O Box 7916
Madison, WI 53707-7916

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

March 8, 2017

NOTICE TO ALL CONTRACTORS:

Proposal #13: 1060-39-90
Zoo IC, 2017 TMP Projects
Various Locations, MKE &
Wauk Co
Var Hwy
Milwaukee /Waukesha County

1360-09-71, WISC 2017 102
IH 41
Intersection with Capitol Drive
USH 45
Milwaukee County

Letting of March 14, 2017

This is Addendum No. 02, which provides for the following:

Special Provisions:

Revised Special Provisions	
Article No.	Description
6	Holiday and Special Event Work Restrictions
25	Owner Controlled Insurance Program.
43	Pavement Marking Grooved Contrast Wet Reflective Epoxy 4-Inch, Item 646.0842.S; 8-Inch 646.0844.S.

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 02
1060-39-90 & 1360-09-71
March 8, 2017

Special Provisions

6. Holiday and Special Event Work Restrictions.

Replace the second bullet point after paragraph one with the following:

- From noon Friday, June 30, 2017 to 6:00 AM Wednesday, July 5, 2017 for Independence Day;

25. Owner Controlled Insurance Program.

*Replace subsection c. under section titled **7. Contractor's OCIP Obligations.***

- c. Enroll and maintain enrollment in the OCIP, and shall ensure that each non-Excluded subcontractor, enrolls and maintains enrollment in the OCIP. Enrollment shall take place within five days of a receipt of a Notice to Proceed, and prior to commencement of work. Comply with all of the administrative, safety, insurance, and other requirements outlined in this special provision, the Insurance Manual, the OCIP insurance policies, the Mega Project Safety Manual, or elsewhere in the contract documents.

43. Pavement Marking Grooved Contrast Wet Reflective Epoxy 4-Inch, Item 646.0842.S; 8-Inch 646.0844.S.

*Replace paragraph one under section titled **B Materials** with the following:*

B Materials

Furnish a 20 mils application of an epoxy binder pavement marking, from the Wisconsin's Approved Products List, in a grooved slot. Provide a double drop system of 5.3 pounds per gallon of wet reflective elements from Wisconsin's Approved Products List and Utah Performance beads mixture at a drop rate of 12-22 pounds per gallon.

END OF ADDENDUM