



Wisconsin Department of Transportation

March 7, 2017

Division of Transportation Systems Development

Bureau of Project Development
4802 Sheboygan Avenue, Rm 601
P O Box 7916
Madison, WI 53707-7916

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #29: 1520-05-60
Pittsville – Neillsville
East County Line to STH 95
STH 73
Clark County

1630-00-60
Galeville – Whitehall
CTH C to North Junction STH 95
USH 53
Trempealeau County

7210-00-60
Ellsworth – Baldwin
USH 10 to South Junction STH 29
USH 63
Pierce County

1530-05-60
Ellsworth – Durand
CTH A to CTH P
USH 10
Pierce County

7150-00-60
Trempealeau – Fountain City
STH 93 to West County Line
STH 35
Trempealeau County

Letting of March 14, 2017

This is Addendum No. 01, which provides for the following:

Special Provisions:

Revised Special Provisions	
Article No.	Description
13	Fog Seal, SPV.0180.03

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 01

1520-05-60, 1530-05-60/1630-00-60/7150-00-60/7210-00-60

March 7, 2017

Special Provisions

13. Fog Seal, SPV.0180.03

*Replace entire section titled **B.1 Asphaltic Material** with the following:*

B.1 Asphaltic Material

Provide CSS-1H or CQS-1H, asphaltic material for fog seal. The CSS-1H and CQS-1H, asphaltic material for fog sealing, shall meet the following requirements for the type and grade specified. Only Asphaltic Material supplied from a certified source is approved for use.

Emulsified asphalt compatibility with aggregate shall be verified prior to construction. This shall be done through documentation for material provider.

Emulsified Asphalt

The emulsified asphalt shall meet the requirements of AASHTO M-316 subject to the following modification:

- CSS-1H and CQS-1H shall be produced by using polymer modified base asphalt only. The use of Latex modification shall not be allowed. Any emulsion not meeting this requirement shall not be used.

END OF ADDENDUM