

**STATE OF WISCONSIN  
DEPARTMENT OF TRANSPORTATION  
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT  
NOTICE TO CONTRACTORS**

**BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, March 14, 2017,** to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in Room 601.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, 4802 Sheboygan Avenue, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development in Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

**ELECTRONIC BIDDING**

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

**PROPOSAL GUARANTY**

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

## **PLANS AND PROPOSALS**

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

## **PLAN HOLDERS and ELIGIBLE BIDDERS**

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

## **QUALIFICATIONS OF BIDDERS**

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

## **HOURS OF LABOR AND MINIMUM WAGE RATES**

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

## **AFFIRMATIVE ACTION**

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

## **AFFIDAVIT OF NON-COLLUSION**

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

## **SUMMARY SHEET**

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

### **GENERAL CONSTRUCTION**

1, 2, 3, 4, 5, 6, 8, 11, 12, 13, 14, 15, 16, 17, 18, 19, 23, 25, 26, 29, 30, 31, 34, 36, 37

### **GRADING**

8, 26, 31, 34, 35, 36

### **CONCRETE PAVEMENT**

6, 15

### **ASPHALTIC PAVEMENT**

3, 8, 17, 18, 25, 26, 28, 29, 32, 36

### **STRUCTURES**

1, 7, 9, 10, 20, 21, 22, 24, 33, 34

### **BRIDGE PAINTING**

### **STREET OR AIRPORT LIGHTING**

### **BUILDING CONSTRUCTION**

### **INCIDENTAL CONSTRUCTION**

13, 16, 28, 29

**1. Illinois State Line - Madison, Manogue Road Bridge and Approaches, B-53-0350;** Rock County; 1005-10-75; IH 39; 0.000 Miles; Grade, Base, Culvert Pipe, Concrete Pavement, Asphalt Pavement, Beam Guard, Signing, Pavement Marking, and Structure B-53-0350.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 5,806 CY; Selected Borrow, 264 CY; Backfill Structure, 1,040 Ton; Base Aggregate Dense, 16,350 Ton; Concrete Pavement, 80 SY; Concrete Masonry Bridges, 698 CY; Prestressed Girders, 1,517 LF 54W-Inch; Bar Steel Reinforcement, 11,920 Lbs; Bar Steel Reinforcement Coated, 107,310 Lbs; Piling CIP Concrete, 2,265 LF 12 3/4-Inch; Pavement Marking Epoxy, 7,750 LF; Culvert Pipe, 97 LF 18"; Culvert Pipe Corrugated Steel, 21 LF 24"; Culvert Pipe Reinforced Concrete, 4 LF 18", 333 LF 30"; Pipe Arch Corrugated Steel, 47 LF 21" X 15"; Steel Plate Beam Guard, 658 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 6 Ton; HMA Pavement, 3,020 Ton; Tack Coat, 900 Gals; Signs, 132 SF; Steel Diaphragms, 20 Each; Riprap, 110 CY; Pull Boxes, 4 Each.

**DBE Goal:** NA

**Contract Completion Date:** August 31, 2017

**Contact Information:** Khader Abu Al Eis, (608) 516-7583 /  
khader.abualeis@dot.wi.gov

**2. Illinois State Line - Madison, CTH N Interchange; Illinois State Line - Madison, CTH N Interchange Area;** Dane County; 1007-10-86, WISC 2017 091; 1007-11-81, WISC 2017 092; IH 39; 1.080 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Bridge Replacement, Box Culvert Replacement, Retaining Walls, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Beam Guard, Concrete Barrier, Fence, Street Lighting, ITS, Ramp Gates, Pavement Markings, and Signs.

**Guaranty Required: \$690,000.00**

**Estimate of Principal Items:** Excavation Common, 514,362 CY; Excavation Rock, 56,860 CY; Excavation Marsh, 51,500 CY; Selected Borrow, 21,000 CY; Backfill Structure, 4,071 Ton; Base Aggregate Dense, 267,859 Ton; Select Crushed Material, 142,432 Ton; Base Aggregate Open Graded, 557 Ton; Breaker Run, 282 CY; Concrete Pavement, 104,688 SY; Concrete Masonry Bridges, 468 CY; Concrete Masonry Culverts, 652 CY; Concrete Masonry Retaining Walls, 53 CY; Prestressed Girders, 5,883 LF 54-Inch; Bar Steel Reinforcement, 106,700 Lbs; Bar Steel Reinforcement Coated, 265,560 Lbs; Piling Steel, 5,110 LF 10-Inch; Pavement Marking Epoxy, 34,524 LF; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 170 LF 18", 216 LF 24"; Culvert Pipe Reinforced Concrete, 374 LF 18", 456 LF 36", 538 LF 24", 76 LF 60", 972 LF 30", 154 LF 72"; Storm Sewer Pipe Reinforced Concrete, 1,124 LF 18", 296 LF 30", 2,767 LF 24", 396 LF 36", 3,562 LF 15"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 118 LF 24" X 38", 123 LF 14" X 23", 303 LF 34" X 53", 167 LF 19" X 30"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 54 LF 19" X 30"; Concrete Curb and Gutter, 22,337 LF; Concrete Sidewalk, 71,228 SF; Steel Plate Beam Guard, 1,594 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 843 Ton; HMA Pavement, 52,193 Ton; Tack Coat, 7,546 Gals; Signs, 3,496 SF; Select Crushed Material, 441 CY; Rout and Seal, 11,285 LF; Concrete Truck Apron, 1,736 SY; Bar Steel Reinforcement Stainless, 2,900 Lbs; Piling Steel Sheet, 78,880 SF; Concrete Barrier, 745 LF; Woven Wire Fence, 14,391 LF; Chain Link Fence, 304 LF; Sign Bridge, 3 LS; Overhead Sign Support, 6 LS; Conduit, 10,632 LF; Aluminum Poles, 48 Each; Ramp Closure Gates, 4 Each; Subsoiling, 5 Acres; Roadway Embankment, 358,635 CY; High Performance Concrete Masonry Structures, 1,104 CY; Wall Modular Block Gravity, 720 SF; Wall Concrete Panel MSE, 6,419 SF.

**DBE Goal: 10 %**

**Contract Completion Date: September 28, 2018**

**Contact Information:** Jamie Grainger, (608) 884-1173 / [jamie.grainger@dot.wi.gov](mailto:jamie.grainger@dot.wi.gov)

**3. Lancaster - Boscobel, City Limits St to Fennimore CL;** Grant County; 1650-06-73, WISC 2017 093; USH 61; 9.578 Miles; Grade, Base, Asphalt Pavement, Culvert Pipes, Curb and Gutter, Storm Sewer, Guardrail, Signs, Pavement Marking, and 15 Box Culvert Extensions.

**Guaranty Required:** \$100,000.00

**Estimate of Principal Items:** Excavation Common, 82,977 CY; Excavation Rock, 13,705 CY; Borrow, 103,777 CY; Backfill Structure, 6,668 Ton; Base Aggregate Dense, 73,947 Ton; Select Crushed Material, 35,959 Ton; Breaker Run, 347 CY; Concrete Masonry Culverts, 439 CY; Bar Steel Reinforcement, 36,750 Lbs; Bar Steel Reinforcement Coated, 16,330 Lbs; Pavement Marking Epoxy, 176,966 LF; Construction Staking, 214,039 LF; Construction Staking, 84 Each; Construction Staking, 16 LS; Culvert Pipe Corrugated Steel, 1,898 LF 18", 70 LF 36", 334 LF 24", 66 LF 60", 4 LF 30"; Culvert Pipe Reinforced Concrete, 374 LF 24", 48 LF 42", 38 LF 30", 56 LF 48", 86 LF 36"; Storm Sewer Pipe Reinforced Concrete, 136 LF 18", 126 LF 24"; Concrete Curb and Gutter, 46,371 LF; Steel Plate Beam Guard, 227 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 248 Ton; HMA Pavement, 70,699 Ton; Tack Coat, 12,831 Gals; Signs, 1,140 SF; Pulverize and Relay, 216,316 SY.

**DBE Goal:** 4 %

**Contract Completion Time:** 100 Working Days

**Contact Information:** Tim Maedke, (608) 789-6317 / timothy.maedke@dot.wi.gov

**4. New Glarus - Verona, STH 92 to CTH D; New Glarus - Verona, STH 92 to CTH D;** Dane County; 1690-05-71, WISC 2017 094; 1690-05-72; STH 69; 0.320 Miles; Grade, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Storm Sewer, Guardrail, Signs, Pavement Marking, Sanitary Sewer, Water Main, and Structure B-13-337.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 13,093 CY; Base Aggregate Dense, 8,034 Ton; Select Crushed Material, 6,978 Ton; Concrete Pavement, 380 SY; Concrete Masonry Overlay, 69 CY; Pavement Marking Epoxy, 11,476 LF; Construction Staking, 8,542 LF; Construction Staking, 34 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 287 LF 12", 285 LF 24", 441 LF 15", 249 LF 18"; Concrete Curb, 36 LF; Concrete Curb and Gutter, 3,447 LF; Concrete Sidewalk, 6,574 SF; Steel Plate Beam Guard, 728 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 1 Each; Asphaltic Surface, 20 Ton; HMA Pavement, 2,683 Ton; Tack Coat, 1,809 Gals; Signs, 302 SF; Fire Hydrant, 5 Each; Water Service 1-Inch Copper, 516 LF; DIWM 1,625 LF 12", 40 LF 10", 16 LF 8", 319 LF 6".

**DBE Goal:** 5 %

**Contract Completion Date:** August 31, 2017

**Contact Information:** Mahesh Shrestha, (608) 245-2674 / mahesh.shrestha@dot.wi.gov

**5. Sun Prairie - Watertown, McKay Way - Structure B-28-077; Sun Prairie - Watertown, McKay Way - Structure B-28-077;** Jefferson County; 3050-02-72, WISC 2017 095; 3050-02-73; STH 19; 0.833 Miles; Mill, Grade, Base, Concrete Pavement, Asphalt Pavement, Culvert Pipe, Curb and Gutter, Sidewalk, Storm Sewer, Signs, Pavement Marking, Traffic Signals, Lighting, Water Main, Sanitary Sewer, and Structure B-28-175.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 17,127 CY; Backfill Structure, 466 Ton; Base Aggregate Dense, 14,667 Ton; Select Crushed Material, 12,042 Ton; Concrete Pavement, 6,459 SY; Concrete Masonry Bridges, 433 CY; Prestressed Girders, 462 LF 36W-Inch; Bar Steel Reinforcement, 6,280 Lbs; Bar Steel Reinforcement Coated, 52,690 Lbs; Bar Steel Reinforcement HS Stainless, 1,740 Lbs; Piling Steel, 660 LF 10-Inch; Pavement Marking Epoxy, 21,331 LF; Construction Staking, 17,813 LF; Construction Staking, 54 Each; Construction Staking, 2 LS; Water Main, 3,953 LF 10", 7 LF 4", 108 LF 8", 240 LF 6"; Culvert Pipe Corrugated Steel, 35 LF 18"; Sanitary Sewer, 264 LF 15", 259 LF 8", 3,327 LF 12", 91 LF 6", 36 LF 10"; Storm Sewer Pipe Reinforced Concrete, 400 LF 12", 850 LF 24", 455 LF 15", 376 LF 18"; Concrete Curb, 133 LF; Concrete Curb and Gutter, 7,786 LF; Concrete Sidewalk, 39,611 SF; Asphaltic Surface, 58 Ton; HMA Pavement, 3,766 Ton; Removing Asphaltic Surface Milling, 1,551 SY; Signs, 354 SF; Conduit, 5,026 LF; Traffic Signal Cable, 704 LF; Electrical Wire, 20,236 LF; Poles, 7 Each; Trench Backfill, 22,890 CY; Hydrant, 10 Each; Decorative Light Assembly, 14 Each.

**DBE Goal: 7 %**

**Contract Completion Date: September 15, 2017**

**Contact Information: Jeremy Hall, (608) 245-2655 / jeremy.hall@dot.wi.gov**

**6. Iron Ridge - East County Line, STH 67 - Meadowbrook Park Drive; Iron Ridge - East County Line, STH 67 - Meadowbrook Park Drive;** Dodge County; 3897-00-69; 3897-00-70, WISC 2017 096; CTH S; 0.000 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Fence, Water Main, Sanitary Sewer, Modular Block Wall, Signs, and Pavement Markings.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 12,315 CY; Backfill Granular, 1,704 Ton; Base Aggregate Dense, 14,638 Ton; Select Crushed Material, 599 Ton; Breaker Run, 9,960 Ton; Concrete Pavement, 19,404 SY; Pavement Marking Epoxy, 12,838 LF; Construction Staking, 16,561 LF; Construction Staking, 75 Each; Construction Staking, 1 LS; Culvert Pipe, 120 LF 18", 66 LF 24"; Storm Sewer Pipe Reinforced Concrete, 812 LF 12", 412 LF 21", 1,033 LF 36", 699 LF 15", 340 LF 24", 46 LF 42", 256 LF 18", 142 LF 30"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 218 LF 38" X 60"; Concrete Curb, 199 LF; Concrete Curb and Gutter, 7,692 LF; Concrete Sidewalk, 34,282 SF; Asphaltic Surface, 588 Ton; Signs, 267 SF; Concrete Driveway, 847 SY; Pipe Arch Corrugated Steel 83" X 57", 68 LF; Concrete Steps, 130 SF; Polymer Coated Chain Link Fence, 282 LF; Forcemain Sewer Pipe, 1,000 LF; Sanitary Sewer, 873 LF; Sanitary Lateral, 425 LF; Water Main PVC, 3,736 LF; Water Main Ductile Iron, 132 LF; Water Service, 1,208 LF; Modular Block Wall, 2,753 SF; Excavation, Hauling and Disposal of Contaminated Sediment, 1,255 Ton.

**DBE Goal: 7 %**

**Contract Completion Date: October 27, 2017**

**Contact Information:** Mike Novey, (608) 334-5215 / mike.novey@daarcop.com

**7. Town of Tomah, Hiawatha Avenue, Council Creek Bridge, B-41-0302;** Monroe County; 5025-00-71, WISC 2017 097; Town Road; 0.057 Miles; Grade, Base, Asphaltic Surface, and Structure B-41-302.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 306 CY; Borrow, 1,072 CY; Backfill Structure, 330 Ton; Base Aggregate Dense, 409 Ton; Concrete Masonry Bridges, 135 CY; Bar Steel Reinforcement, 3,100 Lbs; Bar Steel Reinforcement Coated, 15,260 Lbs; Piling Steel, 200 LF 10-Inch; Construction Staking, 783 LF; Construction Staking, 2 LS; Asphaltic Surface, 112 Ton; Signs, 12 SF.

**DBE Goal: 4 %**

**Contract Completion Time: 40 Working Days**

**Contact Information:** Mike Novey, (608) 334-5215 / mike.novey@daarcop.com

**8. STH 23 - Rock Springs, STH 23 to Village Limits;** Sauk County; 5098-00-72; STH 154; 5.399 Miles; Mill, Grade, Base, Asphalt Pavement, Concrete Pavement, Culvert Pipes, Storm Sewer, Guardrail, Signs, Pavement Marking, and Structure B-56-98.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 16,102 CY; Borrow, 886 CY; Backfill Granular, 3,967 Ton; Base Aggregate Dense, 21,816 Ton; Select Crushed Material, 15,217 Ton; Concrete Pavement, 94 SY; Pavement Marking Epoxy, 106,728 LF; Construction Staking, 68,139 LF; Construction Staking, 17 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel Aluminum Coated, 424 LF 24", 96 LF 30"; Culvert Pipe Corrugated Steel Polymer Coated, 82 LF 96"; Pipe Arch Corrugated Steel Aluminum Coated, 68 LF 35" X 24"; Storm Sewer Pipe Reinforced Concrete, 161 LF 24"; Steel Plate Beam Guard, 2,300 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 11 Each; HMA Pavement, 12,666 Ton; Removing Asphaltic Surface Milling, 9,825 Ton; Tack Coat, 8,953 Gals; Signs, 957 SF; Polymer Overlay, 690 SY; Concrete Surface Repair, 202 SF.

**DBE Goal:** NA

**Contract Completion Date:** September 1, 2017

**Contact Information:** Craig Fisher, (608) 785-9946 / craig.fisher@dot.wi.gov

**9. Readstown - USH 14, Spring Valley Creek Bridge, B-62-0247;** Vernon County; 5296-00-70, WISC 2017 098; CTH T; 0.066 Miles; Grade, Base, Concrete Pavement, Asphaltic Surface, Pavement Marking, and Structure B-62-247.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Excavation Common, 566 CY; Backfill Structure, 530 Ton; Base Aggregate Dense, 347 Ton; Breaker Run, 465 Ton; Concrete Pavement, 128 SY; Concrete Masonry Bridges, 225 CY; Bar Steel Reinforcement, 5,380 Lbs; Bar Steel Reinforcement Coated, 26,840 Lbs; Piling Steel, 330 LF 10-Inch; Pavement Marking Epoxy, 1,392 LF; Construction Staking, 642 LF; Construction Staking, 2 LS; Asphaltic Surface, 145 Ton; Tack Coat, 33 Gals; Signs, 12 SF.

**DBE Goal:** 4 %

**Contract Completion Date:** September 1, 2017

**Contact Information:** Mike Novey, (608) 334-5215 / mike.novey@daarcop.com

**10. CTH PB - STH 69, Sugar River Bridge, B-13-0685;** Dane County; 5848-00-70, WISC 2017 099; CTH A; 0.087 Miles; Grade, Base, Asphalt Pavement, Guardrail, Pavement Marking, Concrete Pavement, and Structure B-13-0685.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 866 CY; Borrow, 837 CY; Backfill Structure, 400 Ton; Base Aggregate Dense, 1,495 Ton; Breaker Run, 455 Ton; Concrete Pavement, 114 SY; Concrete Masonry Bridges, 322 CY; Prestressed Girders, 616 LF 36W-Inch; Bar Steel Reinforcement, 7,080 Lbs; Bar Steel Reinforcement Coated, 47,115 Lbs; Piling CIP Concrete, 925 LF 12 3/4-Inch; Pavement Marking Paint, 2,066 LF; Construction Staking, 1,263 LF; Construction Staking, 1 LS; Steel Plate Beam Guard, 158 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 280 Ton; Tack Coat, 60 Gals; Signs, 12 SF.

**DBE Goal: 4 %**

**Contract Completion Date: October 15, 2017**

**Contact Information:** Brad Cunningham, (608) 663-1218 /  
bcunningham@klengineering.com

**11. City of Fitchburg, Lacy Road, Research Park Drive to Syene Road; City of Fitchburg, Lacy Road, Research Park Drive to Syene Road;** Dane County; 5849-00-11, WISC 2017 100; 5849-00-12; Local Street; 1.312 Miles; Mill, Grade, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Storm Sewer, Trees and Shrubs, Signs, Pavement Marking, Lighting, Sanitary Sewer, Water Main, and R-13-315.

**Guaranty Required: \$100,000.00**

**Estimate of Principal Items:** Excavation Common, 26,523 CY; Excavation Rock Water Main, 325 LF; Backfill Granular, 60 CY; Base Aggregate Dense, 28,967 Ton; Select Crushed Material, 3,409 Ton; Base Aggregate Open Graded, 15,891 Ton; Concrete Pavement, 1,078 SY; Pavement Marking Epoxy, 45,745 LF; Construction Staking, 46,524 LF; Construction Staking, 273 Each; Construction Staking, 5 LS; Water Main, 170 LF 6", 2,690 LF 12", 115 LF 8", 422 LF 10"; Sanitary Sewer Pipe, 1,449 LF 8"; Storm Sewer Pipe Reinforced Concrete, 842 LF 42", 1,307 LF 18", 1,237 LF 12", 1,026 LF 24", 84 LF 15", 11 LF 30"; Storm Sewer Pipe CL III B, 1,407 LF 18", 1,049 LF 42", 889 LF 24", 370 LF 30"; Concrete Curb, 78 LF; Concrete Curb and Gutter, 17,428 LF; Concrete Sidewalk, 9,655 SF; Asphaltic Surface, 1,019 Ton; HMA Pavement, 8,493 Ton; Removing Asphaltic Surface Milling, 496 SY; Tack Coat, 2,124 Gals; Signs, 418 SF; Trees, 138 Each; Shrubs, 74 Each; Conduit, 6,916 LF; Electrical Wire, 37,586 LF; Wall Modular Block Gravity LRFD R-13-315, 1,008 SF.

**DBE Goal: 7 %**

**Contract Completion Date: October 15, 2017**

**Contact Information:** Brad Cunningham, (608) 663-1218 /  
bcunningham@klengineering.com

**12. City of Madison, McKee Road, Meriter Way to Maple Grove Drive; City of Madison, McKee Road, Meriter Way to Maple Grove Drive;** Dane County; 5992-09-31, WISC 2017 101; 5992-09-32; CTH PD; 0.000 Miles; Grade, Base, Sanitary Sewer, Storm Sewer, Water Main, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signals, Lighting, Signing, Wall Modular Block Gravity, Pavement Marking, and Structures B-13-847 and 848 and R-13-309 and 310.

**Guaranty Required: \$320,000.00**

**Estimate of Principal Items:** Excavation Common, 123,327 CY; Excavation Rock, 47,159 CY; Backfill Structure, 8,390 Ton; Base Aggregate Dense, 60,400 Ton; Select Crushed Material, 65,100 Ton; Breaker Run, 200 Ton; Concrete Pavement, 585 SY; Concrete Masonry Bridges, 450 CY; Concrete Masonry Culverts, 168 CY; Concrete Masonry Retaining Walls, 1,125 CY; Bar Steel Reinforcement, 93,560 Lbs; Bar Steel Reinforcement Coated, 116,040 Lbs; Pavement Marking Epoxy, 31,680 LF; Pavement Marking Paint, 1,750 LF; Construction Staking, 6 LS; Storm Sewer Pipe Reinforced Concrete, 670 LF 12", 1,092 LF 15", 128 LF 18", 48 LF 21", 3,173 LF 24", 246 LF 27", 876 LF 30", 233 LF 36", 38 LF 42", 137 LF 48"; Concrete Curb, 480 LF; Concrete Curb and Gutter, 29,800 LF; Concrete Sidewalk, 44,000 SF; Asphaltic Surface, 330 Ton; HMA Pavement, 20,100 Ton; Tack Coat, 3,600 Gals; Signs, 802 SF; Backfill Coarse Aggregate, 125 CY; Expansion Device, 1 LS; Prefabricated Steel Truss Pedestrian, 1 LS; Riprap, 200 CY; Trees, 9 Each; Concrete Bases, 82 Each; Rock Excavation for Concrete Bases, 6 Each; Hydrants, 14 Each; Pull Boxes, 59 Each; Poles, 70 Each; Traffic Signal Controller, 3 Each; Lighting Control Cabinet, 4 Each; Railing Steel Pedestrian, 1,619 LF; Rock Excavation Water Main, 600 LF; Water Main, 3,052 LF; Sanitary Sewer Pipe, 464 LF; Wall Modular Block Gravity, 615 SF.

**DBE Goal: 8 %**

**Contract Completion Date: October 27, 2017**

**Contact Information: Mike Novey, (608) 334-5215 / mike.novey@daarcop.com**

**13. Zoo IC 2017 TMP Projects, Various Locations, Milwaukee and Waukesha Counties; IH 41, Intersection with Capitol Drive;** Milwaukee and Waukesha Counties; Milwaukee County; 1060-39-90; 1360-09-71, WISC 2017 102; Various Highways; USH 45; 0.000 Miles; Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Concrete Barrier, Sidewalk, Signals, Lighting, Signing, Pavement Marking, and Structures B-40-333 and 334 and S-40-456.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 2,981 CY; Backfill Granular, 20 CY; Base Aggregate Dense, 2,123 Ton; Select Crushed Material, 71 CY; Base Aggregate Open Graded, 13 Ton; Breaker Run, 282 CY; Concrete Pavement, 4,920 SY; Pavement Marking Wet Reflective Tape, 3,012 LF; Pavement Marking Epoxy, 13,811 LF; Storm Sewer Pipe Reinforced Concrete, 115 LF 12", 233 LF 15", 9 LF 18"; Concrete Curb, 174 LF; Concrete Curb and Gutter, 2,953 LF; Concrete Sidewalk, 9,177 SF; Steel Plate Beam Guard, 264 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 1 Each; HMA Pavement, 29 Ton; Tack Coat, 9 Gals; Signs, 1,277 SF; Concrete Barrier Transition, 12 Each; Sign Supports Concrete Masonry, 35 CY; Sign Supports Steel Coated Reinforcement, 5,590 Lbs; Pull Boxes, 76 Each; Concrete Bases, 78 Each; Poles, 93 Each; Mast Arm Retrofit, 2 LS; Sign Bridge, 1 LS.

**DBE Goal: 25 %**

**Contract Completion Date: November 1, 2017**

**Contact Information: Chris Hager, (414) 750-1487 / christopher.hager@dot.wi.gov**

**14. Capitol Drive, Village and City of Pewaukee, Five Fields Road to Wethersfield Road;** Waukesha County; 2025-13-71, WISC 2017 103; STH 190; 0.000 Miles; Grade, Base, Culvert Pipe, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Signals, Lighting, Signing, Pavement Marking, and Structures B-67-331 and 332.

**Guaranty Required:** \$260,000.00

**Estimate of Principal Items:** Excavation Common, 109,071 CY; Borrow, 4,238 CY; Backfill Structure, 920 CY; Base Aggregate Dense, 62,186 Ton; Breaker Run, 17,660 Ton; Concrete Pavement, 54,122 SY; Concrete Masonry Bridges, 1,934 CY; Prestressed Girders, 3,902 LF 45W-Inch; Bar Steel Reinforcement, 32,240 Lbs; Bar Steel Reinforcement Coated, 362,420 Lbs; Structural Steel Stainless, 4,820 Lbs; Piling Steel, 3,120 LF 10-Inch; Pavement Marking Epoxy, 48,752 LF; Construction Staking, 82,474 LF; Construction Staking, 53 Each; Construction Staking, 4 LS; Pipe Arch Corrugated Steel, 109 LF 28" X 20"; Culvert Pipe Corrugated Steel, 18 LF 12", 52 LF 18", 225 LF 24"; Culvert Pipe Reinforced Concrete, 272 LF 18", 122 LF 24", 128 LF 36", 216 LF 42"; Storm Sewer Pipe Reinforced Concrete, 40 LF 12", 17 LF 15", 417 LF 18", 143 LF 24", 155 LF 36"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 223 LF 19" X 30", 248 LF 24" X 38"; Concrete Curb and Gutter, 5,454 LF; Concrete Sidewalk, 7,223 SF; Steel Plate Beam Guard, 2,395 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 103 Ton; HMA Pavement, 2,747 Ton; Signs, 2,542 SF; Steel Diaphragms, 64 Each; Concrete Barrier, 564 LF; Riprap, 351 CY; Pull Boxes, 19 Each; Concrete Bases, 12 Each; Poles, 9 Each.

**DBE Goal:** 15 %

**Contract Completion Date:** May 25, 2018

**Contact Information:** Lance Fischer, (262) 548-5919 / lance.fischer@dot.wi.gov

**15. North 91st Street, West Mill Road to West Good Hope Road;** Milwaukee County; 2504-00-71, WISC 2017 104; Local Street; 0.000 Miles; Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Lighting, Landscaping, Pavement Marking, and Structure B-40-0229.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 25,858 CY; Base Aggregate Dense, 37,402 Ton; Concrete Pavement, 44,369 SY; Pavement Marking Epoxy, 16,088 LF; Construction Staking, 33,960 LF; Construction Staking, 133 Each; Construction Staking, 2 LS; Storm Sewer Pipe Corrugated PVC, 80 LF 8", 5 LF 10", 10 LF 12"; Storm Sewer Pipe Reinforced Concrete, 1,188 LF 12"; Concrete Curb and Gutter, 24,580 LF; Concrete Sidewalk, 40,800 SF; Steel Plate Beam Guard, 25 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 108 Ton; Tack Coat, 14 Gals; Trees, 17 Each; Shrubs, 113 Each; Vines, 558 Each; Concrete Bases, 49 Each; Poles, 41 Each; Pull Boxes, 49 Each; Perennials, 383 Each.

**DBE Goal:** 15 %

**Contract Completion Date:** October 15, 2018

**Contact Information:** Joe Klarkowski, (414) 935-4410 / joe.klarkowski@daarcorp.com

**16. W. Edgerton Avenue, W. Loomis Road to S. 27th Street;** Milwaukee County; 2980-00-70, WISC 2017 105; Local Street; 0.000 Miles; Grade, Base, Culvert Pipe, Storm Sewer, Water Service, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Lighting, Signing, and Pavement Marking.

**Guaranty Required:** \$100,000.00

**Estimate of Principal Items:** Excavation Common, 39,226 CY; Base Aggregate Dense, 33,132 Ton; Base Aggregate Open Graded, 94 Ton; Breaker Run, 42,416 Ton; Concrete Pavement, 858 SY; Pavement Marking Epoxy, 22,198 LF; Construction Staking, 45,230 LF; Construction Staking, 231 Each; Construction Staking, 4 LS; Culvert Pipe Reinforced Concrete, 247 LF 12"; Storm Sewer Pipe Reinforced Concrete, 6,403 LF 12", 585 LF 15", 1,095 LF 18", 369 LF 21", 676 LF 24", 29 LF 27", 151 LF 30", 403 LF 36", 544 LF 42"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 170 LF 34" X 53", 45 LF 38" X 60"; Concrete Curb and Gutter, 15,966 LF; Concrete Sidewalk, 63,539 SF; Asphaltic Surface, 359 Ton; HMA Pavement, 10,543 Ton; Tack Coat, 1,099 Gals; Signs, 366 SF; Rout and Seal, 15,966 LF; Riprap, 46 CY; Pull Boxes, 2 Each; Concrete Bases, 43 Each; Poles, 42 Each; PVC Storm Sewer 6-Inch, 78 LF; Copper Water Service, 400 LF.

**DBE Goal:** 18 %

**Contract Completion Date:** October 31, 2017

**Contact Information:** Joe Klarkowski, (414) 935-4410 / joe.klarkowski@daarcorp.com

**17. Bushnell Road, Burlington City Limit to Kenosha County Line;** Racine County; 3370-05-70, WISC 2017 106; STH 142; 0.000 Miles; Mill, Grade, Base, Culvert Pipe, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Lighting, Pavement Marking, and Overhead Sign Support S-51-238.

**Guaranty Required:** \$100,000.00

**Estimate of Principal Items:** Excavation Common, 146,635 CY; Borrow, 4,180 CY; Base Aggregate Dense, 31,306 Ton; Concrete Pavement, 344 SY; Pavement Marking Epoxy, 109,842 LF; Construction Staking, 56,804 LF; Construction Staking, 61 Each; Construction Staking, 3 LS; Culvert Pipe Corrugated Steel, 70 LF 12", 47 LF 15", 344 LF 18"; Culvert Pipe Reinforced Concrete, 284 LF 12", 160 LF 15", 482 LF 18", 233 LF 24", 68 LF 30"; Storm Sewer Pipe Reinforced Concrete, 824 LF 12", 136 LF 15", 549 LF 24"; Concrete Curb, 122 LF; Concrete Curb and Gutter, 7,622 LF; Concrete Sidewalk, 6,183 SF; Asphaltic Surface, 1,473 Ton; HMA Pavement, 26,132 Ton; Salvaged Asphaltic Pavement Milling, 11,342 Ton; Tack Coat, 6,565 Gals; Signs, 1,804 SF; Riprap, 56 CY; Overhead Sign Support, 1 LS; Pull Boxes, 4 Each; Concrete Bases, 12 Each; Poles, 12 Each; Traffic Flashing Beacon, 2 LS; Rectangular Rapid Flashing Beacon, 2 LS.

**DBE Goal:** 15 %

**Contract Completion Date:** August 25, 2017

**Contact Information:** Gary Stark, (262) 548-8761 / gary.stark@dot.wi.gov

**18. STH 28 - Random Lake, STH 28 - STH 57;** Sheboygan County; 6525-06-71, WISC 2017 107; STH 144; 6.804 Miles; Grading, Base, Milling, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Beam Guard, Bridge Deck Repair, Bridge Deck Overlay, Signs, Pavement Markings, and Modular Block Wall.

**Guaranty Required: \$100,000.00**

**Estimate of Principal Items:** Excavation Common, 14,717 CY; Selected Borrow, 1,457 CY; Base Aggregate Dense, 15,264 Ton; Concrete Masonry Overlay, 98 CY; Pavement Marking Epoxy, 179,862 LF; Construction Staking, 79,287 LF; Construction Staking, 55 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 179 LF 18", 200 LF 30", 36 LF 30", 111 LF 48", 58 LF 24"; Storm Sewer Pipe Reinforced Concrete, 506 LF 12", 2,501 LF 24", 293 LF 30"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 64 LF 29" X 45", 42 LF 24" X 38", 55 LF 43" X 68", 216 LF 19" X 30"; Concrete Curb, 64 LF; Concrete Curb and Gutter, 9,689 LF; Concrete Sidewalk, 165 SF; Steel Plate Beam Guard, 4,071 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 20 Each; Asphaltic Surface, 193 Ton; HMA Pavement, 42,720 Ton; Removing Asphaltic Surface Milling, 16,024 Ton; Tack Coat, 17,524 Gals; Signs, 1,225 SF; Excavation, Hauling and Disposal of Contaminated Soil, 130 Ton; Asphaltic Base, 3,934 Ton; Base Patching Asphaltic, 2,000 Ton; Concrete Driveway, 885 SY; Preparation Decks, 254 SY; Concrete Surface Repair, 1,000 SY; Modular Block Wall, 1,576 SF.

**DBE Goal: 7 %**

**Contract Completion Time: 75 Working Days**

**Contact Information:** Kyle Trembl, (920) 360-7029 / kyle.trembl@dot.wi.gov

**19. Mountain - Wabeno, STH 64 - NCL;** Oconto County; 9190-24-71, WISC 2017 108; STH 32; 0.420 Miles; Grading, Base, Asphalt Pavement, Culvert Pipe, Culvert Pipe Liners, Temporary Traffic Signals, and Pavement Markings.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 200 CY; Base Aggregate Dense, 417 Ton; Pavement Marking Epoxy, 2,800 LF; Construction Staking, 1 Each; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 90 LF 68" X 106"; Asphaltic Surface, 108 Ton; HMA Pavement, 76 Ton; Tack Coat, 16 Gals; Culver Pipe Liners 24" 440 LF, 36" 132 LF, 42" 122 LF; Temporary Traffic Signals, 1 LS.

**DBE Goal: 4 %**

**Contract Completion Time: 15 Working Days**

**Contact Information:** Matthew Ternes, (920) 366-3028 / matthew.ternes@dot.wi.gov

**20. Manitowish - Hurley, Weber Creek Bridge, B-26-0038;** Iron County; 1175-19-70, WISC 2017 109; USH 51; 0.000 Miles; Grade, Base, Culvert Pipe, Asphalt Pavement, Beam Guard, Signing, Pavement Marking, and Structure B-26-0038.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 1,058 CY; Borrow, 294 CY; Backfill Structure, 240 CY; Base Aggregate Dense, 3,221 Ton; Select Crushed Material, 66 Ton; Concrete Masonry Bridges, 337 CY; Prestressed Girders, 426 LF 36W-Inch; Bar Steel Reinforcement, 4,960 Lbs; Bar Steel Reinforcement Coated, 45,120 Lbs; Structural Steel Stainless, 1,460 Lbs; Piling Steel, 1,280 LF 12-Inch; Pavement Marking Epoxy, 1,950 LF; Construction Staking, 2,046 LF; Construction Staking, 1 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 40 LF 18"; Concrete Curb and Gutter, 284 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 3 Each; HMA Pavement, 715 Ton; Tack Coat, 285 Gals; Signs, 14 SF; Steel Diaphragms, 5 Each; Riprap, 532 CY.

**DBE Goal: 4 %**

**Contract Completion Time: 100 Working Days**

**Contact Information:** Jim Volkmann, (715) 365-5773 / jim.volkmann@dot.wi.gov

**21. Town of Pella, Swamp Road, Hydes Creek Bridge, B-58-0126;** Shawano County; 6097-05-70, WISC 2017 110; Local Street; 0.102 Miles; Grade, Base, Asphaltic Surface, Concrete Pavement, Culvert Pipe, Guardrail, and Structure B-58-0126.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 450 CY; Borrow, 100 CY; Backfill Structure, 400 Ton; Base Aggregate Dense, 1,120 Ton; Concrete Pavement, 142 SY; Concrete Masonry Bridges, 153 CY; Bar Steel Reinforcement, 4,220 Lbs; Bar Steel Reinforcement Coated, 19,190 Lbs; Piling CIP Concrete, 1,120 LF 12 3/4-Inch; Construction Staking, 1,350 LF; Construction Staking, 1 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Polyethylene, 32 LF 18"; Steel Plate Beam Guard, 333 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 320 Ton; Tack Coat, 40 Gals; Signs, 12 SF.

**DBE Goal: 4 %**

**Contract Completion Time: 40 Working Days**

**Contact Information:** Mike Novey, (608) 334-5215 / mike.novey@daarcop.com

**22. STH 44 - CTH U, Grand River Bridge, B-24-0043;** Green Lake County; 6598-00-70, WISC 2017 111; CTH I; 0.038 Miles; Grade, Base, Asphaltic Surface, Signs, Pavement Marking, and Structure B-24-43.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 431 CY; Backfill Structure, 440 Ton; Base Aggregate Dense, 256 Ton; Concrete Masonry Bridges, 220 CY; Bar Steel Reinforcement, 6,160 Lbs; Bar Steel Reinforcement Coated, 27,900 Lbs; Piling Steel, 460 LF 10-Inch; Pavement Marking Paint, 800 LF; Construction Staking, 408 LF; Construction Staking, 2 LS; Asphaltic Surface, 84 Ton; Tack Coat, 36 Gals; Signs, 18 SF.

**DBE Goal: 4 %**

**Contract Completion Time: 40 Working Days**

**Contact Information:** Mike Novey, (608) 334-5215 / mike.novey@daarcop.com

**23. City of Wisconsin Rapids, 8th and East Grand Avenue, Intersection Modifications;** Wood County; 6999-07-88, WISC 2017 112; Local Street; 0.040 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Street Lighting, Traffic Signals, Signs, and Pavement Markings.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 1,734 CY; Base Aggregate Dense, 1,170 Ton; Select Crushed Material, 161 Ton; Concrete Pavement, 1,890 SY; Pavement Marking Epoxy, 2,744 LF; Construction Staking, 596 LF; Construction Staking, 6 Each; Construction Staking, 4 LS; Storm Sewer Pipe Reinforced Concrete, 220 LF 12", 6 LF 18"; Concrete Curb, 82 LF; Concrete Curb and Gutter, 725 LF; Concrete Sidewalk, 2,950 SF; Asphaltic Surface, 22 Ton; HMA Pavement, 113 Ton; Tack Coat, 21 Gals; Signs, 95 SF; Concrete Driveway, 50 SY; Light Poles, 5 Each; Traffic Signal Standards, 6 Each; Sanitary Sewer, 220 LF; Water Main, 334 LF.

**DBE Goal: 4 %**

**Contract Completion Date: September 1, 2017**

**Contact Information:** Mike Novey, (608) 334-5215 / mike.novey@daarcop.com

**24. CTH J - USH 45, Trappe River Bridge, B-37-0103;** Marathon County; 9441-01-70, WISC 2017 113; CTH G; 0.057 Miles; Grade, Base, Asphalt Pavement, Guardrail, Pavement Marking, and Structure B-37-103.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 437 CY; Borrow, 71 CY; Backfill Granular, 20 Ton; Base Aggregate Dense, 970 Ton; Concrete Masonry Bridges, 187 CY; Bar Steel Reinforcement Coated, 51,700 Lbs; Pavement Marking Epoxy, 675 LF; Construction Staking, 1,305 LF; Construction Staking, 2 LS; Steel Plate Beam Guard, 304 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 3 Each; HMA Pavement, 170 Ton; Tack Coat, 48 Gals; Signs, 12 SF.

**DBE Goal: 4 %**

**Contract Completion Time: 35 Working Days**

**Contact Information:** Mike Novey, (608) 334-5215 / mike.novey@daarcop.com

**25. USH 51 - CTH N, Town of Arbor Vitae;** Vilas County; 9508-01-70, WISC 2017 114; CTH M; 2.716 Miles; Grading, Base, Pulverize and Relay, Asphalt Pavement, Culvert Pipe, Curb and Gutter, Signs, and Pavement Markings.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 3,050 CY; Base Aggregate Dense, 10,440 Ton; Pavement Marking Paint, 41,161 LF; Construction Staking, 17,573 LF; Construction Staking, 6 Each; Construction Staking, 1 LS; Culvert Pipe, 146 LF 24", 352 LF 30"; Culvert Pipe Reinforced Concrete, 120 LF 54"; Concrete Curb and Gutter, 302 LF; Concrete Sidewalk, 193 SF; HMA Pavement, 11,910 Ton; Tack Coat, 7,130 Gals; Signs, 152 SF; Pulverize and Relay, 69,770 SY.

**DBE Goal: 5 %**

**Contract Completion Date: June 29, 2017**

**Contact Information:** Mike Novey, (608) 334-5215 / mike.novey@daarcop.com

**26. CTH D Extension, City of Hurley, STH 77 to Division Street West; Iron County; 9993-04-70, WISC 2017 115; CTH D; 0.000 Miles; Grade, Base, Culvert Pipe, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, and Pavement Marking.**

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 6,709 CY; Backfill Granular, 250 CY; Subbase, 12,150 SY; Base Aggregate Dense, 8,765 Ton; Pavement Marking Epoxy, 12,115 LF; Construction Staking, 9,293 LF; Construction Staking, 4 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 180 LF 24"; Concrete Curb and Gutter, 560 LF; Concrete Sidewalk, 8 SF; Asphaltic Surface, 27 Ton; HMA Pavement, 2,997 Ton; Tack Coat, 869 Gals; Signs, 49 SF; Riprap, 15 CY.

**DBE Goal: 4 %**

**Contract Completion Date: September 15, 2017**

**Contact Information: Mike Novey, (608) 334-5215 / mike.novey@daarcop.com**

**27. DEFERRED**

**28. Brule - Ino, Sznaider Road to CTH A; River Falls - New Richmond, USH 12 to CTH G; City of Cumberland, Elm Street and 2nd Avenue, West Junction STH 48 to Charrie Lane; Amery - Milton, York Park Entrance to USH 8; McKinley – Rice Lake, STH 25 to West Avenue; Port Wing – Superior, East County Line to CTH F; Bayfield; St. Croix; Barron; Polk; Barron; and Douglas Counties; 1180-00-63; 1540-00-60; 1550-01-60; 8070-00-60; 8120-00-60; 8510-01-60; USH 2; STH 65; USH 63; STH 46; STH 48; STH 13; 0.000 Miles; Signing, Pavement Marking, Chip Seal, Scrub Seal, and Fog Seal.**

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Pavement Marking Epoxy, 604 LF; Pavement Marking Paint, 601,220 LF; Signs, 2,323 SF; Chip Seal, 136,500 SY; Scrub Seal, 458,000 SY; Fog Seal, 707,500 SY.

**DBE Goal: NA**

**Contract Completion Date: August 31, 2017**

**Contact Information: Mohamad Hayek, (715) 836-2065 / mohamad.hayek@dot.wi.gov**

**29. Pittsville - Neillsville, East County Line to STH 95; Ellsworth - Durand, CTH A to CTH P; Galesville - Whitehall, CTH C to North Junction STH 95; Trempealeau - Fountain City, STH 93 to West County Line; Ellsworth – Baldwin, USH 10 to South Junction STH 29; Clark; Pierce; Trempealeau; Trempealeau; and Pierce Counties; 1520-05-60; 1530-05-60; 1630-00-60; 7150-00-60; 7210-00-60; STH 73; USH 10; USH 53; STH 35; USH 63; 0.000 Miles; Signing, Pavement Marking, Chip Seal, Scrub Seal, and Fog Seal.**

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Pavement Marking Epoxy, 112 LF; Pavement Marking Paint, 949,880 LF; Signs, 5,024 SF; Chip Seal, 225,500 SY; Scrub Seal, 699,900 SY; Fog Seal, 1,104,300 SY.

**DBE Goal: NA**

**Contract Completion Date: August 31, 2017**

**Contact Information: Mohamad Hayek, (715) 836-2065 /  
mohamad.hayak@dot.wi.gov**

**30. Village of Turtle Lake, USH 8, CTH K / Norway Street Intersection; Village of Turtle Lake, USH 8, USH 63 E. Jct. / Maple Street Intersection;** Barron County; 1570-02-73, WISC 2017 117; 1570-02-75, WISC 2017 118; USH 8; 0.612 Miles; Grading, Base, Asphalt Pavement, Culvert Pipe, Storm Sewer, Concrete Driveway, Sidewalk, Curb and Gutter, Concrete Truck Apron, Pavement Markings, Signs, Overhead Sign Supports, Street Lighting, and Modular Block Wall.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 35,862 CY; Selected Borrow, 8,730 CY; Base Aggregate Dense, 24,641 Ton; Base Aggregate Open Graded, 74 Ton; Pavement Marking Epoxy, 26,738 LF; Construction Staking, 31,251 LF; Construction Staking, 77 Each; Construction Staking, 5 LS; Culvert Pipe Reinforced Concrete, 82 LF 24"; Storm Sewer Pipe Reinforced Concrete, 722 LF 12", 1,304 LF 24", 236 LF 42", 395 LF 15", 82 LF 30", 1,003 LF 18", 295 LF 36"; Concrete Curb, 495 LF; Concrete Curb and Gutter, 12,580 LF; Concrete Sidewalk, 38,140 SF; Asphaltic Surface, 2,420 Ton; HMA Pavement, 13,275 Ton; Tack Coat, 2,434 Gals; Signs, 1,490 SF; Concrete Driveway, 209 SY; Concrete Truck Apron, 1,400 SY; Asphaltic Curb, 481 LF; Overhead Sign Supports, 3 LS; Aluminum Light Poles, 30 Each; Temporary Traffic Signals, 2 LS; Wall Modular Block MSE, 672 SF; Excavation, Hauling and Disposal of Contaminated Soil, 200 Ton.

**DBE Goal: 15 %**

**Contract Completion Date: October 27, 2017**

**\*\*\* NOTE \*\*\***

This contract requires pre-bid contact with the tribe whose land the project resides on. Additional documentation must be included when the Proposal Request (Form DT1633) is submitted. For further information on this requirement, please see the special provisions and/or contact Beth Cunningham.

**Contact Information:** Beth Cunningham, (715) 635-4973 /  
beth.cunningman@dot.wi.gov

**31. Mellen - Ashland, Golf Course Road - Butterworth Road;** Ashland County; 1610-08-77; STH 13; 16.732 Miles; Grading, Base, Asphalt Pavement, Culvert Pipe, Curb and Gutter, Beam Guard, Box Culvert Repair, Pavement Marking, and Signs.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 93,867 CY; Borrow, 13,950 CY; Selected Borrow, 2,834 CY; Backfill Granular, 3,250 CY; Backfill Structure, 20 Ton; Base Aggregate Dense, 88,250 Ton; Concrete Masonry Culverts, 8 CY; Bar Steel Reinforcement, 730 Lbs; Pavement Marking Paint, 10,041 LF; Construction Staking, 93,076 LF; Construction Staking, 88 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 56 LF 18", 1,320 LF 36", 778 LF 24", 752 LF 48", 1,420 LF 30", 712 LF 60"; Concrete Curb, 85 LF; Concrete Curb and Gutter, 2,736 LF; Steel Plate Beam Guard, 4,794 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 32 Each; Asphaltic Surface, 3,441 Ton; Tack Coat, 620 Gals; Signs, 1,272 SF; Asphaltic Curb, 890 LF; Piling Sheet Steel, 600 SF; Culvert Pipe Corrugated Polyethylene 18" 3,183 LF, 24" 1,585 LF, 30" 100 LF; Box Culvert Joint Repair, 6 LS.

**DBE Goal:** NA

**Contract Completion Date:** October 31, 2017

**Contact Information:** Matthew Dickenson, (715) 395-3022 /  
matthew.dickenson@dot.wi.gov

**32. Melrose - Black River Falls, STH 71 to 11th Street; Melrose - Black River Falls, Trout Run Creek Bridge, B-27-0067; City of Black River Falls, Melrose Street, CTH R to 11th Street;** Jackson County; 7550-01-70, WISC 2017 119; 7550-01-72; 7550-03-73, WISC 2017 120; STH 54; 15.751 Miles; Bridge Rehabilitation B-27-61 and B-27-67, Mill, Base, Asphalt Pavement, Curb and Gutter, Guardrail, Signs, and Pavement Marking.

**Guaranty Required:** \$100,000.00

**Estimate of Principal Items:** Excavation Common, 1,960 CY; Base Aggregate Dense, 5,781 Ton; Concrete Masonry Bridges, 32 CY; Concrete Masonry Overlay, 58 CY; Bar Steel Reinforcement Coated, 6,570 Lbs; Pavement Marking Epoxy, 249,203 LF; Construction Staking, 92,943 LF; Construction Staking, 1 Each; Construction Staking, 3 LS; Culvert Pipe Liners, 104 LF 24", 165 LF 36", 218 LF 48"; Culvert Pipe Reinforced Concrete, 45 LF 24"; Concrete Curb, 133 LF; Concrete Curb and Gutter, 3,119 LF; Steel Plate Beam Guard, 4,737 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 58 Each; Asphaltic Surface, 2,937 Ton; HMA Pavement, 34,128 Ton; Removing Asphaltic Surface Milling, 274,109 SY; Tack Coat, 20,702 Gals; Signs, 1,464 SF.

**DBE Goal:** 10 %

**Contract Completion Date:** September 30, 2017

**Contact Information:** Dave Koepp, (715) 836-2078 / david.koepp@dot.wi.gov

**33. Town of Lakeside, Sleepy Valley Loop, Middle River Bridge, B-16-134;** Douglas County; 8389-00-70, WISC 2017 121; Local Street; 0.066 Miles; Grade, Base, Culvert Pipe, Guardrail, and Structure B-16-134.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 351 CY; Borrow, 304 CY; Backfill Structure, 530 Ton; Base Aggregate Dense, 725 Ton; Concrete Masonry Bridges, 146 CY; Bar Steel Reinforcement, 4,390 Lbs; Bar Steel Reinforcement Coated, 15,730 Lbs; Structural Steel Carbon, 520 Lbs; Piling Steel, 144 LF 10-Inch; Construction Staking, 810 LF; Construction Staking, 1 Each; Construction Staking, 2 LS; Culvert Pipe, 30 LF 18"; Steel Plate Beam Guard, 141 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Signs, 12 SF.

**DBE Goal: 10 %**

**Contract Completion Time: 40 Working Days**

**Contact Information:** Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

**34. Bloomer - Bruce, South County Line to USH 8;** Rusk County; 8590-23-72; STH 40; 13.23 Miles; Grade, Base, Asphaltic Surface, Culvert Pipes, Curb and Gutter, Sidewalk, Guardrail, Pavement Marking, Polymer Overlay on B-54-30, and Concrete Deck Overlay on B-54-31.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 7,553 CY; Base Aggregate Dense, 340 Ton; Concrete Masonry Bridges, 32 CY; Concrete Masonry Overlay, 8 CY; Bar Steel Reinforcement Coated, 5,680 Lbs; Pavement Marking Paint, 834 LF; Construction Staking, 72,637 LF; Construction Staking, 19 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Aluminum, 29 LF 18"; Culvert Pipe Reinforced Concrete, 771 LF 24", 48 LF 42", 151 LF 30", 81 LF 48", 88 LF 36", 120 LF 60"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 54 LF 19" X 30"; Concrete Curb and Gutter, 71 LF; Concrete Sidewalk, 56 SF; Steel Plate Beam Guard, 3,568 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 13 Each; Asphaltic Surface, 446 Ton; Tack Coat, 110 Gals; Polymer Overlay, 324 SY.

**DBE Goal: NA**

**Contract Completion Date: October 13, 2017**

**Contact Information:** Mohamad Hayek, (715) 836-2065 / mohamad.hayek@dot.wi.gov

**35. New Richmond - Wanderoos, 40th Avenue to 0.57 Miles North 40th Avenue; Wanderoos - USH 8, Kennedy Mill Avenue Intersection;** Polk County; 8865-00-72, WISC 2017 122; 8865-00-73, WISC 2017 123; STH 65; 29.88 Miles; Mill, Grade, Base, Asphalt Pavement, Culvert Pipes, Curb and Gutter, Sidewalk, Signs, Pavement Marking, and Lighting.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 140,089 CY; Excavation Marsh, 11,600 CY; Selected Borrow, 50,314 CY; Base Aggregate Dense, 10,964 Ton; Pavement Marking Epoxy, 16,241 LF; Construction Staking, 13,289 LF; Construction Staking, 8 Each; Construction Staking, 3 LS; Culvert Pipe Corrugated Aluminum, 146 LF 18", 113 LF 24"; Culvert Pipe Reinforced Concrete, 390 LF 24", 82 LF 30"; Concrete Curb and Gutter, 134 LF; Concrete Sidewalk, 137 SF; HMA Pavement, 4,082 Ton; Salvaged Asphaltic Pavement Milling, 890 SY; Tack Coat, 920 Gals; Signs, 135 SF.

**DBE Goal: 9 %**

**Contract Completion Date: August 31, 2017**

**Contact Information:** Beth Cunningham, (715) 635-4973 /  
beth.cunningham@dot.wi.gov

**36. STH 73 - STH 13, Brush Creek Road to Winter Sports Road; STH 73 - STH 13, Winter Sports Road to Richter Road;** Taylor County; 8896-05-72, WISC 3009 002; 8896-05-73, WISC 2017 124; CTH M; 5.131 Miles; Grade, Base, Pulverize and Relay, Asphalt Pavement, Culvert Pipes, Guardrail, Signs, and Pavement Marking.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 2,175 CY; Borrow, 27,068 CY; Base Aggregate Dense, 12,910 Ton; Pavement Marking Epoxy, 107,169 LF; Construction Staking, 65,479 LF; Construction Staking, 25 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Polyethylene, 888 LF 24", 472 LF 30"; Culvert Pipe Reinforced Concrete, 94 LF 36", 120 LF 30", 62 LF 42", 132 LF 60"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 110 LF 53" X 83"; Steel Plate Beam Guard, 3,013 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 16 Each; Asphaltic Surface, 7 Ton; HMA Pavement, 17,148 Ton; Tack Coat, 5,249 Gals; Signs, 463 SF; Pulverize and Relay, 84,280 SY.

**DBE Goal: 9 %**

**Contract Completion Time: 75 Working Days**

**Contact Information:** Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

**37. West Waukesha Bypass, Summit Avenue to Northview Road; Waukesha Bypass, Intersection of Summit Avenue and Meadowbrook Road;** Waukesha County; 2788-00-72, WISC 2017 024; 2788-02-70, WISC 2017 025; CTH TT; USH 18; 0.000 Miles; Grade, Base, Culvert Pipe, Storm Sewer, Water Main, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Lighting, Signals, Overhead Sign Supports, Pavement Marking, and Structure M-67-0001.

**Guaranty Required: \$100,000.00**

**Estimate of Principal Items:** Excavation Common, 93,127 CY; Excavation Rock, 575 CY; Excavation Marsh, 4,066 CY; Borrow, 16,329 CY; Backfill Structure, 55 CY; Base Aggregate Dense, 55,699 Ton; Select Crushed Material, 56,240 Ton; Base Aggregate Open Graded, 169 Ton; Breaker Run, 16,568 Ton; Concrete Pavement, 65,975 SY; Concrete Masonry Endwalls, 23 CY; Bar Steel Reinforcement, 1,830 Lbs; Pavement Marking Wet Reflective Tape, 17,335 LF; Pavement Marking Epoxy, 54,633 LF; Construction Staking, 50,216 LF; Construction Staking, 231 Each; Construction Staking, 4 LS; Culvert Pipe, 60 LF 15", 45 LF 18"; Culvert Pipe Corrugated Steel, 67 LF 12", 58 LF 18"; Culvert Pipe Reinforced Concrete, 14 LF 18", 246 LF 30", 216 LF 48", 350 LF 60", 109 LF 72"; Storm Sewer Pipe Reinforced Concrete, 18 LF 12", 4,067 LF 15", 1,670 LF 18", 2,445 LF 24", 1,570 LF 30", 411 LF 36", 70 LF 48"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 112 LF 19" X 30"; Pipe Arch Corrugated Steel, 62 LF 17" X 13"; Concrete Curb, 16 LF; Concrete Curb and Gutter, 31,216 LF; Concrete Sidewalk, 79,563 SF; Asphaltic Surface, 1,329 Ton; HMA Pavement, 7,747 Ton; Tack Coat, 1,300 Gals; Signs, 2,664 SF; Riprap, 1,250 LF; Overhead Sign Supports, 2 LS; Pull Boxes, 71 Each; Concrete Bases, 59 Each; Poles, 26 Each; Water Main Relocation, 252 LF.

**DBE Goal: 18 %**

**Contract Completion Date: November 16, 2017**

**Contact Information: Doug Cain, (262) 548-5603 / douglas.cain@dot.wi.gov**

By order of:

Joe Olson  
Administrator  
Division of Transportation System Development