

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT
NOTICE TO CONTRACTORS**

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, May 9, 2017, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in Room 601.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, 4802 Sheboygan Avenue, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development in Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

ELECTRONIC BIDDING

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

PROPOSAL GUARANTY

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND PROPOSALS

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

PLAN HOLDERS and ELIGIBLE BIDDERS

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

QUALIFICATIONS OF BIDDERS

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

HOURS OF LABOR AND MINIMUM WAGE RATES

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

AFFIDAVIT OF NON-COLLUSION

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

GENERAL CONSTRUCTION

1, 2, 3, 4, 6, 7, 8, 9, 10, 11, 12, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 29, 30, 31, 32, 33, 35, 36, 37, 40, 41, 45, 47, 48, 50

GRADING

1, 41, 48, 50

CONCRETE PAVEMENT

10, 16, 21, 40

ASPHALTIC PAVEMENT

1, 6, 8, 11, 17, 18, 22, 30, 32, 36, 37, 39, 42, 44, 45, 48

STRUCTURES

3, 7, 19, 20, 25, 27, 34, 35, 38, 43, 46, 47, 49

BRIDGE PAINTING

23, 38

STREET OR AIRPORT LIGHTING

BUILDING CONSTRUCTION

INCIDENTAL CONSTRUCTION

2, 4, 5, 6, 9, 12, 13, 14, 24, 28, 38, 40, 45

1. Illinois State Line - Madison, Church Street to CTH AB; Illinois State Line - Madison, East Church Road to Church Street; Dane County; 1007-10-84, WISC 2017 260; 1007-10-88, WISC 2017 261; IH 39; 8.116 Miles; Grade; Embankment; Base; Concrete Pavement; Asphalt Pavement; Structures B-13-140, 146, 148, 164, C-13-3089 Stg 1, and C-13-3084 Stg 1; Culvert Pipes; Storm Sewer; Signing; and Guardrail.

Guaranty Required: \$360,000.00

Estimate of Principal Items: Excavation Common, 199,254 CY; Excavation Rock, 55,048 CY; Excavation Marsh, 3,858 CY; Selected Borrow, 33,862 CY; Backfill Structure, 2,481 Ton; Base Aggregate Dense, 224,387 Ton; Select Crushed Material, 12,571 Ton; Breaker Run, 125 CY; Concrete Pavement, 15,515 SY; Concrete Masonry Bridges, 1,135 CY; Concrete Masonry Culverts, 142 CY; Concrete Masonry Sign Supports, 3 CY; Prestressed Girders, 2,016 LF 28-Inch; Bar Steel Reinforcement, 49,816 Lbs; Bar Steel Reinforcement Coated, 158,900 Lbs; Piling Steel, 4,545 LF 10-Inch; Culvert Pipe Corrugated Steel, 18 LF 18", 72 LF 36", 70 LF 24", 24 LF 48", 68 LF 30", 19 LF 60"; Culvert Pipe Reinforced Concrete, 36 LF 12", 84 LF 36", 152 LF 18", 166 LF 48", 68 LF 30", 33 LF 60; Storm Sewer Pipe Reinforced Concrete, 8 LF 15", 254 LF 18", 15 LF 30"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 32 LF 19" X 30"; Concrete Curb and Gutter, 260 LF; Steel Plate Beam Guard, 1,293 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 3 Each; HMA Pavement, 60,077 Ton; Removing Asphaltic Surface Milling, 9,089 SY; Tack Coat, 9,123 Gals; Signs, 55 SF; Surface Drain Pipe Corrugated Metal Slotted 18-Inch, 3,086 LF; Roadway Embankment, 164,247 CY.

DBE Goal: 12 %

Contract Completion Date: November 21, 2017

Contact Information: Jamie Grainger, (608) 884-1173 / jamie.grainger@dot.wi.gov

2. Sign Bridge Repairs, Southwest Region-Wide; SW Region-Wide; 5105-17-62, WISC 2017 262; Various Highways; 0.000 Miles; Sign Bridge Repairs.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Signs, 13 SF; Tension Anchor Rod, 137 Each; Tension Structural Connection Bolt, 36 Each; Reinstall Truss, 1 Each; Replace Sign Panel Connector, 91 Each.

DBE Goal: 10 %

Contract Completion Date: October 31, 2017

Contact Information: Shiv Gupta, (608) 243-5983 / shiv.gupta@dot.wi.gov

3. Towns of Jefferson and Clarno, Five Corner Road, WSOR Railroad Bridge, B-23-0171; Green County; 5687-00-72; Town Road; 0.239 Miles; Grading, Base, Bridge Replacement, Retaining Walls, Culvert Pipe, Asphalt Pavement, Beam Guard, Fence, and Signs.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 1,150 CY; Borrow, 26,350 CY; Backfill Granular, 375 CY; Backfill Structure, 240 Ton; Base Aggregate Dense, 4,180 Ton; Breaker Run, 820 Ton; Concrete Masonry Bridges, 127 CY; Prestressed Girders, 218 LF 36-Inch; Bar Steel Reinforcement, 3,420 Lbs; Bar Steel Reinforcement Coated, 17,630 Lbs; Piling Steel, 630 LF 10-Inch; Construction Staking, 5,910 LF; Construction Staking, 5 Each; Construction Staking, 4 LS; Culvert Pipe, 158 LF 24", 160 LF 36"; Steel Plate Beam Guard, 861 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 3 Each; HMA Pavement, 710 Ton; Tack Coat, 180 Gals; Signs, 25 SF; Wall Concrete Panel Mechanically Stabilized Earth, 3,860 SF; Pipe Arch Corrugated Steel 28" X 20", 68 LF; Chain Link Fence, 182 LF.

DBE Goal: NA

Contract Completion Date: October 1, 2017

Contact Information: Brad Cunningham, (608) 663-1218 /
bcunningham@klengineering.com

4. Highway Lighting Maintenance 2017; Southeast Region-Wide; 1000-68-92; Various Highways; 0.000 Miles; Lighting Maintenance.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Distribution Center Preventative Maintenance, 22 Each; Group Luminaire Maintenance, 18 Each; Tunnel Luminaire Maintenance, 249 Each.

DBE Goal: NA

Contract Completion Time: 60 Working Days

Contact Information: Eric Perea, (262) 574-5422 / eric.perea@dot.wi.gov

5. Epoxy Pavement Marking - 2017; Southeast Region-Wide; 1000-77-17, WISC 2017 263; Various Highways; 0.000 Miles; Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Pavement Marking Epoxy, 3,090,946 LF.

DBE Goal: 18 %

Contract Completion Date: November 15, 2017

Contact Information: Donald Steel, (262) 548-6765 / donald.steel@dot.wi.gov

6. East West Freeway, West Waukesha County Line to STH 16; Waukesha County; 1060-21-71, WISC 2017 264; IH 94; 0.000 Miles; Mill, Concrete Pavement, Asphalt Pavement, HMA Longitudinal Joint Repair, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Concrete Pavement, 5,105 SY; Pavement Marking Epoxy, 333,600 LF; HMA Pavement, 611 Ton; Removing Asphaltic Surface Milling, 5,094 SY; Tack Coat, 510 Gals; HMA Longitudinal Joint Repair, 9,270 Ton.

DBE Goal: 6 %

Contract Completion Date: October 15, 2017

Contact Information: Bhuvan Manandhar, (262) 548-5953 /
bhuvan.manandhar@dot.wi.gov

7. Milwaukee to Fond du Lac, Bridges Over Nor-X-Way Channel; Waukesha County; 1100-36-72, WISC 2017 265; IH 41; 0.000 Miles; Mill, Grade, Base, Culvert Pipe, Storm Sewer, Concrete Pavement, Asphalt Pavement, Beam Guard, Concrete Barrier, Lighting, Pavement Marking, and Structures B-67-56 and 357.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 3,318 CY; Borrow, 2,220 CY; Backfill Structure, 2,022 CY; Base Aggregate Dense, 3,650 Ton; Base Aggregate Open Graded, 585 Ton; Breaker Run, 300 Ton; Concrete Pavement, 1,205 SY; Concrete Masonry Bridges, 43 CY; Concrete Masonry Culverts, 273 CY; Bar Steel Reinforcement, 14,280 Lbs; Bar Steel Reinforcement Coated, 18,760 Lbs; Piling CIP Concrete, 5,822 LF 10 3/4-Inch; Pavement Marking Wet Reflective Tape, 6,150 LF; Pavement Marking Epoxy, 9,595 LF; Construction Staking, 16,782 LF; Construction Staking, 19 Each; Construction Staking, 4 LS; Culvert Pipe, 224 LF 15"; Storm Sewer Pipe Reinforced Concrete, 125 LF 15", 112 LF 18", 51 LF 48"; Steel Plate Beam Guard, 473 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 2 Each; HMA Pavement, 1,980 Ton; Removing Asphaltic Surface Milling, 5,740 SY; Tack Coat, 815 Gals; Railing Pipe, 69 LF; Riprap, 439 CY; Pull Boxes, 4 Each; Concrete Barrier, 1,016 LF; Three-Sided Precast Concrete Structure, 166 LF.

DBE Goal: 12 %

Contract Completion Date: June 29, 2018

Contact Information: David Pittman, (262) 548-6439 / david.pittman@dot.wi.gov

8. Oconomowoc - Waukesha, CTH P (Brown Street) to IH 94; Waukesha County; 1370-15-71, WISC 2017 266; STH 16; 0.000 Miles; Mill, Continuous Diamond Grinding, Grade, Base, Culvert Pipe, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Concrete Barrier, Beam Guard, Signing, Lighting, Signals, and Pavement Marking.

Guaranty Required: \$350,000.00

Estimate of Principal Items: Excavation Common, 49,289 CY; Base Aggregate Dense, 35,760 Ton; Breaker Run, 25,440 Ton; Concrete Pavement, 38,273 SY; Structural Steel HS, 11,600 Lbs; Pavement Marking Wet Reflective Tape, 64,646 LF; Pavement Marking Epoxy, 330,674 LF; Construction Staking, 121,373 LF; Construction Staking, 8,520 Each; Construction Staking, 2 LS; Concrete Curb, 25 LF; Concrete Curb and Gutter, 1,767 LF; Concrete Sidewalk, 3,980 SF; Steel Plate Beam Guard, 11,947 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 17 Each; HMA Pavement, 86,271 Ton; Removing Asphaltic Surface Milling, 261,265 SY; Tack Coat, 24,663 Gals; Signs, 17,616 SF; Culvert Pipe Liner 15-Inch, 480 LF; Concrete Barrier, 7 LF; Riprap, 23 CY; Sign Supports Concrete Masonry, 19 CY; Sign Supports Steel Reinforcement, 1,156 Lbs; Pull Boxes, 16 Each; Concrete Bases, 35 Each; Poles, 35 Each; Ramp Closure Gates Solar, 16 Each; Resin Binder High Friction Surface Treatment, 25,620 SY; Continuous Diamond Grinding, 60,080 SY.

DBE Goal: 13 %

Contract Completion Date: November 16, 2017

Contact Information: Doug Cain, (262) 548-5603 / douglas.cain@dot.wi.gov

9. Watertown Plank Road, City of Wauwatosa, Underwood Creek Structures, B-40-0470 / 0471; Milwaukee County; 2035-06-70, WISC 2017 267; Local Street; 0.000 Miles; Grade, Base, Concrete Pavement, Curb and Gutter, Sidewalk, Concrete Barrier, Beam Guard, Signing, Lighting, Pavement Marking, and Structures B-40-0470 and 0471 and R-40-691-693.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 3,345 CY; Borrow, 56 CY; Backfill Structure, 665 Ton; Base Aggregate Dense, 3,775 Ton; Select Crushed Material, 1,455 Ton; Concrete Pavement, 1,477 SY; Concrete Masonry Bridges, 1,301 CY; Concrete Masonry Retaining Walls, 64 CY; Bar Steel Reinforcement, 2,230 Lbs; Bar Steel Reinforcement Coated, 273,090 Lbs; Pavement Marking Wet Reflective Tape, 1,375 LF; Pavement Marking Epoxy, 12,546 LF; Construction Staking, 2,730 LF; Construction Staking, 8 LS; Concrete Curb and Gutter, 1,231 LF; Concrete Sidewalk, 3,740 SF; Steel Plate Beam Guard, 79 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 2 Each; Tack Coat, 40 Gals; Signs, 9 SF; Expansion Device, 2 LS; Railing Tubular Screening, 962 LF; Concrete Barrier, 423 LF; Pull Boxes, 3 Each; Concrete Bases, 5 Each; Poles, 8 Each.

DBE Goal: 20 %

Contract Completion Date: October 21, 2018

Contact Information: Nguyen Ly, (262) 548-8739 / nguyen.ly@dot.wi.gov

10. South 60th Street, W. Cold Spring Road to W. Morgan Avenue; Milwaukee County; 2415-00-70, WISC 2017 268; Local Street; 0.000 Miles; Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Lighting, Signals, Landscaping, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 28,385 CY; Base Aggregate Dense, 22,825 Ton; Concrete Pavement, 36,526 SY; Pavement Marking Epoxy, 20,824 LF; Pavement Marking Paint, 20,444 LF; Construction Staking, 26,138 LF; Construction Staking, 127 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 998 LF 12", 86 LF 15", 186 LF 18", 130 LF 24"; Concrete Curb, 382 LF; Concrete Curb and Gutter, 19,824 LF; Concrete Sidewalk, 46,919 SF; HMA Pavement, 251 Ton; Signs, 15 SF; Trees, 23 Each; Shrubs, 60 Each; Vines, 336 Each; Concrete Bases, 145 Each; Poles, 45 Each; Pull Boxes, 85 Each.

DBE Goal: 20 %

Contract Completion Date: August 3, 2018

Contact Information: Joe Klarkowski, (414) 225-9817 / joe.klarkowski@daarcop.com

11. Janesville - Darien, CTH K to Prairie Drive; Walworth County; 3150-11-61; USH 14; 0.000 Miles; Mill, Grade, Base, Storm Sewer, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Signals, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 123 CY; Base Aggregate Dense, 569 Ton; Pavement Marking Epoxy, 93,569 LF; Construction Staking, 33,418 LF; Construction Staking, 44 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 65 LF 12", 40 LF 18"; Concrete Curb, 133 LF; Concrete Curb and Gutter, 802 LF; Concrete Sidewalk, 4,304 SF; Asphaltic Surface, 330 Ton; HMA Pavement, 15,205 Ton; Removing Asphaltic Surface Milling, 13,420 Ton; Tack Coat, 5,844 Gals; Signs, 1,323 SF; Railing Steel Pedestrian Type C2, 76 LF; Riprap, 3 CY; Pull Boxes, 1 Each; Concrete Bases, 4 Each; Poles, 4 Each.

DBE Goal: NA

Contract Completion Date: August 25, 2017

Contact Information: Julie Jenks, (262) 548-6462 / julie.jenks@dot.wi.gov

12. CTH D (Main Street), Beech Street - CTH LL; Ozaukee County; 4880-01-71, WISC 2017 269; CTH D; 0.000 Miles; Grade, Base, Culvert Pipe, Storm Sewer, Sanitary Sewer, Water Main, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Lighting, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 25,146 CY; Base Aggregate Dense, 16,600 Ton; Breaker Run, 19,300 Ton; Concrete Pavement, 1,785 SY; Pavement Marking Epoxy, 15,240 LF; Construction Staking, 24,385 LF; Construction Staking, 87 Each; Construction Staking, 3 LS; Storm Sewer Pipe Reinforced Concrete, 84 LF 12", 1,781 LF 15", 939 LF 18", 928 LF 24", 119 LF 30", 40 LF 36", 71 LF 60"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 69 LF 29" X 458", 1,154 LF 34" X 53"; Concrete Curb and Gutter, 9,122 LF; Concrete Sidewalk, 41,150 SF; Asphaltic Surface, 57 Ton; HMA Pavement, 6,050 Ton; Tack Coat, 1,100 Gals; Signs, 245 SF; Storm Sewer Pipe Composite, 83 LF; Concrete Bases, 1 Each; Lighting Control Cabinet, 1 Each; Pull Boxes, 21 Each; Decorative Street Light Unit, 27 Each; Storm Sewer Lateral, 1,706 LF; Sanitary Lateral, 320 LF; Water Service, 470 LF.

DBE Goal: 20 %

Contract Completion Date: November 17, 2017

Contact Information: Joe Klarkowski, (414) 935-4410 / joe.klarkowski@daarcop.com

13. Crack Sealing FY 2018, Various Locations; Southeast Region-Wide; 4890-00-73; Various Highways; 0.000 Miles; Route and Crack Sealing.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Pavement Marking Epoxy, 223,077 LF; Route Crack and Seal Modified, 134,428 Lbs.

DBE Goal: NA

Contract Completion Time: 30 Working Days

Contact Information: Douglas Cain, (262) 548-5603 / douglas.cain@dot.wi.gov

14. Sign Bridge Replacement, Region-Wide, Various Routes; Brown County; 1009-30-11, WISC 2017 270; Various Highways; 0.000 Miles; Sign Bridge Repair and Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Tension Anchor Rod, 42 Each; Tension Structural Connection Bolt, 4 Each; Reinstall Truss, 1 Each; Slotted Hole Repair on Sign Support Bracket, 34 Each.

DBE Goal: 10 %

Contract Completion Time: 20 Working Days

Contact Information: Kyle Trembl, (920) 360-7029 / kyle.trembl@dot.wi.gov

15. Menasha - Sherwood, USH 10 and STH 114 Interchange; Calumet County; 1500-55-71, WISC 2017 271; USH 10; 0.649 Miles; Milling, Concrete Base Patching, HMA Pavement, Beam Guard, Signing, Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Base Aggregate Dense, 752 Ton; Pavement Marking Wet Reflective Tape, 1,368 LF; Pavement Marking Epoxy, 12,203 LF; Construction Staking, 6,993 LF; Construction Staking, 1 Each; Steel Plate Beam Guard, 1,956 LF; HMA Pavement, 3,393 Ton; Removing Asphaltic Surface Milling, 1,650 SY; Tack Coat, 1,359 Gals; Signs, 350 SF; Concrete Base, 691 SY; Base Patching Concrete, 2,506 SY.

DBE Goal: 7 %

Contract Completion Time: 25 Working Days

Contact Information: Timothy Verhagen, (920) 362-1267 /
timothy.verhagen@dot.wi.gov

16. USH 10 - USH 10 / STH 441, County CB - Oneida Street; Winnebago County; 1517-75-83, WISC 2017 272; USH 10; 0.370 Miles; Grading, Base, Asphalt Pavement, Concrete Pavement, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Beam Guard, Street Lighting, Traffic Signals, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 19,677 CY; Backfill Granular, 57 CY; Base Aggregate Dense, 13,256 Ton; Breaker Run, 21,094 Ton; Concrete Pavement, 24,271 SY; Concrete Masonry Retaining Walls, 122 CY; Bar Steel Reinforcement, 6,019 Lbs; Pavement Marking Epoxy, 18,037 LF; Storm Sewer Pipe Reinforced Concrete, 1,599 LF 12", 1,300 LF 24", 150 LF 42", 146 LF 15", 316 LF 30", 306 LF 48", 722 LF 18", 165 LF 36"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 124 LF 24" X 38", 425 LF 29" X 45"; Concrete Curb, 148 LF; Concrete Curb and Gutter, 9,739 LF; Concrete Sidewalk, 35,502 SF; Steel Plate Beam Guard, 25 LF; Asphaltic Surface, 508 Ton; Signs, 271 SF; Concrete Driveway, 160 SY; Storm Sewer Composite 10", 85 LF; Conduit, 12,390 LF; Light Poles, 21 Each; Traffic Signal Standards, 14 Each; Roadway Embankment, 441 CY; Colored and Stamped Concrete, 992 SY.

DBE Goal: 11 %

Contract Completion Date: June 29, 2018

Contact Information: Garrett Vickman, (920) 492-5712 / garrett.vickman@dot.wi.gov

17. WCL - USH 141, WCL - CTH O; Marinette County; 1590-16-71, WISC 2017 273; USH 8; 14.260 Miles; Grading, Base, Milling, Asphalt Pavement, Culvert Pipe, Curb and Gutter, Sidewalk, Concrete Driveway, Beam Guard, Signs, and Pavement Markings.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 1,460 CY; Borrow, 8,919 CY; Backfill Granular, 550 CY; Base Aggregate Dense, 3,710 Ton; Pavement Marking Epoxy, 334,685 LF; Construction Staking, 113,929 LF; Construction Staking, 15 Each; Construction Staking, 1 LS; Culvert Pipe, 36 LF 15"; Culvert Pipe Corrugated Steel, 16 LF 24"; Culvert Pipe Reinforced Concrete, 18 LF 30", 4 LF 42"; Storm Sewer Pipe Reinforced Concrete, 582 LF 12", 52 LF 18", 1,268 LF 24"; Concrete Curb, 145 LF; Concrete Curb and Gutter, 6,485 LF; Concrete Sidewalk, 14,245 SF; Steel Plate Beam Guard Energy Absorbing Terminals, 14 Each; Asphaltic Surface, 485 Ton; HMA Pavement, 64,685 Ton; Removing Asphaltic Surface Milling, 31,300 SY; Tack Coat, 34,060 Gals; Signs, 1,748 SF; Concrete Driveway, 125 SY; Adjusting Beam Guard, 2,275 LF.

DBE Goal: 12 %

Contract Completion Time: 75 Working Days

Contact Information: Paul Zoellner, (920) 366-8547 / paul.zoellner@dot.wi.gov

18. Baileys Harbor - Sister Bay, CTH Q - STH 42; Door County; 4150-17-71, WISC 2017 274; STH 57; 7.950 Miles; Grading, Base, Milling, Asphalt Pavement, Culvert Pipe, Storm Sewer, Bridge Replacement, Curb and Gutter, Beam Guard, Pavement Markings, and Signs.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 760 CY; Borrow, 67 CY; Backfill Structure, 330 Ton; Base Aggregate Dense, 2,280 Ton; Concrete Masonry Bridges, 122 CY; Bar Steel Reinforcement, 5,900 Lbs; Bar Steel Reinforcement Coated, 10,500 Lbs; Piling Steel, 238 LF 10-Inch; Pavement Marking Epoxy, 123,715 LF; Construction Staking, 45,211 LF; Construction Staking, 21 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 34 LF 15", 152 LF 18", 430 LF 24"; Storm Sewer Pipe Reinforced Concrete, 130 LF 18", 48 LF 24"; Concrete Curb and Gutter, 410 LF; Steel Plate Beam Guard, 458 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 130 Ton; HMA Pavement, 33,015 Ton; Removing Asphaltic Surface Milling, 149,630 SY; Tack Coat, 18,025 Gals; Signs, 696 SF; Backfill Coarse Aggregate, 40 CY; Prestressed Girders Box Type 17-Inch, 347 LF.

DBE Goal: 7 %

Contract Completion Date: October 31, 2017

Contact Information: Jeremy Ashauer, (920) 412-6381 / jeremy.ashauer@dot.wi.gov

19. CTH J, STH 42 - Woodside Road, Sandy Bay Creek Bridge and Approaches; Kewaunee County; 4399-00-71; CTH J; 0.042 Miles; Grading, Base, Bridge Replacement, Pavement Marking, Storm Sewer, and Beam Guard.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 630 CY; Borrow, 172 CY; Backfill Structure, 194 Ton; Base Aggregate Dense, 1,015 Ton; Concrete Masonry Bridges, 132 CY; Bar Steel Reinforcement, 4,030 Lbs; Bar Steel Reinforcement Coated, 15,850 Lbs; Piling Steel, 950 LF 10-Inch; Pavement Marking Epoxy, 1,200 LF; Construction Staking, 1,050 LF; Construction Staking, 3 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 85 LF 36"; Steel Plate Beam Guard, 163 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each.

DBE Goal: NA

Contract Completion Time: 35 Working Days

Contact Information: Craig Treadway, (920) 468-4771 /
craigtreadway@jt-engineering.com

20. USH 45 - ECL, Long Lake Box Culvert; Fond du Lac County; 4530-06-72, WISC 2015 172; STH 67; 0.012 Miles; Concrete Box Culvert, Grading, Base, HMA Pavement, and Landscaping.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 511 CY; Excavation Marsh, 60 CY; Backfill Structure, 410 Ton; Base Aggregate Dense, 235 Ton; Select Crushed Material, 17 Ton; Breaker Run, 32 CY; Concrete Masonry Culverts, 93 CY; Bar Steel Reinforcement, 12,720 Lbs; Bar Steel Reinforcement Coated, 3,300 Lbs; Pavement Marking Epoxy, 250 LF; Construction Staking, 186 LF; Construction Staking, 2 LS; Asphaltic Surface, 5 Ton; HMA Pavement, 43 Ton; Tack Coat, 10 Gals; Signs, 10 SF.

DBE Goal: 10 %

Contract Completion Time: 45 Working Days

Contact Information: Bryan Learst, (920) 366-5639 / bryan.learst@dot.wi.gov

21. City of Appleton, College Avenue, IH 41 - N. Linwood Avenue; Outagamie County; 4659-15-71, WISC 2017 276; STH 125; 0.000 Miles; Mill, Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Signing, Lighting, Pavement Marking, and Structure B-44-0009.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 1,365 CY; Base Aggregate Dense, 1,521 Ton; Concrete Pavement, 13,035 SY; Concrete Masonry Overlay, 121 CY; Bar Steel Reinforcement Coated, 5,107 Lbs; Pavement Marking Epoxy, 40,989 LF; Construction Staking, 18,734 LF; Construction Staking, 2 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 26 LF 12"; Concrete Curb and Gutter, 2,014 LF; Concrete Sidewalk, 1,875 SF; Steel Plate Beam Guard, 2,248 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 9,746 Ton; Tack Coat, 8,077 Gals; Signs, 1,093 SF; Expansion Device, 1 LS; Railing Pipe, 425 LF; Pull Boxes, 10 Each; Concrete Bases, 14 Each; Poles, 14 Each.

DBE Goal: 8 %

Contract Completion Date: September 27, 2017

Contact Information: Tim Rank, (920) 360-2579 / tim.rank@dot.wi.gov

22. Sherwood - Kaukauna, USH 10 - Ridgcrest Lane; Calumet County; 4670-12-60; STH 55; 2.720 Miles; Asphalt Mill and Overlay, Signs, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Base Aggregate Dense, 3,050 Ton; Pavement Marking Epoxy, 64,475 LF; Construction Staking, 14,400 Each; Concrete Curb and Gutter, 30 LF; Asphaltic Surface, 50 Ton; HMA Pavement, 6,280 Ton; Removing Asphaltic Surface Milling, 54,600 SY; Tack Coat, 1,365 Gals; Signs, 546 SF.

DBE Goal: NA

Contract Completion Time: 50 Calendar Days

Contact Information: Tim Verhagen, (920) 362-1267 / timothy.verhagen@dot.wi.gov

23. City of Appleton, Fox River Bridge; Outagamie County; 4685-24-60, WISC 2017 277; STH 441; 0.000 Miles; Bridge Repainting.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Pavement Marking Epoxy, 11,674 LF; Structure Repainting, 1 LS; Concrete Pavement Repair, 13 SY; Filling Rumble Strips, 1,460 LF.

DBE Goal: 12 %

Contract Completion Time: 170 Working Days

Contact Information: Paul Brauer, (920) 366-1097 / paul.brauer@dot.wi.gov

24. City of DePere, Allard Street, Grant Street - Reid Street; City of DePere, Erie Street, O'Keefe Road - Virginia Drive; City of DePere, Helena Street, Seventh Street - Sixth Street; Brown County; 4985-00-52, WISC 2017 278; 4985-00-54, WISC 2017 279; 4985-00-58, WISC 2017 280; Local Streets; 1.357 Miles; Grading, Base, Milling, Asphalt Pavement, Storm Sewer, Concrete Driveway, Sidewalk, Curb and Gutter, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 838 CY; Base Aggregate Dense, 2,487 Ton; Pavement Marking Epoxy, 3,366 LF; Construction Staking, 11,059 LF; Construction Staking, 106 Each; Construction Staking, 3 LS; Storm Sewer Pipe, 871 LF 30"; Storm Sewer Pipe Reinforced Concrete, 1,352 LF 12", 3 LF 24", 12 LF 15", 3 LF 48", 564 LF 18"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 18 LF 34" X 53"; Concrete Curb and Gutter, 8,621 LF; Concrete Sidewalk, 3,071 SF; HMA Pavement, 6,323 Ton; Removing Asphaltic Surface Milling, 14,145 SY; Tack Coat, 1,944 Gals; Concrete Driveway, 552 SY; Storm Sewer Pipe PVC, 125 LF.

DBE Goal: 15 %

Contract Completion Date: August 25, 2017

Contact Information: Craig Treadway, (920) 468-4771 /
craigtreadway@jt-engineering.com

25. City of Sheboygan, 8th Street, Sheboygan River Bridge; Sheboygan County; 4996-19-71; Local Street; 0.114 Miles; Bridge Rehabilitation, Bridge Painting, and Building Maintenance.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 8 CY; Base Aggregate Dense, 15 Ton; Concrete Pavement, 200 SY; Concrete Masonry Bridges, 2 CY; Bar Steel Reinforcement Coated, 280 Lbs; Pavement Marking Paint, 1,380 LF; Concrete Curb and Gutter, 182 LF; Concrete Sidewalk, 2,415 SF; Rechrome and Hone Cylinder Rod, 4 Each; Replace Cylinder Rod, 4 Each; Replace Load Holding Valve, 4 Each; Support Hanger Replacement, 22 Each; Rebuild Primary Hydraulic Pumps, 4 Each; Replace Cylinder Barrel, 4 Each; Hydraulic Span Drive Machinery Rehabilitation, 1 LS; Tubular Steel Railing Repair, 1 LS; Electrical Work, 1 LS; Heating and Housing, 1 LS.

DBE Goal: NA

Contract Completion Date: April 30, 2018

***** PRE-BID MEETING *****

DATE: April 24, 2017 **TIME:** 10:00 AM

LOCATION: King Park Pavilion
1615 S. 7th Street
Sheboygan, WI 53081

NOTES: This meeting is not mandatory. No meeting minutes will be prepared. Issues discovered at the meeting will be handled by addendum.

Contact Information: Craig Treadway, (920) 468-4771 /
craigtreadway@jt-engineering.com

26. DEFERRED

27. Main Street, City of Seymour, Little Henry Creek Box Culvert; Outagamie County; 6570-08-72, WISC 2017 282; STH 55; 0.028 Miles; Grading, Base, Asphalt Pavement, Concrete Base, Concrete Driveway, Curb and Gutter, Sidewalk, Storm Sewer, Box Culvert Construction, and Pavement Markings.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 1,142 CY; Backfill Granular, 1,100 CY; Backfill Structure, 640 Ton; Base Aggregate Dense, 800 Ton; Select Crushed Material, 80 Ton; Concrete Masonry Culverts, 261 CY; Bar Steel Reinforcement, 12,990 Lbs; Bar Steel Reinforcement Coated, 18,150 Lbs; Pavement Marking Epoxy, 242 LF; Construction Staking, 710 LF; Construction Staking, 8 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 32 LF 12", 37 LF 24", 74 LF 15", 73 LF 30", 47 LF 18"; Concrete Curb and Gutter, 260 LF; Concrete Sidewalk, 1,450 SF; Asphaltic Surface, 90 Ton; HMA Pavement, 190 Ton; Tack Coat, 180 Gals; Concrete Base, 770 SY; Concrete Driveway, 80 SY; Sanitary Sewer Pipe, 40 LF.

DBE Goal: 10 %

Contract Completion Time: 40 Working Days

Contact Information: Tim Verhagen, (920) 362-1267 / timothy.verhagen@dot.wi.gov

28. North Central Region-Wide, Epoxy Pavement Marking, Locations on STN Per Annual Plan; NC Region-Wide; 1009-42-45, WISC 2017 283; Various Highways; 0.000 Miles; Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Pavement Marking Epoxy, 2,981,860 LF.

DBE Goal: 15 %

Contract Completion Date: September 30, 2017

Contact Information: Tim Hanley, (715) 421-8050 / timothy.hanley@dot.wi.gov

29. Shawano - Green Bay, STH 29 and STH 156 Intersection; Clintonville - Howard, STH 55 - STH 29; Shawano County; 1058-25-70, WISC 2017 284; 6580-11-60; STH 29; STH 156; 6.296 Miles; Grading, Base, Milling, Asphalt Pavement, Concrete Truck Apron, Bridge Replacement, Box Culverts, Culvert Pipe, Storm Sewer, Curb and Gutter, Beam Guard, Pavement Markings, and Signs.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 56,003 CY; Borrow, 125,824 CY; Selected Borrow, 21,633 CY; Backfill Granular, 450 CY; Backfill Structure, 2,418 Ton; Base Aggregate Dense, 34,015 Ton; Select Crushed Material, 120 Ton; Breaker Run, 389 Ton; Concrete Masonry Bridges, 525 CY; Concrete Masonry Culverts, 336 CY; Prestressed Girders, 860 LF 54-Inch; Bar Steel Reinforcement, 51,160 Lbs; Bar Steel Reinforcement Coated, 85,270 Lbs; Piling Steel, 560 LF 12-Inch; Pavement Marking Epoxy, 89,329 LF; Construction Staking, 67,806 LF; Construction Staking, 5 Each; Construction Staking, 6 LS; Culvert Pipe Corrugated Steel, 110 LF 18", 210 LF 24"; Culvert Pipe Reinforced Concrete, 310 LF 24", 56 LF 36"; Storm Sewer Pipe Reinforced Concrete, 42 LF 12"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 258 LF 24" X 38"; Concrete Curb and Gutter, 946 LF; Steel Plate Beam Guard, 1,318 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 15 Each; Asphaltic Surface, 605 Ton; HMA Pavement, 15,320 Ton; Removing Asphaltic Surface Milling, 6,345 SY; Tack Coat, 7,605 Gals; Signs, 1,882 SF; Concrete Truck Apron, 480 SY; Pipe Arch Corrugated Steel 57" X 38", 200 LF.

DBE Goal: 9 %

Contract Completion Date: August 31, 2018

***** NOTE *****

This contract requires pre-bid contact with the tribe whose land the project resides on. Additional documentation must be included when the Proposal Request (Form DT1633) is submitted. For further information on this requirement, please see the special provisions and/or contact Jim Volkmann.

Contact Information: Jim Volkmann, (715) 365-5773 / jim.volkmann@dot.wi.gov

30. Clintonville - Wittenberg, Gollnow Road - Menzel Road; Shawano County; 1600-22-71, WISC 2017 285; USH 45; 8.300 Miles; Grading, Base, Milling, Pulverize and Relay, Asphalt Pavement, Culvert Pipe, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 3,250 CY; Backfill Granular, 150 CY; Base Aggregate Dense, 7,767 Ton; Select Crushed Material, 342 Ton; Pavement Marking Epoxy, 172,119 LF; Construction Staking, 43,824 LF; Construction Staking, 6 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 158 LF 30"; Asphaltic Surface, 152 Ton; HMA Pavement, 40,119 Ton; Salvaged Asphaltic Pavement Milling, 158,359 SY; Tack Coat, 21,541 Gals; Signs, 564 SF; Pulverize and Relay, 208,184 SY.

DBE Goal: 6 %

Contract Completion Time: 40 Working Days

Contact Information: Jim Volkmann, (715) 365-5773 / jim.volkmann@dot.wi.gov

31. Eagle River - Land O Lakes, Culvert Replacement, C-63-13; Vilas County; 1601-13-60; USH 45; 0.052 Miles; Grading, Base, Culvert Replacement, Asphaltic Pavement, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 2,654 CY; Excavation Marsh, 79 CY; Backfill Structure, 460 Ton; Base Aggregate Dense, 845 Ton; Concrete Masonry Culverts, 138 CY; Bar Steel Reinforcement, 16,910 Lbs; Bar Steel Reinforcement Coated, 3,160 Lbs; Pavement Marking Epoxy, 2,460 LF; Construction Staking, 825 LF; Construction Staking, 2 LS; HMA Pavement, 357 Ton; Tack Coat, 72 Gals.

DBE Goal: NA

Contract Completion Date: August 31, 2017

Contact Information: Jed Peters, (715) 365-5731 / jed.peters@dot.wi.gov

32. Wittenberg - Antigo, Birch Road - Maple View Road; Langlade County; 1602-08-61, WISC 2017 286; USH 45; 4.050 Miles; Grading, Base, Milling, Asphalt Pavement, Culvert Pipe, Concrete Endwalls, Beam Guard, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 2,004 CY; Excavation Rock, 16 CY; Borrow, 4,718 CY; Backfill Structure, 233 Ton; Base Aggregate Dense, 2,656 Ton; Concrete Masonry Culverts, 100 CY; Bar Steel Reinforcement, 7,620 Lbs; Pavement Marking Epoxy, 96,222 LF; Construction Staking, 24,141 LF; Construction Staking, 1 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 98 LF 60", 18 LF 72"; Steel Plate Beam Guard, 288 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 1,012 Ton; HMA Pavement, 10,560 Ton; Removing Asphaltic Surface Milling, 101,491 SY; Tack Coat, 7,191 Gals; Signs, 775 SF.

DBE Goal: 8 %

Contract Completion Time: 40 Working Days

Contact Information: Dan Erva, (715) 365-5776 / daniel.erva@dot.wi.gov

33. Waupaca - New London, E. Jct. STH 22 to Royalton Overhead; Waupaca County; 6220-03-74, WISC 2017 287; STH 54; 0.000 Miles; Mill, Grade, Base, Culvert Pipe, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Signing, Pavement Marking, and Structure B-68-140.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 1,085 CY; Backfill Structure, 736 CY; Base Aggregate Dense, 534 Ton; Concrete Masonry Culverts, 47 CY; Concrete Masonry Endwalls, 25 CY; Bar Steel Reinforcement, 2,184 Lbs; Bar Steel Reinforcement Coated, 2,752 Lbs; Pavement Marking Epoxy, 97,381 LF; Construction Staking, 23,152 LF; Construction Staking, 2 Each; Construction Staking, 2 LS; Culvert Pipe Reinforced Concrete, 24 LF 24", 12 LF 30", 120 LF 84"; Concrete Curb, 30 LF; Concrete Curb and Gutter, 466 LF; Concrete Sidewalk, 688 SF; Steel Plate Beam Guard, 523 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 85 Ton; HMA Pavement, 10,011 Ton; Removing Asphaltic Surface Milling, 79,584 SY; Tack Coat, 5,750 Gals; Signs, 525 SF; Precast Concrete Box Culvert, 157 LF; Riprap, 292 CY.

DBE Goal: 6 %

Contract Completion Time: 30 Working Days

Contact Information: Wendy Arneson, (715) 421-7391 / wendy.arneson@dot.wi.gov

34. Wisconsin Rapids - Knowlton, Little Eau Pleine River, B-49-92; Portage County; 6340-00-72, WISC 2017 288; STH 34; 0.000 Miles; Bridge Rehabilitation.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Breaker Run, 15 CY; Bar Steel Reinforcement, 1,340 Lbs; Structural Grout, 158 CY; Preparation and Anchorage for Vinyl Sheet Piling, 3 Each; Piling Vinyl Sheet Permanent Delivered and Installed, 4,330 SF; Preparation of Pier Surfaces, 4,120 SF; Welded Wire Fabric 6 X 6 D4 / D4 (Grade 60), 4,000 SF.

DBE Goal: 3 %

Contract Completion Date: December 15, 2017

Contact Information: Wendy Arneson, (715) 421-7391 / wendy.arneson@dot.wi.gov

35. Catawba - STH 13, Needle Creek Bridge, B-50-0087; Price County; 8695-03-70, WISC 2017 289; STH 111; 0.064 Miles; Grading, Base, Asphaltic Pavement, Bridge B-50-0087, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 542 CY; Excavation Marsh, 606 CY; Borrow, 233 CY; Backfill Granular, 1,550 Ton; Base Aggregate Dense, 1,525 Ton; Concrete Masonry Bridges, 148 CY; Bar Steel Reinforcement, 3,740 Lbs; Bar Steel Reinforcement Coated, 18,160 Lbs; Piling CIP Concrete, 375 LF 10 3/4-Inch; Pavement Marking Epoxy, 1,440 LF; Construction Staking, 1,243 LF; Construction Staking, 2 LS; Steel Plate Beam Guard, 457 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 280 Ton; Tack Coat, 80 Gals; Signs, 12 SF.

DBE Goal: 7 %

Contract Completion Time: 35 Working Days

Contact Information: Jed Peters, (715) 365-5731 / jed.peters@dot.wi.gov

36. Wausau - Aniwa, Elm Road - USH 45; Marathon County; 9010-03-60, WISC 2017 290; STH 52; 13.940 Miles; Grading, Base, Milling, Asphalt Pavement, Culvert Pipes, Signs, Pavement Markings, and Seal Coat.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 6,185 Ton; Pavement Marking Epoxy, 231,546 LF; Construction Staking, 76,900 LF; Construction Staking, 9 Each; Culvert Pipe Reinforced Concrete, 336 LF 24", 50 LF 30", 50 LF 48"; Asphaltic Surface, 1,400 Ton; HMA Pavement, 16,895 Ton; Removing Asphaltic Surface Milling, 134,440 SY; Tack Coat, 9,410 Gals; Signs, 1,070 SF; Seal Coat, 78,505 SY; Lane Shift, 9 Each.

DBE Goal: 7 %

Contract Completion Time: 45 Working Days

Contact Information: Jed Peters, (715) 365-5731 / jed.peters@dot.wi.gov

37. Brule River - Iron Mountain, CTH NN - Michigan State Line; Florence County; 9120-09-70, WISC 2017 291; USH 2; 9.199 Miles; Base, Milling, Asphalt Pavement, Signs, Pavement Markings, and a Salt Storage Facility Building.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 3,666 Ton; Pavement Marking Epoxy, 221,140 LF; Construction Staking, 48,210 LF; Asphaltic Surface, 370 Ton; HMA Pavement, 20,284 Ton; Removing Asphaltic Surface Milling, 191,675 SY; Tack Coat, 13,152 Gals; Signs, 970 SF; Salt Storage Facility Building, 1 LS; Salt Storage Facility Electrical, 1 LS; Salt Storage Facility Site Improvements, 1 LS.

DBE Goal: 4 %

Contract Completion Date: September 25, 2017

Contact Information: Dan Erva, (715) 365-5776 / daniel.erva@dot.wi.gov

38. Northwest Region, Bridge Deck Sealing, Various Bridges; Northwest Region, Bridge Deck Sealing, Various Bridges; Northwest Region, Bridge Deck Sealing, Various Bridges; Chippewa; Eau Claire; Barron, Douglas, and Washburn Counties; 1190-10-82; 1190-10-83; 1190-10-84; USH 53; 0.000 Miles; Bridge Deck Sealing and Traffic Control.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Protective Surface Reseal, 59,886 SY.

DBE Goal: NA

Contract Completion Date: August 31, 2017

Contact Information: Mohamad Hayek, (715) 836-2065 / mohamad.hayek@dot.wi.gov

39. Spooner - Minong, Whalen Lake Road - Bus. 53 (Minong) NB; Washburn and Douglas Counties; 1198-08-70, WISC 2017 292; USH 53; 11.15 Miles; Mill, Asphalt Pavement, Base, Culvert Pipes, Signs, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 2,590 Ton; Pavement Marking Wet Reflective Tape, 17,638 LF; Pavement Marking Epoxy, 117,880 LF; Construction Staking, 58,150 LF; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 8 LF 24"; Asphaltic Surface, 564 Ton; HMA Pavement, 37,594 Ton; Removing Asphaltic Surface Milling, 275,810 SY; Tack Coat, 24,661 Gals; Signs, 1,203 SF.

DBE Goal: 8 %

Contract Completion Time: 45 Working Days

Contact Information: Brendan Dirkes, (715) 395-3026 / brendan.dirkes@dot.wi.gov

40. St. Croix Falls - Turtle Lake, St. Croix River to Glacier Drive; St. Croix Falls - Turtle Lake, B-48-0004, B-48-0038, and B-48-0039; Polk County; 1570-00-72, WISC 2017 293; 1570-00-73; USH 8; 2.17 Miles; Base, Concrete Pavement, Concrete Pavement Repair and Replacement, Concrete Joint Repairs, Asphalt Pavement, Guardrail, Signs, Pavement Marking, and Polymer Overlays on Structures B-48-004, B-48-0038, and B-48-0039.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 344 CY; Base Aggregate Dense, 1,105 Ton; Concrete Pavement, 471 SY; Pavement Marking Wet Reflective Tape, 13,060 LF; Pavement Marking Epoxy, 54,307 LF; Construction Staking, 17,417 LF; Construction Staking, 2 LS; Concrete Curb and Gutter, 510 LF; Steel Plate Beam Guard, 483 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 50 Ton; HMA Pavement, 3,420 Ton; Removing Asphaltic Surface Milling, 22,666 SY; Tack Coat, 2,667 Gals; Signs, 2,059 SF; Polymer Overlay, 2,298 SY; Cleaning and Patching Concrete Joints and Cracks, 6,794 LF; Concrete Pavement Repair Doweled Special, 4,890 SY; Concrete Pavement Replacement Doweled Special, 9,724 SY.

DBE Goal: 8 %

Contract Completion Date: September 15, 2017

Contact Information: Beth Cunningham, (715) 635-4973 /
beth.cunningham@dot.wi.gov

41. St. Croix Falls - Turtle Lake, STH 46 North Junction Intersection; Polk County; 1570-01-74, WISC 2017 294; USH 8; 0.188 Miles; Grading, Base, Asphaltic Pavement, Culvert Pipe, Curb and Gutter, Signs, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 1,900 CY; Excavation Marsh, 1,350 CY; Backfill Granular, 4,270 CY; Base Aggregate Dense, 1,511 Ton; Pavement Marking Epoxy, 2,585 LF; Construction Staking, 3,593 LF; Construction Staking, 3 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 30 LF 24", 6 LF 36"; Concrete Curb and Gutter, 59 LF; HMA Pavement, 620 Ton; Tack Coat, 175 Gals; Signs, 28 SF.

DBE Goal: 10 %

Contract Completion Time: 25 Working Days

Contact Information: Beth Cunningham, (715) 635-4973 /
beth.cunningham@dot.wi.gov

42. Alma - Hager City, STH 25 North Junction to Walnut Street; Pepin and Buffalo Counties; 1720-00-70, WISC 2017 295; STH 35; 12.201 Miles; Mill, Asphalt Pavement, Base, Curb and Gutter, Sidewalk, Guardrail, Signs, and Pavement Marking.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Base Aggregate Dense, 2,710 Ton; Pavement Marking Epoxy, 238,596 LF; Construction Staking, 64,421 LF; Construction Staking, 1 LS; Concrete Curb, 212 LF; Concrete Curb and Gutter, 1,252 LF; Concrete Sidewalk, 6,704 SF; Steel Plate Beam Guard, 16,139 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 68 Each; Asphaltic Surface, 360 Ton; HMA Pavement, 46,285 Ton; Removing Asphaltic Surface Milling, 260,052 SY; Tack Coat, 28,674 Gals; Signs, 1,617 SF.

DBE Goal: 9 %

Contract Completion Time: 85 Calendar Days

Contact Information: David Koepp, (715) 836-2078 / david.koepp@dot.wi.gov

43. Town of Salem, 400th Street, Branch Rush River Bridge, B-47-0212; Pierce County; 7896-00-70; Local Street; 0.000 Miles; Grade, Base, Asphaltic Surface, Guardrail, and Structure B-47-0212.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 310 CY; Backfill Structure, 850 Ton; Base Aggregate Dense, 850 Ton; Concrete Masonry Culverts, 56 CY; Bar Steel Reinforcement, 7,165 Lbs; Piling Steel, 1,120 LF 10-Inch; Construction Staking, 900 LF; Construction Staking, 2 LS; Steel Plate Beam Guard, 225 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 175 Ton; Tack Coat, 55 Gals; Signs, 12 SF; Three Sided Precast Concrete Structure B-47-0212, 36 LF.

DBE Goal: NA

Contract Completion Date: September 1, 2017

Contact Information: Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

44. Ashland - Bayfield, Superior Avenue to 7th Street; Bayfield County; 8160-03-70, WISC 2017 296; STH 13; 10.717 Miles; Mill, Base, Asphalt Pavement, Guardrail, Signs, and Pavement Marking.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Base Aggregate Dense, 7,108 Ton; Pavement Marking Epoxy, 196,981 LF; Construction Staking, 56,123 LF; Construction Staking, 1 LS; Steel Plate Beam Guard, 6,786 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 23 Each; Asphaltic Surface, 4,600 Ton; HMA Pavement, 44,181 Ton; Removing Asphaltic Surface Milling, 171,525 SY; Tack Coat, 23,663 Gals; Signs, 1,400 SF; Removing Asphaltic Surface Milling Full Depth, 62,227 SY.

DBE Goal: 10 %

Contract Completion Date: September 1, 2017

Contact Information: Dave Ostrowski, (715) 392-7953 / david.ostrowski@dot.wi.gov

45. Ojibwa - Oxbo, CTH W - CTH GG; Sawyer County; 8170-01-63; STH 70; 10.40 Miles; Asphaltic Surface Sealing, Pavement Markings, Signing, and Guardrail.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Pavement Marking Paint, 192,298 LF; Construction Staking, 54,912 LF; Construction Staking, 1 LS; Steel Plate Beam Guard, 281 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 1 Each; Signs, 598 SF; Chip Seal, 166,238 SY; Fog Seal, 166,238 SY.

DBE Goal: NA

Contract Completion Time: 25 Working Days

Contact Information: Matthew Dickenson, (715) 395-3022 / matthew.dickenson@dot.wi.gov

46. Village of Exeland - 2nd Street, Weirgor Creek Bridge, B-57-0052; Sawyer County; 8570-00-60, WISC 2017 297; STH 48; 0.000 Miles; Mill, Base, Concrete Pavement, Asphaltic Surface, Guardrail, Pavement Marking, and Structure B-57-0052.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Backfill Structure, 45 Ton; Base Aggregate Dense, 100 Ton; Concrete Pavement, 210 SY; Concrete Masonry Bridges, 122 CY; Bar Steel Reinforcement Coated, 33,310 Lbs; Pavement Marking Epoxy, 664 LF; Construction Staking, 2 LS; Steel Plate Beam Guard, 228 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 70 Ton; Removing Asphaltic Surface Milling, 520 SY; Tack Coat, 40 Gals; Signs, 12 SF; Painting Epoxy System, 1 LS.

DBE Goal: 15 %

Contract Completion Date: August 31, 2017

Contact Information: Matthew Dickenson, (715) 395-3022 / matthew.dickenson@dot.wi.gov

47. Bruce - Radisson, Couderay River Bridge, B-57-0089; Sawyer County; 8590-01-76; STH 40; 0.067 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Bridge Replacement, Storm Sewer, Curb and Gutter, Beam Guard, Concrete Panel Wall, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 815 CY; Borrow, 1,656 CY; Backfill Structure, 3,450 Ton; Subbase, 730 Ton; Base Aggregate Dense, 855 Ton; Concrete Pavement, 155 SY; Concrete Masonry Bridges, 303 CY; Concrete Masonry Retaining Walls, 37 CY; Prestressed Girders, 575 LF 54-Inch; Bar Steel Reinforcement, 6,860 Lbs; Bar Steel Reinforcement Coated, 44,920 Lbs; Piling Steel, 335 LF 12-Inch; Pavement Marking Epoxy, 2,100 LF; Construction Staking, 1,418 LF; Construction Staking, 4 Each; Construction Staking, 3 LS; Storm Sewer Pipe Reinforced Concrete, 98 LF 18"; Concrete Curb and Gutter, 95 LF; Steel Plate Beam Guard, 158 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 245 Ton; Tack Coat, 45 Gals; Signs, 18 SF; Wall Concrete Panel, 403 SF.

DBE Goal: NA

Contract Completion Time: 55 Working Days

Contact Information: Philip Keppers, (715) 395-3027 / philip.keppers@dot.wi.gov

48. Cumberland - STH 70, Delano Road to CTH EE; Burnett County; 8818-00-70, WISC 2017 298; CTH H; 3.906 Miles; Common Excavation, Base, Asphaltic Pavement, Culvert Pipe, Signs, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 3,933 CY; Base Aggregate Dense, 20,458 Ton; Breaker Run, 2,360 Ton; Pavement Marking Epoxy, 73,788 LF; Construction Staking, 20,625 LF; Construction Staking, 1 LS; Culvert Pipe, 50 LF 18", 212 LF 24"; HMA Pavement, 13,645 Ton; Tack Coat, 3,980 Gals; Signs, 275 SF.

DBE Goal: 10 %

Contract Completion Date: September 15, 2017

Contact Information: Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

49. Town of Hammel, Center Avenue, Washington Creek Bridge, B-60-0143; Taylor County; 8891-00-70; Local Street; 0.000 Miles; Base, Asphaltic Surface, and Structure B-60-0143.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Backfill Structure, 180 Ton; Base Aggregate Dense, 320 Ton; Concrete Masonry Bridges, 138 CY; Bar Steel Reinforcement, 3,470 Lbs; Bar Steel Reinforcement Coated, 18,765 Lbs; Structural Steel Carbon, 495 Lbs; Piling Steel, 150 LF 10-Inch; Construction Staking, 699 LF; Construction Staking, 2 LS; Asphaltic Surface, 110 Ton; Tack Coat, 33 Gals; Signs, 12 SF.

DBE Goal: NA

Contract Completion Time: 40 Working Days

Contact Information: Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

50. Town of Rib Lake, Trout Avenue, Porky Creek Bridge, P-60-0948; Taylor County; 9545-00-70; Local Street; 0.047 Miles; Grading, Base, Asphalt Pavement, and Culvert Pipe.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 350 CY; Backfill Granular, 210 Ton; Base Aggregate Dense, 680 Ton; Breaker Run, 225 Ton; Construction Staking, 750 LF; Construction Staking, 2 Each; Construction Staking, 1 LS; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 82 LF 48" X 76"; Asphaltic Surface, 75 Ton; Tack Coat, 20 Gals; Base Course Aggregate (Size) Number 2, 90 CY; Riprap Medium, 25 CY.

DBE Goal: NA

Contract Completion Time: 15 Working Days

Contact Information: Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

By order of:

Joe Nestler
Administrator
Division of Transportation System Development