

*** REVISED ***

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT
NOTICE TO CONTRACTORS**

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, June 13, 2017, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in Room 601.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, 4802 Sheboygan Avenue, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development in Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

ELECTRONIC BIDDING

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

PROPOSAL GUARANTY

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND PROPOSALS

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

PLAN HOLDERS and ELIGIBLE BIDDERS

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

QUALIFICATIONS OF BIDDERS

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

HOURS OF LABOR AND MINIMUM WAGE RATES

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

AFFIDAVIT OF NON-COLLUSION

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

GENERAL CONSTRUCTION

1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 33, 34, 35, 36, 37, 39, 40

GRADING

21

CONCRETE PAVEMENT

ASPHALTIC PAVEMENT

1, 9, 11, 13, 22, 23, 24, 25, 26, 27, 28, 31, 32, 33, 34, 36, 39

STRUCTURES

2, 3, 4, 5, 7, 10, 12, 14, 16, 35, 37, 38, 40, 41

BRIDGE PAINTING

19

STREET OR AIRPORT LIGHTING

BUILDING CONSTRUCTION

INCIDENTAL CONSTRUCTION

15, 18, 20, 29

1. Boscobel - Readstown, STH 60 to Bell Center Road; Crawford County; 1650-02-60, WISC 2017 313; USH 61; 0.000 Miles; Mill, Mill and Relay, Grade, Base, Culvert Pipe, Asphalt Pavement, Curb and Gutter, Beam Guard, Signing, Pavement Marking, and Structure B-12-0019.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 93 CY; Borrow, 2,709 CY; Base Aggregate Dense, 4,886 Ton; Select Crushed Material, 5,000 Ton; Concrete Masonry Overlay, 48 CY; Pavement Marking Epoxy, 323,119 LF; Construction Staking, 62,140 LF; Culvert Pipe Corrugated Steel, 10 LF 24", 4 LF 72"; Concrete Curb, 5 LF; Concrete Curb and Gutter, 2,136 LF; Steel Plate Beam Guard, 13,521 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 36 Each; Asphaltic Surface, 83 Ton; HMA Pavement, 59,355 Ton; Removing Asphaltic Surface Milling, 45,389 SY; Tack Coat, 13,118 Gals; Signs, 1,419 SF; Backfill Controlled Low Strength, 79 CY; Mill and Relay, 255,496 SY; Riprap, 70 CY.

DBE Goal: 6 %

Contract Completion Time: 55 Working Days

Contact Information: Tim Maedtke, (608) 789-6317 / timothy.maedtke@dot.wi.gov

2. Fort Atkinson - Palmyra, Bark River Bridge, B-28-183; Jefferson County; 3576-02-81, WISC 2017 314; STH 106; 0.209 Miles; Excavation, Base, Structure Replacement, Curb and Gutter, HMA Pavement, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 2,332 CY; Backfill Structure, 400 Ton; Base Aggregate Dense, 2,992 Ton; Select Crushed Material, 3,757 Ton; Concrete Pavement, 50 SY; Concrete Masonry Bridges, 260 CY; Prestressed Girders, 360 LF 45-Inch; Bar Steel Reinforcement, 4,260 Lbs; Bar Steel Reinforcement Coated, 31,830 Lbs; Piling Steel, 900 LF 10-Inch; Pavement Marking Epoxy, 2,778 LF; Construction Staking, 3,000 LF; Construction Staking, 3 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 80 LF 18"; Culvert Pipe Reinforced Concrete, 12 LF 12"; Concrete Curb and Gutter, 42 LF; Steel Plate Beam Guard, 558 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 925 Ton; Tack Coat, 92 Gals; Signs, 6 SF; Salvaged Topsoil Wetlands, 2,528 SY.

DBE Goal: 6 %

Contract Completion Date: November 1, 2017

Contact Information: Brandan Hager, (608) 245-2625 / brandan.hager@dot.wi.gov

3. Sauk City - Madison, Terrace Avenue Structures, B-13-228 / B-13-14; Dane County; 5300-01-83, WISC 2017 315; USH 12; 0.000 Miles; Grading, Base, Milling, Asphalt Pavement, Concrete Pavement, Bridge Rehabilitation, Deck Overlay, Wingwall Replacement, Storm Sewer, Beam Guard, Concrete Barrier, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 100 CY; Backfill Structure, 20 Ton; Base Aggregate Dense, 210 Ton; Concrete Pavement, 1,226 SY; Concrete Masonry Bridges, 474 CY; Concrete Masonry Overlay, 101 CY; Bar Steel Reinforcement Coated, 109,390 Lbs; Pavement Marking Wet Reflective Tape, 534 LF; Pavement Marking Epoxy, 10,620 LF; Construction Staking, 435 LF; Construction Staking, 5 Each; Storm Sewer Pipe Reinforced Concrete, 168 LF 12"; Concrete Curb, 36 LF; Steel Plate Beam Guard, 570 LF; Asphaltic Surface, 18 Ton; HMA Pavement, 107 Ton; Removing Asphaltic Surface Milling, 1,225 SY; Tack Coat, 91 Gals; Structure Repainting, 2 LS; Culvert Pipe Corrugated Polyethylene 12-Inch, 96 LF; Concrete Barrier, 40 LF; Cleaning Decks, 1,500 SY; Cleaning Parapets, 562 LF.

DBE Goal: 4 %

Contract Completion Date: July 1, 2018

Contact Information: David Layton, (608) 246-3821 / david.layton@dot.wi.gov

4. Sauk City - Merrimac, Culvert C-11-2051; Columbia County; 5726-07-81; STH 188; 0.076 Miles; Base, Excavation, Concrete Box Culvert, Asphaltic Surface, Guardrail, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 715 CY; Excavation Marsh, 2,016 CY; Backfill Granular, 3,023 CY; Backfill Structure, 140 Ton; Base Aggregate Dense, 750 Ton; Select Crushed Material, 1,200 Ton; Concrete Masonry Bridges, 94 CY; Bar Steel Reinforcement, 4,180 Lbs; Bar Steel Reinforcement Coated, 7,310 Lbs; Piling CIP Concrete, 930 LF 10 3/4-Inch; Pavement Marking Epoxy, 1,600 LF; Construction Staking, 1,071 LF; Construction Staking, 2 Each; Construction Staking, 2 LS; Steel Plate Beam Guard, 177 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 270 Ton; Tack Coat, 35 Gals; Signs, 14 SF; Prestressed Girders Box, 186 LF.

DBE Goal: NA

Contract Completion Date: October 15, 2017

Contact Information: Mahesh Shrestha, (608) 245-2674 / mahesh.shrestha@dot.wi.gov

5. Deforest - Portage, Rowan Creek Bridge, B-11-157; Columbia County; 6020-04-81, WISC 2017 316; USH 51; 0.086 Miles; Base, HMA Pavement, Structure Replacement, Pavement Marking, and Guardrail.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 3,078 CY; Backfill Structure, 201 Ton; Base Aggregate Dense, 2,719 Ton; Select Crushed Material, 2,515 Ton; Concrete Pavement, 162 SY; Concrete Masonry Bridges, 428 CY; Bar Steel Reinforcement, 6,110 Lbs; Bar Steel Reinforcement Coated, 59,320 Lbs; Piling Steel, 600 LF 10-Inch; Pavement Marking Epoxy, 1,775 LF; Construction Staking, 3,100 LF; Construction Staking, 1 LS; Steel Plate Beam Guard, 340 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 700 Ton; Tack Coat, 260 Gals; Signs, 15 SF; Stainless Steel Bar Steel Reinforcement, 440 Lbs.

DBE Goal: 6 %

Contract Completion Date: October 13, 2017

Contact Information: Robert Lex, (608) 246-5622 / robert.lex@dot.wi.gov

6. N-S Freeway - CTH K Interchange, CTH K IC Crossroad; Racine County; 1030-11-71; IH 94; 0.000 Miles; Grade, Base, Culvert Pipe, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signals, Lighting, Signing, Overhead Sign Supports, and Pavement Marking.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 56,702 CY; Base Aggregate Dense, 36,450 Ton; Select Crushed Material, 26,372 Ton; Base Aggregate Open Graded, 30 Ton; Concrete Pavement, 31,248 SY; Concrete Masonry Endwalls, 4 CY; Pavement Marking Epoxy, 46,115 LF; Pavement Marking Paint, 2,909 LF; Culvert Pipe Corrugated Steel, 42 LF 18", 89 LF 24"; Culvert Pipe Reinforced Concrete, 35 LF 30", 77 LF 36"; Storm Sewer Pipe Reinforced Concrete, 2,036 LF 12", 314 LF 15", 68 LF 18", 1,387 LF 24", 719 LF 36"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 493 LF 19" X 30", 327 LF 24" X 38", 58 LF 29" X 45"; Concrete Curb and Gutter, 17,324 LF; Concrete Sidewalk, 28,172 SF; Asphaltic Surface, 207 Ton; HMA Pavement, 8,454 Ton; Tack Coat, 2,306 Gals; Signs, 1,300 SF; Riprap, 153 CY; Overhead Sign Supports, 3 LS; Pull Boxes, 41 Each; Concrete Bases, 25 Each; Poles, 20 Each.

DBE Goal: NA

Contract Completion Date: July 20, 2018

Contact Information: Frank Pritzlaff, (262) 548-5683 / frank.pritzlaff@dot.wi.gov

7. Marquette Interchange Bridges - IH 43 / IH 94 / IH 794; Valley Bridge, IH 43 / IH 94, Virginia Street - 1,500 Ft. N (Menomonee River); Milwaukee County; 1060-28-70, WISC 2017 317; 1228-21-71, WISC 2017 319; IH 43 / IH 94 / IH 794; IH 43 / IH 94; 0.000 Miles; Mill, Grade, Base, Asphalt Pavement, Lighting, and Structures B-40-285, 1111, 1121-1123, 1131, 1132, 1211, 1221, 1222, 1231, 1311, 1321-1323, 1411, and 1421-1423.

Guaranty Required: \$550,000.00

Estimate of Principal Items: Base Aggregate Dense, 40 Ton; Concrete Masonry Overlay, 2,543 CY; Pavement Marking Wet Reflective Tape, 24,487 LF; Pavement Marking Epoxy, 88,021 LF; Asphaltic Surface, 130 Ton; Removing Asphaltic Surface Milling, 780 SY; Backfill Controlled Low Strength, 40 CY; Compression Joint Sealer Preformed Elastomeric, 206 LF; Riprap, 2 CY; Poles, 11 Each; Polyester Polymer Concrete Overlay with Milling and Trial Overlay, 2,380 CY; Overcoating Field Splices, 191 Each.

DBE Goal: 10 %

Contract Completion Date: September 15, 2018

Contact Information: Josh Leveque, (414) 750-1468 / joshua.leveque@dot.wi.gov

8. DEFERRED

9. Plainfield - Stevens Point, CTH O to STH 54, NB; Portage County; 1166-05-79, WISC 2017 320; IH 39; 16.917 Miles; Base, Milling, Asphalt Pavement, Pavement Markings, Signs, Ramp Closure Gates, and Sealing Asphaltic Cracks.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 800 Ton; Pavement Marking Wet Reflective Tape, 27,635 LF; Pavement Marking Epoxy, 189,692 LF; Construction Staking, 89,448 LF; Asphaltic Surface, 190 Ton; HMA Pavement, 29,919 Ton; Removing Asphaltic Surface Milling, 30,083 Ton; Tack Coat, 22,467 Gals; Signs, 3,473 SF; Traffic Signal Standards, 6 Each; Ramp Closure Gates, 6 Each; Sealing Asphaltic Pavement Cracks, 72,550 LF.

DBE Goal: 8 %

Contract Completion Date: May 24, 2018

Contact Information: Dan Holloway, (715) 421-7305 / daniel.holloway@dot.wi.gov

10. Plainfield - Stevens Point, STH 54 Interchange, B-49-0013; Portage County; 1166-12-71, WISC 2017 321; IH 39; 0.069 Miles; Bridge Rehabilitation, Removing Concrete Masonry Deck, Concrete Masonry Overlay, Temporary Traffic Signals, Asphaltic Surface, Concrete Curb and Gutter, Base, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Base Aggregate Dense, 108 Ton; Concrete Masonry Overlay, 138 CY; Pavement Marking Wet Reflective Tape, 3,198 LF; Pavement Marking Epoxy, 3,533 LF; Construction Staking, 385 LF; Concrete Curb and Gutter, 359 LF; Asphaltic Surface, 115 Ton; Removing Asphaltic Surface Milling, 267 SY; Tack Coat, 17 Gals; Signs, 383 SF; Temporary Traffic Signals, 1 LS; Temporary Vehicle Detection, 1 LS.

DBE Goal: 5 %

Contract Completion Date: June 1, 2018

Contact Information: Dan Holloway, (715) 421-7305 / daniel.holloway@dot.wi.gov

11. Montello - Wautoma, Park Street to CTH JJ; Marquette County; 6150-01-76, WISC 2017 322; STH 22; 13.530 Miles; Base, Removing Asphaltic Surface Milling, HMA Pavement, Guardrail, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 7,359 CY; Base Aggregate Dense, 10,458 Ton; Pavement Marking Epoxy, 188,855 LF; Construction Staking, 80,299 LF; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 12 LF 18", 78 LF 24", 18 LF 30"; Concrete Curb and Gutter, 322 LF; Steel Plate Beam Guard, 458 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 108 Ton; HMA Pavement, 29,363 Ton; Removing Asphaltic Surface Milling, 10,114 SY; Tack Coat, 15,866 Gals; Signs, 815 SF.

DBE Goal: 8 %

Contract Completion Date: August 31, 2017

Contact Information: Daniel Holloway, (715) 421-7305 / daniel.holloway@dot.wi.gov

12. Medford - Merrill, Culvert Replacement, C-35-19; Lincoln County; 9000-05-60; STH 64; 0.038 Miles; Base, Common Excavation, Asphalt Pavement, Concrete Pipe Installation, Concrete Masonry Culverts, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 1,207 CY; Excavation Marsh, 106 CY; Backfill Granular, 1,900 Ton; Backfill Structure, 1,040 Ton; Base Aggregate Dense, 585 Ton; Concrete Masonry Culverts, 77 CY; Bar Steel Reinforcement, 1,390 Lbs; Bar Steel Reinforcement Coated, 6,080 Lbs; Pavement Marking Epoxy, 650 LF; Construction Staking, 600 LF; Construction Staking, 2 LS; HMA Pavement, 155 Ton; Tack Coat, 50 Gals; Culvert Pipe Reinforced Concrete 144-Inch Installed, 91 LF.

DBE Goal: NA

Contract Completion Time: 16 Calendar Days

Contact Information: Jed Peters, (715) 365-5731 / jed.peters@dot.wi.gov

13. Antigo - Lily, Kent Road - STH 55; Langlade County; 9175-10-60, WISC 2017 323; STH 52; 3.520 Miles; Removing Asphaltic Surface Milling, Base, HMA Pavement, Beam Guard, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Borrow, 1,325 CY; Backfill Granular, 65 CY; Base Aggregate Dense, 1,528 Ton; Pavement Marking Epoxy, 71,886 LF; Construction Staking, 21,129 LF; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 7 LF 24"; Culvert Pipe Reinforced Concrete, 76 LF 24", 50 LF 30"; Steel Plate Beam Guard, 1,500 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 8 Each; Asphaltic Surface, 87 Ton; HMA Pavement, 5,220 Ton; Removing Asphaltic Surface Milling, 49,708 SY; Tack Coat, 3,480 Gals; Signs, 221 SF.

DBE Goal: 6 %

Contract Completion Time: 25 Working Days

Contact Information: Dan Erva, (715) 365-5776 / daniel.erva@dot.wi.gov

14. Ogema - Tomahawk, Culvert Replacement, C-50-19; Price County; 9216-07-60; STH 86; 0.076 Miles; Grading, Base, Culvert Replacement, HMA Pavement, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 1,588 CY; Excavation Marsh, 120 CY; Backfill Granular, 2,840 Ton; Backfill Structure, 710 Ton; Base Aggregate Dense, 495 Ton; Concrete Masonry Culverts, 198 CY; Bar Steel Reinforcement, 28,390 Lbs; Bar Steel Reinforcement Coated, 1,220 Lbs; Pavement Marking Epoxy, 42,330 LF; Construction Staking, 675 LF; Construction Staking, 2 LS; HMA Pavement, 173 Ton; Tack Coat, 60 Gals.

DBE Goal: NA

Contract Completion Time: 35 Working Days

Contact Information: Jed Peters, (715) 365-5731 / jed.peters@dot.wi.gov

15. Northwest Region Pavement Marking 2017; NW Region-Wide; 1000-18-11, WISC 2017 324; Various Highways; 0.000 Miles; Pavement Marking and Pavement Marking Removal.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Pavement Marking Epoxy, 3,085,384 LF.

DBE Goal: 10 %

Contract Completion Date: October 27, 2017

Contact Information: Mahamad Hayek, (715) 836-2065 / mahamad.hayek@dot.wi.gov

16. Osseo - Black River Falls, Structures B-27-20, 24, 25, 46, 47, and 52; Jackson County; 1020-00-83; IH 94; 0.000 Miles; Concrete Masonry Bridges, Fiber Wrap, and Salvage and Reinstall Beam Guard.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Backfill Structure, 28 Ton; Concrete Masonry Bridges, 30 CY; Bar Steel Reinforcement Coated, 2,815 Lbs; Salvage and Reinstall Beam Guard, 225 LF; Fiber Wrap Reinforcing Structural, 752 SF.

DBE Goal: NA

Contract Completion Time: 24 Calendar Days

Contact Information: Matthew Thorsen, (715) 836-3922 / matthew.thorsen@dot.wi.gov

17. Hudson - Baldwin, STH 35 North to USH 12; St. Croix County; 1020-06-75, WISC 2017 186; IH 94; 0.000 Miles; Grade, Base, Culvert Pipe Liners, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Cable Barrier, Wall Concrete Panel MSE, Noise Barrier Walls, Signals, Lighting, Signing, S-55-57 - 71, Pavement Marking, and Structures B-55-65, 66, and 148.

Guaranty Required: \$720,000.00

Estimate of Principal Items: Excavation Common, 162,338 CY; Selected Borrow, 6,000 CY; Backfill Structure, 3,174 CY; Base Aggregate Dense, 110,591 Ton; Concrete Pavement, 83,755 SY; Concrete Masonry Bridges, 1,889 CY; Concrete Masonry Retaining Walls, 1,334 CY; Prestressed Girders, 1,149 LF I-45-Inch; Bar Steel Reinforcement, 8,970 Lbs; Bar Steel Reinforcement Coated, 616,575 Lbs; Structural Steel HS, 10,245 Lbs; Piling Steel, 615 LF 10-Inch; Pavement Marking Wet Reflective Tape, 53,561 LF; Pavement Marking Epoxy, 164,785 LF; Storm Sewer Pipe Reinforced Concrete, 370 LF 12", 225 LF 15", 612 LF 18", 25 LF 24", 70 LF 30", 11 LF 36", 130 LF 48"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 4 LF 19" X 30"; Concrete Curb and Gutter, 7,352 LF; Concrete Sidewalk, 2,514 SF; Steel Plate Beam Guard, 5,955 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 16 Each; HMA Pavement, 7,935 Ton; Tack Coat, 2,685 Gals; Signs, 11,177 SF; Rout and Seal, 65,182 LF; Steel Diaphragms, 63 Each; Culvert Pipe Liners, 122 LF; Noise Barrier, 44,150 SF; Concrete Barrier, 8,935 LF; Riprap, 122 CY; Cable Barrier, 2,796 LF; Sign Supports Concrete Masonry, 234 CY; Sign Bridge, 16 LS; Pull Boxes, 10 Each; Concrete Bases, 24 Each; Poles, 97 Each; Lighting Control Cabinets, 4 Each; Wall Concrete Panel Mechanically Stabilized Earth, 24,110 SF.

DBE Goal: 6 %

Contract Completion Date: November 21, 2018

Contact Information: Matthew Thorsen, (715) 836-3922 /
matthew.thorsen@dot.wi.gov

18. Trimbelle - STH 35, STH 35 - USH 10; Pierce County; 7894-03-71, WISC 2017 176; CTH O; 8.447 Miles; Signs, Pavement Marking, and Guardrail.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Base Aggregate Dense, 627 Ton; Pavement Marking Epoxy, 165,500 LF; Steel Plate Beam Guard, 1,687 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 36 Each; Signs, 1,497 SF; Barrier System Grading Shaping Finishing, 40 Each.

DBE Goal: 13 %

Contract Completion Time: 30 Working Days

Contact Information: Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

19. Madison - Packwaukee, Canadian Pacific RR Bridges, B-11-58/59; Madison - Packwaukee, Wisconsin River Bridges, B-11-55/56; Portage - Packwaukee, STH 16 Interchange Area; Columbia County; 1161-02-61, WISC 2017 310; 1161-02-63, WISC 2017 311; 1161-02-66, WISC 2017 312; IH 39; 0.000 Miles; Grade, Base, Culvert Pipe, Asphalt Pavement, Curb and Gutter, Cable Barrier, Beam Guard, Signing, Pavement Marking, and Structures B-11-55, 56, 58, and 59.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 13,106 CY; Base Aggregate Dense, 7,110 Ton; Select Crushed Material, 5,100 Ton; Concrete Masonry Overlay, 192 CY; Bar Steel Reinforcement Coated, 20,070 Lbs; Pavement Marking Epoxy, 64,981 LF; Construction Staking, 24,582 LF; Construction Staking, 6 Each; Construction Staking, 7 LS; Culvert Pipe Corrugated Steel, 1,188 LF 18"; Concrete Curb and Gutter, 1,114 LF; Steel Plate Beam Guard, 150 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 2 Each; HMA Pavement, 1,988 Ton; Tack Coat, 492 Gals; Signs, 91 SF; Expansion Device, 4 LS; Cable Barrier, 7,036 LF.

DBE Goal: 20 %

Contract Completion Date: October 31, 2018

Contact Information: Chris Hodges, (608) 246-7911 / chris.hodges@dot.wi.gov

20. North - South Freeway, Ozaukee County Line to STH 32; Ozaukee County; 1228-03-64, WISC 2017 318; IH 43; 0.000 Miles; Route and Seal, Crack Sealing, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Pavement Marking Wet Reflective Tape, 2,500 LF; Pavement Marking Epoxy, 266,160 LF; Crack Sealing Modified, 13,900 Lbs; Route and Seal Modified, 138,948 Lbs.

DBE Goal: 20 %

Contract Completion Time: 30 Working Days

Contact Information: Evan Limberatos, (262) 548-8797 / evan.limberatos@dot.wi.gov

21. Dodgeville - Mt. Horeb, CTH ID Interchange / B-25-173, 174, 175; Iowa County; 1204-02-76, WISC 2017 337; USH 18; 0.000 Miles; Grade, Base, Culvert Pipe, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Lighting, Signing, Pavement Marking, and Structures B-25-173, 174, and 175.

Guaranty Required: \$330,000.00

Estimate of Principal Items: Excavation Common, 546,805 CY; Excavation Rock, 174,659 CY; Backfill Structure, 1,576 CY; Base Aggregate Dense, 102,172 Ton; Select Crushed Material, 59,776 Ton; Concrete Pavement, 6,384 SY; Concrete Masonry Bridges, 1,581 CY; Concrete Masonry Endwalls, 24 CY; Prestressed Girders, 1,609 LF 45W-Inch, 1,428 LF 54W-Inch; Bar Steel Reinforcement, 26,840 Lbs; Bar Steel Reinforcement Coated, 231,900 Lbs; Structural Steel Stainless, 2,940 Lbs; Structural Steel HS, 4,700 Lbs; Piling Steel, 1,315 LF 12-Inch; Pavement Marking Epoxy, 80,361 LF; Construction Staking, 141,655 LF; Construction Staking, 70 Each; Construction Staking, 6 LS; Culvert Pipe, 1,184 LF 18", 238 LF 24", 364 LF 36", 178 LF 42", 148 LF 54"; Culvert Pipe Reinforced Concrete, 82 LF 18", 472 LF 24", 788 LF 30", 248 LF 42"; Storm Sewer Pipe Reinforced Concrete, 225 LF 12", 216 LF 15", 278 LF 18", 108 LF 24"; Concrete Curb, 185 LF; Concrete Curb and Gutter, 6,755 LF; Concrete Sidewalk, 8,760 SF; Steel Plate Beam Guard, 2,219 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 10 Each; Asphaltic Surface, 285 Ton; HMA Pavement, 24,580 Ton; Tack Coat, 6,010 Gals; Signs, 2,179 SF; Rout and Seal, 6,620 LF; Steel Diaphragms, 34 Each; Riprap, 46 CY; Sign Supports Concrete Masonry, 8 CY; Sign Supports Steel Reinforcement, 460 Lbs; Concrete Bases, 13 Each; Poles, 12 Each; Pull Boxes, 9 Each; Shot Rock, 940 CY.

DBE Goal: 8 %

Contract Completion Date: October 26, 2018

Contact Information: Chris Hazard, (608) 245-2652 / christopher.hazard@dot.wi.gov

22. Cambridge - Jefferson, USH 12 to STH 26 Interchange; Jefferson County; 3080-03-60; USH 18; 9.302 Miles; Removing Asphaltic Surface Milling, Base, HMA Pavement, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 10,655 Ton; Pavement Marking Epoxy, 196,652 LF; Construction Staking, 49,115 LF; HMA Pavement, 19,737 Ton; Removing Asphaltic Surface Milling, 171,623 SY; Tack Coat, 12,183 Gals; Signs, 911 SF; Asphalt Center Line Rumble Strips Two-Lane Rural, 38,204 LF.

DBE Goal: NA

Contract Completion Date: September 29, 2017

Contact Information: Mahesh Shrestha, (608) 245-2674 / mahesh.shrestha@dot.wi.gov

23. Hillsboro - Union Center, .02 Mi. E. CTH FF to B-29-59; Juneau and Vernon Counties; 5040-04-60; STH 33; 0.000 Miles; Mill, Base, Asphalt Pavement, Curb and Gutter, Signing, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 3,890 Ton; Pavement Marking Epoxy, 66,853 LF; Construction Staking, 22,517 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 1,050 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 11,662 Ton; Removing Asphaltic Surface Milling, 85,427 SY; Tack Coat, 6,484 Gals; Signs, 498 SF.

DBE Goal: NA

Contract Completion Time: 20 Working Days

Contact Information: Todd Waldo, (608) 785-9462 / todd.waldo@dot.wi.gov

24. Mineral Point - Spring Green, Military Ridge Road to CTH ZZ; Iowa County; 5255-01-62; STH 23; 4.620 Miles; Asphaltic Surface Milling, Base, Asphaltic Pavement, Guardrail, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 1,950 Ton; Pavement Marking Epoxy, 83,430 LF; Construction Staking, 24,400 LF; Steel Plate Beam Guard, 2,020 LF; HMA Pavement, 12,150 Ton; Salvaged Asphaltic Pavement Milling, 108,400 SY; Tack Coat, 8,850 Gals; Signs, 303 SF.

DBE Goal: NA

Contract Completion Date: October 20, 2017

Contact Information: Matthew Dapp, (608) 246-5353 / matthew.dapp@dot.wi.gov

25. Sparta - Tomah, Hazel West Road to Hollister Avenue; Monroe County; 5735-04-60; STH 16; 6.802 Miles; Removing Asphaltic Surface Milling, Base, Asphalt Pavement, Guardrail, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 8,681 Ton; Pavement Marking Epoxy, 114,068 LF; Pavement Marking Paint, 73,428 LF; Construction Staking, 35,950 LF; Steel Plate Beam Guard, 3,761 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 26 Each; Asphaltic Surface, 100 Ton; HMA Pavement, 16,126 Ton; Removing Asphaltic Surface Milling, 125,371 SY; Tack Coat, 8,772 Gals; Asphaltic Shoulder Rumble Strips Two-Lane Rural, 60,105 LF; Asphalt Center Line Rumble Strips Two-Lane Rural, 29,565 LF.

DBE Goal: NA

Contract Completion Time: 25 Working Days

Contact Information: Dan Kleinertz, (608) 789-5709 / daniel.kleinertz@dot.wi.gov

26. Mauston - Wisconsin Dells, Water Street to Honeyair Street; Juneau County; 5880-03-63; USH 12; 0.000 Miles; Mill, Base, Asphalt Pavement, Beam Guard, Signing, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 11,179 Ton; Pavement Marking Epoxy, 171,170 LF; Construction Staking, 56,566 LF; Steel Plate Beam Guard, 2,423 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 14 Each; Asphaltic Surface, 157 Ton; HMA Pavement, 24,539 Ton; Removing Asphaltic Surface Milling, 191,979 SY; Tack Coat, 13,438 Gals; Signs, 855 SF.

DBE Goal: NA

Contract Completion Time: 30 Working Days

Contact Information: Dan Kleinertz, (608) 789-5709 / daniel.kleinertz@dot.wi.gov

27. Hollandale - New Glarus, York Center Road to Durst Road; Green County; 5970-02-64; STH 39; 4.177 Miles; Removing Asphaltic Surface Milling, HMA Pavement, Pavement Marking, and Signing.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Base Aggregate Dense, 1,500 Ton; Pavement Marking Epoxy, 83,947 LF; Pavement Marking Paint, 41,460 LF; Construction Staking, 20,730 LF; HMA Pavement, 7,970 Ton; Removing Asphaltic Surface Milling, 54,150 SY; Tack Coat, 3,760 Gals; Signs, 298 SF.

DBE Goal: NA

Contract Completion Time: 30 Working Days

Contact Information: Jim Simpson, (608) 246-5628 / jim.simpson@dot.wi.gov

28. LaCrosse - Sparta, Structure B-32-555 to .12 Mi. W. Hamlet Avenue; LaCrosse and Monroe Counties; 7570-05-63; STH 16; 3.572 Miles; Base, Milling, Asphalt, HMA Pavement, Guardrail, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 4,532 Ton; Pavement Marking Epoxy, 67,688 LF; Pavement Marking Paint, 23,360 LF; Construction Staking, 18,862 LF; Steel Plate Beam Guard, 2,563 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 8 Each; Asphaltic Surface, 35 Ton; HMA Pavement, 8,676 Ton; Removing Asphaltic Surface Milling, 66,873 SY; Tack Coat, 4,681 Gals; Asphaltic Shoulder Rumble Strips Two-Lane Rural, 31,426 LF.

DBE Goal: NA

Contract Completion Time: 20 Working Days

Contact Information: Dan Kleinertz, (608) 789-5709 / daniel.kleinertz@dot.wi.gov

29. CTH P to CTH C / STH 190 to IH 94 SPLT; Waukesha County; 1370-15-72, WISC 2017 342; STH 16; 4.939 Miles; Installing Cable Barrier, Grading, Base, and Adjusting Inlets.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 148 CY; Base Aggregate Dense, 3,860 Ton; Cable Barrier Type 1, 25,245 LF.

DBE Goal: 20 %

Contract Completion Date: June 29, 2018

Contact Information: Doug Cain, (262) 548-5603 / douglas.cain@dot.wi.gov

30. USH 10 - USH 10 / STH 441, CTH CB - Oneida Street; Winnebago County; 1517-75-72, WISC 2017 345; USH 10; 1.237 Miles; Grading, Base, Asphalt Pavement, Concrete Pavement, Bridge Construction, Retaining Walls, Noise Barrier Walls, Culvert Pipe, Storm Sewer, Curb and Gutter, Beam Guard, Concrete Barrier, Street Lighting, ITS, Vertical Drains, Signs, and Pavement Markings.

Guaranty Required: \$580,000.00

Estimate of Principal Items: Excavation Common, 327,003 CY; Backfill Structure, 1,627 Ton; Base Aggregate Dense, 26,011 Ton; Breaker Run, 59,734 Ton; Concrete Pavement, 46,996 SY; Concrete Masonry Bridges, 1,459 CY; Concrete Masonry Retaining Walls, 847 CY; Prestressed Girders, 3,158 LF 45-Inch; Bar Steel Reinforcement, 22,210 Lbs; Bar Steel Reinforcement Coated, 345,760 Lbs; Piling Steel, 140 LF 10-Inch, 5,240 LF 12-Inch; Pavement Marking Epoxy, 74,219 LF; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 33 LF 12", 162 LF 18"; Culvert Pipe Reinforced Concrete, 274 LF 36", 80 LF 48"; Storm Sewer Pipe Reinforced Concrete, 1,857 LF 15", 161 LF 30", 766 LF 18", 261 LF 36", 4,011 LF 24"; Concrete Curb and Gutter, 890 LF; Steel Plate Beam Guard, 1,512 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 1,084 Ton; HMA Pavement, 2,055 Ton; Tack Coat, 640 Gals; Signs, 952 SF; Concrete Base, 755 SY; Surface Drain Corrugated Metal 12-Inch, 112 LF; Noise Barrier Wall, 11,600 SF; Concrete Barrier, 4,442 LF; Chain Link Fence, 1,880 LF; Aluminum Poles, 5 Each; Conduit, 2,252 LF; Roadway Embankment, 329,033 CY; Drainage Blanket, 19,876 CY; Prefabricated Vertical Drains, 948,120 LF; Prebored Prefabricated Vertical Drains, 632,080 LF; Geocomposite Strip Drains, 92,962 LF; Temporary Wire Faced Wall, 6,090 LF; Prestressed Precast Concrete Wall Panel, 17,270 SF; Wire Faced MSE Wall, 17,270 SF.

DBE Goal: 7 %

Contract Completion Date: November 15, 2018

Contact Information: Scott Ebel, (920) 492-5676 / scott.ebel.@dot.wi.gov

31. Hilbert - DePere, NCPL Hilbert - NCL; Calumet County; 4085-61-60; STH 32; 6.804 Miles; Excavation, Base, Removing Asphaltic Surface Milling, Asphalt Pavement, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 1,464 CY; Base Aggregate Dense, 2,918 Ton; Select Crushed Material, 460 Ton; Pavement Marking Epoxy, 190,050 LF; Pavement Marking Paint, 54,640 LF; Construction Staking, 32,990 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 425 Ton; HMA Pavement, 15,100 Ton; Removing Asphaltic Surface Milling, 126,042 SY; Tack Coat, 7,659 Gals; Signs, 585 SF.

DBE Goal: NA

Contract Completion Time: 25 Working Days

Contact Information: Tim Verhagen, (920) 362-1267 / timothy.verhagen@dot.wi.gov

32. Green Bay - Kewaunee, USH 141 - East County Line; Brown County; 4125-08-71, WISC 2017 363; STH 29; 7.785 Miles; Base, Milling, Asphalt Pavement, Culvert Pipe, Curb and Gutter, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 3,578 Ton; Pavement Marking Epoxy, 118,049 LF; Construction Staking, 41,142 LF; Construction Staking, 17 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 613 LF 24", 100 LF 30", 166 LF 36"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 100 LF 24" X 38"; Concrete Curb and Gutter, 138 LF; Asphaltic Surface, 233 Ton; HMA Pavement, 24,671 Ton; Removing Asphaltic Surface Milling, 31,260 SY; Tack Coat, 18,235 Gals; Signs, 968 SF; Base Repair for Cold-in-Place Recycled Pavement, 500 CY; Cold-in-Place Recycling Partial Depth, 148,213 SY; Asphalt Stabilizing Agent, 740 Ton.

DBE Goal: 4 %

Contract Completion Date: July 31, 2018

Contact Information: Andrew Fulcer, (920) 362-6126 / andrew.fulcer@dot.wi.gov

33. Howards Grove - Kiel, STH 42 - STH 32 / 57 South Junction; Sheboygan County; 4570-23-60; STH 32; 7.268 Miles; Base, Milling, Curb and Gutter, Sidewalk, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 2,222 Ton; Pavement Marking Epoxy, 146,620 LF; Construction Staking, 38,375 Each; Construction Staking, 1 LS; Concrete Curb and Gutter, 32 LF; Concrete Sidewalk, 104 SF; Asphaltic Surface, 2,488 Ton; HMA Pavement, 19,791 Ton; Removing Asphaltic Surface Milling, 116,119 SY; Tack Coat, 10,704 Gals; Milling and Removing Temporary Joint, 38,375 LF.

DBE Goal: NA

Contract Completion Time: 30 Working Days

Contact Information: Kyle Trembl, (920) 360-7029 / kyle.trembl@dot.wi.gov

34. Monico - Eagle River, STH 70 West - Chain O Lakes Road; Vilas County; 1601-14-72, WISC 2017 366; USH 45; 3.274 Miles; Grading, Base, Milling, Asphalt Pavement, Curb and Gutter, Sidewalk, Concrete Driveway, Polymer Deck Overlay, Signs, Pavement Markings, and Loop Detectors.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 385 CY; Base Aggregate Dense, 754 Ton; Pavement Marking Epoxy, 50,475 LF; Construction Staking, 22,042 LF; Construction Staking, 2 LS; Concrete Curb, 36 LF; Concrete Curb and Gutter, 2,379 LF; Concrete Sidewalk, 8,103 SF; HMA Pavement, 13,560 Ton; Removing Asphaltic Surface Milling, 116,419 SY; Tack Coat, 8,150 Gals; Signs, 1,382 SF; Concrete Driveway, 44 SY; Concrete Surface Repair, 450 SF; Polymer Overlay, 2,000 SY; Concrete Safety Islands, 1,003 SF; Conduit, 2,098 LF.

DBE Goal: 5 %

Contract Completion Time: 35 Working Days

Contact Information: Forrest Van Asten, (715) 365-5781 / forrest.vanasten@dot.wi.gov

35. Antigo - Lily, Wolf River Bridge, B-34-50; Langlade County; 9175-06-70, WISC 2017 364; STH 52; 0.230 Miles; Excavation, Bridge Replacement, HMA Pavement, Guardrail, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 4,018 CY; Backfill Structure, 312 CY; Base Aggregate Dense, 4,377 Ton; Concrete Masonry Bridges, 317 CY; Prestressed Girders, 924 LF 54-Inch; Bar Steel Reinforcement, 4,410 Lbs; Bar Steel Reinforcement Coated, 37,225 Lbs; Piling CIP Concrete, 1,400 LF 10 3/4-Inch; Pavement Marking Epoxy, 4,703 LF; Construction Staking, 3,600 LF; Construction Staking, 6 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 238 LF 18"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 64 LF HE-IV 14" X 23"; Steel Plate Beam Guard, 356 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 5 Ton; HMA Pavement, 856 Ton; Tack Coat, 229 Gals; Signs, 164 SF.

DBE Goal: 6 %

Contract Completion Date: August 31, 2018

Contact Information: Dan Erva, (715) 365-5776 / daniel.erva@dot.wi.gov

36. Pittsville - Neillsville, STH 95 to USH 10; Clark County; 1520-07-82, WISC 2017 352; STH 73; 2.895 Miles; Common Excavation, Milling, HMA Pavement, Guardrail, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 7,565 CY; Base Aggregate Dense, 6,050 Ton; Select Crushed Material, 7,117 Ton; Base Aggregate Open Graded, 3,033 Ton; Pavement Marking Epoxy, 78,285 LF; Pavement Marking Paint, 52,120 LF; Construction Staking, 15,641 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 355 LF; Steel Plate Beam Guard, 1,399 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 11 Each; Asphaltic Surface, 90 Ton; HMA Pavement, 13,070 Ton; Removing Asphaltic Surface Milling, 47,697 SY; Tack Coat, 4,005 Gals; Signs, 321 SF.

DBE Goal: 10 %

Contract Completion Date: September 1, 2017

Contact Information: David Koepp, (715) 836-2078 / david.koepp@dot.wi.gov

37. Spooner - Hayward, Namekagon River Bridge, B-65-0013; Washburn County; 1560-00-71; USH 63; 0.047 Miles; Excavation, Milling, Asphalt, Concrete Masonry Bridges, Polymer Overlay, Guardrail, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 372 CY; Backfill Structure, 115 Ton; Base Aggregate Dense, 503 Ton; Concrete Pavement, 19 SY; Concrete Masonry Bridges, 37 CY; Bar Steel Reinforcement Coated, 3,520 Lbs; Piling CIP Concrete, 220 LF 10 3/4-Inch; Pavement Marking Wet Reflective Tape, 970 LF; Pavement Marking Epoxy, 2,600 LF; Construction Staking, 422 LF; Construction Staking, 2 LS; Steel Plate Beam Guard, 335 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 43 Ton; Removing Asphaltic Surface Milling, 320 SY; Tack Coat, 20 Gals; Temporary Traffic Signals for Bridges, 1 LS.

DBE Goal: NA

Contract Completion Time: 35 Working Days

Contact Information: Beth Cunningham, (715) 635-4973 /
beth.cunningham@dot.wi.gov

38. City of Menomonie, Broadway Street, Red Cedar River Bridge, B-17-0638; Dunn County; 7600-00-71; USH 12; 0.000 Miles; Grade, Base, Curb and Gutter, Sidewalk, Lighting, Pavement Marking, and Structure B-17-0638.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 260 Ton; Concrete Masonry Overlay, 14 CY; Bar Steel Reinforcement Coated, 2,210 Lbs; Pavement Marking Epoxy, 5,149 LF; Concrete Curb and Gutter, 520 LF; Concrete Sidewalk, 2,220 SF; Expansion Device, 1 LS; Polymer Overlay, 3,590 SY.

DBE Goal: NA

Contract Completion Date: August 31, 2018

Contact Information: Tyler Rongstad, (715) 836-2094 / tyler.rongstad@dot.wi.gov

39. Somerset - St. Croix Falls, Laser Drive to North County Line; St. Croix County; 8060-01-73; STH 35; 0.000 Miles; Mill, Grade, Base, Culvert Pipe, Asphalt Pavement, Curb and Gutter, Beam Guard, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 9,053 CY; Base Aggregate Dense, 15,497 Ton; Pavement Marking Epoxy, 89,766 LF; Construction Staking, 50,369 LF; Construction Staking, 6 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 176 LF 18", 24 LF 30"; Concrete Curb and Gutter, 762 LF; Steel Plate Beam Guard, 3,400 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 14 Each; Asphaltic Surface, 107 Ton; HMA Pavement, 20,749 Ton; Removing Asphaltic Surface Milling, 104,454 SY; Tack Coat, 7,957 Gals; Signs, 635 SF; Culvert Pipe Liners, 115 LF.

DBE Goal: NA

Contract Completion Time: 55 Working Days

Contact Information: Beth Cunningham, (715) 635-4973 /
beth.cunningham@dot.wi.gov

40. Ridgeland - Barron, Lower Pine Creek Bridge, B-03-0070; Ridgeland - Barron, Upper Pine Creek Bridge, B-03-0069; Barron County; 8090-03-75, WISC 2017 365; 8090-03-76; STH 25; 0.000 Miles; Mill, Grade, Base, Concrete Pavement, Asphalt Pavement, Beam Guard, Pavement Marking, and Structures B-03-0069 and 0070.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 440 CY; Borrow, 135 CY; Base Aggregate Dense, 810 Ton; Concrete Pavement, 235 SY; Concrete Masonry Bridges, 184 CY; Bar Steel Reinforcement Coated, 43,300 Lbs; Pavement Marking Epoxy, 1,774 LF; Construction Staking, 2,055 LF; Construction Staking, 4 LS; Steel Plate Beam Guard, 627 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 7 Each; HMA Pavement, 260 Ton; Removing Asphaltic Surface Milling, 1,590 SY; Tack Coat, 91 Gals; Steel Diaphragms, 10 Each; Riprap, 69 CY.

DBE Goal: 10 %

Contract Completion Time: 50 Working Days

Contact Information: Beth Cunningham, (715) 635-4973 /
beth.cunningham@dot.wi.gov

41. City of Sheboygan, 8th Street, Sheboygan River Bridge; Sheboygan County; 4996-19-71; Local Street; 0.114 Miles; Bridge Rehabilitation, Bridge Painting, and Building Maintenance.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 8 CY; Base Aggregate Dense, 15 Ton; Concrete Pavement, 200 SY; Concrete Masonry Bridges, 2 CY; Bar Steel Reinforcement Coated, 280 Lbs; Pavement Marking Paint, 1,380 LF; Concrete Curb and Gutter, 182 LF; Concrete Sidewalk, 2,415 SF; Replace Load Holding Valve, 1 Each; Support Hangar Replacement, 22 Each; Rechrome Cylinder Rod, 1 Each; Hone Cylinder Barrel, 1 Each; Hydraulic Span Drive Machinery Rehabilitation, 1 LS; Tubular Steel Railing Repair, 1 LS; Electrical Work, 1 LS; Heating and Housing, 1 LS.

DBE Goal: NA

Contract Completion Date: April 30, 2019

Contact Information: Craig Treadway, (920) 468-4771 /
craigtreadway@jt-engineering.com

By order of:

Joe Nestler
Administrator
Division of Transportation System Development