

**STATE OF WISCONSIN  
DEPARTMENT OF TRANSPORTATION  
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT  
NOTICE TO CONTRACTORS**

**BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, November 14, 2017,** to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in Room 601.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, 4802 Sheboygan Avenue, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development in Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

**ELECTRONIC BIDDING**

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

**PROPOSAL GUARANTY**

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

## **PLANS AND PROPOSALS**

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

## **PLAN HOLDERS and ELIGIBLE BIDDERS**

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

## **QUALIFICATIONS OF BIDDERS**

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

## **HOURS OF LABOR AND MINIMUM WAGE RATES**

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

## **AFFIRMATIVE ACTION**

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

## **AFFIDAVIT OF NON-COLLUSION**

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

## **SUMMARY SHEET**

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

### **GENERAL CONSTRUCTION**

1, 3, 4, 5, 6, 8, 9, 10, 14, 15, 17, 19, 20, 21, 22, 26, 28, 32, 35, 36, 37, 38, 39, 40, 41

### **GRADING**

36

### **CONCRETE PAVEMENT**

4, 35

### **ASPHALTIC PAVEMENT**

3, 8, 17, 23, 26, 32, 41, 43, 44

### **STRUCTURES**

2, 7, 9, 11, 13, 18, 24, 25, 27, 28, 29, 30, 31, 39, 42

### **BRIDGE PAINTING**

10, 34

### **STREET OR AIRPORT LIGHTING**

### **BUILDING CONSTRUCTION**

### **INCIDENTAL CONSTRUCTION**

1, 19, 20, 39, 40, 42

**1. Wisconsin Truck Parking Information Management System;** Statewide; 1000-99-68, KA-4235\_10; Various Highways; 0.000 Miles; Signing and FTMS.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Structural Steel HS, 6,782 Lbs; Signs, 1,232 SF; Sign Supports Concrete Masonry, 12 CY; Sign Supports Steel Reinforcement, 686 Lbs; Base Camera Pole 50-Foot, 14 Each; Pull Box, 14 Each.

**DBE Goal:** 10 %

**Contract Completion Date:** October 1, 2018

**Contact Information:** Randall Hoyt, (414) 227-4671 / randall.hoyt@dot.wi.gov

**2. City of Madison, Milwaukee Street Bridge, B-13-0131;** Dane County; 1002-01-71, WISC 2017 500; IH 39; 0.000 Miles; Base, Excavation, Structure B-13-131, HMA Pavement, Guardrail, and Pavement Marking.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Excavation Common, 10 CY; Borrow, 156 CY; Backfill Structure, 196 Ton; Base Aggregate Dense, 122 Ton; Concrete Pavement, 88 SY; Concrete Masonry Bridges, 311 CY; Bar Steel Reinforcement Coated, 61,890 Lbs; Pavement Marking Epoxy, 2,172 LF; Construction Staking, 894 LF; Construction Staking, 2 LS; Steel Plate Beam Guard, 634 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 1 Each; HMA Pavement, 282 Ton; Tack Coat, 50 Gals; Signs, 24 SF.

**DBE Goal:** 5 %

**Contract Completion Time:** 65 Working Days

**Contact Information:** Amy Coughlin, (608) 245-5358 / amy.coughlin@dot.wi.gov

**3. Madison - Portage, CTH CS to Portage Interchange;** Columbia County; 1010-02-85, WISC 2017 501; IH 39; 3.718 Miles; Grading, Common Excavation, Base, HMA Pavement, Concrete Pavement, Structure Rehabilitation, Signs, Pavement Marking, and Guardrail.

**Guaranty Required:** \$100,000.00

**Estimate of Principal Items:** Excavation Common, 5,420 CY; Borrow, 5,074 CY; Backfill Structure, 20 CY; Base Aggregate Dense, 12,752 Ton; Select Crushed Material, 32 CY; Concrete Pavement, 5,193 SY; Concrete Masonry Bridges, 59 CY; Bar Steel Reinforcement Coated, 7,190 Lbs; Pavement Marking Wet Reflective Tape, 4,620 LF; Pavement Marking Epoxy, 228,552 LF; Construction Staking, 43,954 LF; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 12 LF 24"; Concrete Curb and Gutter, 939 LF; Steel Plate Beam Guard, 12,627 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 12 Each; Asphaltic Surface, 70 Ton; HMA Pavement, 51,307 Ton; Removing Asphaltic Surface Milling, 9,320 SY; Tack Coat, 17,385 Gals; Signs, 2,766 SF.

**DBE Goal:** 11 %

**Contract Completion Date:** October 1, 2018

**Contact Information:** Matthew Dapp, (608) 246-5353 / matthew.dapp@dot.wi.gov

**4. Sun Prairie - Beaver Dam, CTH VV - STH 73, Various Bridges;** Dane, Columbia, and Dodge Counties; 1111-03-70, WISC 2017 502; USH 151; 2.346 Miles; Common Excavation, Base, Milling, HMA Pavement, Concrete Pavement, Structure Rehabilitation, Structure Deck Overlays, Signs, Pavement Marking, and Guardrail.

**Guaranty Required:** \$100,000.00

**Estimate of Principal Items:** Excavation Common, 4,606 CY; Borrow, 1,312 CY; Backfill Structure, 127 Ton; Base Aggregate Dense, 23,095 Ton; Select Crushed Material, 2,680 Ton; Concrete Pavement, 42,820 SY; Concrete Masonry Bridges, 11 CY; Concrete Masonry Culverts, 6 CY; Concrete Masonry Overlay, 97 CY; Bar Steel Reinforcement Coated, 5,240 Lbs; Pavement Marking Wet Reflective Tape, 24,804 LF; Pavement Marking Epoxy, 85,822 LF; Pavement Marking Paint, 77,535 LF; Construction Staking, 37,510 LF; Construction Staking, 1 Each; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 18 LF 18"; Concrete Curb and Gutter, 802 LF; Steel Plate Beam Guard, 465 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 6 Each; Asphaltic Surface, 887 Ton; HMA Pavement, 18,503 Ton; Removing Asphaltic Surface Milling, 12,016 SY; Tack Coat, 7,103 Gals; Signs, 1,171 SF.

**DBE Goal:** 10 %

**Contract Completion Time:** 95 Working Days

**Contact Information:** Amy Coughlin, (608) 245-5358 / amy.coughlin@dot.wi.gov

**5. City of Columbus, James Street, USH 151 Interchange Area; Columbia County; 1401-02-74, WISC 2017 503; STH 16; 0.467 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Concrete Truck Apron, Curb and Gutter, Sidewalk, Culvert Pipe, Storm Sewer, Street Lighting, Traffic Signals, Pavement Markings, and Signs.**

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 30,824 CY; Borrow, 658 CY; Base Aggregate Dense, 18,850 Ton; Select Crushed Material, 17,000 Ton; Concrete Pavement, 19,275 SY; Pavement Marking Epoxy, 29,160 LF; Construction Staking, 28,210 LF; Construction Staking, 66 Each; Construction Staking, 2 LS; Culvert Pipe Reinforced Concrete, 128 LF 24"; Storm Sewer Pipe Reinforced Concrete, 159 LF 12", 764 LF 24", 804 LF 15", 243 LF 36", 324 LF 18"; Concrete Curb and Gutter, 8,300 LF; Concrete Sidewalk, 36,400 SF; Asphaltic Surface, 2,360 Ton; HMA Pavement, 380 Ton; Signs, 658 SF; Route and Seal, 4,400 LF; Concrete Truck Apron, 430 SY; Conduit, 8,760 LF; Light Poles, 3 Each; Traffic Signal Standards, 4 Each.

**DBE Goal: 16 %**

**Contract Completion Date: August 31, 2018**

**Contact Information: Dave Pilon, (608) 245-2622 / david.pilon@dot.wi.gov**

**6. Village of West Baraboo, Pine Street, Baraboo River Structures B-56-153 / B-56-154; Lake Delton - Sauk City, Terrytown Road to CTH W; Lake Delton - Sauk City, CTH W to STH 159; Village of West Baraboo, Pine and Linn Streets, Berkley Boulevard to W. Maple Street; Sauk County; 1670-00-62, WISC 2017 504; 1674-01-72; 1674-01-73; 1674-01-74; USH 12; 4.145 Miles; Grading, Base, Concrete Pavement Repair, Asphalt Pavement, Milling, Bridge Deck Overlay, Curb and Gutter, Sidewalk, Concrete Driveway, Beam Guard, Street Lighting, Traffic Signals, Pavement Markings, Signs, and Water Main.**

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 14,573 CY; Base Aggregate Dense, 13,130 Ton; Select Crushed Material, 4,501 Ton; Pavement Marking Epoxy, 80,887 LF; Construction Staking, 41,726 LF; Construction Staking, 28 Each; Construction Staking, 4 LS; Concrete Curb, 540 LF; Concrete Curb and Gutter, 11,055 LF; Concrete Sidewalk, 15,900 SF; Steel Plate Beam Guard, 1,125 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 8 Each; Asphaltic Surface, 970 Ton; HMA Pavement, 11,070 Ton; Removing Asphaltic Surface Milling, 31,350 SY; Tack Coat, 4,340 Gals; Signs, 2,321 SF; Concrete Driveway, 820 SY; Concrete Pavement Repair, 3,000 SY; Concrete Pavement Replacement, 425 SY; Polymer Overlay, 4,150 SY; Concrete Median Nose, 575; Conduit, 2,755 LF; Light Poles, 3 Each; Traffic Signal Standards, 8 Each; Temporary Traffic Signals, 2 LS; Water Main Ductile Iron, 1,839 LF; Water Service, 218 LF.

**DBE Goal: 9 %**

**Contract Completion Date: September 28, 2018**

**Contact Information: Greg Brecka, (608) 516-6524 / gregory.brecka@dot.wi.gov**

**7. Town of Rubicon, Saylesville Road, Rubicon River Bridge, B-14-0212;** Dodge County; 3819-00-72, WISC 2017 505; Local Street; 0.071 Miles; Base, Concrete Pavement, Asphaltic Surface, Guardrail, and Structure Replacement.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 276 CY; Borrow, 3,253 CY; Backfill Structure, 950 Ton; Base Aggregate Dense, 888 Ton; Concrete Pavement, 108 SY; Concrete Masonry Bridges, 248 CY; Prestressed Girders, 300 LF 36-Inch; Bar Steel Reinforcement, 5,300 Lbs; Bar Steel Reinforcement Coated, 21,100 Lbs; Piling Steel, 420 LF 10-Inch; Construction Staking, 1,485 LF; Construction Staking, 2 LS; Steel Plate Beam Guard, 495 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 202 Ton; Tack Coat, 63 Gals; Signs, 12 SF.

**DBE Goal: 9 %**

**Contract Completion Time: 40 Working Days**

**Contact Information:** John Bainter 608-785-9729 / john.bainter@dot.wi.gov

**8. Ontario - Tomah, .01 Miles N. STH 33 to Midway Avenue;** Monroe and Vernon Counties; 5130-02-62; STH 131; 7.092 Miles; Milling, HMA Pavement, Guardrail, Signs, and Pavement Marking.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Base Aggregate Dense, 2,400 Ton; Pavement Marking Epoxy, 176,473 LF; Pavement Marking Paint, 49,838 LF; Steel Plate Beam Guard, 3,707 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 25 Each; HMA Pavement, 17,312 Ton; Removing Asphaltic Surface Milling, 130,928 SY; Tack Coat, 10,485 Gals; Signs, 660 SF.

**DBE Goal: NA**

**Contract Completion Time: 25 Working Days**

**Contact Information:** Todd Waldo, (608) 785-9462 / todd.waldo@dot.wi.gov

**9. Bridgeport - Boscobel, Structures B-12-35/36/37;** Crawford County; 5180-04-83, WISC 2017 506; STH 60; 0.000 Miles; Grade, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Beam Guard, Pavement Marking, Scour Repair, Articulating Block Mat Slope Repair, and Structures B-12-35 - 37.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Excavation Common, 362 CY; Backfill Structure, 60 CY; Base Aggregate Dense, 207 Ton; Concrete Pavement, 499 SY; Concrete Masonry Bridges, 6 CY; Concrete Masonry Overlay, 131 CY; Bar Steel Reinforcement, 85 Lbs; Bar Steel Reinforcement Coated, 2,175 Lbs; Pavement Marking Epoxy, 5,054 LF; Construction Staking, 360 LF; Construction Staking, 1 Each; Construction Staking, 1 LS; Concrete Curb and Gutter, 66 LF; Steel Plate Beam Guard, 421 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 11 Each; Asphaltic Surface, 61 Ton; Tack Coat, 24 Gals; Expansion Device, 1 LS; Riprap, 19 CY; Scour Repair Grout, 65 CY; Scour Repair Grout Bags, 139 CY; Scour Repair Grout Mat, 45 CY; Articulating Block Mat Slope Repair, 2,895 SF.

**DBE Goal:** 5 %

**Contract Completion Time:** 50 Working Days

**Contact Information:** Todd Waldo, (608) 785-9462 / todd.waldo@dot.wi.gov

**10. City of LaCrosse, Cameron Avenue and Cass Street, Mississippi River, B-32-202 and B-32-300;** LaCrosse County; 5200-03-61; USH 14; 0.000 Miles; Bridge Cleaning, Structure Spot Cleaning and Painting, and Concrete Masonry.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Base Aggregate Dense, 1 CY; Bar Steel Reinforcement Coated, 550 Lbs; Structural Steel Carbon, 630 Lbs; Bridge Cleaning Structure B-32-202, 1 LS; Bridge Cleaning Structure B-32-300, 1 LS; Structure Spot Cleaning and Painting Structure B-32-202, 1 LS; Structure Spot Cleaning and Painting Structure B-32-300, 1 LS.

**DBE Goal:** NA

**Contract Completion Time:** 40 Working Days

**Contact Information:** Todd Waldo, (608) 785-9462 / todd.waldo@dot.wi.gov

**11. USH 61 - Livingston, Leggett Creek Bridge, B-22-0286;** Grant County; 5587-00-72, WISC 2017 507; CTH E; 0.060 Miles; Excavation, Base, Structure Replacement, HMA Pavement, Guardrail, Pavement Marking, and Signs.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 247 CY; Borrow, 4,407 CY; Backfill Structure, 470 Ton; Base Aggregate Dense, 1,020 Ton; Concrete Masonry Bridges, 217 CY; Prestressed Girders, 376 LF 45-Inch; Bar Steel Reinforcement, 3,360 Lbs; Bar Steel Reinforcement Coated, 27,710 Lbs; Piling Steel, 420 LF 12-Inch; Pavement Marking Epoxy, 1,535 LF; Construction Staking, 1,560 LF; Construction Staking, 2 Each; Construction Staking, 2 LS; Steel Plate Beam Guard, 358 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 3 Each; HMA Pavement, 197 Ton; Tack Coat, 61 Gals; Signs, 12 SF.

**DBE Goal: 9 %**

**Contract Completion Time: 55 Working Days**

**Contact Information: John Bainter 608-785-9729 / john.bainter@dot.wi.gov**

**12. DEFERRED**

**13. Town of Kendall, Bethel Grove Road, Cottage Inn Branch Bridge, B-33-0132;** Lafayette County; 5719-00-72, WISC 2017 508; Local Street; 0.057 Miles; Base, Excavation, Structure Replacement, Asphaltic Surface, and Signs.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 1,031 CY; Backfill Structure, 370 Ton; Base Aggregate Dense, 430 Ton; Breaker Run, 1,058 Ton; Concrete Masonry Bridges, 155 CY; Bar Steel Reinforcement, 4,670 Lbs; Bar Steel Reinforcement Coated, 18,270 Lbs; Piling Steel, 198 LF 10-Inch; Construction Staking, 514 LF; Construction Staking, 2 Each; Construction Staking, 3 LS; Culvert Pipe, 125 LF 18"; Asphaltic Surface, 174 Ton; Tack Coat, 37 Gals; Signs, 17 SF.

**DBE Goal: 7 %**

**Contract Completion Time: 35 Working Days**

**Contact Information: John Bainter 608-785-9729 / john.bainter@dot.wi.gov**

**14. IH 894, 84th Street to National Avenue; South 108th Street, Howard Avenue to Beloit Road;** Milwaukee County; 1100-34-70, WISC 2017 509; 2030-04-75, WISC 2017 510; IH 894; STH 100; 0.000 Miles; Mill, Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Concrete Barrier, Signals, Lighting, Signing, Pavement Marking, and Structures B-40-118 – 120, 123, 124, 185 – 189, 324, and 884 and S-40-459, 460, 805, 810, and 3004 - 3011.

**Guaranty Required: \$930,000.00**

**Estimate of Principal Items:** Excavation Common, 84,484 CY; Base Aggregate Dense, 37,576 Ton; Select Crushed Material, 70,701 Ton; Concrete Pavement, 6,000 SY; Concrete Masonry Bridges, 229 CY; Concrete Masonry Overlay, 392 CY; Bar Steel Reinforcement Coated, 17,200 Lbs; Structural Steel HS, 11,000 Lbs; Pavement Marking Wet Reflective Tape, 43,708 LF; Pavement Marking Epoxy, 120,079 LF; Storm Sewer Pipe Reinforced Concrete, 1,566 LF 12", 1,150 LF 15", 234 LF 18", 24 LF 21", 4,156 LF 24", 1,231 LF 30", 510 LF 36", 760 LF 54"; Concrete Curb, 115 LF; Concrete Curb and Gutter, 22,876 LF; Concrete Sidewalk, 8,405 SF; Steel Plate Beam Guard, 709 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 18 Each; Asphaltic Surface, 7 Ton; HMA Pavement, 78,368 Ton; Removing Asphaltic Surface Milling, 162,705 SY; Removing Asphaltic Surface Milling, 2,504 Ton; Tack Coat, 28,597 Gals; Signs, 7,943 SF; Polymer Overlay, 2,835 SY; Surface Drain Pipe Corrugated Metal, 420 LF; Concrete Barrier, 20,063 LF; Riprap, 28 CY; Sign Supports Concrete Masonry, 310 CY; Sign Supports Steel Reinforcement, 1,052 Lbs; Sign Supports Steel Coated Reinforcement HS, 43,950 Lbs; Sign Bridges, 10 LS; Pull Boxes, 68 Each; Concrete Bases, 107 Each; Poles, 141 Each; EBS Excavation and Backfill, 4,082 CY; Backfill Slurry, 7,997 CY; Drain Slotted Vane Longitudinal, 1,625 L; Resin Binder High Friction Surface Treatment, 21,990 SY; Asphaltic Material Binder, 976 SY.

**DBE Goal: 20 %**

**Contract Completion Date: October 12, 2018**

**Contact Information: Ashley Kiepczynski, (414) 220-5446 /  
ashley.kiepczynski@dot.wi.gov**

**15. West Greenfield Avenue, S. 35th Street to S. Cesar E. Chavez Drive; Various Highways, Three Connecting Highway Intersections;** Milwaukee County; 2230-00-74, WISC 2017 511; 2984-04-71; Local Street; Various Highways; 0.000 Miles; Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Landscaping, Signing, Signals, and Pavement Marking.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 30,851 CY; Backfill Granular, 17 CY; Base Aggregate Dense, 43,220 Ton; Concrete Pavement, 34,562 SY; Pavement Marking Epoxy, 32,177 LF; Construction Staking, 44,683 LF; Construction Staking, 243 Each; Construction Staking, 4 LS; Storm Sewer Pipe Reinforced Concrete, 3,018 LF 12"; Concrete Curb, 376 LF; Concrete Curb and Gutter, 14,048 LF; Concrete Sidewalk, 8,422 SF; Asphaltic Surface, 2 Ton; HMA Pavement, 513 Ton; Tack Coat, 270 Gals; Signs, 171 SF; Trees, 85 Each; Concrete Bases, 20 Each; Poles, 20 Each; Fiberglass Polymer Concrete Pull Box, 195 Each.

**DBE Goal:** 15 %

**Contract Completion Date:** October 15, 2019

**Contact Information:** Joan Bonack, (262) 521-5351 / joan.bonack@dot.wi.gov

**16. DEFERRED**

**17. Williams Bay - Elkhorn, 1,000' N. STH 50 to Commerce Drive;** Walworth County; 3325-01-71, WISC 2017 513; STH 67; 0.000 Miles; Mill, Grade, Base, Storm Sewer, Culvert Pipe, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Signing, Pavement Marking, and Structure B-64-0004.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 9,530 CY; Borrow, 2,179 CY; Backfill Granular, 113 Ton; Backfill Structure, 300 Ton; Base Aggregate Dense, 17,633 Ton; Breaker Run, 300 Ton; Concrete Pavement, 40 SY; Pavement Marking Epoxy, 69,162 LF; Construction Staking, 47,453 LF; Construction Staking, 279 Each; Construction Staking, 1 LS; Culvert Pipe, 733 LF 18", 100 LF 24"; Culvert Pipe Reinforced Concrete, 35 LF 18", 175 LF 24"; Storm Sewer Pipe Reinforced Concrete, 30 LF 12", 139 LF 18", 167 LF 24", 36 LF 60"; Pipe Arch Corrugated Steel, 8 LF 30" X 48"; Concrete Curb and Gutter, 2,279 LF; Concrete Sidewalk, 120 SF; Steel Plate Beam Guard, 1,753 LF; Asphaltic Surface, 262 Ton; HMA Pavement, 28,905 Ton; Removing Asphaltic Surface Milling, 74,715 SY; Tack Coat, 12,476 Gals; Signs, 911 SF; HMA Overlay Polymer Modified, 90 Ton; Riprap, 143 CY.

**DBE Goal:** 15 %

**Contract Completion Date:** September 1, 2018

**Contact Information:** Gary Metzger, (262) 548-5685 / gary.metzger@dot.wi.gov

**18. Town of Carlton, St. Peters Road, East Twin River Bridge and Approaches;** Kewaunee County; 4376-06-71, WISC 2017 514; Local Street; 0.066 Miles; Grading, Base, Bridge Replacement, Signs, and Pavement Markings.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 350 CY; Excavation Marsh, 200 CY; Borrow, 510 CY; Selected Borrow, 290 CY; Backfill Structure, 220 CY; Base Aggregate Dense, 880 Ton; Concrete Masonry Bridges, 175 CY; Bar Steel Reinforcement, 3,040 Lbs; Bar Steel Reinforcement Coated, 23,740 Lbs; Piling Steel, 150 LF 10-Inch; Pavement Marking Paint, 90 LF; Construction Staking, 894 LF; Construction Staking, 2 LS; Signs, 16 SF.

**DBE Goal: 9 %**

**Contract Completion Time: 35 Working Days**

**Contact Information:** David Schmidt 920-360-0983 / dave.schmidt@dot.wi.gov

**19. City of Green Bay, Mather Street, Vroman Street to Roy Avenue;** Brown County; 4987-02-62, WISC 2017 515; Local Street; 0.362 Miles; Grading, Base, Asphalt Pavement, Concrete Driveway, Curb and Gutter, Sidewalk, Storm Sewer, and Pavement Markings.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 8,725 CY; Base Aggregate Dense, 14,631 Ton; Pavement Marking Epoxy, 5,190 LF; Pavement Marking Paint, 1 LF; Construction Staking, 9,723 LF; Construction Staking, 43 Each; Storm Sewer Pipe Reinforced Concrete, 28 LF 15", 664 LF 30", 51 LF 18", 842 LF 36", 355 LF 24"; Concrete Curb, 64 LF; Concrete Sidewalk, 4,007 SF; Asphaltic Surface, 378 Ton; HMA Pavement, 1,890 Ton; Tack Coat, 575 Gals; Concrete Driveway, 634 SY; Storm Sewer Lateral, 936 LF; Storm Sewer Lead, 897 LF; Mini Storm Sewer, 179 LF.

**DBE Goal: 15 %**

**Contract Completion Time: 75 Working Days**

**Contact Information:** Brian Edwards 920-360-2801 / brian.edwards@dot.wi.gov

**20. East River Drive, City of Omro, Spruce Street - NCL; East River Drive, City of Omro, Spruce Street - Pine Street;** Winnebago County; 6190-16-72, WISC 2017 516; 6190-16-73; STH 116; 1.063 Miles; Grading, Base, Milling, Concrete Pavement, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Concrete Driveway, Sidewalk, Beam Guard, Trees, Street Lighting, Traffic Signals, Water Main, Sanitary Sewer, Modular Block Wall, Signs, and Pavement Markings.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 16,600 CY; Base Aggregate Dense, 18,900 Ton; Breaker Run, 2,021 Ton; Concrete Pavement, 65 SY; Pavement Marking Epoxy, 21,487 LF; Construction Staking, 22,392 LF; Construction Staking, 80 Each; Construction Staking, 3 LS; Storm Sewer Pipe, 547 LF 12", 902 LF 24", 181 LF 15", 99 LF 30", 222 LF 18"; Culvert Pipe Reinforced Concrete, 76 LF 48"; Storm Sewer Pipe Reinforced Concrete, 486 LF 12", 406 LF 30", 136 LF 15", 197 LF 36", 241 LF 18"; Concrete Curb and Gutter, 6,236 LF; Concrete Sidewalk, 21,775 SF; Steel Plate Beam Guard, 39 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 1 Each; Asphaltic Surface, 97 Ton; HMA Pavement, 8,456 Ton; Removing Asphaltic Surface Milling, 6,690 SY; Tack Coat, 2,200 Gals; Signs, 588 SF; Excavation Hauling and Disposal of Contaminated Soil, 150 Ton; Concrete Driveway, 984 SY; Trees, 37 Each; Conduit, 1,770 LF; Light Poles, 3 Each; Traffic Signal Standards, 4 Each; Sanitary Sewer Pipe, 3,448 LF; Sanitary Lateral, 1,416 LF; Water Main, 3,839 LF; Water Service, 1,442 LF; Modular Block Wall, 175 SF.

**DBE Goal: 13 %**

**Contract Completion Date: October 5, 2018**

**Contact Information:** Bill Bertrand, (920) 360-3124 / william.bertrand@dot.wi.gov

**21. Town of Little River, CTH Y, Thomas Slough Bridge and Approaches;** Oconto County; 9007-03-71, WISC 2017 517; CTH Y; 0.057 Miles; Grading, Base, Asphalt Pavement, Bridge Rehabilitation, Beam Guard, Pavement Markings, and Signs.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 365 CY; Borrow, 382 CY; Base Aggregate Dense, 1,026 Ton; Concrete Masonry Overlay, 12 CY; Pavement Marking Epoxy, 1,635 LF; Construction Staking, 1,548 LF; Construction Staking, 1 LS; Steel Plate Beam Guard, 456 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 245 Ton; Tack Coat, 76 Gals; Signs, 12 SF; Preparation Decks, 105 SY; Protective Surface Treatment, 205 SY; Structure Repainting, 1 LS; Cleaning and Painting Piling, 28 Each.

**DBE Goal: 7 %**

**Contract Completion Time: 30 Working Days**

**Contact Information:** Brian Edwards 920-360-2801 / brian.edwards@dot.wi.gov

**22. Hudson - Menomonie, 250th Street to Wilson Creek, EB and WB;** Dunn County; 1022-08-72, WISC 2017 518; IH 94; 8.945 Miles; Grading, Base, Concrete Pavement, Drainage Structures, HMA Pavement, Eight Structure Replacements, Pavement Marking, Signing, and Fencing.

**Guaranty Required:** \$940,000.00

**Estimate of Principal Items:** Excavation Common, 299,374 CY; Borrow, 148,925 CY; Selected Borrow, 80,849 CY; Backfill Structure, 3,674 Ton; Base Aggregate Dense, 309,398 Ton; Select Crushed Material, 2,200 CY; Concrete Pavement, 133,439 SY; Concrete Masonry Bridges, 7,982 CY; Prestressed Girders, 1,270 LF 54-Inch; Bar Steel Reinforcement, 99,750 Lbs; Bar Steel Reinforcement Coated, 1,186,645 Lbs; Piling CIP Concrete, 14,105 LF 10 3/4-Inch; Piling Steel, 6,570 LF 10-Inch; Pavement Marking Wet Reflective Tape, 145,016 LF; Pavement Marking Epoxy, 195,150 LF; Pavement Marking Paint, 188,337 LF; Construction Staking, 226,476 LF; Construction Staking, 93 Each; Construction Staking, 9 LS; Culvert Pipe Corrugated Steel, 102 LF 18", 18 LF 36", 6 LF 54", 56 LF 24", 52 LF 42", 46 LF 30", 12 LF 48"; Culvert Pipe Reinforced Concrete, 8 LF 24", 208 LF 30", 24 LF 60"; Storm Sewer Pipe Reinforced Concrete, 134 LF 24", 50 LF 18"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical Class HE-IV, 232 LF 19" X 30", 300 LF 24" X 38"; Steel Plate Beam Guard, 30,141 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 23 Each; Asphaltic Surface, 52,985 Ton; HMA Pavement, 22,605 Ton; Removing Asphaltic Surface Milling, 17,305 SY; Tack Coat, 10,852 Gals; Signs, 753 SF; Cable Barrier Type 1, 19,300 LF.

**DBE Goal:** 7 %

**Contract Completion Date:** November 15, 2019

**Contact Information:** Stacie Lambele, (715) 833-5569 / stacie.lambele@dot.wi.gov

**23. Mellen - Ashland, 900 Ft. S. of STH 112 to Butterworth Road; Mellen - Ashland, Golf Course Road to 900 Ft. S. of STH 112; Mellen - Ashland, Golf Course Road to 900 Ft. S. of STH 112; Mellen - Ashland, 900 Ft. S. of STH 112 to Butterworth Road;** Ashland County; 1610-08-72, WISC 2017 519; 1610-08-73, WISC 2017 520; 1610-08-79, WISC 2017 521; 1610-08-82, WISC 2017 522; STH 13; 16.714 Miles; Base, Removing Asphaltic Surface Milling, Cold-in-Place Recycled Pavement, HMA Pavement, Asphaltic Surface, and Pavement Marking.

**Guaranty Required:** \$100,000.00

**Estimate of Principal Items:** Base Aggregate Dense, 9,065 Ton; Pavement Marking Epoxy, 277,809 LF; Pavement Marking Paint, 154,632 LF; Construction Staking, 88,752 LF; Construction Staking, 2 LS; Asphaltic Surface, 750 Ton; HMA Pavement, 46,637 Ton; Removing Asphaltic Surface Milling, 11,613 SY; Tack Coat, 19,005 Gals; Cold-In-Place Recycling Pavement Partial Depth, 293,209 SY; Asphalt Stabilizing Agent, 1,173 Ton.

**DBE Goal:** 6 %

**Contract Completion Date:** August 15, 2018

**Contact Information:** Dave Ostrowski, (715) 392-7953 / david.ostrowski@dot.wi.gov

**24. CTH CC - Plum City, Brunner Valley Creek Bridge, B-47-0045;** Pierce County; 7899-04-71, WISC 2017 523; CTH U; 0.052 Miles; Excavation, Base, Asphaltic Surface, Bridge Replacement, Pavement Marking, Signs, and Beam Guard.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 828 CY; Borrow, 1,947 CY; Backfill Structure, 134 Ton; Base Aggregate Dense, 866 Ton; Breaker Run, 964 CY; Concrete Masonry Bridges, 97 CY; Bar Steel Reinforcement Coated, 19,940 Lbs; Structural Steel HS, 75,070 Lbs; Pavement Marking Paint, 275 LF; Construction Staking, 1,140 LF; Construction Staking, 2 LS; Steel Plate Beam Guard, 227 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 196 Ton; Tack Coat, 62 Gals; Signs, 32 SF.

**DBE Goal: 9 %**

**Contract Completion Date: August 31, 2018**

**Contact Information:** Jessie Larson 715-830-8101 / Jesse.Larson@dot.wi.gov

**25. Town of Edgewater, Harvest Lane, Thirty Three Creek Bridge, B-57-87;** Sawyer County; 8449-00-70, WISC 2017 852; Local Street; 0.038 Miles; Excavation, Base, Asphaltic Surface, Structure Replacement, and Signs.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 118 CY; Borrow, 55 CY; Backfill Structure, 240 Ton; Base Aggregate Dense, 261 Ton; Concrete Masonry Bridges, 131 CY; Bar Steel Reinforcement, 4,100 Lbs; Bar Steel Reinforcement Coated, 16,340 Lbs; Piling Steel, 425 LF 10-Inch; Construction Staking, 474 LF; Construction Staking, 2 LS; Asphaltic Surface, 90 Ton; Tack Coat, 25 Gals; Signs, 12 SF.

**DBE Goal: 10 %**

**Contract Completion Time: 35 Working Days**

**Contact Information:** William Kurtz 715-392-7969 / william.kurtz@dot.wi.gov

**26. Port Wing - Superior, Engdahl Road to USH 2 / USH 53; Port Wing - Superior, Miller Creek Bridge, B-16-53;** Douglas County; 8510-01-71, WISC 2017 525; 8510-03-71; STH 13; 0.000 Miles; Mill, Grade, Base, Culvert Pipe, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Beam Guard, Signing, Pavement Marking, and Structures B-16-52 and 53.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 103 CY; Backfill Structure, 160 CY; Base Aggregate Dense, 3,592 Ton; Concrete Pavement, 193 SY; Concrete Masonry Bridges, 211 CY; Bar Steel Reinforcement Coated, 43,852 Lbs; Pavement Marking Epoxy, 97,299 LF; Construction Staking, 65,534 LF; Construction Staking, 3 LS; Culvert Pipe Corrugated Steel, 26 LF 24", 8 LF 36", 8 LF 48"; Concrete Curb and Gutter, 189 LF; Steel Plate Beam Guard, 982 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 8 Each; HMA Pavement, 15,678 Ton; Removing Asphaltic Surface Milling, 109,011 SY; Tack Coat, 15,041 Gals; Signs, 626 SF; Expansion Device, 1 LS; Polymer Overlay, 501 SY; Railing Tubular Type M, 364 LF; Riprap, 77 CY.

**DBE Goal: 9 %**

**Contract Completion Time: 60 Working Days**

**Contact Information:** Brendan Dirkes, (715) 395-3026 / [brendan.dirkes@dot.wi.gov](mailto:brendan.dirkes@dot.wi.gov)

**27. CTH I - E. County Line, Little Jump River Bridge, B-54-0125;** Rusk County; 8796-00-70, WISC 2017 526; CTH V; 0.073 Miles; Excavation, Base, Asphaltic Surface, Structure Replacement, Pavement Marking, and Signs.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 744 CY; Backfill Structure, 740 Ton; Base Aggregate Dense, 1,269 Ton; Concrete Masonry Bridges, 365 CY; Bar Steel Reinforcement, 8,200 Lbs; Bar Steel Reinforcement Coated, 54,850 Lbs; Piling Steel, 690 LF 10-Inch; Pavement Marking Epoxy, 1,654 LF; Construction Staking, 1,323 LF; Construction Staking, 2 LS; Asphaltic Surface, 208 Ton; Signs, 49 SF.

**DBE Goal: 8 %**

**Contract Completion Time: 45 Working Days**

**Contact Information:** William Kurtz 715-392-7969 / [william.kurtz@dot.wi.gov](mailto:william.kurtz@dot.wi.gov)

**28. South County Line - STH 64 Road, McKenzie Creek Bridge, B-60-933;** Taylor County; 8887-08-72, WISC 2017 527; CTH T; 0.057 Miles; Excavation, Base, Asphaltic Surface, Structure Replacement, Pavement Marking, and Signs.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 333 CY; Borrow, 141 CY; Backfill Structure, 280 Ton; Base Aggregate Dense, 702 Ton; Concrete Masonry Bridges, 127 CY; Bar Steel Reinforcement, 4,760 Lbs; Bar Steel Reinforcement Coated, 13,720 Lbs; Piling Steel, 375 LF 10-Inch; Pavement Marking Epoxy, 675 LF; Construction Staking, 1,224 LF; Construction Staking, 2 LS; Steel Plate Beam Guard, 310 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 230 Ton; Tack Coat, 57 Gals; Signs, 12 SF.

**DBE Goal: 10 %**

**Contract Completion Time: 35 Working Days**

**Contact Information:** William Kurtz 715-392-7969 / [william.kurtz@dot.wi.gov](mailto:william.kurtz@dot.wi.gov)

**29. CTH O - CTH S, Little Drywood Creek Bridge, B-09-0306;** Chippewa County; 8914-00-70, WISC 2017 528; CTH K; 0.071 Miles; Base, Common Excavation, Asphaltic Surface, Pavement Marking, Structure Replacement, and Signing.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 698 CY; Backfill Structure, 312 Ton; Base Aggregate Dense, 442 Ton; Concrete Masonry Bridges, 283 CY; Bar Steel Reinforcement, 5,530 Lbs; Bar Steel Reinforcement Coated, 50,750 Lbs; Structural Steel Carbon, 590 Lbs; Piling CIP Concrete, 1,800 LF 10 3/4-Inch; Pavement Marking Epoxy, 844 LF; Construction Staking, 1,024 LF; Construction Staking, 2 LS; Asphaltic Surface, 150 Ton; Tack Coat, 46 Gals; Signs, 18 SF.

**DBE Goal: 8 %**

**Contract Completion Time: 50 Working Days**

**Contact Information:** Ross Johnson 715-836-2069 / [ross.johnson@dot.wi.gov](mailto:ross.johnson@dot.wi.gov)

**30. Town of Peeksville, Sinkhole Road, E. Fork Chippewa River Bridge, B-02-0066;** Ashland County; 9956-00-70, WISC 2017 529; Local Street; 0.066 Miles; Excavation, Base, Structure Replacement, and Temporary Structure.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Excavation Common, 444 CY; Borrow, 466 CY; Backfill Structure, 290 Ton; Base Aggregate Dense, 490 Ton; Breaker Run, 720 Ton; Concrete Masonry Bridges, 176 CY; Bar Steel Reinforcement, 3,350 Lbs; Bar Steel Reinforcement Coated, 26,060 Lbs; Structural Steel Carbon, 475 Lbs; Piling CIP Concrete, 540 LF 10 3/4-Inch; Construction Staking, 1,096 LF; Construction Staking, 2 LS; Signs, 12 SF; Temporary Structure, 1 LS.

**DBE Goal:** 12 %

**Contract Completion Time:** 60 Working Days

**Contact Information:** William Kurtz 715-392-7969 / [william.kurtz@dot.wi.gov](mailto:william.kurtz@dot.wi.gov)

**31. Point Bluff Bridge, Wisconsin River Bridge, B-29-141 - 148;** Juneau and Adams Counties; 1430-01-73, WISC 2017 537; STH 82; 2.083 Miles; Base, Common Excavation, Rock Excavation, HMA Pavement, Asphaltic Surface, Structure B-29-141, Structure B-29-148, Guardrail, Curb and Gutter, Pavement Marking, and Signing.

**Guaranty Required:** \$510,000.00

**Estimate of Principal Items:** Excavation Common, 198,909 CY; Excavation Rock, 223,601 CY; Backfill Structure, 1,470 Ton; Base Aggregate Dense, 46,720 Ton; Concrete Pavement, 227 SY; Concrete Masonry Bridges, 6,159 CY; Prestressed Girders, 468 LF 36-Inch, 9,622 LF 72-Inch; Bar Steel Reinforcement, 309,815 Lbs; Bar Steel Reinforcement Coated, 874,895 Lbs; Piling CIP Concrete, 2,700 LF 10 3/4-Inch, 54,625 LF 10 3/4-Inch; Piling Steel, 5,600 LF 12-Inch; Pavement Marking Wet Reflective Tape, 29,950 LF; Pavement Marking Epoxy, 56,707 LF; Pavement Marking Paint, 71,063 LF; Construction Staking, 40,605 LF; Construction Staking, 27 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 168 LF 18", 270 LF 24", 80 LF 24"; Storm Sewer Pipe Reinforced Concrete, 120 LF 18", 177 LF 24"; Concrete Curb and Gutter, 2,948 LF; Concrete Sidewalk, 956 SF; Steel Plate Beam Guard, 3,143 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 1,045 Ton; HMA Pavement, 18,140 Ton; Removing Asphaltic Surface Milling, 5,956 SY; Tack Coat, 5,695 Gals; Signs, 411 SF; Pre-Boring Rock or Consolidated Materials, 1,590 LF.

**DBE Goal:** 8 %

**Contract Completion Date:** October 31, 2019

**Contact Information:** Greg Brecka, (608) 516-6524 / [gregory.brecka@dot.wi.gov](mailto:gregory.brecka@dot.wi.gov)

**32. Menasha Avenue, Village of Whitelaw, Hempton Lake Road - Chestnut Lane; Reedsville - Manitowoc, East Village Limits - Branch River; Reedsville - Manitowoc, CTH P - CTH R; Manitowoc County; 1500-27-71, WISC 2017 534; 1500-66-71, WISC 2017 535; 1500-67-60, WISC 2017 536; USH 10; 11.613 Miles; Grading, Base, Milling, Concrete Base, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Beam Guard, Pavement Markings, and Signs.**

**Guaranty Required: \$100,000.00**

**Estimate of Principal Items:** Excavation Common, 9,658 CY; Excavation Rock, 851 CY; Base Aggregate Dense, 13,307 Ton; Pavement Marking Epoxy, 248,443 LF; Construction Staking, 68,160 LF; Construction Staking, 36 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 52 LF 24", 36 LF 42"; Culvert Pipe Reinforced Concrete, 136 LF 24", 208 LF 42", 208 LF 36", 192 LF 72", 240 LF 48"; Storm Sewer Pipe Reinforced Concrete, 321 LF 12", 1,084 LF 36", 96 LF 15", 7 LF 24"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 96 LF 24" X 53"; Concrete Curb and Gutter, 1,064 LF; Concrete Sidewalk, 2,448 SF; Steel Plate Beam Guard, 760 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 6 Each; Asphaltic Surface, 410 Ton; HMA Pavement, 60,201 Ton; Removing Asphaltic Surface Milling, 228,466 SY; Tack Coat, 31,514 Gals; Signs, 2,779 SF; Concrete Base, 2,522 SY; Base Patching Concrete, 3,059 SY; Culvert Pipe Liners, 138 LF; Removing Concrete Pavement Milling, 7,957 SY.

**DBE Goal: 10 %**

**Contract Completion Time: 100 Calendar Days**

**Contact Information: Brian Haen, (920) 366-4788 / brian.haen@dot.wi.gov**

**33. DEFERRED**

**34. Madison - Sun Prairie, Dual Ramp Bridges, B-13-0395 and B-13-0396; Dane County; 1111-02-63, WISC 2017 605; USH 151; 0.000 Miles; Bridge Painting.**

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Structure Repainting Recycled Abrasive, 2 LS.

**DBE Goal: 10 %**

**Contract Completion Date: June 29, 2018**

**Contact Information: Chris Hodges, (608) 246-7911 / chris.hodges@dot.wi.gov**

**35. Madison - Sun Prairie, East Springs Drive to Main Street;** Dane County; 1112-07-60, WISC 2017 606; USH 151; 3.896 Miles; Base, HMA Pavement, Concrete Pavement Repair and Replacement, Pavement Marking, and Signs.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Base Aggregate Dense, 547 Ton; Pavement Marking Epoxy, 1,466 LF; HMA Pavement, 2,381 Ton; Removing Asphaltic Surface Milling, 21,258 SY; Tack Coat, 1,490 Gals; Signs, 1,381 SF; Asphaltic Shoulder Rumble Strips, 18,835 LF; Concrete Pavement Repair Overnight, 1,795 SY; Concrete Pavement Replacement Overnight, 1,341 SY.

**DBE Goal: 9 %**

**Contract Completion Date: June 29, 2018**

**Contact Information:** David Layton, (608) 246-3821 / david.layton@dot.wi.gov

**36. N-S Freeway, STH 11 Interchange, East Frontage Road; N-S Freeway, STH 11 Interchange, West Frontage Road and 58th Road; N-S Freeway, CTH KR to STH 11, East Frontage Road; N-S Freeway, CTH KR to STH 11, West Frontage Road; N-S Freeway, STH 11 to STH 20, East Frontage Road; N-S Freeway, STH 11 to STH 20, West Frontage Road;** Racine County; 1030-24-70, WISC 2017 607; 1030-24-74, WISC 2017 608; 1030-24-77, WISC 2017 609; 1030-24-78, WISC 2017 610; 1033-02-77, WISC 2017 611; 1033-02-78, WISC 2017 612; IH 94; 0.000 Miles; Grade, Base, Storm Sewer, Culvert Pipe, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Signing, and Pavement Marking.

**Guaranty Required: \$360,000.00**

**Estimate of Principal Items:** Excavation Common, 258,087 CY; Selected Borrow, 74,936 CY; Backfill Granular, 1,827 CY; Subbase, 87,908 Ton; Base Aggregate Dense, 164,768 Ton; Breaker Run, 11,715 Ton; Concrete Masonry Endwalls, 34 CY; Bar Steel Reinforcement, 10 Lbs; Pavement Marking Epoxy, 139,401 LF; Culvert Pipe, 266 LF 12", 34 LF 15", 1,481 LF 18", 87 LF 24", 243 LF 30"; Culvert Pipe Reinforced Concrete, 50 LF 12", 142 LF 18", 470 LF 24", 259 LF 30"; Storm Sewer Pipe Reinforced Concrete, 4,350 LF 12", 1,227 LF 15", 1,151 LF 18", 2,292 LF 24", 1,091 LF 30", 899 LF 42", 1,213 LF 48"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 353 LF 19" X 30", 282 LF 34" X 53", 62 LF 24" X 38", 130 LF 43" X 68", 763 LF 29" X 45", 152 LF 53" X 83"; Concrete Curb and Gutter, 17,970 LF; Concrete Sidewalk, 375 SF; Steel Plate Beam Guard, 5,199 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 27 Each; Asphaltic Surface, 1,056 Ton; HMA Pavement, 51,828 Ton; Tack Coat, 7,411 Gals; Signs, 1,583 SF; Riprap, 867 CY; Traffic Flashing Beacon System, 2 Each.

**DBE Goal: 10 %**

**Contract Completion Date: November 16, 2018**

**Contact Information:** Frank Pritzlaff, (262) 548-5683 / frank.pritzlaff@dot.wi.gov

**37. STH 20, Intersection with CTH C;** Racine County; 2340-00-76, WISC 2017 613; STH 20; 0.269 Miles; Excavation, Base, HMA Pavement, Roundabout Construction, Curb and Gutter, Concrete Pavement, Storm Sewer, Pavement Marking, Signs, Street Lighting, Landscaping, and Trees.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 23,530 CY; Base Aggregate Dense, 36,954 Ton; Base Aggregate Open Graded, 4 CY; Concrete Pavement, 20,811 SY; Pavement Marking Wet Reflective Tape, 65,360 LF; Pavement Marking Epoxy, 12,450 LF; Culvert Pipe, 96 LF 12"; Storm Sewer Pipe Reinforced Concrete, 552 LF 15", 1,476 LF 15", 293 LF 18", 576 LF 18", 62 LF 12"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 68 LF 14" X 23", 86 LF 19" X 30"; Concrete Curb and Gutter, 12,198 LF; Concrete Sidewalk, 2,258 SF; Asphaltic Surface, 2,451 Ton; HMA Pavement, 159 Ton; Tack Coat, 36 Gals; Signs, 1,232 SF; Overhead Sign Support, 3 LS; Survey Project, 1 LS.

**DBE Goal:** 20 %

**Contract Completion Date:** October 15, 2018

**Contact Information:** Frank Pritzlaff, (262) 548-5683 / frank.pritzlaff@dot.wi.gov

**38. Lake Geneva - East Troy Road, USH 12 - N. Side of Como Creek Bridge;** Walworth County; 3190-00-70, WISC 2017 614; STH 120; 1.356 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Culvert Pipe, Storm Sewer, Concrete Driveway, Curb and Gutter, Sidewalk, Beam Guard, Fence, Overhead Sign Supports, Signs, Pavement Markings, Street Lighting, and Traffic Signals.

**Guaranty Required:** \$100,000.00

**Estimate of Principal Items:** Excavation Common, 71,464 CY; Backfill Structure, 165 Ton; Base Aggregate Dense, 58,889 Ton; Select Crushed Material, 7,112 Ton; Concrete Pavement, 137 SY; Concrete Masonry Bridges, 373 CY; Bar Steel Reinforcement, 6,540 Lbs; Bar Steel Reinforcement Coated, 54,300 Lbs; Structural Steel HS Stainless, 420 Lbs; Piling Steel, 440 LF 10-Inch; Pavement Marking Epoxy, 39,564 LF; Construction Staking, 160 LF; Construction Staking, 75,678 Each; Construction Staking, 3 LS; Culvert Pipe Corrugated Steel, 49 LF 30", 34 LF 36", 227 LF 42"; Culvert Pipe Reinforced Concrete, 26 LF 42", 290 LF 48"; Storm Sewer Pipe Reinforced Concrete, 1,119 LF 12", 1,703 LF 24", 1,524 LF 15", 12 LF 48", 193 LF 18", 15 LF 42"; Concrete Curb, 399 LF; Concrete Curb and Gutter, 17,739 LF; Concrete Sidewalk, 55,530 SF; Steel Plate Beam Guard, 3,430 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 16 Each; Asphaltic Surface, 1,833 Ton; HMA Pavement, 17,220 Ton; Tack Coat, 2,368 Gals; Signs, 2,135 SF; Concrete Driveway, 345 SY; Concrete Truck Apron, 1,195 SY; Asphaltic Curb, 320 LF; Structure Repainting, 2 LS; Pipe Arch Corrugated Steel, 113 LF 28" X 20", 97 LF 35" X 24", 164 LF 42" X 29", 45 LF 49" X 33"; Woven Wire Fence, 985 LF; Overhead Sign Supports, 4 LS; Conduit, 5,958 LF; Light Poles, 30 Each; Traffic Signal Standards, 4 Each.

**DBE Goal:** 20 %

**Contract Completion Date:** November 2, 2018

**Contact Information:** Gary Metzger, (262) 548-5685 / gary.metzger@dot.wi.gov

**39. Appleton - Kaukauna, Capitol Drive Overpass; Appleton - Green Bay, WCL RR - Maloney Road Bridge; Waupaca - Appleton, Dale Road Overpass;** Outagamie; Outagamie; Winnebago County; 1120-60-71, WISC 2017 615; 1130-49-71, WISC 2017 616; 1517-13-71, WISC 2017 618; IH 41; IH 41; USH 10; 0.000 Miles; Structure Overlays and Pavement Markings.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Concrete Masonry Overlay, 40 CY; Pavement Marking Epoxy, 2,478 LF; Preparation Decks, 379 SY; Cleaning Decks, 717 SY; Polymer Overlay, 2,565 SY.

**DBE Goal:** 8 %

**Contract Completion Date:** August 24, 2018

**Contact Information:** Tim Rank, (920) 360-2579 / tim.rank@dot.wi.gov

**40. Sheboygan - Manitowoc, Wilson Lima Road - Fischer Creek Road;** Sheboygan County; 1223-17-71, WISC 2017 617; IH 43; 0.000 Miles; Base, Cable Guard, Polymer Overlay, Pavement Marking, and Structures B-59-34 and 51.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Base Aggregate Dense, 501 Ton; Pavement Marking Epoxy, 444 LF; Construction Staking, 1 LS; Polymer Overlay, 859 SY; Cable Barrier, 33,426 LF; Cable Barrier End Terminal Type I, 40 Each.

**DBE Goal:** 12 %

**Contract Completion Date:** August 29, 2018

**Contact Information:** Brian Haen, (920) 366-4788 / brian.haen@dot.wi.gov

**41. Seymour - Angelica, Lake Road - NCL;** Outagamie County; 6570-08-71, WISC 2017 619; STH 55; 4.51 Miles; Excavation, Base, Asphaltic Surface Milling, HMA Pavement, Pavement Marking, and Signs.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 682 CY; Backfill Granular, 1,068 Ton; Base Aggregate Dense, 6,526 Ton; Pavement Marking Epoxy, 65,769 LF; Pavement Marking Paint, 11,691 LF; Construction Staking, 23,655 LF; Construction Staking, 5 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 100 LF 18"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 320 LF 43" X 68"; Steel Plate Beam Guard, 1,029 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 10 Each; Asphaltic Surface, 81 Ton; HMA Pavement, 20,936 Ton; Removing Asphaltic Surface Milling, 88,399 SY; Tack Coat, 10,657 Gals; Signs, 260 SF; Asphalt Center Line Rumble Strips 2-Lane, 19,290 LF.

**DBE Goal:** 8 %

**Contract Completion Time:** 30 Working Days

**Contact Information:** Tim Verhagen, (920) 362-1267 / timothy.verhagen@dot.wi.gov

**42. Various Structures, Marathon County, Structures Per Provided List;** Marathon County; 1009-45-66, WISC 2017 620; STH 29; 0.000 Miles; Polymer Overlays and Pavement Markings.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Pavement Marking Epoxy, 19,388 LF; Polymer Overlay, 27,395 SY; Epoxy Crack Repair, 100 LF; Concrete Staining, 1,700 SF.

**DBE Goal:** 5 %

**Contract Completion Date:** August 23, 2018

**Contact Information:** Jed Peters, (715) 365-5731 / jed.peters@dot.wi.gov

**43. Hudson - Baldwin, USH 12 to STH 65, EB and WB;** St. Croix County; 1020-03-81, WISC 2017 621; IH 94; 3.640 Miles; Base, Milling, HMA Pavement, Guardrail, Pavement Marking, and Signs.

**Guaranty Required:** \$100,000.00

**Estimate of Principal Items:** Base Aggregate Dense, 5,000 Ton; Pavement Marking Wet Reflective Tape, 12,352 LF; Pavement Marking Epoxy, 266,710 LF; Construction Staking, 46,294 LF; Construction Staking, 1 LS; Steel Plate Beam Guard, 12,445 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 18 Each; Asphaltic Surface, 1,209 Ton; HMA Pavement, 36,906 Ton; Removing Asphaltic Surface Milling, 165,228 SY; Tack Coat, 19,575 Gals; Signs, 650 SF; Asphaltic Shoulder Rumble Strips, 75,954 LF.

**DBE Goal:** 9 %

**Contract Completion Date:** July 16, 2018

**Contact Information:** Adam Sarauer, (715) 833-5367 / adam.sarauer@dot.wi.gov

**44. Luck - Siren, Polk Street to Bacon Street;** Polk County; 8010-01-77, WISC 2017 622; STH 35; 9.744 Miles; Base, Removing Asphalt Surface Milling, HMA Pavement, Asphaltic Surface, Pavement Marking, Signs, Guardrail, and Curb and Gutter.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Base Aggregate Dense, 2,816 Ton; Pavement Marking Epoxy, 246,840 LF; Pavement Marking Paint, 25,725 LF; Construction Staking, 53,185 LF; Construction Staking, 1 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 10 LF 24"; Concrete Curb and Gutter, 155 LF; Beam Guard, 4,150 LF; Beam Guard Energy Absorbing Terminals, 14 Each; Asphaltic Surface, 2,010 Ton; HMA Pavement, 34,043 Ton; Removing Asphaltic Surface Milling, 201,004 SY; Tack Coat, 13,604 Gals; Signs, 1,245 SF.

**DBE Goal:** 8 %

**Contract Completion Time:** 55 Working Days

**Contact Information:** Beth Cunningham, (715) 635-4973 /  
beth.cunningham@dot.wi.gov

By order of:

Joe Nestler  
Administrator  
Division of Transportation System Development