

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT
NOTICE TO CONTRACTORS**

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, December 12, 2017, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in Room 601.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, 4802 Sheboygan Avenue, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development in Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

ELECTRONIC BIDDING

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

PROPOSAL GUARANTY

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND PROPOSALS

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

PLAN HOLDERS and ELIGIBLE BIDDERS

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

QUALIFICATIONS OF BIDDERS

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

HOURS OF LABOR AND MINIMUM WAGE RATES

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

AFFIDAVIT OF NON-COLLUSION

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

GENERAL CONSTRUCTION

1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22, 23, 24, 29

GRADING

8

CONCRETE PAVEMENT

2, 16

ASPHALTIC PAVEMENT

3, 6, 7, 21, 22, 23

STRUCTURES

5, 9, 12, 15, 18, 24, 25, 26, 27, 28, 29

BRIDGE PAINTING

9

STREET OR AIRPORT LIGHTING

BUILDING CONSTRUCTION

INCIDENTAL CONSTRUCTION

13, 19, 20

1. City of Kaukauna, Delanglade Street, Lawe Street - IH 41; Outagamie County; 4650-08-71, WISC 2017 623; STH 55; 1.157 Miles; Grading, Base, Milling, Concrete Pavement, Asphalt Pavement, Culvert Pipe, Storm Sewer, Retaining Walls, Curb and Gutter, Concrete Driveway, Sidewalk, Beam Guard, Fence, Pavement Markings, Signs, Sign Bridge, Overhead Sign Supports, Street Lighting, Traffic Signals, Plantings, Sanitary Sewer, and Ramp Closure Gates.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 87,233 CY; Backfill Granular, 1,030 CY; Backfill Structure, 235 Ton; Subbase, 1,620 CY; Base Aggregate Dense, 48,106 Ton; Select Crushed Material, 940 Ton; Base Aggregate Open Graded, 57 Ton; Breaker Run, 60,000 Ton; Concrete Pavement, 56,085 SY; Marking Wet Reflective Tape, 1,793 LF; Marking Epoxy, 36,553 LF; Construction Staking, 94,384 LF; Construction Staking, 180 Each; Construction Staking, 21 LS; Storm Sewer Pipe, 30 LF 70"; Culvert Pipe Corrugated Steel, 4 LF 18"; Storm Sewer Pipe Reinforced Concrete, 1,899 LF 12", 1,210 LF 24", 887 LF 36", 110 LF 21", 1,230 LF 15", 150 LF 27", 626 LF 42", 2,061 LF 18", 822 LF 30", 410 LF 48"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 572 LF 48" X 76", 181 LF 58" X 91"; Concrete Curb, 820 LF; Concrete Curb and Gutter, 28,471 LF; Concrete Sidewalk, 134,320 SF; Beam Guard, 1,350 LF; Beam Guard Energy Absorbing Terminals, 6 Each; Asphaltic Surface, 767 Ton; HMA Pavement, 2,690 Ton; Removing Asphaltic Surface Milling, 4,560 SY; Tack Coat, 748 Gals; Signs, 2,938 SF; Concrete Driveway, 2,195 SY; Concrete Truck Apron, 2,250 SY; Chain Link Fence, 5,018 LF; Trees, 12 Each; Shrubs, 60 Each; Sign Bridge, 1 LS; Overhead Sign Support, 10 LS; Conduit, 2,938 LF; Light Poles, 18 Each; Traffic Signal Standards, 6 Each; Ramp Closure Gate, 4 Each; Concrete Masonry Special, 44 CY; Perennials, 249 Each; Bar Steel Reinforcement Special, 7,390 Lbs; Steel Casing Pipe 42", 50 LF; Sanitary Pipe, 1,042 LF; Sanitary Lateral, 315 LF; Storm Lateral, 410 LF; Wall Modular Block Gravity, 2,635 SF; Wall Modular Block MSE, 1,085 SF; Management of Contaminated Soil and Water, 750 Ton.

DBE Goal: 15 %

Contract Completion Date: October 27, 2018

Contact Information: Tim Rank, (920) 360-2579 / tim.rank@dot.wi.gov

2. Illinois State Line - Madison, S. Dane County Line to E. Church Road, SB; Dane County; 1007-11-74, WISC 2018 001; IH 39; 7.007 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Bridge Replacement, Box Culvert Replacement, Culvert Pipe, Storm Sewer, Curb and Gutter, Beam Guard, Concrete Barrier, Cable Barrier, Fence, Signs, Sign Bridge, Street Lighting, ITS, and Pavement Markings.

Guaranty Required: \$570,000.00

Estimate of Principal Items: Excavation Common, 427,359 CY; Excavation Marsh, 3,914 CY; Selected Borrow, 26,164 CY; Backfill Structure, 5,868 Ton; Base Aggregate Dense, 151,734 Ton; Select Crushed Material, 223,966 Ton; Breaker Run, 175 Ton; Concrete Pavement, 243,120 SY; Concrete Masonry Bridges, 1,252 CY; Concrete Masonry Culverts, 233 CY; Prestressed Girders, 357 LF 36-Inch, 1,122 LF 72-Inch; Bar Steel Reinforcement, 53,040 Lbs; Bar Steel Reinforcement Coated, 156,600 Lbs; Structural Steel HS Stainless, 4,380 Lbs; Piling CIP Concrete, 2,630 LF 12 3/4-Inch; Marking Wet Reflective Tape, 33,102 LF; Marking Epoxy, 186,798 LF; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 1,872 LF 18", 1,397 LF 36", 381 LF 60", 239 LF 24", 261 LF 42", 120 LF 30", 181 LF 48"; Storm Sewer Pipe Reinforced Concrete, 633 LF 24", 361 LF 30", 127 LF 36"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 7 LF 19" X 30"; Beam Guard, 2,172 LF; HMA Pavement, 2,399 Ton; Tack Coat, 9 Gals; Signs, 2,866 SF; Route and Seal, 5,918 LF; Concrete Barrier, 235 LF; Cable Barrier, 1,937 LF; Woven Wire Fence, 1,042 LF; Sign Bridge, 1 LS; Conduit, 135 LF; Aluminum Poles, 2 Each; Roadway Embankment, 191,481 CY; Excavation Hauling and Disposal of Contaminated Soil, 110 Ton.

DBE Goal: 10 %

Contract Completion Date: October 31, 2018

Contact Information: Chris Fredrick, (608) 884-7130 / christopher.fredrick@dot.wi.gov

3. Boscobel - Readstown, Bell Center Road to USH 14; Crawford and Vernon Counties; 1650-02-61, WISC 2018 002; USH 61; 11.006 Miles; Excavation, Base, HMA Pavement, Bridge Deck Overlay, Curb and Gutter, Beam Guard, Pavement Marking, and Signs.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 127 CY; Borrow, 4,131 CY; Base Aggregate Dense, 10,554 Ton; Select Crushed Material, 5,000 Ton; Marking Epoxy, 201,122 LF; Marking Paint, 77,107 LF; Construction Staking, 64,099 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 3,224 LF; Concrete Sidewalk, 98 SF; Beam Guard, 24,845 LF; Beam Guard Energy Absorbing Terminals, 57 Each; Asphaltic Surface, 510 Ton; HMA Pavement, 57,632 Ton; Removing Asphaltic Surface Milling, 37,495 Ton; Tack Coat, 12,501 Gals; Signs, 2,130 SF; Pulverize and Relay, 256,110 SY.

DBE Goal: 6 %

Contract Completion Time: 70 Working Days

Contact Information: Todd Waldo, (608) 785-9462 / todd.waldo@dot.wi.gov

4. Richland Center - Hillsboro, Horse and Melancthon Creek Structures; Richland County; 5042-05-61, WISC 2018 003; STH 80; 0.000 Miles; Excavation, Base, Asphaltic Surface, Marking Line, Beam Guard, Signs, and Structure Rehabilitation.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 289 CY; Selected Borrow, 84 CY; Base Aggregate Dense, 535 Ton; Concrete Pavement, 434 SY; Concrete Masonry Overlay, 30 CY; Marking Wet Reflective Tape, 4,824 LF; Marking Epoxy, 6,048 LF; Construction Staking, 1,200 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 46 LF; Beam Guard, 886 LF; Beam Guard Energy Absorbing Terminals, 12 Each; Asphaltic Surface, 433 Ton; Removing Asphaltic Surface Milling, 3,500 SY; Tack Coat, 246 Gals; Signs, 37 SF.

DBE Goal: 5 %

Contract Completion Date: August 31, 2018

Contact Information: Daniel Kleinertz, (608) 789-5709 / daniel.kleinertz@dot.wi.gov

5. Richland Center - Hillsboro, Pine River and Fancy Creek Structures; Richland County; 5042-05-81, WISC 2018 004; STH 80; 0.832 Miles; Excavation, Borrow, Base, HMA Pavement, Three Structure Replacements, Beam Guard, Curb and Gutter, Signs, and Pavement Marking.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 36,938 CY; Borrow, 27,692 CY; Backfill Granular, 1,110 Ton; Backfill Structure, 1,246 Ton; Base Aggregate Dense, 25,215 Ton; Select Crushed Material, 17,695 Ton; Concrete Pavement, 509 SY; Concrete Masonry Bridges, 2,451 CY; Prestressed Girders, 1,629 LF 36-Inch, 1,008 LF 54-Inch; Bar Steel Reinforcement, 38,300 Lbs; Bar Steel Reinforcement Coated, 362,890 Lbs; Piling Steel, 3,950 LF 10-Inch, 4,330 LF 12-Inch; Marking Epoxy, 20,191 LF; Marking Paint, 6,310 LF; Construction Staking, 16,823 LF; Construction Staking, 12 Each; Construction Staking, 4 LS; Culvert Pipe Corrugated Steel, 164 LF 18", 100 LF 36", 140 LF 24", 218 LF 30"; Concrete Curb and Gutter, 1,879 LF; Beam Guard, 1,341 LF; Beam Guard Energy Absorbing Terminals, 12 Each; Asphaltic Surface, 17 Ton; HMA Pavement, 6,484 Ton; Tack Coat, 1,106 Gals; Signs, 327 SF.

DBE Goal: 7 %

Contract Completion Time: 120 Working Days

Contact Information: Daniel Kleinertz, (608) 789-5709 / daniel.kleinertz@dot.wi.gov

6. STH 58 - Rock Springs, West County Line to STH 23; Sauk County; 5070-01-71, WISC 2018 028; STH 154; 9.237 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Signs, Beam Guard, Pavement Marking, and Concrete Masonry Overlay.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 2,136 CY; Borrow, 5,523 CY; Base Aggregate Dense, 10,949 Ton; Concrete Pavement, 270 SY; Concrete Masonry Overlay, 44 CY; Bar Steel Reinforcement, 1,790 Lbs; Marking Wet Reflective Tape, 3,374 LF; Marking Epoxy, 151,197 LF; Marking Paint, 116,343 LF; Construction Staking, 62,133 LF; Construction Staking, 15 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 572 LF 24", 82 LF 48", 46 LF 30", 4 LF 36"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 146 LF 19" X 30"; Concrete Curb and Gutter, 1,282 LF; Concrete Sidewalk, 1,400 SF; Beam Guard, 1,566 LF; Beam Guard Energy Absorbing Terminals, 28 Each; Asphaltic Surface, 166 Ton; HMA Pavement, 32,090 Ton; Removing Asphaltic Surface Milling, 136,773 SY; Tack Coat, 19,649 Gals; Signs, 1,005 SF.

DBE Goal: 8 %

Contract Completion Time: 55 Working Days

Contact Information: Daniel Kleinertz, (608) 789-5709 / daniel.kleinertz@dot.wi.gov

7. IH 90 - STH 16, City of Sparta, River Road to STH 16; IH 90 - STH 16, City of Sparta, River Road to STH 16; Monroe County; 5144-01-75, WISC 2018 005; 5144-01-76; STH 27; 0.000 Miles; Grade, Base, Storm Sewer, Sanitary Sewer, Water Main, Culvert Pipe, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Signals, Lighting, Signing, Landscaping, and Pavement Marking.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 28,527 CY; Excavation Rock, 100 CY; Backfill Granular, 500 CY; Base Aggregate Dense, 23,206 Ton; Select Crushed Material, 2,863 Ton; Concrete Pavement, 25,157 SY; Marking Epoxy, 17,895 LF; Construction Staking, 39,900 LF; Construction Staking, 111 Each; Construction Staking, 4 LS; Culvert Pipe, 28 LF 12", 10 LF 15"; Storm Sewer Pipe Reinforced Concrete, 1,714 LF 12", 468 LF 15", 186 LF 18", 77 LF 21", 231 LF 24", 1,000 LF 48", 432 LF 54", 1,764 LF 60"; Concrete Curb, 126 LF; Concrete Curb and Gutter, 12,575 LF; Concrete Sidewalk, 40,255 SF; Beam Guard, 403 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 53 Ton; HMA Pavement, 1,710 Ton; Tack Coat, 2,846 Gals; Signs, 815 SF; Riprap, 22 CY; Trees, 2 Each; Shrubs, 16 Each; Pull Boxes, 42 Each; Concrete Bases, 31 Each; Poles, 18 Each; Lighting Control Cabinet, 4 Each; Fire Hydrant, 7 Each; Water Main Ductile Iron, 3,124 LF; Sanitary Sewer Pipe PVC, 2,629 LF; Sanitary Sewer Service, 303 LF; Water Service Copper, 463 LF.

DBE Goal: 12 %

Contract Completion Date: November 15, 2018

Contact Information: Anthony VanderWielen, (608) 789-7878 /
anthony.vanderwielen@dot.wi.gov

8. Prairie du Chien - Eastman, 0.09 Mi. N. of Cipra to Meadow Lane Street; Prairie du Chien - Eastman, Meadow Lane Street to 0.05 Mi. N. of Water Street; Prairie du Chien - Eastman, Meadow Lane Street to 0.05 Mi. N. of Water Street; Crawford County; 5541-06-71, WISC 2018 006; 5541-06-72, WISC 2018 007; 5541-06-73; STH 27; 0.000 Miles; Mill and Relay, Grade, Base, Culvert Pipe, Storm Sewer, Water Main, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, and Pavement Marking.

Guaranty Required: \$260,000.00

Estimate of Principal Items: Excavation Common, 219,594 CY; Excavation Rock, 353 CY; Backfill Granular, 4,672 Ton; Base Aggregate Dense, 169,262 Ton; Select Crushed Material, 95,298 Ton; Concrete Pavement, 1,406 SY; Concrete Masonry Endwalls, 12 CY; Marking Epoxy, 249,563 LF; Construction Staking, 189,907 LF; Construction Staking, 151 Each; Construction Staking, 3 LS; Culvert Pipe, 2,112 LF 18", 276 LF 24"; Culvert Pipe Corrugated Steel, 660 LF 24"; Culvert Pipe Reinforced Concrete, 832 LF 24"; Storm Sewer Pipe Reinforced Concrete, 1,404 LF 12", 1,136 LF 15", 275 LF 24"; Pipe Arch Corrugated Steel, 62 LF 72" X 54"; Concrete Curb and Gutter, 15,530 LF; Concrete Sidewalk, 41,734 SF; Asphaltic Surface, 160 Ton; HMA Pavement, 65,203 Ton; Tack Coat, 15,851 Gals; Signs, 761 SF; Mill and Relay, 90,443 SY; Pipe Cattle Pass Reinforced Concrete, 88 LF; Riprap, 8 CY; Water Service, 75 LF; Ductile Iron, 43 LF.

DBE Goal: 10 %

Contract Completion Date: November 21, 2018

***** MANDATORY PRE-BID MEETING *****

DATE: November 15, 2017 **TIME:** 9:00 AM–11:00 AM

LOCATION: Southwest Region Office - LaCrosse
3550 Mormon Coulee Road
LaCrosse, WI 54601

NOTES: No meeting minutes will be prepared. Issues discovered at the meeting will be handled by addendum.

Contact Information: John Bainter, (608) 785-9729 / john.bainter@dot.wi.gov

9. STH 23 - Lone Rock, WI River Structure, B-52-856; Richland County; 5770-01-60; STH 130; 0.105 Miles; Bridge Rehabilitation, Painting, Structural Steel Carbon, Beam Guard, and Signs.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Structural Steel Carbon, 1,855 Lbs; Beam Guard, 84 LF; Signs, 28 SF; Structural Spot Cleaning and Painting, 1 LS; Structural Steel Repair B-52-856, 1 LS.

DBE Goal: NA

Contract Completion Time: 30 Working Days

Contact Information: Daniel Kleinertz, (608) 789-5709 / daniel.kleinertz@dot.wi.gov

10. Zoo IC - IH 94 Auxiliary Lanes, Moorland Road to Underwood Parkway; Zoo IC - Moorland Road, Franklin Drive to IH 94 On Ramp; Waukesha County; 1060-33-82, WISC 2018 029; 1060-34-79; IH 94; CTH O; 0.000 Miles; Mill; Grade; Base; Storm Sewer; Concrete Pavement; Asphalt Pavement; Curb and Gutter; Concrete Barrier; Beam Guard; Sidewalk; Lighting; Signing; Sign Bridges S-67-317, 318, and 418; Pavement Marking; and Structure B-67-344.

Guaranty Required: \$390,000.00

Estimate of Principal Items: Excavation Common, 67,899 CY; Backfill Structure, 1,245 Ton; Backfill Structure, 323 CY; Base Aggregate Dense, 19,725 Ton; Select Crushed Material, 39,537 Ton; Concrete Pavement, 2,512 SY; Concrete Masonry Bridges, 955 CY; Prestressed Girders, 2,347 LF 54W-Inch; Bar Steel Reinforcement, 11,665 Lbs; Bar Steel Reinforcement Coated, 162,530 Lbs; Structural Steel HS, 4,400 Lbs; Piling Steel, 1,280 LF 10-Inch, 825 LF 12-Inch; Marking Wet Reflective Tape, 50,496 LF; Marking Epoxy, 70,579 LF; Storm Sewer Pipe Reinforced Concrete, 927 LF 12", 574 LF 15", 57 LF 18", 7,704 LF 24", 1,477 LF 30", 83 LF 36", 368 LF 42"; Concrete Curb, 59 LF; Concrete Curb and Gutter, 3,172 LF; Concrete Sidewalk, 11,356 SF; Beam Guard, 285 LF; Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 18 Ton; HMA Pavement, 54,137 Ton; Removing Asphaltic Surface Milling, 118,185 SY; Tack Coat, 17,332 Gals; Signs, 2,042 SF; Steel Diaphragms, 32 Each; Concrete Barrier, 14,265 LF; Riprap, 149 CY; Sign Supports Concrete Masonry, 180 CY; Sign Supports Steel Reinforcement, 432 Lbs; Sign Supports Steel Coated Reinforcement HS, 23,200 Lbs; Sign Bridge, 3 LS; Pull Boxes, 10 Each; Concrete Bases, 1 Each; Poles, 1 Each.

DBE Goal: 15 %

Contract Completion Date: August 24, 2018

Contact Information: Joshua LeVeque, (414) 750-1468 / joshua.leveque@dot.wi.gov

11. Zoo Freeway, Swan Blvd. to Burleigh Street; Milwaukee County; 2010-14-70, WISC 2018 008; IH 41; 0.000 Miles; Mill; Grade; Base; Storm Sewer; Concrete Pavement; Asphalt Pavement; Curb and Gutter; Concrete Barrier; Sidewalk; Signing; FTMS; RRFB System; Sign Bridges S-40-871 - 873, Overhead Sign Supports S-40-798, 799, and 969; Pavement Marking; and Structures B-40-135, 136, 138, 139, and 259.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 7,422 CY; Base Aggregate Dense, 2,737 Ton; Concrete Pavement, 13,928 SY; Structural Steel HS, 11,800 Lbs; Marking Epoxy, 100,142 LF; Storm Sewer Pipe Reinforced Concrete, 2,703 LF 12"; Concrete Curb, 15 LF; Concrete Curb and Gutter, 69 LF; Concrete Sidewalk, 640 SF; Beam Guard, 133 LF; Beam Guard Energy Absorbing Terminals, 1 Each; HMA Pavement, 17,159 Ton; Removing Asphaltic Surface Milling, 105,673 SY; Tack Coat, 9,067 Gals; Signs, 5,998 SF; Concrete Barrier, 5,843 LF; Sign Supports Concrete Masonry, 58 CY; Sign Supports Steel Reinforcement, 1,272 Lbs; Sign Supports Steel Coated Reinforcement HS, 4,855 Lbs; Sign Bridge, 3 LS; Overhead Sign Supports, 3 LS; Pull Boxes, 2 Each; EBS Excavation, 371 CY; EBS Backfill, 371 CY; Concrete Bases, 10 Each; RRFB System, 11 LS; Chevron Solar Powered Sign System Assembly, 3 LS; Resin Binder High Friction Surface Treatment, 16,410 SY.

DBE Goal: 10 %

Contract Completion Date: August 19, 2018

Contact Information: Sara Feuling, (414) 750-0579 / sara.feuling@dot.wi.gov

12. West Wells Street, City of Milwaukee, Milwaukee River Bridge, B-40-544; Milwaukee County; 2195-03-70, WISC 2018 009; USH 18; 0.000 Miles; Grade, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Signals, Pavement Marking, and Structure B-40-544.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 111 CY; Base Aggregate Dense, 90 Ton; Concrete Pavement, 182 SY; Concrete Masonry Bridges, 107 CY; Bar Steel Reinforcement Coated, 21,460 Lbs; Marking Epoxy, 720 LF; Construction Staking, 663 LF; Construction Staking, 4 Each; Construction Staking, 2 LS; Concrete Curb, 40 LF; Concrete Curb and Gutter, 108 LF; Concrete Sidewalk, 1,800 SF; HMA Pavement, 48 Ton; Tack Coat, 5 Gals; Signs, 69 SF; Expansion Device, 1 LS; Polymer Overlay, 625 SY; Concrete Bases, 3 Each; Lightweight Concrete Masonry, 20 CY; Poles, 5 Each; Fiberglass Polymer Concrete Pull Box, 4 Each; Bridge Structural Steel, 31,325 Lbs; Marking Line Preformed Plastic, 275 LF; Marine Dock Fenders, 324 LF; 2-Line Aluminum Railing, 323 LF; Counterweight Machinery, 1 LS; Equalizer Machinery, 1 LS; Bridge Electrical Work 1 LS; Bridge Hydraulic System, 1 LS.

DBE Goal: 12 %

Contract Completion Date: November 1, 2018

Contact Information: Christine Hanna, (262) 548-8809 / christine.hanna@dot.wi.gov

13. Moorland Road, Woods Road to Janesville Road; Waukesha County; 2723-00-71, WISC 2018 010; Local Street; 0.000 Miles; Mill, Grade, Base, Culvert Pipe, Storm Sewer, Water Main, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Overhead Sign Support, Lighting, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 27,931 CY; Base Aggregate Dense, 26,392 Ton; Base Aggregate Open Graded, 24 Ton; Breaker Run, 26,113 Ton; Concrete Pavement, 653 SY; Marking Epoxy, 24,355 LF; Construction Staking, 33,353 LF; Construction Staking, 150 Each; Construction Staking, 3 LS; Culvert Pipe Reinforced Concrete, 92 LF 12"; Storm Sewer Pipe Reinforced Concrete, 2,376 LF 12", 555 LF 15", 26 LF 18", 181 LF 24", 841 LF 36", 99 LF 42"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 54 LF 19" X 30", 101 LF 34" X 53", 1,454 LF 24" X 38", 476 LF 38" X 60", 155 LF 29" X 45"; Concrete Curb, 165 LF; Concrete Curb and Gutter, 17,779 LF; Concrete Sidewalk, 14,981 SF; HMA Pavement, 10,995 Ton; Removing Asphaltic Surface Milling, 1,998 SY; Tack Coat, 3,747 Gals; Signs, 630 SF; Riprap, 79 CY; Overhead Sign Support, 1 LS; Pull Boxes, 8 Each; Concrete Bases, 15 Each; Poles, 14 Each; Lighting Control Cabinet, 1 Each; PVC Water Main, 152 LF; Storm Sewer Pipe PVC, 112 LF.

DBE Goal: 15 %

Contract Completion Date: September 7, 2018

Contact Information: Paul Piccione, (262) 548-8706 / paul.piccione@dot.wi.gov

14. Green Bay - Oconto, Lineville Road - Norfield Road; Green Bay - Oconto, CTH B Interchange; Green Bay - Oconto, Brown Road - Structure B-42-0110; Brown; Brown; Oconto County; 1130-32-71, WISC 2018 011; 1150-54-71, WISC 2018 012; 1150-68-71, WISC 2018 013; USH 41; USH 41; and USH 41 / USH 141; 16.533 Miles; Grading, Base, Milling, Asphalt Pavement, Concrete Pavement, Culvert Pipe, Storm Sewer, Bridge Replacement, Bridge Overlays, Retaining Wall, Curb and Gutter, Sidewalk, Concrete Driveway, Beam Guard, Cable Barrier, Fence, Street Lighting, Traffic Signals, Signs, and Pavement Markings.

Guaranty Required: \$410,000.00

Estimate of Principal Items: Excavation Common, 37,702 CY; Borrow, 18,989 CY; Backfill Structure, 2,302 Ton; Base Aggregate Dense, 36,815 Ton; Base Aggregate Open Graded, 14 CY; Breaker Run, 33,210 Ton; Concrete Pavement, 16,979 SY; Concrete Masonry Bridges, 2,028 CY; Concrete Masonry Retaining Walls, 106 CY; Prestressed Girders, 64 LF 45-Inch; Bar Steel Reinforcement, 9,100 Lbs; Bar Steel Reinforcement Coated, 524,670 Lbs; Structural Steel HS, 51,050 Lbs; Piling CIP Concrete, 900 LF 10 3/4-Inch; Marking Wet Reflective Tape, 32,272 LF; Marking Epoxy, 316,515 LF; Construction Staking, 264,414 LF; Construction Staking, 97 Each; Construction Staking, 10 LS; Culvert Pipe Corrugated Steel, 122 LF 18"; Culvert Pipe Reinforced Concrete, 4 LF 18", 56 LF 30"; Storm Sewer Pipe Reinforced Concrete, 291 LF 12", 402 LF 24", 136 LF 15", 170 LF 30", 159 LF 18"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 208 LF 19" X 30"; Concrete Curb, 362 LF; Concrete Curb and Gutter, 6,680 LF; Concrete Sidewalk, 37,278 SF; Beam Guard, 9,894 LF; Beam Guard Energy Absorbing Terminals, 21 Each; Asphaltic Surface, 13,699 Ton; HMA Pavement, 42,175 Ton; Removing Asphaltic Surface Milling, 164,000 SY; Tack Coat, 24,080 Gals; Signs, 2,997 SF; Concrete Driveway, 90 SY; Polymer Overlay, 19,753 SY; Sheet Piling, 3,745 SF; Structure Repainting, 1 LS; Culvert Pipe Liners, 18" 85 LF, 30" 80 LF; Cable Barrier, 59,355 LF; Woven Wire Fence, 350 LF; Conduit, 4,200 LF; Light Poles, 7 Each; Traffic Signal Standards, 9 Each; Decorative Fence, 265 LF.

DBE Goal: 8 %

Contract Completion Date: November 15, 2018

Contact Information: Matthew Ternes, (920) 366-3028 / matthew.ternes@dot.wi.gov

15. Town of Centerville, Center Road, Centerville Creek Bridge; Manitowoc County; 4308-08-71, WISC 2018 014; Local Street; 0.035 Miles; Excavation, Base, Asphaltic Surface, Structure Replacement, and Signs.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 183 CY; Backfill Structure, 340 Ton; Base Aggregate Dense, 286 Ton; Concrete Pavement, 75 SY; Concrete Masonry Bridges, 127 CY; Bar Steel Reinforcement, 4,880 Lbs; Bar Steel Reinforcement Coated, 13,690 Lbs; Piling Steel, 560 LF 10-Inch; Construction Staking, 468 LF; Construction Staking, 2 LS; Asphaltic Surface, 105 Ton; Tack Coat, 26 Gals; Signs, 21 SF.

DBE Goal: 5 %

Contract Completion Time: 40 Working Days

Contact Information: Dave Schmidt, (920) 360-0983 / dave.schmidt@dot.wi.gov

16. City of Appleton, Oneida Street, Valley Road to Skyline Bridge; Outagamie County; 4984-01-74, WISC 2018 015; Local Street; 1.140 Miles; Excavation, Base, Concrete Pavement, Pavement Marking, Curb and Gutter, Storm Sewer, Sidewalk, Asphaltic Surface, Conduit, Street Lighting, and Traffic Signals.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 24,558 CY; Backfill Granular, 1,101 CY; Base Aggregate Dense, 52,520 Ton; Concrete Pavement, 59,685 SY; Marking Wet Reflective Tape, 22,680 LF; Marking Epoxy, 29,398 LF; Marking Paint, 19,940 LF; Construction Staking, 32,038 LF; Construction Staking, 68 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 2,222 LF 12", 1,267 LF 15"; Concrete Curb, 1,915 LF; Concrete Curb and Gutter, 19,845 LF; Concrete Sidewalk, 95,680 SF; Beam Guard, 84 LF; Asphaltic Surface, 1,205 Ton; Conduit Rigid Nonmetallic Schedule 80 – 2-Inch, 27,585 LF.

DBE Goal: 8 %

Contract Completion Date: October 31, 2018

Contact Information: Brian Edwards, (920) 360-2801 / brian.edwards@dot.wi.gov

17. City of Sturgeon Bay, CTH C, STH 42 / 57 - West Elm Street; Door County; 4997-00-64, WISC 2018 016; CTH C; 0.970 Miles; Excavation, Base, Milling, HMA Pavement, Curb and Gutter, Sidewalk, Storm Sewer, Signs, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 13,478 CY; Base Aggregate Dense, 16,192 Ton; Concrete Pavement, 811 SY; Marking Epoxy, 20,030 LF; Marking Paint, 1,239 LF; Construction Staking, 19,679 LF; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 684 LF 12", 1,586 LF 24", 527 LF 42", 238 LF 15", 105 LF 30", 296 LF 24", 149 LF 18", 3,264 LF 36"; Concrete Curb and Gutter, 8,628 LF; Concrete Sidewalk, 55,365 SF; Asphaltic Surface, 660 Ton; HMA Pavement, 4,676 Ton; Removing Asphaltic Surface Milling, 20,940 SY; Tack Coat, 1,664 Gals; Signs, 249 SF.

DBE Goal: 8 %

Contract Completion Time: 100 Working Days

Contact Information: Dave Schmidt, (920) 360-0983 / dave.schmidt@dot.wi.gov

18. Town of Rosendale, Olden Road, Fond du Lac River Bridge; Fond du Lac County; 6188-01-71, WISC 2018 017; Local Street; 0.076 Miles; Excavation, Base, Asphaltic Surface, Structure Replacement, Guardrail, and Signs.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 690 CY; Backfill Structure, 239 Ton; Base Aggregate Dense, 1,200 Ton; Concrete Masonry Bridges, 119 CY; Bar Steel Reinforcement, 4,376 Lbs; Bar Steel Reinforcement Coated, 14,998 Lbs; Piling Steel, 385 LF 10-Inch; Construction Staking, 1,256 LF; Construction Staking, 2 LS; Beam Guard, 257 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 230 Ton; Tack Coat, 54 Gals; Signs, 18 SF.

DBE Goal: 5 %

Contract Completion Time: 45 Working Days

Contact Information: Brian Edwards, (920) 360-2801 / brian.edwards@dot.wi.gov

19. Main Street, Village of Winneconne, West Village Limits - East Village Limits; Main Street, Village of Winneconne, West Village Limits - East Village Limits; Winnebago County; 6190-15-71, WISC 2018 018; 6190-15-73; STH 116; 0.000 Miles; Grade, Base, Culvert Pipe, Storm Sewer, Sanitary Sewer, Water Main, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Lighting, and Pavement Marking.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 43,460 CY; Backfill Granular, 5,000 CY; Base Aggregate Dense, 36,436 Ton; Base Aggregate Open Graded, 32 Ton; Breaker Run, 30,220 Ton; Concrete Pavement, 1,965 SY; Marking Epoxy, 29,099 LF; Construction Staking, 36,210 LF; Construction Staking, 121 Each; Construction Staking, 3 LS; Culvert Pipe, 36 LF 12"; Storm Sewer Pipe Reinforced Concrete, 2,053 LF 12", 1,033 LF 15", 115 LF 18", 24 LF 21", 856 LF 24", 727 LF 27", 294 LF 30", 471 LF 36", 1,099 LF 42"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 83 LF 29" X 45"; Concrete Curb and Gutter, 13,423 LF; Concrete Sidewalk, 59,298 SF; Asphaltic Surface, 149 Ton; HMA Pavement, 13,279 Ton; Tack Coat, 4,409 Gals; Signs, 314 SF; Pull Boxes, 9 Each; Concrete Bases, 25 Each; Lighting Control Cabinet, 1 Each; Fire Hydrant, 15 Each; Storm Lateral, 1,075 LF; Storm Trunk, 1,802 LF; Water Main, 8,006 LF; Water Service, 2,281 LF; Sanitary Sewer, 5,061 LF.

DBE Goal: 12 %

Contract Completion Date: October 31, 2018

Contact Information: William Bertrand, (920) 360-3124 / william.bertrand@dot.wi.gov

20. City of Marinette, Riverside Avenue, Hattie Street - VanCleve Avenue; Marinette County; 9995-00-64, WISC 2018 019; Local Street; 0.000 Miles; Grade, Base, Storm Sewer, Sanitary Sewer, Water Main, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Signing, Lighting, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 16,207 CY; Backfill Granular, 5,526 CY; Base Aggregate Dense, 8,144 Ton; Concrete Pavement, 17,939 SY; Marking Epoxy, 12,806 LF; Construction Staking, 12,237 LF; Construction Staking, 78 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 989 LF 12", 142 LF 15", 182 LF 18", 183 LF 21", 240 LF 24", 386 LF 27", 122 LF 36", 52 LF 48"; Concrete Curb, 33 LF; Concrete Curb and Gutter, 8,323 LF; Concrete Sidewalk, 22,721 SF; Beam Guard, 1,930 LF; Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 216 Ton; Signs, 324 SF; Riprap, 747 CY; Concrete Bases, 45 Each; Trench Excavation, 6,800 CY; Trench Backfill, 6,100 CY; Decorative Luminaire and Pole, 41 Each; Lighting Control Cabinets, 2 Each; Sanitary Sewer, 2,293 LF; Sanitary Lateral, 441 LF; Watermain, 4,458 LF; Water Lateral, 602 LF.

DBE Goal: 6 %

Contract Completion Date: September 30, 2018

Contact Information: David Schmidt, (920) 360-0983 / dave.schmidt@dot.wi.gov

21. Plainfield - Stevens Point, STH 54 to North 2nd Street; Plover - Waupaca, Hoover Avenue to Harding Avenue; Portage County; 1166-12-80, WISC 2018 020; 6414-00-73; IH 39; STH 54; 0.000 Miles; Mill, Grade, Culvert Pipe, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Signing, Lighting, Signals, Pavement Marking, and Structures B-49-26 and 27.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Base Aggregate Dense, 12,168 Ton; Marking Epoxy, 309,541 LF; Marking Paint, 36,156 LF; Construction Staking, 115 LF; Construction Staking, 2 LS; Culvert Pipe Reinforced Concrete, 4 LF 12"; Concrete Curb and Gutter, 10 LF; Concrete Sidewalk, 30 SF; Beam Guard, 1,093 LF; Beam Guard Energy Absorbing Terminals, 1 Each; HMA Pavement, 59,665 Ton; Removing Asphaltic Surface Milling, 3,171 SY; Tack Coat, 39,705 Gals; Signs, 10,499 SF; Removing Asphaltic Surface Milling, 57,151 Ton; Polymer Overlay, 1,104 SY; Riprap, 8 CY; Pull Boxes, 16 Each; Concrete Bases, 7 Each; Poles, 1 Each; Resin Binder High Friction Surface Treatment, 7,921 SY.

DBE Goal: 10 %

Contract Completion Date: August 3, 2018

Contact Information: Wendy Arneson, (715) 421-7391 / wendy.arneson@dot.wi.gov

22. STH 73 - Spring Lake, STH 73 - CTH Z; Waushara County; 6986-01-70, WISC 2018 021; CTH F; 4.472 Miles; Excavation, Base, HMA Pavement, Pavement Marking, and Signs.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 446 CY; Borrow, 2,500 CY; Base Aggregate Dense, 5,300 Ton; Marking Epoxy, 77,300 LF; Construction Staking, 31,174 LF; Construction Staking, 6 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 288 LF 24"; HMA Pavement, 8,305 Ton; Tack Coat, 4,288 Gals; Signs, 207 SF.

DBE Goal: 12 %

Contract Completion Time: 35 Working Days

Contact Information: Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

23. Lincoln County Line - USH 51, South Garth Lake Road - USH 51; Oneida County; 9465-00-70, WISC 2018 022; CTH Y; 2.143 Miles; Grading, Base, Pulverize and Relay, Asphalt Pavement, Culvert Pipe, Curb and Gutter, Pavement Markings, and Signs.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 2,650 CY; Borrow, 3,633 CY; Base Aggregate Dense, 14,358 Ton; Marking Epoxy, 45,097 LF; Construction Staking, 25,530 LF; Construction Staking, 3 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 58 LF 24"; Concrete Curb and Gutter, 1,217 LF; HMA Pavement, 7,082 Ton; Tack Coat, 1,496 Gals; Signs, 215 SF; Pulverize and Relay, 34,500 SY; Culvert Pipe Corrugated Polyethylene 12" 28 LF, 18" 50 LF; Salvage Base, 3,450 SY.

DBE Goal: 8 %

Contract Completion Time: 40 Working Days

Contact Information: Mike Grage, (715) 365-5705 / michael.grage@dot.wi.gov

24. Menomonie - Eau Claire, 490th Avenue Bridge Westbound, B-17-0199; Dunn County; 1022-03-83, WISC 2018 023; IH 94; 0.031 Miles; Deck Preparation, Polymer Overlay, and Pavement Marking.

Guaranty Required: \$6,000.00

Estimate of Principal Items: Marking Wet Reflective Tape, 1,700 LF; Marking Epoxy, 780 LF; Polymer Overlay, 1,097 SY.

DBE Goal: 5 %

Contract Completion Time: 8 Calendar Days

Contact Information: Matthew Thorsen, (715) 836-3922 /
matthew.thorsen@dot.wi.gov

25. Town of Adams, W. Kenyon Road, BR Squaw Creek Bridge, B-27-0162; Jackson County; 7239-00-70, WISC 2018 024; Local Street; 0.057 Miles; Excavation, Base, Concrete Masonry, Steel Piling, Bridge Construction, and Asphaltic Surface.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 311 CY; Borrow, 279 CY; Backfill Granular, 36 CY; Backfill Structure, 290 CY; Base Aggregate Dense, 402 Ton; Concrete Pavement, 96 SY; Concrete Masonry Bridges, 132 CY; Prestressed Girders, 208 LF 28-Inch; Bar Steel Reinforcement, 3,760 Lbs; Bar Steel Reinforcement Coated, 13,700 Lbs; Piling Steel, 600 LF 10-Inch; Construction Staking, 823 LF; Construction Staking, 4 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 128 LF 30"; Asphaltic Surface, 95 Ton; Tack Coat, 35 Gals; Signs, 12 SF.

DBE Goal: 10 %

Contract Completion Time: 40 Working Days

Contact Information: Ross Johnson, (715) 836-2069 / ross.johnson@dot.wi.gov

26. Village of Hixton, South State Street, Trempealeau River Bridge, B-27-0160; Jackson County; 7520-03-70, WISC 2018 025; STH 95; 0.000 Miles; Excavation, Base, Asphaltic Surface, Pavement Marking, Signs, Guardrail, Structure Replacement, Temporary Structure, Curb and Gutter, and Sidewalk.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 2,140 CY; Borrow, 1,850 CY; Backfill Structure, 370 CY; Base Aggregate Dense, 1,372 Ton; Concrete Pavement, 177 SY; Concrete Masonry Bridges, 1,000 CY; Bar Steel Reinforcement, 7,260 Lbs; Bar Steel Reinforcement Coated, 134,725 Lbs; Piling Steel, 4,170 LF 10-Inch; Marking Wet Reflective Tape, 2,350 LF; Marking Epoxy, 1,495 LF; Marking Paint, 2,830 LF; Construction Staking, 2,728 LF; Construction Staking, 4 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 45 LF 12", 56 LF 15"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 116 LF 38" X 60"; Concrete Curb and Gutter, 490 LF; Concrete Sidewalk, 2,660 SF; Beam Guard, 158 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 360 Ton; Tack Coat, 110 Gals; Signs, 49 SF; Temporary Structure, 1 LS.

DBE Goal: 10 %

Contract Completion Time: 155 Calendar Days

Contact Information: David Koepp, (715) 836-2078 / david.koepp@dot.wi.gov

27. McKinley - Rice Lake, C-03-0002, C-03-0003, and C-03-0004; Barron County; 8120-07-73; STH 48; 0.220 Miles; Excavation, Base, HMA, Beam Guard, Pavement Marking, Concrete Masonry Bridges, and Concrete Masonry Culverts.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 1,523 CY; Selected Borrow, 1,605 CY; Backfill Structure, 1,231 Ton; Base Aggregate Dense, 2,335 Ton; Select Crushed Material, 145 Ton; Breaker Run, 790 CY; Concrete Pavement, 207 SY; Concrete Masonry Bridges, 354 CY; Concrete Masonry Culverts, 376 CY; Bar Steel Reinforcement, 68,887 Lbs; Bar Steel Reinforcement Coated, 53,937 Lbs; Piling CIP Concrete, 1,040 LF 10 3/4-Inch; Marking Epoxy, 4,020 LF; Construction Staking, 1,718 LF; Construction Staking, 4 LS; Beam Guard, 462 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 521 Ton; Tack Coat, 220 Gals.

DBE Goal: NA

Contract Completion Date: October 12, 2018

Contact Information: Beth Cunningham, (715) 635-4973 /
beth.cunningham@dot.wi.gov

28. Town of Atlanta, Fetke Road, Devils Creek Bridge, B-54-0121; Rusk County; 8421-00-70, WISC 2018 026; Local Street; 0.062 Miles; Excavation, Base, Asphaltic Surface, Signs, and Bridge Construction.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 265 CY; Backfill Structure, 150 Ton; Base Aggregate Dense, 580 Ton; Concrete Masonry Bridges, 152 CY; Bar Steel Reinforcement, 3,260 Lbs; Bar Steel Reinforcement Coated, 19,240 Lbs; Piling Steel, 340 LF 10-Inch; Construction Staking, 834 LF; Construction Staking, 2 LS; Asphaltic Surface, 65 Ton; Tack Coat, 16 Gals; Signs, 12 SF.

DBE Goal: 12 %

Contract Completion Time: 35 Working Days

Contact Information: Jeff Olson, (715) 395-3032 / jeffrey.olson@dot.wi.gov

29. Chippewa Falls - Bloomer, O'Neill Creek Bridges, B-09-124, 125, 126, and 0016; Chippewa County; 8610-07-73, WISC 2018 027; STH 124; 0.395 Miles; Base, Concrete Pavement, Asphaltic Surface, Guardrail, Bridge Deck Replacement, Bridge Deck Overlay, and Signs.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Base Aggregate Dense, 580 Ton; Concrete Pavement, 330 SY; Concrete Masonry Bridges, 307 CY; Concrete Masonry Overlay, 13 CY; Bar Steel Reinforcement Coated, 63,040 Lbs; Marking Wet Reflective Tape, 1,460 LF; Marking Epoxy, 5,635 LF; Construction Staking, 2,524 LF; Construction Staking, 4 LS; Beam Guard, 1,381 LF; Beam Guard Energy Absorbing Terminals, 16 Each; Asphaltic Surface, 860 Ton; Tack Coat, 150 Gals; Signs, 76 SF.

DBE Goal: 20 %

Contract Completion Time: 100 Calendar Days

Contact Information: Tyler Rongstad, (715) 836-2094 / tyler.rongstad@dot.wi.gov

By order of:

Joe Nestler
Administrator
Division of Transportation System Development