



Wisconsin Department of Transportation

June 7, 2018

**Division of Transportation Systems
Development**

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

**Proposal #09: 6030-01-62, WISC 2018 173
STH 60 - Montello
USH 51 to STH 16
STH 22
Columbia County**

Letting of June 12, 2018

This is Addendum No. 03, which provides for the following:

Special Provisions:

Added Special Provisions	
Article No.	Description
31	Base Patching Asphaltic, Item 390.0203

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 3

6030-01-62

June 7, 2018

Special Provisions

31. Base Patching Asphaltic, Item 390.0203

Revise standard spec 390.2 (3) as follows:

Furnish 25mm or 19 mm nominal size aggregate graded as specified in 460.2.2.3 and conform to the other material and mixture requirements specified for asphaltic surface in 465.

Revise standard spec 390.3.3 (3) as follows:

Compact each layer with engineer-approved compaction equipment. Unless the engineer directs otherwise, compact each layer to a thickness of 6 inches or less when using the 25 mm nominal size aggregate or 5 inches or less when using the 19 mm nominal size aggregate. Roll the top layer until flush with the adjacent surface.

END OF ADDENDUM