

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT
NOTICE TO CONTRACTORS**

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, June 12, 2018, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to 4th Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in 4th Floor South, Room S437.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4th Floor South, Room S437, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4th Floor South, Room S437, 4822 Madison Yards Way, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development, 4th Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

ELECTRONIC BIDDING

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

PROPOSAL GUARANTY

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND PROPOSALS

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

PLAN HOLDERS and ELIGIBLE BIDDERS

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

QUALIFICATIONS OF BIDDERS

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

HOURS OF LABOR AND MINIMUM WAGE RATES

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

AFFIDAVIT OF NON-COLLUSION

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

GENERAL CONSTRUCTION

1, 2, 5, 6, 7, 9, 10, 12, 13, 14, 15, 16, 17, 19, 22

GRADING

22

CONCRETE PAVEMENT

ASPHALTIC PAVEMENT

2, 9, 12, 13, 14, 15, 16, 17, 20

STRUCTURES

7, 18, 19

BRIDGE PAINTING

STREET OR AIRPORT LIGHTING

BUILDING CONSTRUCTION

INCIDENTAL CONSTRUCTION

3, 4, 11, 18

1. Illinois State Line - Madison, IH 43 Interchange New Alignment; Illinois State Line - Madison, IH 43 Interchange South and East Leg; Rock County; 1003-10-79, WISC 2018 280; 1003-11-71, WISC 2018 281; IH 39; 2.857 Miles; Grading, Base, Milling, Asphalt Pavement, Concrete Pavement, Bridge Construction, Bridge Widening, Sign Bridges, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Truck Apron, Beam Guard, Fence, Plantings, Street Lighting, ITS, Pavement Markings, and Signs.

Guaranty Required: \$710,000.00

Estimate of Principal Items: Excavation Common, 638,435 CY; Selected Borrow, 48,450 CY; Backfill Structure, 1,580 Ton; Base Aggregate Dense, 212,927 Ton; Select Crushed Material, 254,649 Ton; Concrete Pavement, 197,939 SY; Concrete Masonry Bridges, 2,823 CY; Prestressed Girders, 3,057 LF 54-Inch; Bar Steel Reinforcement, 42,510 Lbs; Bar Steel Reinforcement Coated, 457,760 Lbs; Structural Steel Carbon, 11,690 Lbs; Structural Steel HS, 96,340 Lbs; Piling Steel, 5,215 LF 10-Inch, 3,230 LF 12-Inch; Marking Tape, 7,607 LF; Marking Epoxy, 211,370 LF; Construction Staking, 2 LS; Culvert Pipe Reinforced Concrete, 724 LF 15", 710 LF 30", 246 LF 54", 368 LF 18", 336 LF 36", 216 LF 60", 977 LF 24", 181 LF 42"; Storm Sewer Pipe Reinforced Concrete, 315 LF 12", 714 LF 24", 363 LF 48", 3,741 LF 15", 386 LF 30", 2,719 LF 18", 308 LF 36"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 644 LF 24" X 38", 455 LF 38" X 60", 175 LF 29" X 45"; Concrete Curb, 193 LF; Concrete Curb and Gutter, 10,108 LF; Concrete Sidewalk, 497 SF; Beam Guard, 4,828 LF; Beam Guard Energy Absorbing Terminals, 12 Each; HMA Pavement, 20,798 Ton; Removing Asphaltic Surface Milling, 4,054 SY; Tack Coat, 1,885 Gals; Signs, 3,497 SF; Backfill Coarse Aggregate, 513 CY; Bar Steel Reinforcement HS Stainless, 3,440 Lbs; Polymer Overlay, 2,360 SY; Painting Epoxy System, 2 LS; Structure Repainting, 1 LS; Piling Steel 14-Inch, 880 LF; Woven Wire Fence, 32,789 LF; Trees, 557 Each; Shrubs, 991 Each; Sign Bridge, 5 LS; Aluminum Poles, 3 Each; Conduit, 22,918 LF; Roadway Embankment, 452,357 CY; Decorative Light Pole, 18 Each; Bore and Jack Concrete Pipe, 752 LF; Concrete Truck Apron, 474 SY.

DBE Goal: 8 %

Contract Completion Date: December 15, 2020

Contact Information: Jamie Grainger, (608) 884-1173 / jamie.grainger@dot.wi.gov

2. Sauk City - Merrimac, STH 60 to Merrimac Ferry Landing; Columbia County; 5726-07-62; STH 188; 7.609 Miles; Base, HMA Pavement, Signs, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 1,500 Ton; Marking Epoxy, 104,188 LF; Construction Staking, 40,174 LF; Construction Staking, 1 LS; HMA Pavement, 19,500 Ton; Removing Asphaltic Surface Milling, 104,637 SY; Tack Coat, 12,363 Gals; Signs, 786 SF.

DBE Goal: NA

Contract Completion Date: October 10, 2018

Contact Information: Mahesh Shrestha, (608) 245-2674 / mahesh.shrestha@dot.wi.gov

3. Southeast Region, Milwaukee County, Highway Lighting 2018; Milwaukee County; 1000-13-70; Various Highways; 0.000 Miles; Lighting Maintenance.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Luminaires, 1,788 Each; Distribution Center Preventative Maintenance, 35 Each; Group Luminaire Maintenance, 86 Each.

DBE Goal: NA

Contract Completion Time: 90 Working Days

Contact Information: Eric Perea, (262) 574-5422 / eric.perea@dot.wi.gov

4. Sign Bridge Repair and Replacement 2018; Southeast Region-Wide; 1000-20-70; Various Highways; 0.000 Miles; Sign Bridge Repair and Sign Bridge Replacement.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Signs, 711 SF; Sign Bridge Cantilevered, 1 LS; Sign Bridge, 1 LS; Sign Bridge Single Pole Sign Support Two Signs, 1 LS.

DBE Goal: NA

Contract Completion Date: November 16, 2018

Contact Information: Jason Zemke, (262) 548-8734 / jason.zemke@dot.wi.gov

5. **Braun Road, IH 94 to CTH H;** Racine County; 2704-09-70; Local Street; 0.000 Miles; Mill, Grade, Storm Sewer, Water System, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Signals, Lighting, Marking, and Structure B-51-160.

Guaranty Required: \$450,000.00

Estimate of Principal Items: Excavation Common, 93,711 CY; Excavation Marsh, 4,842 CY; Backfill Granular, 6,772 CY; Backfill Structure, 8,243 Ton; Base Aggregate Dense, 51,617 Ton; Breaker Run, 109,203 Ton; Concrete Pavement, 72,602 SY; Concrete Masonry Culverts, 989 CY; Bar Steel Reinforcement, 104,720 Lbs; Bar Steel Reinforcement Coated, 9,090 Lbs; Marking Epoxy, 13,604 LF; Storm Sewer Pipe Reinforced Concrete, 102 LF 12", 4,141 LF 15", 3,260 LF 18", 2,098 LF 24", 4,023 LF 36"; Concrete Curb and Gutter, 33,037 LF; Concrete Sidewalk, 25,311 SF; HMA Pavement, 610 Ton; Tack Coat, 142 Gals; Signs, 665 SF; Riprap, 518 CY; Pull Boxes, 32 Each; Concrete Bases, 58 Each; Poles, 15 Each; Roadway Embankment, 105,994 CY; EBS Excavation, 9,708 CY; EBS Backfill, 9,708 CY.

DBE Goal: NA

Contract Completion Date: October 15, 2019

***** NON-MANDATORY PRE-BID MEETING *****

DATE: Thursday, May 17, 2018 **TIME:** 9 AM

LOCATION: Mt. Pleasant Village Hall
8811 Campus Drive
Mt. Pleasant, WI 53406

NOTE: No meeting minutes will be prepared. Issues discovered at the meeting will be handled by addendum.

Contact Information: Steve Hoff, (262) 548-6718 / steve.hoff@dot.wi.gov

6. International Drive, Village of Mount Pleasant, STH 11 to STH 20; Racine County; 2704-00-75; Local Street; 0.000 Miles; Mill, Grade, Storm Sewer, Water System, Culvert Pipe, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Signals, Lighting, Marking, and Structure C-51-84.

Guaranty Required: \$270,000.00

Estimate of Principal Items: Excavation Common, 75,574 CY; Backfill Structure, 4,192 Ton; Base Aggregate Dense, 22,900 Ton; Breaker Run, 42,993 Ton; Concrete Pavement, 36,458 SY; Concrete Masonry Culverts, 418 CY; Bar Steel Reinforcement, 50,060 Lbs; Bar Steel Reinforcement Coated, 8,350 Lbs; Marking Epoxy, 16,957 LF; Culvert Pipe Reinforced Concrete, 30 LF 12", 527 LF 24"; Storm Sewer Pipe Reinforced Concrete, 39 LF 12", 3,554 LF 15", 1,036 LF 18", 996 LF 24", 213 LF 30", 1,822 LF 42", 169 LF 48", 857 LF 54", 157 LF 60", 149 LF 84"; Concrete Curb and Gutter, 24,257 LF; Concrete Sidewalk, 14,323 SF; Asphaltic Surface, 2 Ton; HMA Pavement, 1,897 Ton; Removing Asphaltic Surface Milling, 11,637 SY; Tack Coat, 1,048 Gals; Signs, 233 SF; Riprap, 923 CY; Pull Boxes, 5 Each; Concrete Bases, 32 Each; Roadway Embankment, 129,399 CY; EBS Excavation, 8,728 CY; EBS Backfill, 8,728 CY; Water Tap Service and Irrigation System, 1 LS.

DBE Goal: NA

Contract Completion Date: October 15, 2019

***** NON-MANDATORY PRE-BID MEETING *****

DATE: Thursday, May 17, 2018 **TIME:** 9 AM

LOCATION: Mt. Pleasant Village Hall
8811 Campus Drive
Mt. Pleasant, WI 53406

NOTE: No meeting minutes will be prepared. Issues discovered at the meeting will be handled by addendum.

Contact Information: Steve Hoff, (262) 548-6718 / steve.hoff@dot.wi.gov

7. Medford - Merrill, East Fork Little Black River, B-60-0044; Thorp - Ingram, North Fork Eau Claire River, B-60-0033; Taylor County; 9000-00-73; 8210-01-70; STH 64; STH 73; 0.120 Miles; Excavation, Base, Structure Rehabilitation, Signs, Beam Guard, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 1,584 CY; Base Aggregate Dense, 2,150 Ton; Select Crushed Material, 135 Ton; Concrete Masonry Bridges, 225 CY; Bar Steel Reinforcement Coated, 43,420 Lbs; Marking Epoxy, 3,190 LF; Construction Staking, 2,370 LF; Construction Staking, 4 LS; Beam Guard, 857 LF; Beam Guard Energy Absorbing Terminals, 5 Each; HMA Pavement, 855 Ton; Tack Coat, 175 Gals; Signs, 45 SF.

DBE Goal: NA

Contract Completion Time: 60 Working Days

**Contact Information: Mohamad Hayek, (715) 836-2065 /
mohamad.hayek@dot.wi.gov**

8. DEFERRED

9. STH 60 - Montello, USH 51 to STH 16; Columbia County; 6030-01-62, WISC 2018 173; STH 22; 10.709 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Pavement Marking, and Signing.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 6,244 CY; Borrow, 22,541 CY; Base Aggregate Dense, 32,223 Ton; Marking Epoxy, 73,224 LF; Construction Staking, 108,273 LF; Construction Staking, 39 Each; Construction Staking, 1 LS; Culvert Pipe, 108 LF 24", 117 LF 36", 69 LF 30", 97 LF 36"; Culvert Pipe Corrugated Steel, 6 LF 15", 217 LF 30", 7 LF 60", 159 LF 18", 211 LF 36", 281 LF 24", 12 LF 42"; Concrete Curb and Gutter, 1,683 LF; Beam Guard, 1,812 LF; Beam Guard Energy Absorbing Terminals, 6 Each; Asphaltic Surface, 131 Ton; HMA Pavement, 51,910 Ton; Tack Coat, 23,302 Gals; Signs, 665 SF; Cold-in-Place Recycling, 182,400 SY.

DBE Goal: 5 %

Contract Completion Date: October 12, 2018

**Contact Information: Mahesh Shrestha, (608) 245-2674 /
mahesh.shrestha@dot.wi.gov**

10. Howell Avenue - City of Milwaukee, Grange Avenue to Layton Avenue; Milwaukee County; 2060-10-70, WISC 2018 319; STH 38; 0.000 Miles; Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Landscape, Signing, Signals, Lighting, Overhead Sign Supports, and Marking.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 41,917 CY; Base Aggregate Dense, 64,105 Ton; Concrete Pavement, 50,950 SY; Marking Epoxy, 18,725 LF; Construction Staking, 33,320 LF; Construction Staking, 107 Each; Construction Staking, 2 LS; Concrete Curb, 10,260 LF; Concrete Curb and Gutter, 10,133 LF; Concrete Sidewalk, 49,050 SF; Asphaltic Surface, 200 Ton; Tack Coat, 50 Gals; Signs, 315 SF; Trees, 83 Each; Overhead Sign Supports, 3 LS; Pull Boxes, 65 Each; Concrete Bases, 64 Each; Perennials, 12,270 Each; Poles, 57 Each; Storm Sewer Pipe Corrugated PVC, 2,710 LF.

DBE Goal: 15 %

Contract Completion Date: October 15, 2021

Contact Information: Christine Hanna, (262) 548-8809 / christine.hanna@dot.wi.gov

11. Various Locations on STN Per Annual Plan, Crack Sealing FY 2019; Southeast Region-Wide; 4890-00-74; Various Highways; 0.000 Miles; Route and Seal, Crack Seal, and Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Marking Epoxy, 163,221 LF; Route and Seal, 217,240 Lbs; Crack Seal, 103,107 Lbs.

DBE Goal: NA

Contract Completion Time: 40 Working Days

Contact Information: Douglas Cain, (262) 548-5603 / douglas.cain@dot.wi.gov

12. Waldo - Sheboygan, STH 57 - Prange Road; Sheboygan County; 4010-27-60; STH 28; 8.600 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Signs, Pavement Markings, and Street Lighting.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 25 CY; Base Aggregate Dense, 4,051 Ton; Select Crushed Material, 8 Ton; Marking Epoxy, 47,983 LF; Construction Staking, 43,184 LF; Construction Staking, 4 Each; Construction Staking, 1 LS; Concrete Curb and Gutter, 146 LF; Concrete Sidewalk, 586 SF; Beam Guard, 200 LF; Asphaltic Surface, 20 Ton; HMA Pavement, 20,528 Ton; Removing Asphaltic Surface Milling, 159,316 SY; Tack Coat, 11,359 Gals; Signs, 1,268 SF; Marking Line Grooved Wet Ref Epoxy 4-Inch, 87,959 LF; Electric Wire Lighting 10 AWG, 4,240 LF.

DBE Goal: NA

Contract Completion Time: 30 Working Days

Contact Information: Paul Brauer, (920) 366-1097 / paul.brauer@dot.wi.gov

13. Fond du Lac - Sherwood, USH 151 - STH 114; Calumet County; 4050-24-60, WISC 2018 320; STH 55; 11.600 Miles; Base, Milling, Asphalt Pavement, Adjusting Beam Guard, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 1,970 Ton; Marking Epoxy, 175,185 LF; Construction Staking, 61,229 LF; Construction Staking, 1 LS; Concrete Curb, 205 LF; Concrete Curb and Gutter, 1,421 LF; Concrete Sidewalk, 845 SF; Asphaltic Surface, 165 Ton; HMA Pavement, 30,430 Ton; Removing Asphaltic Surface Milling, 223,195 SY; Tack Coat, 17,400 Gals; Signs, 1,380 SF; Adjusting Beam Guard, 1,089 LF.

DBE Goal: 6 %

Contract Completion Time: 30 Working Days

Contact Information: Tim Verhagen, (920) 362-1267 / timothy.verhagen@dot.wi.gov

14. Fond du Lac - Chilton, SCL - Chilton; Calumet County; 4100-37-60; USH 151; 11.866 Miles; Milling, Asphalt Pavement, Base, Curb and Gutter, Adjusting Beam Guard, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 5,470 Ton; Marking Epoxy, 201,184 LF; Construction Staking, 62,175 LF; Concrete Curb, 75 LF; Concrete Curb and Gutter, 88 LF; Asphaltic Surface, 4 Ton; HMA Pavement, 27,113 Ton; Removing Asphaltic Surface Milling, 220,903 SY; Tack Coat, 15,510 Gals; Signs, 1,349 SF; Adjusting Beam Guard, 2,325 LF.

DBE Goal: NA

Contract Completion Time: 25 Working Days

Contact Information: Tim Verhagen, (920) 362-1267 / timothy.verhagen@dot.wi.gov

15. Ripon - Oshkosh, SCL - STH 91; Winnebago County; 6110-24-60; STH 44; 9.845 Miles; Base, HMA Pavement, Signs, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 5,400 Ton; Marking Epoxy, 152,300 LF; Construction Staking, 51,984 LF; Construction Staking, 1 LS; HMA Pavement, 21,100 Ton; Removing Asphaltic Surface Milling, 189,900 SY; Tack Coat, 13,300 Gals; Signs, 944 SF; Asphaltic Shoulder Rumble Strips 2-Lane Rural, 79,800 LF; Asphalt Centerline Rumble Strips 2-Lane Rural, 40,100 LF.

DBE Goal: NA

Contract Completion Time: 30 Working Days

Contact Information: Bill Bertrand, (920) 360-3124 / william.bertrand@dot.wi.gov

16. Clintonville - Howard, Waupaca County Line - STH 47; Shawano County; 6580-12-70, WISC 2018 321; STH 156; 8.220 Miles; Grading, Base, Milling, Asphalt Pavement, Culvert Pipes, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 2,727 CY; Selected Borrow, 226 CY; Backfill Granular, 250 CY; Base Aggregate Dense, 2,822 Ton; Marking Epoxy, 167,967 LF; Construction Staking, 43,452 LF; Construction Staking, 4 Each; Construction Staking, 1 LS; Culvert Pipe, 58 LF 30"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 72 LF 63" X 98", 54 LF 14" X 23", 41 LF 24" X 38"; Asphaltic Surface, 376 Ton; HMA Pavement, 16,796 Ton; Removing Asphaltic Surface Milling, 110,949 SY; Tack Coat, 9,897 Gals; Signs, 802 SF; Temporary Water Diversion, 2 LS.

DBE Goal: 4 %

Contract Completion Time: 35 Working Days

Contact Information: Jim Volkmann, (715) 365-5773 / jim.volkmann@dot.wi.gov

17. Ogema - Tomahawk, STH 13 - Lincoln County Line; Price County; 9216-06-60, WISC 2018 322; STH 86; 13.500 Miles; Milling, Asphalt Pavement, Base, Concrete Driveway, Curb and Gutter, Sidewalk, Storm Sewer, Culvert Pipe Liner, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 18,035 Ton; Marking Epoxy, 290,370 LF; Construction Staking, 72,188 LF; Construction Staking, 27 Each; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 101 LF 18"; Concrete Curb, 108 LF; Concrete Curb and Gutter, 1,959 LF; Concrete Sidewalk, 2,248 SF; Asphaltic Surface, 100 Ton; HMA Pavement, 19,685 Ton; Removing Asphaltic Surface Milling, 199,175 SY; Tack Coat, 14,035 Gals; Signs, 1,393 SF; Concrete Driveway, 460 SY; Culvert Pipe Liners 24-Inch, 94 LF; Disintegrated Granite Base Course, 40 Ton.

DBE Goal: 4 %

Contract Completion Time: 45 Working Days

Contact Information: Fredrick McCue, (715) 365-5742 / fredrick.mccue@dot.wi.gov

18. Hastings - Prescott, St. Croix River Bridge, B-47-0040; Pierce County; 1530-01-75; USH 10; 0.129 Miles; Bridge Rehabilitation.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Bar Steel Reinforcement, 480 Lbs; Bar Steel Reinforcement Coated, 1,770 Lbs; Marking Epoxy, 4,360 LF; Asphaltic Surface, 3 Ton; Tack Coat, 2 Gals; Counterweight Protective Coating, 122 Gals; Concrete Masonry Counterweight Pit Floor Repair, 28 CY.

DBE Goal: NA

Contract Completion Date: June 14, 2019

Contact Information: Matt Pfeifer, (715) 579-0789 / matthew.pfeifer@dot.wi.gov

19. Cameron - Ladysmith, Weyerhaeuser Creek Bridge, B-54-0126; Rusk County; 1580-02-72, WISC 2018 323; USH 8; 0.045 Miles; Excavation, Base, Asphaltic Surface, Structure Replacement, Signs, Pavement Marking, and Beam Guard.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 506 CY; Borrow, 5,698 CY; Backfill Structure, 300 Ton; Base Aggregate Dense, 2,465 Ton; Concrete Pavement, 142 SY; Concrete Masonry Bridges, 378 CY; Prestressed Girders, 497 LF 36-Inch; Bar Steel Reinforcement, 7,580 Lbs; Bar Steel Reinforcement Coated, 50,840 Lbs; Piling Steel, 1,440 LF 10-Inch; Marking Epoxy, 2,625 LF; Construction Staking, 256 LF; Construction Staking, 2 LS; Beam Guard, 1,083 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 475 Ton; Removing Asphaltic Surface Milling, 450 SY; Tack Coat, 150 Gals; Signs, 57 SF.

DBE Goal: 7 %

Contract Completion Date: May 22, 2019

Contact Information: Philip Keppers, (715) 395-3027 / philip.keppers@dot.wi.gov

20. Siren - Spooner, STH 35 to Viola Lake Road; Siren - Spooner, STH 35 to Viola Lake Road; Burnett County; 8050-04-70, WISC 2018 324; 8050-04-80, WISC 2018 325; STH 70; 4.660 Miles; Base, Milling, HMA Pavement, Beam Guard, Pavement Markings, and Signs.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 260 Ton; Marking Epoxy, 16,597 LF; Construction Staking, 22,704 LF; Construction Staking, 1 Each; Construction Staking, 1 LS; Beam Guard, 634 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 17,215 Ton; Removing Asphaltic Surface Milling, 79,026 SY; Tack Coat, 19,912 Gals; Signs, 241 SF; Asphaltic Shoulder Sinusoidal Rumble Strips, 41,479 LF; Asphaltic Centerline Sinusoidal Rumble Strips, 18,925 LF.

DBE Goal: 7 %

Contract Completion Time: 69 Calendar Days

Contact Information: Beth Cunningham, (715) 635-4973 /
beth.cunningham@dot.wi.gov

21. DEFERRED

22. CTH W - STH 35, Abandoned Soo Line Grade BR; Douglas County; 8758-00-71; CTH C; 0.063 Miles; Grading, Base, Asphalt Pavement, Culvert Pipe, Beam Guard, and Pavement Markings.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 945 CY; Borrow, 12,896 CY; Base Aggregate Dense, 2,475 Ton; Marking Epoxy, 670 LF; Construction Staking, 1,690 LF; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 459 LF 24"; Beam Guard, 1,349 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 503 Ton; Tack Coat, 102 Gals.

DBE Goal: NA

Contract Completion Time: 30 Working Days

Contact Information: Jeffrey Olson, (715) 395-3032 / jeffrey.olson@dot.wi.gov

By order of:

Joe Nestler
Administrator
Division of Transportation System Development