

**STATE OF WISCONSIN  
DEPARTMENT OF TRANSPORTATION  
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT  
NOTICE TO CONTRACTORS**

**BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, March 12, 2019,** to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to 4<sup>th</sup> Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in 4<sup>th</sup> Floor South, Room S437.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4<sup>th</sup> Floor South, Room S437, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4<sup>th</sup> Floor South, Room S437, 4822 Madison Yards Way, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development, 4<sup>th</sup> Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

**ELECTRONIC BIDDING**

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

**PROPOSAL GUARANTY**

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

## **PLANS AND PROPOSALS**

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

## **PLAN HOLDERS and ELIGIBLE BIDDERS**

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

## **QUALIFICATIONS OF BIDDERS**

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

## **HOURS OF LABOR AND MINIMUM WAGE RATES**

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

## **AFFIRMATIVE ACTION**

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

## **AFFIDAVIT OF NON-COLLUSION**

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

## **SUMMARY SHEET**

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

### **GENERAL CONSTRUCTION**

1, 4, 5, 6, 7, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 29, 30, 32, 33, 35, 36, 37, 38, 39, 40, 45, 46, 48, 50, 51, 52, 53, 55, 58, 59, 61, 62, 63, 64

### **GRADING**

7, 21

### **CONCRETE PAVEMENT**

16, 17

### **ASPHALTIC PAVEMENT**

2, 4, 6, 19, 23, 33, 51, 52, 55, 58, 60, 61

### **STRUCTURES**

8, 11, 24, 25, 27, 29, 31, 32, 34, 41, 42, 44, 46, 47, 48, 49, 53, 56

### **BRIDGE PAINTING**

### **STREET OR AIRPORT LIGHTING**

### **BUILDING CONSTRUCTION**

14

### **INCIDENTAL CONSTRUCTION**

18, 22, 26, 27, 36, 63, 64

**1. Illinois State Line - Madison, Kennedy Road - Knutson Road; Janesville - Madison, Safety Rest Area 17;** Rock County; 1005-10-78, WISC 2019 200; 1005-10-89, WISC 2019 201; IH 39; 5.835 Miles; Grading, Base, Milling, Concrete Pavement, Asphalt Pavement, Bridge Replacements, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Guardrail, Concrete Barrier, Cable Barrier, Fence, Plantings, Lighting, ITS, Sanitary Sewer, Retaining Walls, Signs, and Pavement Markings.

**Guaranty Required: \$1,000,000.00**

**Estimate of Principal Items:** Excavation Common, 758,068 CY; Excavation Rock, 150 CY; Selected Borrow, 100,811 CY; Backfill Granular, 950 CY; Backfill Structure, 4,114 Ton; Base Aggregate Dense, 297,198 Ton; Select Crushed Material, 404,352 Ton; Base Aggregate Open Graded, 100 Ton; Concrete Pavement, 443,760 SY; Concrete Masonry Bridges, 1,507 CY; Prestressed Girders, 3,048 LF 36-Inch, 2,220 LF 45-Inch, 1,856 LF 54-Inch; Bar Steel Reinforcement, 77,150 Lbs; Bar Steel Reinforcement Coated, 610,645 Lbs; Bar Steel Reinforcement HS Stainless, 18,270 LF; Piling CIP Concrete, 3,960 LF 10 3/4-Inch, 10,060 LF 12 3/4-Inch; Marking Tape, 25,220 LF; Marking Epoxy, 507,827 LF; Culvert Pipe Corrugated Steel, 86 LF 18", 112 LF 24"; Culvert Pipe Reinforced Concrete, 558 LF 18", 88 LF 36", 111 LF 60", 3,243 LF 24", 341 LF 42", 720 LF 30", 71 LF 48"; Storm Sewer Pipe Reinforced Concrete, 409 LF 15", 617 LF 30", 1,100 LF 18", 272 LF 36", 850 LF 24", 146 LF 42"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 134 LF 24" X 38"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 125 LF 19" X 30", 432 LF 24" X 38", 104 LF 34" X 53"; Concrete Curb and Gutter, 2,163 LF; Concrete Sidewalk, 2,660 SF; Beam Guard, 2,582 LF; Beam Guard Energy Absorbing Terminals, 15 Each; Asphaltic Surface, 102 Ton; HMA Pavement, 14,829 Ton; Removing Asphaltic Surface Milling, 9,500 SY; Tack Coat, 847 Gals; Signs, 2,554 SF; Polymer Overlay, 6,322 SY; Concrete Barrier, 3,160 LF; Cable Barrier, 1,230 LF; Woven Wire Fence, 44,363 LF; Chain Link Fence, 1,354 LF; Trees, 570 Each; Shrubs, 850 Each; Light Poles, 9 Each; Roadway Embankment, 538,435 CY; Granular Backfill Sand, 6,500 CY; High Performance Masonry Structures, 3,388 CY; Pipe Jacking 30-Inch 221 LF, 60-Inch 267 LF; Sanitary Sewer Forcemain, 5,164 LF; Temporary Wire Faced Wall, 1,125 SF; Concrete Panel Wall, 18,740 SF; Excavation, Hauling, and Disposal of Contaminated Soil, 614 Ton.

**DBE Goal: 9 %**

**Contract Completion Date: December 15, 2021**

**Contact Information: Jamie Grainger, (608) 884-1173 / jamie.grainger@dot.wi.gov**

**2. Prairie du Chien - Fennimore, STH 35 to Diagonal Street;** Grant County; 1662-01-61, WISC 2019 149; USH 18; 16.458 Miles; Base, Mill and Overlay, HMA Pavement, Curb and Gutter, and Pavement Marking.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Base Aggregate Dense, 13,055 Ton; Marking Epoxy, 430,829 LF; Construction Staking, 87,039 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 139 LF; HMA Pavement, 48,758 Ton; Removing Asphaltic Surface Milling, 305,380 SY; Tack Coat, 24,232 Gals.

**DBE Goal: 5 %**

**Contract Completion Time: 40 Working Days**

**Contact Information:** Todd Waldo, (608) 785-9462 / todd.waldo@dot.wi.gov

**3. DEFERRED**

**4. Baraboo - Sauk City, Ski-Hi Road to STH 60;** Sauk County; 1670-04-71, WISC 2019 151; USH 12; 7.830 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Beam Guard, Signs, and Pavement Marking.

**Guaranty Required: \$100,000.00**

**Estimate of Principal Items:** Excavation Common, 2,260 CY; Borrow, 100 CY; Base Aggregate Dense, 13,027 Ton; Marking Epoxy, 162,196 LF; Construction Staking, 86,095 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 15,034 LF; Beam Guard, 1,612 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 60,023 Ton; Tack Coat, 31,808 Gals; Signs, 1,588 SF.

**DBE Goal: 7 %**

**Contract Completion Time: 70 Working Days**

**Contact Information:** Craig Fisher, (608) 785-9946 / craig.fisher@dot.wi.gov

**5. Shelby - Greenfield, CTH GI to STH 35;** LaCrosse County; 5085-00-70, WISC 2018 483; CTH GI; 4.430 Miles; Excavation, Base, HMA Pavement, Sidewalk, Beam Guard, Pavement Marking, Signs, and Precast Box Culvert.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 29,827 CY; Backfill Structure, 656 Ton; Base Aggregate Dense, 35,156 Ton; Breaker Run, 11,272 Ton; Concrete Masonry Culverts, 19 CY; Bar Steel Reinforcement, 1,995 Lbs; Bar Steel Reinforcement Coated, 626 Lbs; Marking Epoxy, 40,625 LF; Marking Paint, 162 LF; Construction Staking, 91,872 LF; Construction Staking, 13 Each; Construction Staking, 2 LS; Culvert Pipe, 94 LF 18"; Culvert Pipe Reinforced Concrete, 740 LF 42"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 68 LF 43" X 68"; Concrete Sidewalk, 440 SF; Beam Guard, 458 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 23,936 Ton; Tack Coat, 14,345 Gals; Signs, 252 SF.

**DBE Goal:** 7 %

**Contract Completion Date:** June 30, 2020

**Contact Information:** John Bainter, (608) 785-9729 / john.bainter@dot.wi.gov

**6. Beloit - Janesville, Henry Avenue to STH 11;** Rock County; 5350-01-73, WISC 2019 152; USH 51; 7.853 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Beam Guard, Signs, Pavement Marking, and Loop Detectors.

**Guaranty Required:** \$100,000.00

**Estimate of Principal Items:** Excavation Common, 93 CY; Base Aggregate Dense, 6,825 Ton; Concrete Pavement, 109 SY; Marking Epoxy, 175,420 LF; Construction Staking, 41,464 LF; Construction Staking, 17 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 8 LF 12"; Storm Sewer Pipe Reinforced Concrete, 31 LF 18", 10 LF 24"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 6 LF 24" X 38"; Concrete Curb and Gutter, 483 LF; Concrete Sidewalk, 2,887 SF; Beam Guard, 1,318 LF; Beam Guard Energy Absorbing Terminals, 13 Each; HMA Pavement, 56,747 Ton; Signs, 123 SF.

**DBE Goal:** 5 %

**Contract Completion Date:** October 11, 2019

**Contact Information:** Jim Simpson, (608) 246-5628 / jim.simpson@dot.wi.gov

**7. STH 35 - STH 27, STH 35 - Teter Lane;** Crawford County; 5496-00-74, WISC FLAP051; CTH N; 1.487 Miles; Excavation, Rock Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Beam Guard, Signs, Pavement Marking, Culvert Construction, and Retaining Wall Construction.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 64,100 CY; Excavation Rock, 25,800 CY; Selected Borrow, 7,550 CY; Backfill Structure, 3,190 Ton; Base Aggregate Dense, 21,800 Ton; Breaker Run, 22,320 Ton; Concrete Masonry Culverts, 266 CY; Concrete Masonry Retaining Walls, 90 CY; Bar Steel Reinforcement, 23,850 Lbs; Bar Steel Reinforcement Coated, 3,110 Lbs; Structural Steel HS, 114,530 Lbs; Marking Epoxy, 33,400 LF; Construction Staking, 35,200 LF; Construction Staking, 39 Each; Construction Staking, 3 LS; Culvert Pipe Reinforced Concrete, 72 LF 24", 74 LF 36", 108 LF 42", 102 LF 48"; Storm Sewer Pipe Reinforced Concrete, 27 LF 12", 66 LF 15", 111 LF 18", 491 LF 24", 136 LF 30"; Concrete Curb and Gutter, 5,740 LF; Concrete Sidewalk, 880 SF; Beam Guard, 2,988 LF; Beam Guard Energy Absorbing Terminals, 6 Each; HMA Pavement, 6,910 Ton; Tack Coat, 1,660 Gals; Signs, 330 SF; Precast Panels for Soldier Pile Walls, 3,471 SF.

**DBE Goal: 7 %**

**Contract Completion Date: November 1, 2019**

**Contact Information:** Aleigha Burg, (608) 317-9083 / [aleigha.burg@dot.wi.gov](mailto:aleigha.burg@dot.wi.gov)

**8. Village of Kendall, White Street, Branch Baraboo River Bridge, B-41-0306;** Monroe County; 5516-00-70, WISC 2019 153; CTH W; 0.047 Miles; Excavation, Base, Asphaltic Surface, Curb and Gutter, Sidewalk, Signs, Pavement Marking, and Bridge Replacement.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 660 CY; Backfill Structure, 345 Ton; Base Aggregate Dense, 750 Ton; Concrete Masonry Bridges, 352 CY; Bar Steel Reinforcement, 6,780 Lbs; Bar Steel Reinforcement Coated, 44,070 Lbs; Piling Steel, 340 LF 10-Inch; Marking Epoxy, 500 LF; Construction Staking, 1,131 LF; Construction Staking, 10 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 26 LF 12", 30 LF 18", 125 LF 14"; Concrete Curb and Gutter, 336 LF; Concrete Sidewalk, 1,020 SF; Asphaltic Surface, 185 Ton; Tack Coat, 40 Gals; Signs, 7 SF.

**DBE Goal: 5 %**

**Contract Completion Time: 45 Working Days**

**Contact Information:** Mark Westerveld, (608) 246-5355 / [mark.westerveld@dot.wi.gov](mailto:mark.westerveld@dot.wi.gov)

**9. DEFERRED**

**10. City of Beloit, Prairie Avenue, Cranston Road to Huebbe Parkway;** Rock County; 5989-00-14, WISC 2019 155; CTH G; 1.184 Miles; Excavation, Base, Concrete Pavement, HMA Pavement, Curb and Gutter, Sidewalk, Pavement Marking, Traffic Signals, Street Lighting, and Storm Sewer.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 6,487 CY; Base Aggregate Dense, 7,960 Ton; Select Crushed Material, 265 Ton; Concrete Pavement, 115 SY; Marking Epoxy, 16,778 LF; Construction Staking, 15,599 LF; Construction Staking, 42 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 91 LF 12", 20 LF 36"; Concrete Curb and Gutter, 9,804 LF; Concrete Sidewalk, 15,150 SF; HMA Pavement, 5,738 Ton; Tack Coat, 3,095 Gals.

**DBE Goal:** 6 %

**Contract Completion Date:** September 27, 2019

**Contact Information:** Zachary Pearson, (608) 246-5319 /  
zachary.pearson@dot.wi.gov

**11. City of Beloit, Powerhouse Riverwalk, Pleasant Street to South of Portland Avenue;** Rock County; 5989-05-26, WISC 2018 139; Non-Highway; 0.158 Miles; Excavation, Base, Asphaltic Surface, Curb and Gutter, Sidewalk, Pavement Marking, Signs, Bridge Construction, Lighting, and Retaining Wall.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 637 CY; Borrow, 50 CY; Backfill Structure, 140 Ton; Base Aggregate Dense, 400 Ton; Breaker Run, 300 Ton; Concrete Masonry Bridges, 93 CY; Bar Steel Reinforcement Coated, 18,460 Lbs; Structural Steel Carbon, 1,200 Lbs; Piling CIP Concrete, 2,120 LF 12 3/4-Inch; Marking Epoxy, 320 LF; Construction Staking, 1,254 LF; Construction Staking, 2 Each; Construction Staking, 3 LS; Storm Sewer Pipe Reinforced Concrete, 56 LF 12"; Concrete Curb and Gutter, 97 LF; Concrete Sidewalk, 4,300 SF; Asphaltic Surface, 70 Ton; Signs, 17 SF; Electrical Wiring Lighting 10 AWG, 2,500 LF; Prestressed Girders Box Type 21-Inch, 1,782 LF; Wall Modular Block MSE Wall, 149 SF.

**DBE Goal:** 3 %

**Contract Completion Date:** October 15, 2019

**\*\*\* NON-MANDATORY PRE-BID MEETING \*\*\***

**DATE:** February 14, 2019 **TIME:** 10 AM

**LOCATION:** Utilities and Engineering Facility  
2400 Springbrook Court  
Beloit, WI 53511

**NOTE:** No meeting minutes will be prepared. Issues discovered at the meeting will be handled by addendum.

**Contact Information:** Zachary Pearson, (608) 246-5319 /  
zachary.pearson@dot.wi.gov

**12. City of Janesville, Ruger Avenue, Wright Road to USH 14;** Rock County; 5990-00-38, WISC 2019 156; CTH MM; 1.026 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Signs, Pavement Marking, Retaining Wall, and Landscaping.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 32,980 CY; Base Aggregate Dense, 21,568 Ton; Select Crushed Material, 23,730 Ton; Marking Epoxy, 26,555 LF; Construction Staking, 21,926 LF; Construction Staking, 86 Each; Construction Staking, 3 LS; Storm Sewer Pipe Reinforced Concrete, 381 LF 12", 9 LF 15", 996 LF 18", 96 LF 24", 168 LF 30", 200 LF 12", 1,273 LF 15", 103 LF 18", 775 LF 24", 148 LF 30"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 48 LF 29" X 45"; Concrete Curb and Gutter, 11,015 LF; Concrete Sidewalk, 35,365 SF; HMA Pavement, 6,691 Ton; Tack Coat, 1,174 Gals; Signs, 235 SF; Wall Modular Block Gravity, 1,735 SF.

**DBE Goal: 6 %**

**Contract Completion Date: November 1, 2019**

**Contact Information: Zachary Pearson, (608) 246-5319 /  
zachary.pearson@dot.wi.gov**

**13. City of Fox Lake, Trenton Street, Mill Street to Spring Street (STH 33);** Dodge County; 6176-00-70, WISC 2019 157; Local Street; 0.000 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Pavement Marking, and Storm Sewer.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 3,187 CY; Base Aggregate Dense, 4,865 Ton; Breaker Run, 220 Ton; Marking Epoxy, 2,700 LF; Construction Staking, 2,510 LF; Construction Staking, 18 Each; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 72 LF 12", 24 LF 15", 8 LF 24", 644 LF 30"; Concrete Curb and Gutter, 940 LF; Concrete Sidewalk, 315 SF; HMA Pavement, 2,610 Ton; Removing Asphaltic Surface Milling, 5,032 SY; Tack Coat, 900 Gals.

**DBE Goal: 5 %**

**Contract Completion Date: September 30, 2019**

**Contact Information: Zachary Pearson, (608) 246-5319 /  
zachary.pearson@dot.wi.gov**

**14. East West Freeway, Grandview Boulevard Salt Shed;** Waukesha County; 1060-62-70; IH 94; 0.000 Miles; Salt Shed and Brine Facility Structures, Underground Wastewater Detention Tank, Static Scale, Concrete Culverts / Storm Sewer, Detention Pond, and Concrete and Asphalt Driveway Construction.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 37,210 CY; Selected Borrow, 2,561 CY; Backfill Granular, 119 CY; Base Aggregate Dense, 3,506 Ton; Base Aggregate Open Graded, 246 Ton; Concrete Pavement, 1,130 SY; Construction Staking, 3,746 LF; Construction Staking, 11 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 112 LF 12", 184 LF 18"; Storm Sewer Pipe Reinforced Concrete, 37 LF 12", 71 LF 18"; Asphaltic Surface, 487 Ton; HMA Pavement, 628 Ton; Tack Coat, 388 Gals; Static Scale System, 1 LS; Underground Detention Wastewater Tank, 1 LS; Brining Building General, 1 LS; Brining Building Plumbing, 1 LS; Brining Building Heating and Ventilation, 1 LS; Brining Building Electrical, 1 LS; Salt Storage Shed, 1 LS; Salt Storage Shed Concrete, 1 LS.

**DBE Goal:** NA

**Contract Completion Date:** November 22, 2019

**Contact Information:** Nguyen Ly, (262) 548-8739 / [nguyen.ly@dot.wi.gov](mailto:nguyen.ly@dot.wi.gov)

**15. W. Fond du Lac Avenue, 6 Highway Intersections; West Vliet Street, N. 27th Street to N. 12th Street;** Milwaukee County; 1360-00-76; 2984-00-73, WISC 2019 194; STH 145; Local Street; 1.023 Miles; Grading, Base Aggregate Dense, Concrete Pavement, Asphaltic Surface, Curb and Gutter, Sidewalk, Storm Sewer, Street Lighting, Traffic Signals, Pavement Marking, and Landscaping.

**Guaranty Required:** \$100,000.00

**Estimate of Principal Items:** Excavation Common, 25,801 CY; Base Aggregate Dense, 38,305 Ton; Concrete Pavement, 28,163 SY; Marking Grooved Preformed Plastic, 3,153 LF; Marking Tape, 19,384 LF; Marking Epoxy, 16,986 LF; Marking Paint, 10,971 LF; Construction Staking, 13,523 LF; Construction Staking, 241 Each; Construction Staking, 4 LS; Storm Sewer Pipe Reinforced Concrete, 2,784 LF 12", 62 LF 15"; Concrete Curb, 580 LF; Concrete Curb and Gutter, 12,615 LF; Concrete Sidewalk, 72,662 SF; Asphaltic Surface, 1,074 Ton; Signs, 284 SF; Conduit, 23,387 LF; Removing Pavement, 34,311 SY; Removing Railroad Track, 2,292 LF; Trees, 61 Each; Poles, 90 Each; Monotube Arms, 38 Each; Duct Conduit Cement Encased Rigid Nonmetallic Conduit, 6,329 LF; Management of Solid Waste, 840 Ton.

**DBE Goal:** 15 %

**Contract Completion Date:** October 15, 2020

**Contact Information:** Christine Hanna, (262) 548-8809 / [christine.hanna@dot.wi.gov](mailto:christine.hanna@dot.wi.gov)

**16. S. Chase Avenue, City of Milwaukee, Ohio Avenue to Lincoln Avenue; W. Lincoln Avenue, Intersection with 43rd Street and 27th Street;** Milwaukee County; 2060-00-76, WISC 2019 158; 2110-00-72, WISC 2019 160; STH 38; Local Street; 1.405 Miles; Grading, Base Aggregate Dense, Concrete Pavement, Curb and Gutter, Sidewalk, Storm Sewer, Street Lighting, Traffic Signals, Signing, Pavement Marking, Landscaping, and Traffic Control.

**Guaranty Required: \$100,000.00**

**Estimate of Principal Items:** Excavation Common, 28,906 CY; Base Aggregate Dense, 35,171 Ton; Concrete Pavement, 55,634 SY; Marking Tape, 22,301 LF; Marking Epoxy, 33,805 LF; Marking Paint, 25,916 LF; Construction Staking, 49,606 LF; Construction Staking, 170 Each; Construction Staking, 4 LS; Storm Sewer Pipe Reinforced Concrete, 8 LF 12"; Concrete Curb, 10,870 LF; Concrete Curb and Gutter, 16,729 LF; Concrete Sidewalk, 94,415 SF; Asphaltic Surface, 160 Ton; Removing Asphaltic Surface Milling, 440 SY; Tack Coat, 20 Gals; Signs, 34 SF; Conduit, 22,501 LF; Excavation, Hauling, and Disposal of Petroleum Contaminated Soil, 1,640 Ton; Trees, 133 Each; Poles, 98 Each; Monotube Arms, 17 Each; Adjusting Water Service Boxes, 125 Each; Adjusting Water Manholes Frame and Lid, 14 Each; Luminaires LED, 210 Each; Manhole Type CUC, 8 Each; Doghouse Manhole Type CUC, 4 Each; Field Stone Border Wall, 160 LF; Storm Sewer Pipe Corrugated PVC 12-Inch, 3,648 LF; Liquidtight Flexible Nonmetallic Conduit, 687 LF; Field Stone Border Wall, 160 LF; Conduit Cement Encased 4-Inch Nonmetallic Conduit, 6,173 LF; Management of Solid Waste, 3,217 Ton.

**DBE Goal: 15 %**

**Contract Completion Time: 100 Working Days**

**Contact Information:** Christine Hanna, (262) 548-8809 / christine.hanna@dot.wi.gov

**17. North Teutonia Avenue, W. Garfield Avenue to W. Groeling Avenue;** Milwaukee County; 2080-00-73, WISC 2019 192; Local Street; 0.912 Miles; Removals, Grading, Dense Graded Base, HMA Pavement, PC Concrete Pavement, Curb and Gutter, Concrete Sidewalk, Storm Sewer, Erosion Control, Traffic Control, Pavement Marking, Street Lighting, and Traffic Signals.

**Guaranty Required: \$100,000.00**

**Estimate of Principal Items:** Excavation Common, 20,836 CY; Base Aggregate Dense, 29,141 Ton; Concrete Pavement, 30,881 SY; Marking Tape, 29,087 LF; Marking Epoxy, 23,998 LF; Marking Paint, 412 LF; Construction Staking, 56,777 LF; Construction Staking, 112 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 126 LF 12"; Concrete Curb, 158 LF; Concrete Curb and Gutter, 11,628 LF; Concrete Sidewalk, 66,435 SF; Asphaltic Surface, 54 Ton; Conduit, 92 LF; Excavation, Hauling, and Disposal of Contaminated Soil, 2,150 Ton; Storm Sewer Pipe Composite 8-Inch, 1,313 LF; Concrete Bases, 86 Each; Poles, 66 Each; Traffic Signal Standards, 20 Each; Monotube Arms, 14 Each; Duct Conduit Cement Encased, 5,288 LF; Excavation, Hauling, and Disposal of Metalsand VOC Contaminated Soil, 1,981 Ton.

**DBE Goal: 15 %**

**Contract Completion Date: December 1, 2019**

**Contact Information:** Greg Hafeman, (262) 548-8677 / greg.hafeman@dot.wi.gov

**18. East Silverspring Drive, Intersection with Bay Ridge Avenue;** Milwaukee County; 2090-03-71, WISC 2019 159; Local Street; 0.000 Miles; Intersection Modifications, Concrete Sidewalk, Pavement Markings, Traffic Control, and Traffic Signals.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 47 CY; Base Aggregate Dense, 25 Ton; Marking Epoxy, 204 LF; Construction Staking, 91 LF; Construction Staking, 8 Each; Construction Staking, 2 LS; Concrete Curb and Gutter, 91 LF; Concrete Sidewalk, 803 SF; Signs, 46 SF; Conduit, 630 LF; Excavation, Hauling, and Disposal of Petroleum Contaminated Soil, 14 Ton; Poles Type 3, 4 Each; King Luminaire Niagara Decorative Aluminum Pole, 4 Each.

**DBE Goal: 18 %**

**Contract Completion Date: August 9, 2019**

**Contact Information:** Kathy Kramer, (262) 548-8772 / kathleen1.kramer@dot.wi.gov

**19. Loomis Road, South 51st Street to West Fardale Avenue;** Milwaukee County; 2240-14-61; STH 36; 2.565 Miles; Milling Asphaltic Pavement, HMA Pavement, Base Patching, Concrete Sidewalk, Pavement Marking, and Permanent Signing.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 330 CY; Base Aggregate Dense, 190 Ton; Concrete Pavement, 394 SY; Marking Tape, 28,692 LF; Marking Epoxy, 68,020 LF; Marking Paint, 26,785 LF; Construction Staking, 1 LS; Concrete Curb, 225 LF; Concrete Curb and Gutter, 1,458 LF; Concrete Sidewalk, 3,915 SF; Asphaltic Surface, 1 Ton; HMA Pavement, 13,630 Ton; Removing Asphaltic Surface Milling, 118,460 SY; Tack Coat, 8,292 Gals; Signs, 1,563 SF; Conduit, 120 LF; Base Patching Concrete SHES, 5,000 SY.

**DBE Goal:** NA

**Contract Completion Time:** 82 Working Days

**Contact Information:** Mark Wilfert, (262) 548-5936 / mark.wilfert@dot.wi.gov

**20. West National Avenue, South 95th Street to South 92nd Street;** Milwaukee County; 2410-00-76, WISC 2019 193; Local Street; 0.216 Miles; Base Aggregate Dense, Concrete Pavement, Asphaltic Surface, Curb and Gutter, Concrete Sidewalk, Storm Sewer, Sanitary Sewer, Water Main, Pavement Marking, Permanent Signing, Street Lighting, and Landscaping.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 6,221 CY; Base Aggregate Dense, 2,772 Ton; Base Aggregate Open Graded, 7 Ton; Breaker Run, 4,977 Ton; Concrete Pavement, 6,218 SY; Marking Epoxy, 7,380 LF; Construction Staking, 3,781 LF; Construction Staking, 31 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 493 LF 12", 813 LF 18", 99 LF 12"; Concrete Curb, 8 LF; Concrete Curb and Gutter, 2,370 LF; Concrete Sidewalk, 10,791 SF; Asphaltic Surface, 25 Ton; Removing Asphaltic Surface Milling, 76 SY; Tack Coat, 8 Gals; Signs, 103 SF; Conduit, 2,395 LF; 15-Foot Decorative Light Pole, 11 Each; Sanitary Sewer Relay, 1,111 LF; Building Sanitary Sewer, 663 LF; Water Main Relay, 1,293 LF; Water Service Copper, 579 LF; 6-Inch PVC Storm Sewer, 268 LF; Sanitary Manhole 42-Inch Diameter, 57 VF.

**DBE Goal:** 12 %

**Contract Completion Date:** August 16, 2019

**Contact Information:** Kathy Kramer, (262) 548-8772 / kathleen1.kramer@dot.wi.gov

**21. Wisconn Valley Way, Village of Mt. Pleasant, CTH KR - STH 11;** Racine County; 2704-00-76; Local Street; 1.965 Miles; Removals, Grading, Base Aggregate, Concrete Pavement, Storm Sewer, Erosion Control, Permanent Signing, Traffic Signals, Traffic Control, Pavement Markings, and Landscaping.

**Guaranty Required:** \$450,000.00

**Estimate of Principal Items:** Excavation Common, 228,316 CY; Base Aggregate Dense, 36,058 Ton; Breaker Run, 86,131 Ton; Concrete Pavement, 77,860 SY; Marking Epoxy, 101,111 LF; Culvert Pipe Reinforced Concrete, 38 LF 18", 31 LF 24"; Storm Sewer Pipe Reinforced Concrete, 4,554 LF 12", 10,670 LF 15", 649 LF 18", 4,949 LF 24", 218 LF 30", 1,829 LF 36", 2,912 LF 60"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 1,227 LF 34" X 53" HE, 1,329 LF 24" X 38" HE, 493 LF 29" X 45" HE, 462 LF 53" X 83" HE Special; Concrete Curb and Gutter, 49,853 LF; Concrete Sidewalk, 14,388 SF; Signs, 1,022 SF; Conduit, 20,761 LF; Survey Project, 1 LS; Excavation, Hauling, and Disposal of Petroleum Contaminated Soil, 6,050 Ton; Pond Liner Clay, 3,323 CY; Overhead Sign Supports, 3 LS; Concrete Bases, 72 Each; Concrete Control Cabinet Bases, 2 Each; EBS Excavation, 31,723 CY; EBS Backfill, 31,723 CY; Roadway Embankment, 246,090 CY; Pond Outlet Storm Sewer, 3 Each; Bioretention, 9 Each; Removal and Disposal of Invasive Plant Species, 5 Sta; Transport and Install State Furnished Monotube and Integrated Lighting Mat, 1 LS; Topsoil Special, 199,655 SY; Transport and Install State Furnished Fiber Optic Cable Pigtail, 4 LS; Seeding Special, 1.6 Acres.

**DBE Goal:** NA

**Contract Completion Date:** May 30, 2020

**\*\*\* NON-MANDATORY PRE-BID MEETING \*\*\***

**DATE:** February 21, 2019 **TIME:** 9 AM

**LOCATION:** Mt. Pleasant Village Hall  
8811 Campus Drive  
Mt. Pleasant, WI 53406

**NOTE:** No meeting minutes will be prepared. Issues discovered at the meeting will be handled by addendum.

**Contact Information:** Steve Hoff, (262) 548-6718 / [steve.hoff@dot.wi.gov](mailto:steve.hoff@dot.wi.gov)

**22. Various Highways, Various Bridges, B-40-378, 579, and 580;** Milwaukee County; 2984-38-71, WISC 2018 376; Various Highways; 0.080 Miles; Excavation, Base, Concrete Pavement, HMA Pavement, Curb and Gutter, Sidewalk, Pavement Marking, Beam Guard, Bridge Painting, Concrete Masonry Overlay, and Loop Detectors.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 470 CY; Base Aggregate Dense, 661 Ton; Concrete Pavement, 823 SY; Concrete Masonry Bridges, 4 CY; Concrete Masonry Overlay, 288 CY; Bar Steel Reinforcement Coated, 6,640 Lbs; Marking Epoxy, 375 LF; Concrete Curb and Gutter, 1,572 LF; Concrete Sidewalk, 2,130 SF; Beam Guard, 39 LF; HMA Pavement, 150 Ton; Tack Coat, 50 Gals; Marking Line Grooved Wet Ref Contrast Epoxy 4-Inch, 1,580 LF.

**DBE Goal:** 15 %

**Contract Completion Time:** 101 Working Days

**Contact Information:** Gary Metzger, (262) 548-5685 / gary.metzger@dot.wi.gov

**23. CTH I (River Road), Ehr Drive to Point Drive;** Waukesha County; 3773-01-70, WISC 2019 161; CTH I; 0.331 Miles; Grading, Base Aggregate, Asphaltic Pavement, Pavement Marking, Permanent Signing, and Restoration.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Excavation Common, 19,026 CY; Base Aggregate Dense, 5,830 Ton; Breaker Run, 1,380 Ton; Marking Epoxy, 7,000 LF; Construction Staking, 5,250 LF; Construction Staking, 7 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 202 LF 18"; Culvert Pipe Reinforced Concrete, 95 LF 24"; Asphaltic Surface, 163 Ton; HMA Pavement, 2,390 Ton; Tack Coat, 687 Gals; Signs, 13 SF; Resin Binder High Friction Surface Treatment, 6,560 SY.

**DBE Goal:** 10 %

**Contract Completion Date:** August 17, 2019

**Contact Information:** Kathy Kramer, (262) 548-8772 / kathleen1.kramer@dot.wi.gov

**24. Mill Street, White River Bridge, B-64-0260; Hospital Road, Ore Creek Bridge, P-64-0907;** Walworth County; 3849-00-72, WISC 2019 162; 3849-00-73, WISC 2019 163; Local Streets; 0.071 Miles; Excavation, Base, Asphaltic Surface, Signs, Pavement Marking, Bridge Replacement, and Pipe Arch Installation.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Excavation Common, 632 CY; Backfill Granular, 710 Ton; Backfill Structure, 420 Ton; Base Aggregate Dense, 919 Ton; Concrete Masonry Bridges, 402 CY; Bar Steel Reinforcement, 7,230 Lbs; Bar Steel Reinforcement Coated, 45,550 Lbs; Piling Steel, 387 LF 10-Inch; Marking Paint, 1,800 LF; Construction Staking, 1,104 LF; Construction Staking, 2 Each; Construction Staking, 4 LS; Asphaltic Surface, 345 Ton; Tack Coat, 67 Gals; Signs, 13 SF; Pipe Arch Corrugated Steel Aluminum Coated 128" X 83", 142 LF.

**DBE Goal:** 10 %

**Contract Completion Time:** 55 Working Days

**Contact Information:** Paul Piccione, (262) 548-8706 / paul.piccione@dot.wi.gov

**25. Kettleview Drive, Kewaskum Creek Bridge, P-66-0912;** Washington County; 4824-00-73, WISC 2019 164; Local Street; 0.063 Miles; Excavation, Grading, Base Aggregate, Removing Old Structure, Structure B-66-0197, Asphaltic Surface, Guardrail, Pavement Marking, and Permanent Signing.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Excavation Common, 193 CY; Borrow, 618 CY; Backfill Structure, 196 Ton; Base Aggregate Dense, 713 Ton; Concrete Masonry Bridges, 146 CY; Bar Steel Reinforcement, 3,540 Lbs; Bar Steel Reinforcement Coated, 20,280 Lbs; Piling Steel, 325 LF 10-Inch; Marking Epoxy, 1,385 LF; Construction Staking, 1,105 LF; Construction Staking, 1 Each; Construction Staking, 2 LS; Beam Guard, 245 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 146 Ton; Tack Coat, 37 Gals; Signs, 26 SF; Wall Modular Block Gravity LRFD, 275 SF.

**DBE Goal:** 10 %

**Contract Completion Time:** 40 Working Days

**Contact Information:** Kathy Kramer, (262) 548-8772 / kathleen1.kramer@dot.wi.gov

**26. Northeast Region-Wide Deck Sealing FY19, Various Routes, STH;** NE Region-Wide; 1009-33-29; Various Highways; 0.000 Miles; Bridge Deck Sealing and Traffic Control.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Protective Surface Treatment Reseal, 208,717 SY.

**DBE Goal:** NA

**Contract Completion Time:** 25 Working Days

**Contact Information:** Jeremy Ashauer, (920) 412-6381 / jeremy.ashauer@dot.wi.gov

**27. Sheboygan - Manitowoc, CTH FF Overpass;** Sheboygan County; 1225-08-74, WISC 2019 165; IH 43; 0.046 Miles; Milling, Asphalt Pavement, Base, Bridge Deck Repair, Bridge Deck Overlay, Guardrail, and Pavement Markings.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Base Aggregate Dense, 52 Ton; Concrete Masonry Overlay, 65 CY; Bar Steel Reinforcement Coated, 2,600 Lbs; Marking Epoxy, 1,174 LF; Beam Guard, 412 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 59 Ton; Removing Asphaltic Surface Milling, 406 SY; Tack Coat, 25 Gals; Preparation Decks, 597 SY; Joint Repair, 31 SY; Structure Overcoating and Painting, 1 LS.

**DBE Goal: 2 %**

**Contract Completion Time: 30 Working Days**

**Contact Information:** Brian Haen, (920) 366-4788 / brian.haen@dot.wi.gov

**28. DEFERRED**

**29. Village of Suamico, CTH HS, Suamico River Bridge, B-05-0437;** Brown County; 3271-00-71; CTH HS; 0.075 Miles; Excavation, Base, HMA Pavement, Concrete Pavement, Pavement Marking, Signs, Beam Guard, and Bridge Replacement.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 1,118 CY; Excavation Marsh, 279 CY; Borrow, 124 CY; Backfill Granular, 334 CY; Backfill Structure, 410 Ton; Base Aggregate Dense, 970 Ton; Breaker Run, 1,580 Ton; Concrete Pavement, 275 SY; Concrete Masonry Bridges, 310 CY; Prestressed Girders, 582 LF 45-Inch; Bar Steel Reinforcement, 6,800 Lbs; Bar Steel Reinforcement Coated, 33,090 Lbs; Piling Steel, 550 LF 10-Inch; Marking Epoxy, 1,155 LF; Construction Staking, 894 LF; Construction Staking, 2 LS; Beam Guard, 411 LF; Beam Guard Energy Absorbing Terminals, 2 Each; HMA Pavement, 315 Ton; Tack Coat, 85 Gals; Signs, 12 SF.

**DBE Goal: NA**

**Contract Completion Time: 45 Working Days**

**Contact Information:** Eric Gwidt, (920) 366-8896 / eric.gwidt@dot.wi.gov

**30. Ashland Avenue, DePere, Parkview Road Intersection;** Brown County; 4190-16-73, WISC 2019 168; STH 32; 0.200 Miles; Grading, Base, Asphalt Pavement, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Street Lighting, Pavement Markings, and Signs.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Excavation Common, 3,992 CY; Borrow, 1,302 CY; Base Aggregate Dense, 8,102 Ton; Marking Epoxy, 4,342 LF; Construction Staking, 11,230 LF; Construction Staking, 34 Each; Storm Sewer Pipe Reinforced Concrete, 340 LF 15", 6,674 LF 18", 347 LF 24"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 204 LF 19" X 30"; Concrete Curb, 118 LF; Concrete Curb and Gutter, 2,765 LF; Concrete Sidewalk, 812 SF; Asphaltic Surface, 132 Ton; HMA Pavement, 1,896 Ton; Tack Coat, 511 Gals; Signs, 102 SF; Concrete Driveway, 440 SY; Conduit, 1,595 LF; Light Poles, 8 Each; Storm Sewer Lateral, 40 LF.

**DBE Goal:** 6 %

**Contract Completion Time:** 65 Working Days

**Contact Information:** Andrew Fulcer, (920) 362-6126 / andrew.fulcer@dot.wi.gov

**31. Town of Mosel, Luellhoff Road, Seven Mile Creek Bridge, B-59-0205;** Sheboygan County; 4197-04-71; Local Street; 0.014 Miles; Removing Old Structure, Grading, Base Aggregate Dense, Asphaltic Surface, Structure B-59-0205, Traffic Control, Erosion Control, Marking, and Signing.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Excavation Common, 58 CY; Borrow, 44 CY; Backfill Structure, 252 Ton; Base Aggregate Dense, 138 Ton; Concrete Masonry Bridges, 128 CY; Bar Steel Reinforcement, 3,920 Lbs; Bar Steel Reinforcement Coated, 15,640 Lbs; Piling Steel, 595 LF 10-Inch; Marking Epoxy, 378 LF; Construction Staking, 172 LF; Construction Staking, 2 LS; Asphaltic Surface, 37 Ton; Removing Asphaltic Surface Milling, 98 SY; Tack Coat, 14 Gals; Signs, 12 SF.

**DBE Goal:** NA

**Contract Completion Time:** 35 Working Days

**Contact Information:** Tim Verhagen, (920) 362-1267 / timothy.verhagen@dot.wi.gov

**32. Town of Sheboygan Falls, CTH O, Sheboygan River Bridge, B-59-198;** Sheboygan County; 4269-05-71; CTH O; 0.057 Miles; Excavation, Base, Asphaltic Surface, Beam Guard, Pavement Marking, Signs, and Bridge Replacement.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 418 CY; Excavation Marsh, 303 CY; Borrow, 3,319 CY; Selected Borrow, 455 CY; Backfill Structure, 360 Ton; Base Aggregate Dense, 1,760 Ton; Concrete Masonry Bridges, 148 CY; Bar Steel Reinforcement, 5,480 Lbs; Bar Steel Reinforcement Coated, 17,070 Lbs; Piling Steel, 520 LF 10-Inch; Marking Epoxy, 1,369 LF; Construction Staking, 2,079 LF; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 54 LF 12"; Beam Guard, 308 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 420 Ton; Tack Coat, 25 Gals; Signs, 12 SF.

**DBE Goal: NA**

**Contract Completion Time: 35 Working Days**

**Contact Information:** Paul Zoellner, (920) 366-8547 / paul.zoellner@dot.wi.gov

**33. Algoma - Sturgeon Bay, SCL - South Junction 42/57;** Door and Kewaunee Counties; 4330-10-71, WISC 2019 169; STH 42; 7.830 Miles; Base, Milling, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Beam Guard, Signs, and Pavement Markings.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Base Aggregate Dense, 3,963 Ton; Marking Epoxy, 104,213 LF; Construction Staking, 42,554 LF; Construction Staking, 28 Each; Construction Staking, 1 LS; Culvert Pipe, 138 LF 24", 60 LF 30"; Culvert Pipe Corrugated Steel, 12 LF 48"; Culvert Pipe Reinforced Concrete, 117 LF 42", 68 LF 18"; Storm Sewer Pipe Reinforced Concrete, 121 LF 12", 647 LF 15", 72 LF 18"; Concrete Curb and Gutter, 480 LF; Concrete Sidewalk, 425 SF; Beam Guard, 306 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 298 Ton; HMA Pavement, 32,702 Ton; Removing Asphaltic Surface Milling, 146,430 SY; Tack Coat, 17,016 Gals; Signs, 769 SF; Asphalt Base, 447 Ton.

**DBE Goal: 5 %**

**Contract Completion Time: 55 Working Days**

**Contact Information:** Jeremy Ashauer, (920) 412-6381 / jeremy.ashauer@dot.wi.gov

**34. Town of Charlestown, Weeks Road, Manitowoc River Bridge;** Calumet County; 4472-04-71; Local Street; 0.047 Miles; Bridge Replacement, Asphaltic Surface, and Signs.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Concrete Masonry Bridges, 313 CY; Bar Steel Reinforcement, 5,320 Lbs; Bar Steel Reinforcement Coated, 46,820 Lbs; Piling Steel, 665 LF 10-Inch; Construction Staking, 774 LF; Construction Staking, 2 LS; Culvert Pipe Reinforced Concrete, 78 LF 24"; Asphaltic Surface, 118 Ton; Signs, 12 SF.

**DBE Goal: NA**

**Contract Completion Time: 47 Working Days**

**Contact Information:** Brian Edwards, (920) 360-2801 / brian.edwards@dot.wi.gov

**35. Village of Bellevue, S. Huron Road, STH 29 to Willow Road;** Brown County; 4516-07-71, WISC 2019 195; Local Street; 0.640 Miles; Grading, Base, Concrete Curb and Gutter, Concrete Sidewalk, Storm Sewer, Structure C-5-154, and Pavement Marking.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 23,950 CY; Backfill Granular, 30 CY; Backfill Structure, 830 Ton; Base Aggregate Dense, 1,370 Ton; Base Aggregate Open Graded, 8 Ton; Breaker Run, 27,297 Ton; Concrete Pavement, 630 SY; Concrete Masonry Culverts, 145 CY; Bar Steel Reinforcement, 17,880 Lbs; Bar Steel Reinforcement Coated, 3,060 Lbs; Marking Epoxy, 12,054 LF; Construction Staking, 35,541 LF; Construction Staking, 106 Each; Construction Staking, 3 LS; Culvert Pipe Corrugated Steel, 34 LF 12", 144 LF 18", 20 LF 21", 36 LF 24"; Storm Sewer Pipe Reinforced Concrete, 1,657 LF 12", 124 LF 15", 729 LF 18", 100 LF 21", 952 LF 24"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 188 LF 29" X 45", 32 LF 34" X 53"; Concrete Curb, 120 LF; Concrete Curb and Gutter, 9,338 LF; Concrete Sidewalk, 23,586 SF; Conduit, 810 LF; Poles Type 5 Aluminum, 8 Each; Underground Detention System, 1 LS; Temporary Water Diversion, 1 LS.

**DBE Goal: 6 %**

**Contract Completion Date: September 20, 2019**

**Contact Information:** Brian Edwards, (920) 360-2801 / brian.edwards@dot.wi.gov

**36. Town of Grand Chute, W. Spencer Street, Mayflower Drive - Casaloma Drive;** Outagamie County; 4657-25-01, WISC 2019 196; Local Street; 1.021 Miles; Grading, Base, Asphalt Pavement, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, and Pavement Markings.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 43,740 CY; Base Aggregate Dense, 42,325 Ton; Marking Epoxy, 26,208 LF; Construction Staking, 29,899 LF; Construction Staking, 99 Each; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 404 LF 18", 2,792 LF 24", 601 LF 12", 897 LF 30", 789 LF 15", 980 LF 36"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 32 LF 19" X 30", 294 LF 34" X 53", 373 LF 38" X 60"; Concrete Curb and Gutter, 11,128 LF; Concrete Sidewalk, 44,748 SF; Asphaltic Surface, 85 Ton; HMA Pavement, 6,835 Ton; Tack Coat, 1,700 Gals; Concrete Driveway, 1,264 SY; Storm Sewer Lateral, 1,938 LF; Culvert Pipe Corrugated Steel 87" X 63", 373 LF.

**DBE Goal: 7 %**

**Contract Completion Time: 85 Working Days**

**Contact Information:** Kurt Peters, (920) 362-1157 / kurt.peters@dot.wi.gov

**37. Town of Neenah, CTH CB, CTH CB and Oakridge Road Intersection;** Winnebago County; 4682-01-73, WISC 2019 170; CTH CB; 0.280 Miles; Excavation, Base, Concrete Pavement, Curb and Gutter, Sidewalk, Signs, Pavement Marking, Roundabout Construction, and Street Lighting.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 11,303 CY; Borrow, 2,405 CY; Base Aggregate Dense, 6,295 Ton; Breaker Run, 13,645 Ton; Concrete Pavement, 8,630 SY; Marking Epoxy, 7,565 LF; Construction Staking, 10,010 LF; Construction Staking, 41 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 40 LF 15", 34 LF 18"; Storm Sewer Pipe Reinforced Concrete, 453 LF 15", 98 LF 24", 274 LF 15"; Concrete Curb and Gutter, 7,265 LF; Concrete Sidewalk, 3,250 SF; Asphaltic Surface, 280 Ton; Tack Coat, 13 Gals; Signs, 344 SF; Poles Type 5 Aluminum, 16 Each; Electrical Wire Lighting AWG, 8,812 LF.

**DBE Goal: 6 %**

**Contract Completion Time: 55 Working Days**

**Contact Information:** Brian Edwards, (920) 360-2801 / brian.edwards@dot.wi.gov

**38. City of Green Bay, Webster Avenue, University Avenue - Radisson Street;** Brown County; 4987-02-65, WISC 2019 171; Local Street; 0.841 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Street Lighting, Traffic Signals, and Pavement Markings.

**Guaranty Required: \$100,000.00**

**Estimate of Principal Items:** Excavation Common, 29,210 CY; Base Aggregate Dense, 35,695 Ton; Concrete Pavement, 29,940 SY; Marking Epoxy, 14,385 LF; Construction Staking, 17,936 LF; Construction Staking, 106 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 148 LF 15", 323 LF 42", 158 LF 18", 537 LF 24", 239 LF 54", 227 LF 36", 349 LF 12"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 760 LF 19" X 30", 71 LF 34" X 53", 787 LF 24" X 38", 821 LF 29" X 45"; Concrete Curb and Gutter, 17,814 LF; Concrete Sidewalk, 25,675 SF; Asphaltic Surface, 767 Ton; HMA Pavement, 945 Ton; Tack Coat, 305 Gals; Concrete Driveway, 653 SY; Conduit, 11,761 LF; Traffic Signal Standards, 8 Each; Light Poles, 45 Each; Storm Sewer Pipe PVC, 129 LF; Storm Sewer Pipe Inlet Lead, 2,406 LF; Storm Sewer Lateral, 1,250 LF; Grading and Shaping Alley Turnaround, 7 LS.

**DBE Goal: 7 %**

**Contract Completion Date: November 1, 2019**

**Contact Information:** Andy Fulcer, (920) 362-6126 / andrew.fulcer@dot.wi.gov

**39. City of Sheboygan, Superior Avenue, N. Taylor Drive - N. 29th Street;** Sheboygan County; 4996-01-73, WISC 2019 172; CTH O; 0.305 Miles; Excavation, Grading, Base Aggregate, Concrete Pavement, Concrete Sidewalk, Storm and Sanitary Sewer, Street Lighting, Traffic Signals, Pavement Marking, and Permanent Signing.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 11,796 CY; Base Aggregate Dense, 4,011 Ton; Select Crushed Material, 6,668 Ton; Concrete Pavement, 9,993 SY; Marking Tape, 2,322 LF; Marking Epoxy, 6,550 LF; Construction Staking, 5,684 LF; Construction Staking, 74 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 461 LF 12", 118 LF 15", 58 LF 18", 570 LF 24", 173 LF 36", 508 LF 42"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 65 LF 38" X 60"; Concrete Curb, 124 LF; Concrete Curb and Gutter, 3,655 LF; Concrete Sidewalk, 20,088 SF; Asphaltic Surface, 77 Ton; Signs, 201 SF; Conduit, 2,678 LF; Traffic Signal Standards, 7 Each; Poles, 4 Each; Salvage and Re-Install Bus Shelter, 1 Each; Televising Storm Sewer, 1,949 LF; Sanitary Sewer Cured-In-Place Liner, 1,806 LF; Sanitary Sewer, 25 LF; Sanitary Sewer Laterals, 30 LF; Televising Sanitary Sewer, 1,806 LF; Storm Sewer Pipe PVC, 74 LF.

**DBE Goal: 6 %**

**Contract Completion Date: October 15, 2019**

**Contact Information:** Paul Zoellner, (920) 366-8547 / paul.zoellner@dot.wi.gov

**40. City of Sheboygan, North Avenue, Calumet Drive - 15th Street;** Sheboygan County; 4996-01-79, WISC 2019 173; Local Street; 0.642 Miles; Grading, Base, Milling, Concrete Pavement, Asphalt Pavement, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Trees, Street Lighting, Traffic Signals, Sanitary Sewer, Signs, and Pavement Markings.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 23,580 CY; Base Aggregate Dense, 11,280 Ton; Breaker Run, 25,350 Ton; Concrete Pavement, 31,367 SY; Marking Epoxy, 15,874 LF; Construction Staking, 11,862 LF; Construction Staking, 47 Each; Construction Staking, 3 LS; Storm Sewer Pipe Reinforced Concrete, 835 LF 12", 10 LF 48", 453 LF 15", 10 LF 54", 2,655 LF 24"; Concrete Curb, 101 LF; Concrete Curb and Gutter, 11,260 LF; Concrete Sidewalk, 28,440 SF; Asphaltic Surface, 326 Ton; HMA Pavement, 459 Ton; Removing Asphaltic Surface Milling, 1,400 SY; Tack Coat, 35 Gals; Signs, 313 SF; Concrete Driveway, 1,978 SY; Trees, 85 SY; Conduit, 5,666 SY; Traffic Signal Poles, 8 Each; Traffic Signal Standards, 4 Each; Lighting Assembly, 34 Each; Bore and Jack Storm Sewer, 110 LF; Storm Sewer Lateral, 49 LF; Sanitary Sewer Liner, 1,536 LF, 75 LF; Excavation, Hauling, and Disposal of Contaminated Soil, 855 Ton.

**DBE Goal:** 7 %

**Contract Completion Time:** 90 Working Days

**Contact Information:** Paul Zoellner, (920) 366-8547 / paul.zoellner@dot.wi.gov

**41. City of Sheboygan, Pennsylvania Avenue, Sheboygan River Bridge;** Sheboygan County; 4996-25-71, WISC 2019 174; Local Street; 0.138 Miles; Excavation, Base, Concrete Pavement, Curb and Gutter, Sidewalk, Signs, Pavement Marking, Street Lighting, and Bridge Rehabilitation.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 983 CY; Backfill Structure, 372 Ton; Base Aggregate Dense, 1,744 Ton; Concrete Pavement, 1,823 SY; Concrete Masonry Bridges, 1,000 CY; Bar Steel Reinforcement Coated, 253,700 Lbs; Marking Epoxy, 3,226 LF; Construction Staking, 660 LF; Construction Staking, 1 Each; Construction Staking, 3 LS; Storm Sewer Pipe Reinforced Concrete, 90 LF 12"; Concrete Curb and Gutter, 307 LF; Concrete Sidewalk, 3,912 SF; Signs, 50 SF; Electrical Wire Lighting 10 AWG, 10,208 LF.

**DBE Goal:** 7 %

**Contract Completion Date:** October 31, 2019

**Contact Information:** Paul Zoellner, (920) 366-8547 / paul.zoellner@dot.wi.gov

**42. Town of Little Suamico, Grosse Road, Little Suamico River Bridge, B-42-0131;** Oconto County; 9008-03-71, WISC 2019 175; Local Street; 0.076 Miles; Excavation, Base, Asphaltic Surface, Bridge Replacement, Signs, and Pavement Marking.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Excavation Common, 241 CY; Backfill Structure, 240 Ton; Base Aggregate Dense, 522 Ton; Concrete Pavement, 180 SY; Concrete Masonry Bridges, 364 CY; Bar Steel Reinforcement, 7,140 Lbs; Bar Steel Reinforcement Coated, 51,650 Lbs; Piling Steel, 660 LF 12-Inch; Marking Epoxy, 192 LF; Construction Staking, 813 LF; Construction Staking, 2 LS; Asphaltic Surface, 115 Ton; Tack Coat, 33 Gals; Signs, 32 SF.

**DBE Goal:** 5 %

**Contract Completion Time:** 55 Working Days

**Contact Information:** Matt Ternes, (920) 366-3028 / matthew.ternes@dot.wi.gov

**43. DEFERRED**

**44. North Central Region-Wide Bridge Maintenance, Locations on STN Per Annual Plan;** NC Region-Wide; 1009-44-68; Various Highways; 0.000 Miles; Underwater Concrete Surface Repair, Concrete Surface Repair, Concrete Pavement Approach Slab HES, Strip Seal Gland Replacement, Scour Repair Grout, Grout Bags, Structural Grout, Traffic Control, and Concrete Masonry Bridge.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Backfill Structure, 30 Ton; Base Aggregate Dense, 159 Ton; Concrete Pavement, 412 SY; Bar Steel Reinforcement, 562 Lbs; Bar Steel Reinforcement Coated, 200 Lbs; Marking Tape, 5,000 LF; Marking Epoxy, 500 LF; Concrete Curb and Gutter, 104 LF; Concrete Sidewalk, 375 SF; Asphaltic Surface, 44 Ton; Concrete Surface Repair, 95 SF; Temporary Traffic Signals for Bridges, 1 LS; Scour Repair Grout, 1 CY; Scour Repair Grout Bags, 54 CY; Structural Grout, 48 CY; Strip Seal Gland Replacement, 1 Each; Underwater Excavation for Structures, 2 LS; Underwater Concrete Surface Repair, 200 SF; Piling Vinyl Sheet Permanent Delivered and Installed, 1,728 SF; Preparation of Pier Surfaces, 1,728 SF; Welded Wire Fabric, 1,728 SF.

**DBE Goal:** NA

**Contract Completion Date:** August 1, 2020

**Contact Information:** Jim Volkmann, (715) 365-5773 / jim.volkmann@dot.wi.gov

**45. Bradley - Rhinelander, USH 8 and STH 47 Intersection;** Oneida County; 1590-14-71, WISC 2019 177; USH 8; 0.195 Miles; Grading, Base, Milling, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Truck Apron, Beam Guard, Modular Block Wall, Chain Link Fence, Plantings, Overhead Sign Supports, Street Lighting, Signs, and Pavement Markings.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 26,373 CY; Excavation Marsh, 170 CY; Selected Borrow, 1,757 CY; Base Aggregate Dense, 23,275 Ton; Select Crushed Material, 22,750 Ton; Marking Epoxy, 10,444 LF; Construction Staking, 24,008 LF; Construction Staking, 88 Each; Construction Staking, 2 LS; Culvert Pipe Reinforced Concrete, 436 LF 36"; Storm Sewer Pipe Reinforced Concrete, 310 LF 12", 323 LF 18", 72 LF 24"; Concrete Curb, 280 LF; Concrete Curb and Gutter, 6,238 LF; Concrete Sidewalk, 19,685 SF; Beam Guard, 350 LF; Beam Guard Energy Absorbing Terminals, 7 Each; Asphaltic Surface, 470 Ton; HMA Pavement, 6,435 Ton; Removing Asphaltic Surface Milling, 5,250 SY; Tack Coat, 1,433 Gals; Signs, 1,065 SF; Concrete Truck Apron, 1,435 SY; Wall Modular Block Gravity, 202 SF; Trees, 3 Each; Overhead Sign Supports, 2 LS; Conduit, 2,015 LF; Light Poles, 14 Each; Perennials, 382 Each; Chain Link Fence, 106 LF; Steel Casing Pipe, 196 LF.

**DBE Goal:** 6 %

**Contract Completion Date:** October 18, 2019

**Contact Information:** Dan Erva, (715) 365-5776 / daniel.erva@dot.wi.gov

**46. Meisner Road - Schertz Lane, S. Br. Embarrass River Bridge, B-58-0132;** Shawano County; 6155-00-70; CTH M; 0.284 Miles; Grading, Base Aggregate Dense, HMA Pavement, Removing Old Structure, Structure B-58-0132, Traffic Control, Signing, Marking, and Landscaping.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Excavation Common, 4,065 CY; Backfill Structure, 320 Ton; Base Aggregate Dense, 4,820 Ton; Concrete Masonry Bridges, 321 CY; Bar Steel Reinforcement, 6,690 Lbs; Bar Steel Reinforcement Coated, 47,390 Lbs; Piling Steel, 1,115 LF 10-Inch; Marking Epoxy, 6,000 LF; Construction Staking, 4,200 LF; Construction Staking, 2 LS; Culvert Pipe, 68 LF 18", 32 LF 24"; Beam Guard, 450 LF; Beam Guard Energy Absorbing Terminals, 3 Each; HMA Pavement, 780 Ton; Tack Coat, 235 Gals; Signs, 32 SF.

**DBE Goal:** NA

**Contract Completion Time:** 50 Working Days

**Contact Information:** Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

**47. CTH A - CTH Q, Grand River Bridge, B-24-44;** Green Lake County; 6597-00-70; CTH S; 0.057 Miles; Grading, Base, Asphalt Pavement, Bridge Replacement, Pavement Markings, and Signs.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 167 CY; Borrow, 309 CY; Backfill Structure, 240 Ton; Base Aggregate Dense, 324 Ton; Concrete Masonry Bridges, 105 CY; Prestressed Girders, 285 LF 17-Inch; Bar Steel Reinforcement, 3,620 Lbs; Bar Steel Reinforcement Coated, 9,130 Lbs; Piling Steel, 600 LF 10-Inch; Marking Epoxy, 1,200 LF; Construction Staking, 780 LF; Construction Staking, 2 LS; Asphaltic Surface, 110 Ton; Tack Coat, 88 Gals; Signs, 12 SF.

**DBE Goal: NA**

**Contract Completion Time: 45 Working Days**

**Contact Information:** Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

**48. STH 13 - Auburndale, Hemlock Creek Bridge, B-71-0130;** Wood County; 6620-01-60, WISC 2019 189; STH 186; 0.000 Miles; Underwater Concrete Surface Repair, Concrete Surface Repair, and Traffic Control.

**Guaranty Required: \$6,000.00**

**Estimate of Principal Items:** Excavation for Structures Bridges, 1 LS; Concrete Surface Repair, 80 SF; Underwater Concrete Surface Repair, 280 SF.

**DBE Goal: 3 %**

**Contract Completion Date: July 19, 2019**

**Contact Information:** Jim Volkmann, (715) 365-5773 / jim.volkmann@dot.wi.gov

**49. Town of Hull, Elm Road, Dill Creek Bridge, B-37-0444;** Marathon County; 6670-06-70, WISC 2019 190; Local Street; 0.047 Miles; Removing Old Structure, Grading, Base Aggregate Dense, Asphaltic Surface, Signing, Pavement Marking, and New Structure B-37-0444.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 140 CY; Borrow, 286 CY; Backfill Structure, 370 Ton; Base Aggregate Dense, 340 Ton; Concrete Masonry Bridges, 266 CY; Bar Steel Reinforcement, 6,710 Lbs; Bar Steel Reinforcement Coated, 36,200 Lbs; Piling Steel, 490 LF 10-Inch; Construction Staking, 480 LF; Construction Staking, 2 LS; Asphaltic Surface, 65 Ton; Tack Coat, 20 Gals; Signs, 12 SF; Railing Tubular Type M, 189 LF.

**DBE Goal: 5 %**

**Contract Completion Time: 40 Working Days**

**Contact Information:** Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

**50. City of Wausau, Townline Road, Grand Avenue to Easthill Drive;** Marathon County; 6999-18-71, WISC 2019 191; Local Street; 0.748 Miles; Grading, Base Aggregate Dense, HMA Pavement, Storm Sewer, Lighting, Sanitary Sewer, Water Main, Concrete Curb and Gutter, Concrete Sidewalk, Signing, Marking, and Traffic Control.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 13,349 CY; Borrow, 1,024 CY; Base Aggregate Dense, 16,591 Ton; Marking Epoxy, 18,613 LF; Construction Staking, 21,009 LF; Construction Staking, 2 LS; Culvert Pipe Reinforced Concrete, 106 LF 12", 102 LF 15", 24 LF 24"; Storm Sewer Pipe Reinforced Concrete, 756 LF 12", 770 LF 15", 609 LF 18", 749 LF 24", 717 LF 30", 546 LF 36", 948 LF 48"; Concrete Curb, 38 LF; Concrete Curb and Gutter, 7,329 LF; Concrete Sidewalk, 24,834 SF; Asphaltic Surface, 222 Ton; HMA Pavement, 5,395 Ton; Tack Coat, 1,375 Gals; Signs, 196 SF; Conduit, 1,262 LF; Sanitary Sewer PVC, 3,696 LF; Sanitary Sewer Laterals, 1,530 LF; Water Main, 4,033 LF; Water Laterals, 1,240 LF; Open Cut Steel Casing Pipe, 267 LF; Bore and Jack Steel Casing Pipe, 226 LF.

**DBE Goal: 7 %**

**Contract Completion Time: 140 Calendar Days**

**Contact Information:** Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

**51. City of Wausau, CTH N, Skyline Lane to County Road X;** Marathon County; 6999-18-75, WISC 2019 178; CTH N; 1.810 Miles; Base, HMA Pavement, Curb and Gutter, Signs, and Pavement Marking.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 500 CY; Borrow, 2,519 CY; Base Aggregate Dense, 4,686 Ton; Marking Epoxy, 37,432 LF; Construction Staking, 26,542 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 250 LF; HMA Pavement, 8,420 Ton; Removing Asphaltic Surface Milling, 18,357 SY; Tack Coat, 2,818 Gals; Signs, 276 SF.

**DBE Goal: 6 %**

**Contract Completion Time: 45 Working Days**

**Contact Information:** Mike Grage, (715) 365-5705 / michael.grage@dot.wi.gov

**52. City of Shawano, S. Main and E. Green Bay Streets, CTH B - Zingler and CTH HHH - CTH BE; City of Shawano, Green Bay Street, Main Street - CTH HHH;** Shawano County; 9180-23-71, WISC 2019 179; 9180-23-72, WISC 2019 180; STH 22; 3.536 Miles; Grading, Base, Milling, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Concrete Driveway, Sidewalk, Box Culvert Replacement, Signs, and Pavement Markings.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 2,651 CY; Backfill Structure, 912 Ton; Base Aggregate Dense, 5,085 Ton; Breaker Run, 464 Ton; Concrete Pavement, 35 SY; Concrete Masonry Culverts, 226 CY; Bar Steel Reinforcement, 32,660 Lbs; Bar Steel Reinforcement Coated, 910 Lbs; Marking Epoxy, 71,907 LF; Construction Staking, 21,860 LF; Construction Staking, 6 Each; Construction Staking, 3 LS; Culvert Pipe Corrugated Steel, 26 LF 12", 54 LF 18"; Storm Sewer Pipe Reinforced Concrete, 50 LF 12"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 64 LF 24" X 38"; Concrete Curb, 263 LF; Concrete Curb and Gutter, 2,297 LF; Concrete Sidewalk, 15,530 SF; Asphaltic Surface, 805 Ton; HMA Pavement, 12,150 Ton; Removing Asphaltic Surface Milling, 103,720 SY; Tack Coat, 8,540 Gals; Signs, 1,059 SF; Concrete Driveway, 480 SY.

**DBE Goal: 6 %**

**Contract Completion Time: 70 Working Days**

**Contact Information:** Dan Erva, (715) 365-5776 / daniel.erva@dot.wi.gov

**53. Town of Conover, Rummels Road, Wisconsin River Bridge, B-63-0028;** Vilas County; 9898-01-70, WISC 2019 181; Local Street; 0.095 Miles; Excavation, Base, Asphaltic Surface, Signs, and Bridge Replacement.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 220 CY; Excavation Marsh, 833 CY; Borrow, 740 CY; Selected Borrow, 1,250 CY; Backfill Structure, 360 Ton; Base Aggregate Dense, 810 Ton; Concrete Masonry Bridges, 134 CY; Bar Steel Reinforcement, 4,480 Lbs; Bar Steel Reinforcement Coated, 17,710 Lbs; Piling CIP Concrete, 980 LF 10 3/4-Inch; Construction Staking, 1,371 LF; Construction Staking, 2 LS; Asphaltic Surface, 235 Ton; Tack Coat, 62 Gals; Signs, 18 SF.

**DBE Goal: 5 %**

**Contract Completion Time: 40 Working Days**

**Contact Information:** Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

**54. DEFERRED**

**55. Hayward - Drummond, Larson Road to CTH M;** Sawyer and Bayfield Counties; 1560-04-70, WISC 2019 183; USH 63; 9.392 Miles; Cold-In-Place Recycling (CIR) Asphalt Pavement, Base, HMA Pavement, Curb and Gutter, Beam Guard, Pavement Marking, and Signs.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Base Aggregate Dense, 3,550 Ton; Marking Epoxy, 51,420 LF; Culvert Pipe Reinforced Concrete, 116 LF 30", 86 LF 42", 120 LF 60"; Storm Sewer Pipe Reinforced Concrete, 265 LF 12", 946 LF 18"; Concrete Curb and Gutter, 2,841 LF; Beam Guard, 1,693 LF; Beam Guard Energy Absorbing Terminals, 6 Each; Asphaltic Surface, 292 Ton; HMA Pavement, 21,733 Ton; Tack Coat, 13,810 Gals; Signs, 881 SF; Cold-In-Place Recycling (CIR) Asphalt Pavement, 143,489 SY.

**DBE Goal:** 7 %

**Contract Completion Time:** 60 Working Days

**Contact Information:** Matthew Dickensen, (715) 395-3022 /  
matthew.dickensen@dot.wi.gov

**56. Pigeon Falls - ECL, Big Slough Creek Bridge, B-61-0234;** Trempealeau County; 7377-00-71, WISC 2019 184; CTH P; 0.036 Miles; Excavation, Base, Asphaltic Surface, Pavement Marking, Signs, and Structure Replacement.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Excavation Common, 150 CY; Borrow, 70 CY; Backfill Structure, 260 Ton; Base Aggregate Dense, 315 Ton; Concrete Masonry Bridges, 149 CY; Bar Steel Reinforcement, 3,680 Lbs; Bar Steel Reinforcement Coated, 18,610 Lbs; Piling CIP Concrete, 600 LF 10 3/4-Inch; Marking Paint, 760 LF; Construction Staking, 456 LF; Construction Staking, 1 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Aluminum, 48 LF 24"; Asphaltic Surface, 96 Ton; Tack Coat, 21 Gals; Signs, 12 SF.

**DBE Goal:** 8 %

**Contract Completion Time:** 40 Working Days

**Contact Information:** Ross Johnson, (715) 836-2069 / ross.johnson@dot.wi.gov

**57. DEFERRED**

**58. Galesville - Melrose, USH 53 to East County Line;** Trempealeau County; 7550-00-62, WISC 2019 186; STH 54; 9.126 Miles; Excavation, Base, HMA Pavement, Asphaltic Surface, Beam Guard, Pavement Marking, and Signs.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 3,185 CY; Borrow, 1,222 CY; Backfill Granular, 2,826 Ton; Base Aggregate Dense, 5,256 Ton; Select Crushed Material, 959 Ton; Marking Epoxy, 95,284 LF; Marking Paint, 71,029 LF; Construction Staking, 48,186 LF; Construction Staking, 15 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 174 LF 18", 237 LF 24", 26 LF 30"; Beam Guard, 10,748 LF; Beam Guard Energy Absorbing Terminals, 34 Each; Asphaltic Surface, 692 Ton; HMA Pavement, 28,147 Ton; Removing Asphaltic Surface Milling, 25,922 SY; Tack Coat, 19,941 Gals; Signs, 347 SF.

**DBE Goal:** 8 %

**Contract Completion Time:** 130 Calendar Days

**Contact Information:** Jesse Larson, (715) 491-1470 / jesse.larson@dot.wi.gov

**59. Arcadia - Blair, Sorlie Lane to Gilbertson Road;** Trempealeau County; 7560-05-60; STH 95; 2.000 Miles; Riprap and Slope Stabilization.

**Guaranty Required:** \$2,000.00

**Estimate of Principal Items:** Riprap Heavy, 41 CY.

**DBE Goal:** NA

**Contract Completion Time:** 5 Working Days

**Contact Information:** Matt Thorsen, (715) 225-4159 / matthew.thorsen@dot.wi.gov

**60. Hager City - Prescott, USH 63 to Coulee Creek;** Pierce County; 7650-01-62; STH 35; 15.230 Miles; Excavation, Base, HMA Pavement, Guardrail, and Pavement Marking.

**Guaranty Required:** \$100,000.00

**Estimate of Principal Items:** Excavation Common, 100 CY; Borrow, 400 CY; Base Aggregate Dense, 3,590 Ton; Marking Epoxy, 266,978 LF; Marking Paint, 40,080 LF; Construction Staking, 80,560 LF; Construction Staking, 5 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 6 LF 24"; Beam Guard, 12,303 LF; Beam Guard Energy Absorbing Terminals, 39 Each; HMA Pavement, 57,375 Ton; Tack Coat, 38,230 Gals.

**DBE Goal:** NA

**Contract Completion Time:** 65 Working Days

**Contact Information:** Matt Pfeifer, (715) 579-0789 / matthew.pfeifer@dot.wi.gov

**61. Bloomer - Bruce, South County Line to USH 8;** Rusk County; 8590-23-71, WISC 2019 187; STH 40; 13.230 Miles; HMA Pavement, Pavement Marking, and Signs.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Marking Epoxy, 216,553 LF; Construction Staking, 69,417 LF; Construction Staking, 1 LS; HMA Pavement, 27,515 Ton; Removing Asphaltic Surface Milling, 138,662 SY; Tack Coat, 5,818 Gals; Signs, 1,202 SF.

**DBE Goal:** 5 %

**Contract Completion Time:** 36 Working Days

**Contact Information:** Matt Thornsen, (715) 225-4159 / matthew.thornsen@dot.wi.gov

**62. USH 53 - Jim Falls, USH 53 - CTH Q;** Chippewa County; 8896-01-03, WISC 2019 188; CTH S; 0.312 Miles; Excavation, Base, Concrete Pavement, HMA Pavement, Curb and Gutter, Sidewalk, Signs, and Pavement Marking.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Excavation Common, 3,212 CY; Borrow, 163 CY; Base Aggregate Dense, 6,471 Ton; Concrete Pavement, 5,905 SY; Marking Epoxy, 4,146 LF; Construction Staking, 16,679 LF; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 6 LF 36"; Concrete Curb and Gutter, 2,798 LF; Concrete Sidewalk, 1,816 SF; HMA Pavement, 584 Ton; Tack Coat, 179 Gals; Signs, 87 SF.

**DBE Goal:** 5 %

**Contract Completion Date:** July 31, 2019

**Contact Information:** Ross Johnson, (715) 836-2069 / ross.johnson@dot.wi.gov

**63. Stratford - Goodrich, Baldwin Creek Bridge, B-60-0138;** Taylor County; 9535-00-70; STH 97; 0.070 Miles; Excavation, Base, HMA Pavement, Guardrail, Pavement Marking, and Culvert Pipe Replacement.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Base Aggregate Dense, 527 Ton; Concrete Pavement, 240 SY; Marking Epoxy, 995 LF; Construction Staking, 1,224 LF; Construction Staking, 2 LS; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 144 LF 68" X 106"; Beam Guard, 400 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 55 Ton; Tack Coat, 6 Gals; Excavation for Structures Culverts, 1 LS.

**DBE Goal:** NA

**Contract Completion Time:** 20 Calendar Days

**Contact Information:** Matt Thornsen, (715) 225-4159 / matthew.thornsen@dot.wi.gov

**64. Waldo Blvd., City of Manitowoc, 14th Street - 8th Street; Waldo Blvd., City of Manitowoc, 14th Street - 8th Street; Waldo Blvd., City of Manitowoc, 8th Street - Maritime Drive; Waldo Blvd., City of Manitowoc, 8th Street - Maritime Drive;** Manitowoc County; 1500-37-74, WISC 2019 210; 1500-37-75; 4570-12-71, WISC 2018 472; 4570-12-72; USH 10; USH 10; STH 42; STH 42; 0.000 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Concrete Truck Apron, Plantings, Signs, Overhead Sign Supports, Street Lighting, Traffic Signals, Pavement Markings, Sanitary Sewer, and Water Main.

**Guaranty Required: \$330,000.00**

**Estimate of Principal Items:** Excavation Common, 46,930 CY; Base Aggregate Dense, 24,015 Ton; Base Aggregate Open Graded, 95 Ton; Breaker Run, 43,870 Ton; Concrete Pavement, 49,090 SY; Concrete Masonry Bridges, 50 CY; Bar Steel Reinforcement Coated, 4,540 Lbs; Marking Epoxy, 12,069 LF; Construction Staking, 46,428 LF; Construction Staking, 225 Each; Construction Staking, 7 LS; Storm Sewer Pipe Reinforced Concrete, 2,613 LF 12", 1,744 LF 24", 164 LF 48", 1,836 LF 72", 1,114 LF 15", 273 LF 30", 568 LF 60", 928 LF 18", 477 LF 36", 1,454 LF 66"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 57 LF 72" X 113"; Concrete Curb, 510 LF; Concrete Curb and Gutter, 27,920 LF; Concrete Sidewalk, 81,365 SF; Asphaltic Surface, 730 Ton; HMA Pavement, 250 Ton; Tack Coat, 58 Gals; Signs, 1,211 SF; Backfill Controlled Low Strength, 1,035 CY; Concrete Base, 300 SY; Concrete Driveway, 1,780 SY; Concrete Truck Apron, 410 SY; Concrete Surface Repair, 50 SF; Trees, 111 Each; Overhead Sign Supports, 2 Each; Conduit, 11,052 LF; Poles, 9 Each; Traffic Signal Standards, 14 Each; Perennials, 228 Each; Composite Light Poles, 35 Each; Storm Sewer Pipe PVC, 44 LF; Mini Storm Sewer, 2,830 LF; Chain Link Fence, 125 LF; Install Water Main, 5,106 LF; Water Service Pipe, 1,310 LF; Furnish and Install Sanitary Sewer, 791 LF; Furnish and Relay Sanitary Sewer Pipe, 639 LF; Sanitary Lateral, 1,117 LF; Water Main Backfill, 4,000 Ton; Sanitary Sewer Backfill, 2,900 Ton.

**DBE Goal: 8 %**

**Contract Completion Date: November 1, 2019**

**Contact Information: Brian Haen, (920) 366-4788 / brian.haen@dot.wi.gov**

By order of:

Joe Nestler  
Administrator  
Division of Transportation System Development