



Wisconsin Department of Transportation

September 6, 2019

**Division of Transportation Systems
Development**

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

**Proposal #04: 2260-07-70, WISC 2019 626
Durand Avenue, City of Racine
Kentucky St to Kearney Ave
STH 11
Racine County**

Letting of September 10, 2019

This is Addendum No. 03, which provides for the following:

Special Provisions:

| Revised Special Provisions | |
|----------------------------|--------------------|
| Article No. | Description |
| 31 | Geotextile Type SR |

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 03

2260-07-70

September 6, 2019

Special Provisions

31. Geotextile Type SR.

Replace entire article language with the following:

Provide type SR geotextile fabric conforming to standard spec 645 and conforming to the following physical properties:

| Test | Method | Value^[1] |
|-------------------------------|----------------------------|----------------------------|
| Minimum grab tensile strength | ASTM D4632 | 170 lb |
| Minimum puncture strength | ASTM D6241 | 350 lb |
| Maximum apparent opening size | ASTM D4751 | No. 70 |
| Minimum permittivity | ASTM D4491 | 0.35 s ⁻¹ |

^[1] All numerical values represent minimum/maximum average roll values. Average test results from all rolls in a lot must conform to the tabulated values.

END OF ADDENDUM