



Wisconsin Department of Transportation

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

December 5, 2019

NOTICE TO ALL CONTRACTORS:

Proposal #28: 1197-19-70, WISC 2019 751
Rice Lake – Spooner
STH 48 Interchange
USH 53
Barron County

ID 8120-00-72
C Rice Lake, West Knapp Street
West Avenue Intersection
STH 48
Barron County

Letting of December 10, 2019

This is Addendum No. 01, which provides for the following:

Special Provisions:

Added Special Provisions	
Article No.	Description
54	Geotextile, Type MS, Item 645.0125

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 01
1197-19-70 & 8120-00-72
December 5, 2019

Special Provisions

54. Geotextile, Type MS, Item 645.0125.

B Materials

Geotextile, Type HR or geotextile with similar or greater properties may be used to comply with 645.2.2.3 (1). Refer to 645.2.2.7 (1) for material properties.

C Construction

Replace 645.3.1.3 (1) with the following:

Complete clearing operations before placing the fabric. Excavate as provided in the plans. Roll the fabric out as smoothly as possible and pull taut manually to remove wrinkles. The engineer may require the use of weights or pins to prevent the wind from lifting the fabric. After placement, do not expose the fabric longer than 48 hours before covering. If visible defects exist, replace the defective section of fabric with a new defect-free section of fabric.

END OF ADDENDUM