

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT
NOTICE TO CONTRACTORS**

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, March 10, 2020, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to 4th Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in 4th Floor South, Room S437.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4th Floor South, Room S437, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4th Floor South, Room S437, 4822 Madison Yards Way, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development, 4th Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

ELECTRONIC BIDDING

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

PROPOSAL GUARANTY

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND PROPOSALS

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

PLAN HOLDERS and ELIGIBLE BIDDERS

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

QUALIFICATIONS OF BIDDERS

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

HOURS OF LABOR AND MINIMUM WAGE RATES

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

AFFIDAVIT OF NON-COLLUSION

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

GENERAL CONSTRUCTION

1, 2, 3, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 20, 21, 22, 23, 24, 26, 27, 28, 31, 32, 33, 35, 36, 38, 39, 40

GRADING

3, 18, 38, 40

CONCRETE PAVEMENT

ASPHALTIC PAVEMENT

9, 20, 21, 22, 23, 26, 30, 31, 33, 36

STRUCTURES

4, 6, 7, 8, 17, 24, 25, 28, 29, 32, 35, 37

BRIDGE PAINTING

2, 17

STREET OR AIRPORT LIGHTING

BUILDING CONSTRUCTION

INCIDENTAL CONSTRUCTION

1, 4, 12, 14, 15, 16, 17, 39, 41

1. Madison - Portage, USH 151 to River Road, 2 Locations; Dane County; 1011-01-64, WISC 2020 108; IH 39; 0.379 Miles; Excavation, Base, HMA Pavement, Pavement Marking, Concrete Barrier, and Storm Sewer.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 351 CY; Base Aggregate Dense, 555 Ton; Marking Epoxy, 5,700 LF; Construction Staking, 2,944 LF; Construction Staking, 7 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 9 LF 15"; Storm Sewer Pipe Reinforced Concrete, 900 LF 18"; HMA Pavement, 826 Ton; Removing Asphaltic Surface Milling, 4,448 SY; Tack Coat, 451 Gals; Concrete Barrier Type S32, 940 LF.

DBE Goal: 3 %

Contract Completion Date: June 26, 2020

Contact Information: Brad Schultz, (608) 242-8038 / brad.schultz@dot.wi.gov

2. Sun Prairie - Beaver Dam, Structures B-11-74, -75, and B-13-288; Columbia and Dane Counties; 1111-05-61, WISC 2020 065; USH 151; 0.000 Miles; Bridge Painting, HMA Pavement, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Bar Steel Reinforcement Coated, 7,820 Lbs; HMA Pavement, 1,591 Ton; Removing Asphaltic Surface Milling, 16,218 SY; Tack Coat, 1,135 Gals; Structure Repainting Recycled Abrasive B-11-74, 1 LS; Structure Repainting Recycled Abrasive B-11-75, 1 LS; Structure Repainting Recycled Abrasive B-13-288, 1 LS; Marking Line Grooved Wet Ref Epoxy 4-Inch, 29,475 LF.

DBE Goal: 3 %

Contract Completion Time: 50 Working Days

Contact Information: Brad Schultz, (608) 242-8038 / brad.schultz@dot.wi.gov

3. Baraboo - Sauk City, CTH C to Waterbury Road; Sauk County; 1670-02-77, WISC 2019 150; USH 12; 1.439 Miles; Excavation, Borrow, Base, Concrete Pavement, HMA Pavement, Curb and Gutter, Signs, Pavement Marking, Storm Sewer, and Culvert Placement.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 182,463 CY; Borrow, 268,795 CY; Selected Borrow, 103,440 CY; Backfill Granular, 13 Ton; Base Aggregate Dense, 67,650 Ton; Concrete Pavement, 45,845 SY; Marking Epoxy, 50,380 LF; Construction Staking, 83,160 LF; Construction Staking, 28 Each; Construction Staking, 1 LS; Culvert Pipe, 138 LF 60", 30 LF 15", 90 LF 18", 460 LF 24", 66 LF 30", 94 LF 36"; Storm Sewer Pipe Reinforced Concrete, 259 LF 18", 248 LF 48", 324 LF 12", 73 LF 30"; Storm Sewer/ Culvert Pipe Reinforced Concrete Horizontal Elliptical, 73 LF 29" X 45"; Concrete Curb and Gutter, 420 LF; HMA Pavement, 10,200 Ton; Tack Coat, 1,670 Gals; Signs, 417 SF; Fence Woven Wire, 7,600 LF.

DBE Goal: 3 %

Contract Completion Date: December 2, 2020

***** NOTE *****

This contract requires pre-bid contact with the Native American tribe whose land the project resides on. Additional documentation must be included when the Proposal Request (Form DT1633) is submitted. For further information on this requirement, please see the special provisions and/or contact Craig Fisher.

Contact Information: Craig Fisher, (608) 785-9946 / craig.fisher@dot.wi.gov

4. Creek Road, T. of Bradford, WSOR Bridge and Approaches, B-53-0177; Rock County; 3614-00-75; Local Street; 0.246 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Beam Guard, Wall Construction, and Bridge Replacement.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 2,864 CY; Borrow, 14,729 CY; Backfill Structure, 430 Ton; Base Aggregate Dense, 5,650 Ton; Select Crushed Material, 1,600 Ton; Concrete Masonry Bridges, 227 CY; Prestressed Girders, 340 LF 36-Inch; Bar Steel Reinforcement, 5,110 Lbs; Bar Steel Reinforcement Coated, 25,780 Lbs; Piling Steel, 840 LF 10-Inch; Construction Staking, 5,261 LF; Construction Staking, 1 Each; Construction Staking, 4 LS; Culvert Pipe Corrugated Steel, 58 LF 18"; Concrete Curb and Gutter, 52 LF; Beam Guard, 760 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 950 Ton; Tack Coat, 230 Gals; Signs, 73 SF; Wall Concrete Panel Mechanically Stabilized Earth, 2,750 SF; Wall Concrete Panel Mechanically Stabilized Earth, 2,810 SF.

DBE Goal: NA

Contract Completion Time: 70 Working Days

Contact Information: Zachary Pearson, (608) 246-5319 / zachary.pearson@dot.wi.gov

5. Genoa - Stoddard, STH 56 to South V. Limit Stoddard; Main Street, V. of Stoddard, South V. Limit to North V. Limit; Main Street, V. of Stoddard, From .29 Mi. S. STH 162 Northerly .91 Mi.; Vernon County; 5163-09-71, WISC 2020 066; 5163-09-72, WISC 2020 067; 5163-09-73; STH 35; 6.894 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Signs, Pavement Marking, Water and Sewer, Structure Construction, Retaining Wall Construction, and Street Lighting.

Guaranty Required: \$330,000.00

Estimate of Principal Items: Excavation Common, 29,514 CY; Backfill Structure, 2,110 CY; Base Aggregate Dense, 55,186 Ton; Select Crushed Material, 9,380 Ton; Breaker Run, 80 Ton; Concrete Masonry Bridges, 2,100 CY; Concrete Masonry Culverts, 120 CY; Prestressed Girders 991 LF 28-Inch, 1,622 LF 36-Inch; Bar Steel Reinforcement, 47,335 Lbs; Bar Steel Reinforcement Coated, 320,600 Lbs; Piling CIP Concrete, 1,530 LF 14-Inch; Piling Steel 3,700 LF 10-Inch, 2,255 LF 12-Inch; Marking Epoxy, 28,849 LF; Construction Staking, 78,529 LF; Construction Staking, 135 Each; Construction Staking, 10 LS; Culvert Pipe Reinforced Concrete, 1,384 LF 24", 352 LF 30", 358 LF 36", 302 LF 48", 74 LF 60"; Storm Sewer Pipe Reinforced Concrete, 624 LF 12", 138 LF 15", 78 LF 18", 929 LF 24", 2,310 LF 30", 240 LF 36", 279 LF 42", 766 LF 12", 94 LF 42"; Concrete Curb and Gutter, 8,736 LF; Concrete Sidewalk, 37,426 SF; Beam Guard, 10,812 LF; Beam Guard Energy Absorbing Terminals, 21 Each; Asphaltic Surface, 1,145 Ton; HMA Pavement, 34,057 Ton; Tack Coat, 14,541 Gals; Signs, 567 SF; Prestressed Girder Type I 54W-Inch, 696 LF; Piling Steel HP 14-Inch X 73 Lbs, 4,380 LF; Marking Line Grooved Wet Ref Epoxy 4-Inch, 62,390 LF; Conduit Rigid Nonmetallic Schedule 40 2-Inch, 2,896 LF; Fire Hydrant, 11 Each.

DBE Goal: 3 %

Contract Completion Date: November 13, 2020

Contact Information: Dan Kleinertz, (608) 789-5709 / daniel.kleinertz@dot.wi.gov

6. Town of Rock, Janesville - Hanover Road, Markham Creek Bridge, B-53-0377; Rock County; 5768-00-75, WISC 2020 068; Local Street; 0.021 Miles; Excavation, Base, HMA Pavement, and Bridge Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 525 CY; Borrow, 116 CY; Backfill Structure, 290 Ton; Base Aggregate Dense, 305 Ton; Concrete Pavement, 40 SY; Concrete Masonry Bridges, 162 CY; Bar Steel Reinforcement, 4,310 Lbs; Bar Steel Reinforcement Coated, 19,740 Lbs; Piling CIP Concrete, 780 LF 10 3/4-Inch; Construction Staking, 345 LF; Construction Staking, 2 LS; HMA Pavement, 62 Ton; Tack Coat, 15 Gals; Signs, 12 SF.

DBE Goal: 4 %

Contract Completion Time: 50 Working Days

Contact Information: Zach Pearson, (608) 246-5319 / zachary.pearson@dot.wi.gov

7. Baraboo - CTH DL, Skillet Creek Structure, B-56-237; Sauk County; 5918-00-81, WISC 2020 069; STH 136; 0.076 Miles; Excavation, Base, Asphaltic Surface, Beam Guard, Pavement Marking, and Bridge Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 1,073 CY; Backfill Structure, 526 Ton; Base Aggregate Dense, 1,039 Ton; Select Crushed Material, 1,011 Ton; Concrete Masonry Bridges, 178 CY; Prestressed Girders, 160 LF 28-Inch; Bar Steel Reinforcement, 5,210 Lbs; Bar Steel Reinforcement Coated, 17,075 Lbs; Piling Steel, 1,605 LF 10-Inch; Marking Epoxy, 1,600 LF; Construction Staking, 1,077 LF; Construction Staking, 2 LS; Culvert Pipe, 80 LF 18"; Beam Guard, 176 LF; Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 310 Ton; Tack Coat, 78 Gals.

DBE Goal: 4 %

Contract Completion Date: November 13, 2020

Contact Information: Anthony VanderWielen, (608) 789-7878 /
anthony.vanderwielen@dot.wi.gov

8. STH 60 - Montello, STH 16 Bridge, B-11-072; Columbia County; 6030-01-85, WISC 2020 123; STH 22; 0.000 Miles; Grade, Pulverize and Relay, Rubbilizing, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Pavement Marking, and Structure B-11-072.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 545 CY; Borrow, 138 CY; Backfill Structure, 584 Ton; Base Aggregate Dense, 7,395 Ton; Concrete Pavement, 258 SY; Concrete Masonry Bridges, 326 CY; Prestressed Girders, 652 LF 36W-Inch; Bar Steel Reinforcement Coated, 41,715 Lbs; Marking Epoxy, 12,351 LF; Construction Staking, 8,704 LF; Construction Staking, 2 LS; Concrete Curb, 206 LF; Concrete Curb and Gutter, 36 LF; Concrete Sidewalk, 1,498 SF; Beam Guard, 331 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 3,372 Ton; Tack Coat, 732 Gals; Pulverize and Relay, 4,226 SY; Rubbilizing, 8,684 SY; Steel Diaphragms, 12 Each; Riprap, 3 CY.

DBE Goal: 3 %

Contract Completion Date: June 12, 2020

Contact Information: Greg Payne, (608) 242-8058 / gregory.payne@dot.wi.gov

9. IH 94, East West Freeway, Marquette I/C; Milwaukee County; 1228-09-74, WISC 2020 070; IH 94; 0.000 Miles; Milling, Asphalt Pavement, Resin Binder High Friction Surface Treatment Modified, Signing, and Pavement Marking.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Structural Steel HS, 2,000 Lbs; Marking Tape, 31,533 LF; Marking Epoxy, 114,239 LF; Asphaltic Surface, 100 Ton; HMA Pavement, 20,891 Ton; Removing Asphaltic Surface Milling, 186,525 SY; Signs, 4,232 SF; Sign Supports Steel Reinforcement, 190 Lbs; Resin Binder High Friction Surface Treatment Modified, 21,370 SY.

DBE Goal: 8 %

Contract Completion Date: September 18, 2020

Contact Information: Evan Limberatos, (262) 548-8797 / evan.limberatos@dot.wi.gov

10. 75th Street, C. Kenosha / V. Pleasant Prairie, Frontage Roads, 74th Street; Kenosha County; 1310-10-72, WISC 2020 071; STH 50; 0.000 Miles; Grade, Storm Sewer, Culvert Pipe, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Wall Modular Block MSE R-30-61 and 62, Signing, Lighting, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 21,471 CY; Base Aggregate Dense, 4,800 Ton; Base Aggregate Open Graded, 29 Ton; Breaker Run, 10,957 Ton; Concrete Pavement, 6,050 SY; Marking Epoxy, 6,265 LF; Construction Staking, 6,790 LF; Construction Staking, 65 Each; Construction Staking, 4 LS; Culvert Pipe Corrugated Steel, 8 LF 30", 8 LF 36"; Storm Sewer Pipe Reinforced Concrete, 77 LF 12", 769 LF 15", 138 LF 18", 931 LF 24", 420 LF 30"; 136 LF 60"; Concrete Curb, 50 LF; Concrete Curb and Gutter, 4,336 LF; Concrete Sidewalk, 19,950 SF; Asphaltic Surface, 687 Ton; Signs, 138 SF; Riprap, 5 CY; Pond Liner Clay, 770 CY; Pull Boxes, 6 Each; Concrete Bases, 17 Each; Poles, 16 Each; Lighting Control Cabinet, 1 Each; Wall Modular Block Mechanically Stabilized Earth, 1,500 SF.

DBE Goal: 13 %

Contract Completion Date: August 31, 2020

Contact Information: Jason Dahlgren, (262) 521-5349 / jason.dahlgren@dot.wi.gov

11. W. Fond du Lac Avenue, 6 Highway Intersections; North 60th Street, West Capitol Drive to West Hampton Avenue; Milwaukee County; 1360-00-76; 2595-03-73, WISC 2020 073; STH 145; Local Street; 0.965 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Storm Sewer, Concrete Driveway, Curb and Gutter, Sidewalk, Bridge Rehabilitation, Plantings, Signs, Pavement Markings, Street Lighting, and Traffic Signals.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 26,130 CY; Backfill Structure, 230 Ton; Base Aggregate Dense, 25,805 Ton; Concrete Pavement, 39,479 SY; Concrete Masonry Bridges, 335 CY; Bar Steel Reinforcement Coated, 74,340 Lbs; Marking Epoxy, 24,272 LF; Construction Staking, 19,104 LF; Construction Staking, 307 Each; Construction Staking, 4 LS; Storm Sewer Pipe Reinforced Concrete, 849 LF 12"; Concrete Curb, 38 LF; Concrete Curb and Gutter, 16,432 LF; Concrete Sidewalk, 42,804 SF; Asphaltic Surface, 276 Ton; Tack Coat, 60 Gals; Signs, 284 SF; Excavation, Hauling and Disposal of Contaminated Soil, 1,457 Ton; Concrete Base, 425 SY; Concrete Driveway, 840 SY; Concrete Surface Repair, 110 SF; Structure Repainting, 1 LS; Trees, 74 Each; Shrubs, 68 Each; Lighting and Signal Poles, 150 Each; Perennials, 102 Each; Storm Sewer Pipe PVC 12-Inch, 270 LF.

DBE Goal: 15 %

Contract Completion Date: October 30, 2021

Contact Information: Christine Hanna, (262) 548-8809 / christine.hanna@dot.wi.gov

12. Lake Drive, Various Locations Along STH 32; Milwaukee County; 2225-14-70, WISC 2020 072; STH 32; 0.000 Miles; Grade, Base, Asphalt Pavement, Resin Binder High Friction Surface Treatment, Curb and Gutter, Sidewalk, Beam Guard, Signing, Rapid Reflective Flashing Beacon, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 300 CY; Base Aggregate Dense, 371 Ton; Marking Epoxy, 13,012 LF; Construction Staking, 8,048 LF; Construction Staking, 43 Each; Concrete Curb, 77 LF; Concrete Curb and Gutter, 845 LF; Concrete Sidewalk, 4,390 SF; Beam Guard, 105 LF; Beam Guard Energy Absorbing Terminals, 1 Each; Asphaltic Surface, 168 Ton; Tack Coat, 22 Gals; Signs, 960 SF; RRFB, 20 LF; Resin Binder High Friction Surface Treatment, 10,180 SY.

DBE Goal: 15 %

Contract Completion Date: August 31, 2020

Contact Information: Christine Hanna, (262) 548-8809 / christine.hanna@dot.wi.gov

13. North Avenue, Calhoun Road to East County Line; Waukesha County; 2759-03-70, WISC 2020 074; CTH M; 0.000 Miles; Mill, Storm Sewer, Sanitary Sewer, Culvert Pipe, Water Main, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Signals, Signing, Wall Modular Block Gravity Landscape, Pavement Marking, and Structures.

Guaranty Required: \$510,000.00

Estimate of Principal Items: Excavation Common, 179,595 CY; Excavation Marsh, 2,420 CY; Backfill Structure, 1,146 Ton; Base Aggregate Dense, 115,920 Ton; Base Aggregate Open Graded, 196 Ton; Concrete Pavement, 3,455 SY; Concrete Masonry Bridges, 600 CY; Concrete Masonry Retaining Walls, 181 CY; Concrete Masonry Endwalls, 59 CY; Bar Steel Reinforcement, 4,660 Lbs; Bar Steel Reinforcement Coated, 120,590 Lbs; Piling Steel, 1,760 LF 10"; Marking Epoxy, 86,235 LF; Marking Paint, 64,420 LF; Construction Staking, 116,807 LF; Construction Staking, 628 Each; Construction Staking, 8 LS; Culvert Pipe Corrugated Steel, 184 LF 12", 100 LF 15", 44 LF 18"; Culvert Pipe Reinforced Concrete, 53 LF 12", 159 LF 96"; Storm Sewer Pipe Reinforced Concrete, 4,785 LF 12", 4,708 LF 15", 5,791 LF 18", 20 LF 21", 3,411 LF 24", 845 LF 30", 4,234 LF 36", 629 LF 42"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 277 LF 14" X 23", 220 LF 29" X 45", 279 LF 19" X 30", 298 LF 24" X 38"; Concrete Curb, 104 LF; Concrete Curb and Gutter, 67,954 LF; Concrete Sidewalk, 206,404 SF; Beam Guard, 88 LF; Asphaltic Surface, 790 Ton; HMA Pavement, 41,400 Ton; Removing Asphaltic Surface Milling, 12,314 SY; Tack Coat, 13,146 Gals; Signs, 2,011 SF; Railing Steel Type C1, 343 LF; Culvert Pipe Corrugated Polyethylene 12-Inch, 53 LF; Riprap, 316 CY; Pull Boxes, 50 Each; Concrete Bases, 58 Each; Poles, 55 Each; Water Service Offset, 5 Each; Water Main Offset, 26 Each; PVC Water Main, 203 LF; Wall Modular Block Gravity Landscape, 889 SF .

DBE Goal: 15 %

Contract Completion Date: November 19, 2021

Contact Information: Kathleen Kramer, (262) 548-8772 /
kathleen1.kramer@dot.wi.gov

14. State Street (STH 38), Intersection with N. Memorial Drive; Racine County; 2990-14-70, WISC 2020 075; STH 38; 0.000 Miles; Grade, Base, Concrete Pavement, Curb and Gutter, Sidewalk, Signals, Lighting, Signing, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 61 CY; Base Aggregate Dense, 119 Ton; Concrete Pavement, 1,343 SY; Marking Epoxy, 882,363 LF; Concrete Curb, 123 LF; Concrete Curb and Gutter, 426 LF; Concrete Sidewalk, 2,167 SF; Signs, 314 SF; Pull Boxes, 8 Each; Concrete Bases, 11 Each; Poles, 10 Each.

DBE Goal: 15 %

Contract Completion Time: 89 Calendar Days

Contact Information: Mark Wilfert, (262) 548-5936 / mark.wilfert@dot.wi.gov

15. Replace Existing Signals, Various Signalized Intersections; Ozaukee and Walworth Counties; 3700-20-91; Various Highways; 0.000 Miles; Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signals, Signing, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Backfill Granular, 136 Ton; Base Aggregate Dense, 124 Ton; Concrete Pavement, 443 SY; Marking Epoxy, 28,071 LF; Construction Staking, 4 Each; Construction Staking, 2 LS; Concrete Curb and Gutter, 302 LF; Concrete Sidewalk, 2,789 SF; Asphaltic Surface, 46 Ton; Signs, 1,864 SF; Pull Boxes, 18 Each; Concrete Bases, 26 Each; Poles, 16 Each; Coarse Aggregate No. 2, 46 Ton.

DBE Goal: NA

Contract Completion Date: August 31, 2020

Contact Information: Brian Pluemer, (262) 548-6721 / brian.pluemer@dot.wi.gov

16. Sign Bridge Repair, Region-Wide, Various Routes; Statewide; 1009-30-19; Various Highways; 0.000 Miles; Sign Bridge Repairs.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Signs, 34 SF; Conduit, 50 LF; High Mast Lighting Tower, 1 LS; Tension Anchor Rods, 94 Each; Anchor Rod Standoff Repair, 72 Each; Tension Structural Bolt, 42 Each; Replace Sign Connection Assembly, 9 Each; Replace Signal Connection Assembly, 7 Each.

DBE Goal: NA

Contract Completion Time: 25 Working Days

Contact Information: Kyle Trembl, (920) 360-7029 / kyle.trembl@dot.wi.gov

17. Northeast Region-Wide Deck Sealing FY20, Various Backbone Routes, STH; Northeast Region-Wide Deck Sealing FY20, Various 3R/LCB Routes, STH; NE Region-Wide; 1009-33-24; 1009-33-31; Various Highways; 0.000 Miles; Bridge Deck Sealing.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Protective Surface Treatment Reseal, 159,266 SY.

DBE Goal: NA

Contract Completion Time: 25 Working Days

Contact Information: Jeremy Ashauer, (920) 412-6381 / jeremy.ashauer@dot.wi.gov

18. Fond du Lac - Plymouth, Seven Hills Road - East County Line; Fond du Lac - Plymouth, Seven Hills Road - East County Line; Fond du Lac County; 1440-15-72; 1440-15-73, WISC 2020 109; STH 23; 6.850 Miles; Grading, Base, Milling, Concrete Pavement, Asphalt Pavement, Culvert Pipe, Storm Sewer, Bridge Construction, Curb and Gutter, Sidewalk, Guardrail, Fence, Signs, Pavement Markings, and Street Lighting.

Guaranty Required: \$850,000.00

Estimate of Principal Items: Excavation Common, 712,882 CY; Excavation Marsh, 30,346 CY; Selected Borrow, 85,682 CY; Backfill Structure, 1,512 CY; Base Aggregate Dense, 307,226 Ton; Select Crushed Material, 266,848 Ton; Concrete Pavement, 141,097 SY; Concrete Masonry Bridges, 1,553 CY; Prestressed Girders, 325 LF 36-Inch, 1,846 LF 54-Inch; Bar Steel Reinforcement, 28,570 Lbs; Bar Steel Reinforcement Coated, 224,280 Lbs; Piling Steel, 1,910 LF 10-Inch; Marking Tape, 29,377 LF; Marking Epoxy, 181,323 LF; Construction Staking, 326,108 LF; Construction Staking, 149 Each; Construction Staking, 6 LS; Culvert Pipe, 279 LF 42", 3,218 LF 24", 142 LF 60", 260 LF 54", 433 LF 30", 254 LF 18", 398 LF 36"; Culvert Pipe Reinforced Concrete, 99 LF 12", 1,225 LF 30", 200 LF 48", 142 LF 18", 831 LF 36", 906 LF 54", 3,548 LF 24", 149 LF 42", 382 LF 60"; Storm Sewer Pipe Reinforced Concrete, 1,142 LF 12"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 584 LF 19" X 30", 252 LF 24" X 38", 104 LF 38" X 60"; Concrete Curb, 85 LF; Concrete Curb and Gutter, 16,304 LF; Concrete Sidewalk, 15,205 SF; Beam Guard, 972 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 9,470 Ton; HMA Pavement, 42,259 Ton; Removing Asphaltic Surface Milling, 16,252 SY; Tack Coat, 9,827 Gals; Signs, 4,806 SF; Excavation, Hauling and Disposal of Contaminated Soil, 150 Tons; Concrete Truck Apron, 700 SY; Bar Steel Reinforcement Stainless, 1,600 Lbs; Polymer Overlay, 505 SY; Slotted Surface Drain 18-Inch, 944 LF; Pipe Arch Corrugated Steel 35" X 24", 38 LF; Woven Wire Fence, 69,102 LF; Conduit, 8,610 LF; Light Poles, 31 Each; Roadway Embankment, 841,078 CY; Mitigation Site Excavation, 301,702 CY; Chain Link Fence, 530 LF.

DBE Goal: 8 %

Contract Completion Date: October 15, 2021

Contact Information: Paul Brauer, (920) 366-1097 / paul.brauer@dot.wi.gov

19. DEFERRED

20. Wausau - Wittenberg, Hilltop Road - CTH D, EB; Marathon County; 1053-02-82, WISC 2020 077; STH 29; 1.420 Miles; Grading, Base, Milling, Asphalt Pavement, and Pavement Markings.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 1,153 CY; Base Aggregate Dense, 985 Ton; Marking Tape, 2,213 LF; Marking Epoxy, 15,174 LF; Construction Staking, 7,900 LF; Construction Staking, 1 LS; Asphaltic Surface, 245 Ton; HMA Pavement, 5,184 Ton; Removing Asphaltic Surface Milling, 4,292 Ton; Tack Coat, 3,191 Gals.

DBE Goal: 4 %

Contract Completion Time: 25 Working Days

Contact Information: Mark Steidl, (715) 459-8043 / mark.steidl@dot.wi.gov

21. Stevens Point - Wausau, N. 2nd Street - CTH X; Portage County; 1166-00-79, WISC 2020 078; IH 39; 3.200 Miles; Base, Milling, Base Patching, Asphalt Pavement, Culvert Pipe, Fence, Pavement Markings, and Signs.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Base Aggregate Dense, 3,600 Ton; Marking Epoxy, 105,299 LF; Construction Staking, 42,099 LF; Construction Staking, 2 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 8 LF 18", 48 LF 36"; Asphaltic Surface, 361 Ton; HMA Pavement, 66,371 Ton; Removing Asphaltic Surface Milling, 185,919 SY; Tack Coat, 14,993 Gals; Signs, 1,465 SF; Base Patching, 4,378 SY; Woven Wire Fence, 100 LF.

DBE Goal: 3 %

Contract Completion Date: July 17, 2020

Contact Information: Mark Steidl, (715) 459-8043 / mark.steidl@dot.wi.gov

22. Tomahawk - Minocqua, Wisconsin River Bridge, B-35-0063; Tomahawk - Minocqua, CTH S to USH 8 SB; Lincoln County; 1176-02-69, WISC 2020 079; 1176-02-79, WISC 2020 080; USH 51; 0.000 Miles; Mill, Grade, Culvert Pipe, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Pavement Marking, and a Structure.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 3,662 CY; Backfill Granular, 300 CY; Base Aggregate Dense, 18,917 Ton; Concrete Pavement, 239 SY; Concrete Masonry Overlay, 239 CY; Bar Steel Reinforcement Coated, 3,020 Lbs; Marking Tape, 29,903 LF; Marking Epoxy, 213,313 LF; Construction Staking, 63,142 LF; Construction Staking, 4 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 392 LF 30"; Concrete Curb and Gutter, 530 LF; Asphaltic Surface, 100 Ton; HMA Pavement, 61,300 Ton; Removing Asphaltic Surface Milling, 215,634 SY; Tack Coat, 24,000 Gals.

DBE Goal: 3 %

Contract Completion Date: October 15, 2020

Contact Information: Jesse Jefferson, (715) 365-5714 / jesse.jefferson@dot.wi.gov

23. Shawano - Neopit, Shawano Cty. Bridge Overlay, B-58-60; Shawano - Neopit, Shawano Creek to Menominee Co. Line; Shawano County; 6243-00-64, WISC 2020 081; 6243-08-70, WISC 2020 082; STH 47; 0.000 Miles; Mill, Grade, Base, Culvert Pipe, Storm Sewer, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Signing, Pavement Marking, and a Structure.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 15,429 CY; Borrow, 2,731 CY; Base Aggregate Dense, 16,910 Ton; Breaker Run, 240 Ton; Marking Epoxy, 104,141 LF; Construction Staking, 39,834 LF; Construction Staking, 14 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 104 LF 12", 206 LF 18", 162 LF 24"; Culvert Pipe Reinforced Concrete, 268 LF 24", 100 LF 36"; Storm Sewer Pipe Reinforced Concrete, 52 LF 12", 245 LF 18"; Concrete Curb and Gutter, 2,600 LF; Concrete Sidewalk, 820 SF; Beam Guard, 4,608 LF; Beam Guard Energy Absorbing Terminals, 16 Each; Asphaltic Surface, 855 Ton; HMA Pavement, 27,720 Ton; Removing Asphaltic Surface Milling, 92,020 SY; Tack Coat, 16,701 Gals; Signs, 144 SF; Riprap, 55 CY.

DBE Goal: 5 %

Contract Completion Time: 60 Working Days

***** NOTE *****

This contract requires pre-bid contact with the Native American tribe whose land the project resides on. Additional documentation must be included when the Proposal Request (Form DT1633) is submitted. For further information on this requirement, please see the special provisions and/or contact Tim Rank.

Contact Information: Tim Rank, (920) 360-2579 / tim.rank@dot.wi.gov

24. V. Iola, Main Street, S. Br. Little Wolf, B-68-0133; Waupaca County; 6270-00-74; STH 49; 0.000 Miles; Mill, Grade, Culvert Pipe, Storm Sewer, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Lighting, Pavement Marking, and a Structure.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 463 CY; Backfill Structure, 504 Ton; Base Aggregate Dense, 606 Ton; Concrete Pavement, 185 SY; Concrete Masonry Bridges, 280 CY; Bar Steel Reinforcement, 7,720 Lbs; Bar Steel Reinforcement Coated, 39,390 Lbs; Piling Steel, 900 LF 10-Inch; Marking Epoxy, 580 LF; Marking Paint, 5,100 LF; Construction Staking, 1,083 LF; Construction Staking, 8 Each; Construction Staking, 3 LS; Pipe Arch Corrugated Steel, 14 LF 24" X 18"; Storm Sewer Pipe Reinforced Concrete, 8 LF 24"; Concrete Curb and Gutter, 272 LF; Concrete Sidewalk, 1,360 SF; Asphaltic Surface, 10 Ton; HMA Pavement, 175 Ton; Removing Asphaltic Surface Milling, 290 SY; Tack Coat, 50 Gals; Signs, 51 SF; Railing Steel Type C3, 125 LF; Riprap, 124 CY; Pull Boxes, 5 Each; Concrete Bases, 5 Each; Lighting Control Cabinet, 1 Each.

DBE Goal: NA

Contract Completion Time: 55 Working Days

Contact Information: Wendy Arneson, (715) 421-7391 / wendy.arneson@dot.wi.gov

25. STH 153 - CTH P, Fenwood Creek Bridge, B-37-0446; Marathon County; 6666-04-70, WISC 2020 083; CTH M; 0.000 Miles; Grade, Base, Asphalt Pavement, Beam Guard, Signing, Pavement Marking, and a Structure.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 466 CY; Borrow, 130 CY; Backfill Structure, 240 Ton; Base Aggregate Dense, 859 Ton; Concrete Pavement, 85 SY; Concrete Masonry Bridges, 298 CY; Bar Steel Reinforcement, 5,860 Lbs; Bar Steel Reinforcement Coated, 58,760 Lbs; Piling Steel, 310 LF 10-Inch; Marking Epoxy, 815 LF; Construction Staking, 1,596 LF; Construction Staking, 2 LS; Beam Guard, 267 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Signs, 12 SF; Riprap, 202 CY.

DBE Goal: 4 %

Contract Completion Time: 50 Working Days

Contact Information: Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

26. C. Berlin, Ripon Road, South Church Street to City Limits; Green Lake County; 6995-09-71, WISC 2020 084; Local Street; 0.000 Miles; Mill, Grade, Base, Base Course Stabilization, Asphalt Pavement, Curb and Gutter, Sidewalk, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 2,243 CY; Base Aggregate Dense, 2,426 Ton; Marking Epoxy, 14,017 LF; Construction Staking, 5,466 LF; Concrete Curb, 65 LF; Concrete Curb and Gutter, 726 LF; Concrete Sidewalk, 941 SF; Asphaltic Surface, 45 Ton; HMA Pavement, 7,347 Ton; Removing Asphaltic Surface Milling, 22,427 SY; Signs, 1,714 SF; Base Course Stabilization Oil, 254 Ton.

DBE Goal: 4 %

Contract Completion Date: August 31, 2020

Contact Information: Jason Schaeffer, (715) 421-7309 / jason.schaeffer@dot.wi.gov

27. C. Wisconsin Rapids, Second Avenue S., Seneca Road Intersection; Wood County; 6999-03-72, WISC 2020 085; STH 54; 0.054 Miles; Grade, Base, Asphalt Pavement, Storm Sewer, Curb and Gutter, Sidewalk, and Pavement Markings.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 984 CY; Backfill Granular, 1,025 Ton; Base Aggregate Dense, 415 Ton; Marking Epoxy, 1,973 LF; Construction Staking, 1,495 LF; Construction Staking, 4 Each; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 60 LF 12", 24 LF 30", 205 LF 15", 24 LF 24"; Concrete Curb and Gutter, 346 LF; Concrete Sidewalk, 40 SF; HMA Pavement, 191 Ton; Tack Coat, 29 Gals; Excavation, Hauling and Disposal of Contaminated Soil, 200 Ton.

DBE Goal: 4 %

Contract Completion Time: 15 Working Days

Contact Information: Mark Steidl, (715) 459-8043 / mark.steidl@dot.wi.gov

28. Shawano - Gillett, Culvert Replacement, C-58-24; Shawano County; 9180-17-60, WISC 2019 628; STH 22; 0.100 Miles; Grading, Base, Asphalt Pavement, Box Culvert Replacement, and Pavement Markings.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 885 CY; Borrow, 180 CY; Backfill Granular, 500 CY; Backfill Structure, 854 Ton; Base Aggregate Dense, 730 Ton; Breaker Run, 50 Ton; Concrete Masonry Bridges, 207 CY; Bar Steel Reinforcement, 9,280 Lbs; Bar Steel Reinforcement Coated, 24,360 Lbs; Piling Steel, 1,440 LF 10-Inch; Marking Epoxy, 580 LF; Construction Staking, 650 LF; Construction Staking, 2 LS; HMA Pavement, 160 Ton; Tack Coat, 60 Gals; Excavation, Hauling and Disposal of Contaminated Soil, 52 Ton.

DBE Goal: 4 %

Contract Completion Time: 35 Working Days

Contact Information: Tim Rank, (920) 360-2579 / tim.rank@dot.wi.gov

29. CTH O - STH 86, Spirit River Bridge, B-35-0018; Lincoln County; 9411-00-70, WISC 2020 086; CTH E; 0.000 Miles; Grade, Base, Asphalt Pavement, Beam Guard, Pavement Marking, and a Structure.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 466 CY; Backfill Structure, 56 Ton; Base Aggregate Dense, 859 Ton; Concrete Masonry Bridges, 112 CY; Bar Steel Reinforcement Coated, 38,570 Lbs; Marking Paint, 1,800 LF; Construction Staking, 1,023 LF; Construction Staking, 2 LS; Beam Guard, 283 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 196 Ton; Tack Coat, 39 Gals; Signs, 12 SF; Steel Diaphragms, 6 Each; Railing Tubular Type M, 165 LF; Riprap, 128 CY.

DBE Goal: 4 %

Contract Completion Time: 40 Working Days

Contact Information: Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

30. St. Croix Falls - Turtle Lake, STH 46 South Junction to Front Avenue; St. Croix Falls - Turtle Lake, STH 46 South Junction to Front Avenue; Polk and Barron Counties; 1570-00-74, WISC 2020 101; 1570-00-77, WISC 2020 102; USH 8; 0.000 Miles; Mill, Grade, Culvert Pipe, Asphalt Pavement, Curb and Gutter, Beam Guard, and Pavement Marking.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Base Aggregate Dense, 11,521 Ton; Marking Epoxy, 243,351 LF; Construction Staking, 51,994 LF; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 16 LF 24"; Concrete Curb and Gutter, 135 LF; Beam Guard, 208 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 476 Ton; HMA Pavement, 46,203 Ton; Removing Asphaltic Surface Milling, 236,396 SY; Tack Coat, 29,618 Gals.

DBE Goal: 6 %

Contract Completion Time: 65 Working Days

***** NOTE *****

This contract requires pre-bid contact with the Native American tribe whose land the project resides on. Additional documentation must be included when the Proposal Request (Form DT1633) is submitted. For further information on this requirement, please see the special provisions and/or contact Matthew Dickenson.

Contact Information: Matthew Dickenson, (715) 395-3022 /
matthew.dickenson@dot.wi.gov

31. Turtle Lake - Cameron, Ash Street to CTH P; Turtle Lake - Cameron, Ash Street to CTH P; Barron County; 1570-00-75, WISC 2020 087; 1570-00-76, WISC 2020 088; USH 8; 5.433 Miles; Base, HMA Pavement, Asphaltic Surface, Curb and Gutter, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 6,397 Ton; Marking Epoxy, 43,052 LF; Construction Staking, 28,807 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 124 LF; Asphaltic Surface, 200 Ton; HMA Pavement, 26,000 Ton; Removing Asphaltic Surface Milling, 1,333,269 SY; Tack Coat, 16,746 Gals.

DBE Goal: 4 %

Contract Completion Time: 45 Working Days

***** NOTE *****

This contract requires pre-bid contact with the Native American tribe whose land the project resides on. Additional documentation must be included when the Proposal Request (Form DT1633) is submitted. For further information on this requirement, please see the special provisions and/or contact Matt Dickenson.

Contact Information: Matthew Dickenson, (715) 395-3022 /
matthew.dickenson@dot.wi.gov

32. Eau Claire - Fall Creek, Elco Road to Oak Knoll Road; Eau Claire County; 7080-01-72, WISC 2020 089; USH 12; 0.072 Miles; Excavation, Base, Asphaltic Surface, Pavement Marking, and Box Culvert Replacement.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 13,228 CY; Borrow, 9,075 CY; Backfill Structure, 2,955 Ton; Base Aggregate Dense, 7,010 Ton; Breaker Run, 294 Ton; Concrete Masonry Culverts, 318 CY; Bar Steel Reinforcement, 53,110 Lbs; Bar Steel Reinforcement Coated, 6,440 Lbs; Marking Epoxy, 6,963 LF; Construction Staking, 8,610 LF; Construction Staking, 9 Each; Construction Staking, 3 LS; Asphaltic Surface, 449 Ton.

DBE Goal: 2 %

Contract Completion Date: October 30, 2020

Contact Information: David Koepp, (715) 563-8402 / david.koepp@dot.wi.gov

33. Gilmanton - Independence, STH 88 to STH 93; Gilmanton - Independence, CTH BB West Junction to STH 93; Buffalo and Trempealeau Counties; 7735-01-61, WISC 2020 090; 7735-01-62, WISC 2020 091; STH 121; 14.570 Miles; Base, HMA Pavement, Asphaltic Surface, Pavement Marking, Beam Guard, and Structure Wingwall Replacement.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Backfill Structure, 43 Ton; Base Aggregate Dense, 5,000 Ton; Concrete Masonry Culverts, 6 CY; Bar Steel Reinforcement Coated, 596 Lbs; Marking Epoxy, 101,546 LF; Construction Staking, 77,586 LF; Construction Staking, 47 Each; Construction Staking, 1 LS; Culvert Pipe, 246 LF 18", 278 LF 24", 28 LF 30", 154 LF 36", 34 LF 12", 70 LF 15", 190 LF 18", 33 LF 21", 625 LF 24", 182 LF 30", 133 LF 36"; Culvert Pipe Corrugated Steel, 5 LF 36"; Beam Guard, 363 LF; Beam Guard Energy Absorbing Terminals, 12 Each; Asphaltic Surface, 1,000 Ton; HMA Pavement, 45,566 Ton; Removing Asphaltic Surface Milling, 206,548 SY; Tack Coat, 17,527 Gals.

DBE Goal: 6 %

Contract Completion Time: 80 Working Days

Contact Information: Adam Hetrick, (715) 577-8053 / adam.hetrick@dot.wi.gov

34. DEFERRED

35. Gilman - Medford, Hay Creek Bridge, B-60-148; Taylor County; 8220-03-73, WISC 2020 093; STH 64; 0.100 Miles; Excavation, Base, Asphaltic Surface, Concrete Pavement, Pavement Marking, Signs, Beam Guard, and Bridge Replacement.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 323 CY; Excavation Marsh, 734 CY; Borrow, 1,268 CY; Selected Borrow, 1,101 CY; Backfill Structure, 430 Ton; Base Aggregate Dense, 695 Ton; Concrete Pavement, 120 SY; Concrete Masonry Bridges, 242 CY; Bar Steel Reinforcement, 5,894 Lbs; Bar Steel Reinforcement Coated, 57,194 Lbs; Piling Steel, 560 LF 12-Inch; Marking Epoxy, 979 LF; Construction Staking, 1,970 LF; Construction Staking, 2 LS; Beam Guard, 158 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 217 Ton; Removing Asphaltic Surface Milling, 807 SY; Tack Coat, 22 Gals; Signs, 77 SF.

DBE Goal: 5 %

Contract Completion Time: 60 Working Days

Contact Information: Jill Peterman, (715) 392-7861 / jill.peterman@dot.wi.gov

36. T. Russell, Little Sand Bay Road, Old CTH K - Termini; T. Russell, Old CTH K Road, Little Sand Bay Road - Peterson Hill; T. Russell, Old CTH K Road, Peterson Hill Road - Leask Drive; Bayfield County; 8357-01-72, WISC 2017 405; 8357-01-73, WISC FLAP 030; 8357-01-74, WISC FLAP 49C; Town Road; Local Street; Local Street; 0.000 Miles; Grade, Culvert Pipe, Base, Pulverize and Relay, Asphalt Pavement, Beam Guard, Signing, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 2,348 CY; Borrow, 9,871 CY; Base Aggregate Dense, 8,296 Ton; Marking Epoxy, 88,846 LF; Construction Staking, 108,945 LF; Construction Staking, 2 Each; Construction Staking, 3 LS; Culvert Pipe Corrugated Steel, 7 LF 18", 6 LF 24"; Beam Guard, 506 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 25 Ton; HMA Pavement, 9,515 Ton; Signs, 300 SF; Pulverize and Relay, 53,580 SY; Culvert Liners, 678 LF; Culvert Pipe Corrugated Polypropylene, 120 LF; Riprap, 610 CY.

DBE Goal: 2 %

Contract Completion Date: September 4, 2020

***** NOTE *****

This contract requires pre-bid contact with the Native American tribe whose land the project resides on. Additional documentation must be included when the Proposal Request (Form DT1633) is submitted. For further information on this requirement, please see the special provisions and/or contact Matthew Van Natta.

Contact Information: Matthew Van Natta, (715) 392-7934 /
matthew.vannatta@dot.wi.gov

37. Marengo - Ashland, Anderson Creek Bridge, B-2-68; Ashland County; 8727-04-74, WISC 2020 094; STH 112; 0.100 Miles; Bridge Replacement, Base, Asphaltic Surface, Beam Guard, Pavement Marking, and Signs.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Selected Borrow, 120 CY; Backfill Structure, 294 Ton; Base Aggregate Dense, 165 Ton; Concrete Masonry Bridges, 195 CY; Prestressed Girders, 284 LF 36-Inch; Bar Steel Reinforcement, 4,180 Lbs; Bar Steel Reinforcement Coated, 25,970 Lbs; Piling CIP Concrete, 1,575 LF 12 3/4-Inch; Marking Epoxy, 496 LF; Construction Staking, 619 LF; Construction Staking, 2 LS; Beam Guard, 75 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 51 Ton; Tack Coat, 20 Gals; Signs, 12 SF.

DBE Goal: 2 %

Contract Completion Time: 51 Working Days

Contact Information: Philip Keppers, (715) 395-3027 / philip.keppers@dot.wi.gov

38. St. Joseph - STH 65, CTH I to CTH A; St. Croix County; 8939-08-75, WISC 2020 095; CTH E; 0.000 Miles; Grade, Culvert Pipe, Pulverize and Relay, Base, Asphalt Pavement, Curb and Gutter, Signing, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 21,600 CY; Borrow, 1,500 CY; Subbase, 18,790 Ton; Base Aggregate Dense, 19,870 Ton; Marking Epoxy, 36,431 LF; Construction Staking, 32,362 LF; Construction Staking, 5 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 210 LF 18", 330 LF 24", 103 LF 30", 124 LF 36"; Concrete Curb, 356 LF; Concrete Curb and Gutter, 422 LF; Beam Guard, 788 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 58 Ton; HMA Pavement, 9,439 Ton; Tack Coat, 2,993 Gals; Signs, 365 SF; Pulverize and Relay, 30,849 CY; Riprap, 62 CY.

DBE Goal: 2 %

Contract Completion Time: 60 Working Days

Contact Information: Matthew Thorsen, (715) 225-4159 /
matthew.thorsen@dot.wi.gov

39. C. of Chippewa Falls, Park Avenue, Main Street - 0.75 Miles West; Chippewa County; 8996-01-01, WISC 2020 096; Local Street; 0.000 Miles; Grade, Storm Sewer, Water Main, Sanitary Sewer, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 15,049 CY; Base Aggregate Dense, 13,540 Ton; Base Aggregate Open Graded, 82 Ton; Concrete Pavement, 1,172 SY; Marking Epoxy, 7,589 LF; Construction Staking, 29,335 LF; Construction Staking, 56 Each; Construction Staking, 1 LS; Storm Sewer Pipe, 1,214 LF 12", 72 LF 15"; Storm Sewer Pipe Reinforced Concrete, 453 LF 12", 730 LF 15", 494 LF 18", 10 LF 21", 403 LF 24", 56 LF 30"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 29 LF 24" X 38"; Concrete Curb and Gutter, 7,653 LF; Concrete Sidewalk, 1,047 SF; Asphaltic Surface, 70 Ton; HMA Pavement, 4,850 Ton; Signs, 106 SF; Sanitary Sewer Pipe, 3,819 LF; Crushed Rock for Pipe Stabilization Sanitary, 1,325 LF; Water Main Lead, 20 LF; Water Service Pipe, 118 LF.

DBE Goal: 3 %

Contract Completion Date: October 15, 2020

Contact Information: Matthew Thorsen, (715) 225-4159 /
matthew.thorsen@dot.wi.gov

40. Monroe - Evansville, 28th Avenue to Weiss Lane; Argyle - Monroe, CTH N to STH 11 EB and WB; Green County; 5660-00-72, WISC 2019 679; 5944-01-72, WISC 2019 680; STH 59; STH 81; 1.104 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Pavement Marking, and Signs.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 28,784 CY; Base Aggregate Dense, 16,727 Ton; Select Crushed Material, 27,942 Ton; Marking Epoxy, 25,445 LF; Construction Staking, 41,400 LF; Construction Staking, 14 Each; Construction Staking, 2 LS; Culvert Pipe Reinforced Concrete, 8 LF 18"; Concrete Curb and Gutter, 8,364 LF; Concrete Sidewalk, 3,807 SF; HMA Pavement, 9,832 Ton; Tack Coat, 1,735 Gals; Signs, 20 SF.

DBE Goal: 5 %

Contract Completion Time: 90 Calendar Days

Contact Information: Michael Bie, (608) 246-7929 / michael.bie@dot.wi.gov

41. Southwest Region Pavement Marking, Western Counties, STN Locations Per Annual Plan; SW Region-Wide; 1009-12-94, WISC 2020 105; Various Highways; 0.000 Miles; Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Marking Epoxy, 1,376,741 LF.

DBE Goal: 3 %

Contract Completion Date: October 16, 2020

Contact Information: Iver Peterson, (608) 785-9060 / iver.peterson@dot.wi.gov

By order of:

Rebecca Burkel
Administrator
Division of Transportation System Development