

**STATE OF WISCONSIN  
DEPARTMENT OF TRANSPORTATION  
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT  
NOTICE TO CONTRACTORS**

**BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, June 9, 2020,** to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to 4<sup>th</sup> Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in 4<sup>th</sup> Floor South, Room S437.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4<sup>th</sup> Floor South, Room S437, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4<sup>th</sup> Floor South, Room S437, 4822 Madison Yards Way, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development, 4<sup>th</sup> Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

**ELECTRONIC BIDDING**

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

**PROPOSAL GUARANTY**

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

## **PLANS AND PROPOSALS**

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

## **PLAN HOLDERS and ELIGIBLE BIDDERS**

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

## **QUALIFICATIONS OF BIDDERS**

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

## **HOURS OF LABOR AND MINIMUM WAGE RATES**

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

## **AFFIRMATIVE ACTION**

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

## **AFFIDAVIT OF NON-COLLUSION**

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

## **SUMMARY SHEET**

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

### **GENERAL CONSTRUCTION**

1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17

### **GRADING**

### **CONCRETE PAVEMENT**

### **ASPHALTIC PAVEMENT**

3, 4, 9, 12, 13, 15, 16

### **STRUCTURES**

5, 6, 7, 11, 14, 17

### **BRIDGE PAINTING**

### **STREET OR AIRPORT LIGHTING**

### **BUILDING CONSTRUCTION**

### **INCIDENTAL CONSTRUCTION**

10

**1. Illinois State Line - Madison, USH 12/18 Intchg/Core SB; Illinois State Line - Madison, USH 12/18 Intchg/Core NB/Final Work; Illinois State Line - Madison, Safety Rest Area 22;** Dane; Dane; and Rock Counties; 1007-12-79, WISC 2020 313; 1007-12-80, WISC 2020 314; 1008-10-70, WISC 2020 315; IH 39; 3.695 Miles; Grading, Base Aggregate, HMA Pavement, Concrete Pavement, Guardrail, Storm Sewer, Bridge Structures, Box Culverts, Retaining Walls, Sign Structures, Razing Buildings, ITS, Erosion Control, Vegetation Management, and Pavement Marking.

**Guaranty Required: \$890,000.00**

**Estimate of Principal Items:** Excavation Common, 216,450 CY; Selected Borrow, 8,019 CY; Backfill Structure, 2,150 Ton; Base Aggregate Dense, 130,632 Ton; Select Crushed Material, 102,395 Ton; Base Aggregate Open Graded, 1,888 Ton; Concrete Pavement, 186,470 SY; Concrete Masonry Bridges, 202 CY; Concrete Masonry Culverts, 154 CY; Concrete Masonry Retaining Walls, 2 CY; Prestressed Girders, 735 LF 36-Inch; Bar Steel Reinforcement, 21,440 Lbs; Bar Steel Reinforcement Coated, 67,050 Lbs; Piling Steel, 1,375 LF 10-Inch; Marking Tape, 36,595 LF; Marking Epoxy, 146,351 LF; Construction Staking, 3 LS; Culvert Pipe Reinforced Concrete, 40 LF 18", 234 LF 24"; Storm Sewer Pipe Reinforced Concrete, 288 LF 12", 1,104 LF 24", 1,499 LF 18", 56 LF 30", 22 LF 21"; Concrete Curb, 22 LF; Concrete Curb and Gutter, 5,363 LF; Concrete Sidewalk, 5,240 SF; Beam Guard, 5,432 LF; Beam Guard Energy Absorbing Terminals, 16 Each; Asphaltic Surface, 230 Ton; HMA Pavement, 19,575 Ton; Removing Asphaltic Surface Milling, 6,130 SY; Tack Coat, 3,295 Gals; Signs, 6,700 SF; Polymer Overlay, 8,880 SY; Concrete Barrier, 12,140 LF; Woven Wire Fence, 10,130 LF; Trees, 271 Each; Shrubs, 662 Each; Sign Bridge, 6 Each; Overhead Sign Support, 2 Each; Lighting Poles, 11 Each; Roadway Embankment, 63,313 CY; High Performance Concrete Masonry Structures, 214 CY; Bore and Jack Storm Sewer 24-Inch, 141 LF; Modular Block Wall, 1,800 SF; Removing Buildings, 2 LS.

**DBE Goal: 8 %**

**Contract Completion Date: December 15, 2022**

**\*\*\* NOTE \*\*\***

This contract requires pre-bid contact with the Native American tribe whose land the project resides on. Additional documentation must be included when the Proposal Request (Form DT1633) is submitted. For further information on this requirement, please see the special provisions and/or contact Mark Sponem.

**Contact Information:** Mark Sponem, (608) 245-2627 / mark.sponem@dot.wi.gov

**2. Richland Center - Spring Green, East Junction STH 130;** Richland County; 1640-01-73, WISC 2020 316; USH 14; 0.614 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Pavement Marking, Street Lighting, and Culvert Replacements.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 4,642 CY; Base Aggregate Dense, 6,956 Ton; Marking Epoxy, 8,360 LF; Construction Staking, 10,757 LF; Construction Staking, 4 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 94 LF 18"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 62 LF 19" X 30"; Concrete Curb and Gutter, 157 LF; Asphaltic Surface, 141 Ton; HMA Pavement, 2,286 Ton; Removing Asphaltic Surface Milling, 5,350 SY; Tack Coat, 664 Gals; Chip Seal, 18,442 SY.

**DBE Goal: 3 %**

**Contract Completion Time: 20 Working Days**

**Contact Information:** Anthony Vander Wielen, (608) 789-7878 /  
anthony.vanderwielen@dot.wi.gov

**3. Westby - Readstown, Rusk Avenue to Kickapoo River;** Vernon County; 1640-04-60, WISC 2020 331; USH 14; 9.305 Miles; Base, HMA Pavement, Guardrail, and Pavement Marking.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Base Aggregate Dense, 14,000 Ton; Marking Epoxy, 86,675 LF; Construction Staking, 49,129 LF; Construction Staking, 1 LS; Beam Guard, 975 LF; Beam Guard Energy Absorbing Terminals, 37 Each; HMA Pavement, 25,800 Ton; Removing Asphaltic Surface Milling, 28,000 SY; Tack Coat, 20,100 Gals.

**DBE Goal: 5 %**

**Contract Completion Time: 30 Working Days**

**Contact Information:** Valerie Guider, (608) 789-6303 / valerie.guider@dot.wi.gov

**4. Deforest - Portage, E. Jct. STH 60 to Tomlinson Road;** Columbia County; 6020-04-61, WISC 2020 317; USH 51; 5.718 Miles; Base, HMA Pavement, Beam Guard, Pavement Marking, and Signs.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Base Aggregate Dense, 5,591 Ton; Marking Epoxy, 64,755 LF; Construction Staking, 30,190 LF; Construction Staking, 1 LS; Beam Guard, 962 LF; Beam Guard Energy Absorbing Terminals, 18 Each; HMA Pavement, 13,467 Ton; Removing Asphaltic Surface Milling, 105,551 SY; Tack Coat, 7,427 Gals; Signs, 42 SF; Asphaltic Shoulder Rumble Strips Sinusoidal 2-Lane Rural, 58,280 LF; Asphaltic Centerline Rumble Strips Sinusoidal 2-Lane Rural, 28,840 LF.

**DBE Goal:** 5 %

**Contract Completion Date:** October 16, 2020

**Contact Information:** Lalitha Balachandran, (608) 243-3382 /  
lalitha.balachandran@dot.wi.gov

**5. Deforest - Portage, Rocky Run Creek Bridge, B-11-0170;** Columbia County; 6020-04-80, WISC 2020 318; USH 51; 0.095 Miles; Excavation, Base, Asphaltic Surface, Beam Guard, Pavement Marking, and Bridge Replacement.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Excavation Common, 2,137 CY; Backfill Structure, 269 Ton; Base Aggregate Dense, 2,216 Ton; Select Crushed Material, 2,015 Ton; Concrete Pavement, 138 SY; Concrete Masonry Bridges, 389 CY; Bar Steel Reinforcement, 6,220 Lbs; Bar Steel Reinforcement Coated, 52,580 Lbs; Piling Steel, 350 LF 10-Inch; Marking Epoxy, 2,000 LF; Construction Staking, 1,290 LF; Construction Staking, 2 LS; Beam Guard, 160 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 470 Ton; Tack Coat, 102 Gals.

**DBE Goal:** 3 %

**Contract Completion Date:** October 16, 2020

**Contact Information:** Lalitha Balachandran, (608) 243-3382 /  
lalitha.balachandran@dot.wi.gov

**6. City of Portage, Portage Canal, Hamilton Street and Riverwood Apt. Bridges;** Columbia County; 6996-05-35, WISC 2020 319; Non-Hwy.; 0.000 Miles; Excavation, Base, Asphaltic Surface, Pavement Marking, and Prefabricated Truss Bridge Installation.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 8 CY; Borrow, 171 CY; Backfill Structure, 190 Ton; Base Aggregate Dense, 174 Ton; Concrete Masonry Bridges, 22 CY; Bar Steel Reinforcement Coated, 3,535 Lbs; Piling CIP Concrete, 360 LF 10 3/4-Inch; Marking Epoxy, 83 LF; Construction Staking, 696 LF; Construction Staking, 2 LS; Asphaltic Surface, 44 Ton; Signs, 6 SF; Prefabricated Steel Truss Pedestrian Bridge, 1 LS.

**DBE Goal: 1 %**

**Contract Completion Time: 30 Working Days**

**Contact Information:** Mark Westerveld, (608) 246-5355 /  
mark.westerveld@dot.wi.gov

**7. IH 43 Rock Freeway, CTH U, B-67-116 and B-67-117;** Waukesha County; 1090-35-71, WISC 2020 320; IH 43; 0.220 Miles; Grading, Base, Asphalt Pavement, Concrete Approach Slabs, Bridge Rehab., Bridge Overlays, Bridge Painting, Guardrail, Pavement Markings, Signs, and Fencing.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 9,611 CY; Backfill Structure, 687 Ton; Base Aggregate Dense, 6,289 Ton; Breaker Run, 6,984 Ton; Concrete Pavement, 784 SY; Concrete Masonry Bridges, 440 CY; Concrete Masonry Overlay, 339 CY; Bar Steel Reinforcement, 71,400 Lbs; Bar Steel Reinforcement Coated, 16,530 Lbs; Structural Steel Carbon, 8,820 Lbs; Structural Steel HS, 98,170 Lbs; Piling CIP Concrete, 3,020 LF 10 3/4-Inch; Marking Tape, 1,888 LF; Marking Epoxy, 16,535 LF; Beam Guard, 358 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 3,363 Ton; Removing Asphaltic Surface Milling, 8,865 SY; Signs, 32 SF; Preparation Decks, 978 SY; Concrete Surface Repair, 245 SF; Painting Epoxy System, 2 LS; Structure Repainting, 2 LS; Woven Wire Fence, 166 LF.

**DBE Goal: 12 %**

**Contract Completion Date: September 3, 2021**

**Contact Information:** Lance Parve, (414) 750-1330 / lance.parve@dot.wi.gov

**8. 108th Street, I-43 to Hank Aaron State Trail;** Milwaukee County; 2030-13-70, WISC 2020 321; STH 100; 4.950 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Beam Guard, Pavement Marking, Signs, Street Lighting, Traffic Signals, Fiber Optic Communications, and Bridge Rehabilitation.

**Guaranty Required:** \$350,000.00

**Estimate of Principal Items:** Excavation Common, 1,256 CY; Excavation Rock, 1,439 CY; Concrete Masonry Overlay Decks, 112 CY; Marking Epoxy, 2,368 LF; Construction Staking, 103 Each; Construction Staking, 1 LS; Concrete Curb and Gutter, 6,094 LF; Concrete Sidewalk, 18,086 SF; Beam Guard, 152 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 238 Ton; HMA Pavement, 55,456 Ton; Tack Coat, 29,613 Gals; Signs, 2,166 SF; Conduit Rigid Nonmetallic Schedule 40 2-Inch, 5,408 LF; Electrical Wire Traffic Signals 10 AWG, 12,512 LF.

**DBE Goal:** 12 %

**Contract Completion Date:** November 1, 2021

**Contact Information:** Scott Anderson, (262) 548-6894 / scottm.anderson@dot.wi.gov

**9. Mountain - Pound, CTH S - USH 141;** Marinette and Oconto Counties; 9160-20-60; STH 64; 6.934 Miles; Base, HMA Pavement, Curb and Gutter, and Pavement Marking.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Base Aggregate Dense, 3,310 Ton; Marking Epoxy, 30,923 LF; Construction Staking, 36,900 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 23 LF; HMA Pavement, 16,050 Ton; Removing Asphaltic Surface Milling, 130,210 SY; Tack Coat, 9,136 Gals; Marking Line Grooved Wet Ref Epoxy 4-Inch, 68,345 LF.

**DBE Goal:** NA

**Contract Completion Time:** 25 Working Days

**Contact Information:** Matt Ternes, (920) 366-3028 / matthew.ternes@dot.wi.gov

**10. Rhinelander - Monico, N. Br. Pelican River Bridge, B-43-0016;** Oneida County; 1009-46-61, WISC 2020 332; USH 8; 0.000 Miles; Excavation, Base, Concrete Pavement, HMA Pavement, Pavement Marking, and Bridge Rehabilitation.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Excavation Common, 34 CY; Borrow, 34 CY; Base Aggregate Dense, 68 Ton; Concrete Pavement, 193 SY; Marking Epoxy, 3,200 LF; Construction Staking, 2 LS; HMA Pavement, 37 Ton; Tack Coat, 20 Gals; Polymer Overlay, 326 SY.

**DBE Goal:** 2 %

**Contract Completion Time:** 55 Working Days

**Contact Information:** Jesse Jefferson, (715) 365-5714 / jesse.jefferson@dot.wi.gov

**11. Armstrong Creek - Florence, Popple River Bridge, B-19-0001; Cavour - Brule River, Pine River Bridge, B-19-0007;** Florence County; 1009-47-60, WISC 2020 361; 9110-10-61, WISC 2020 362; STH 101; STH 139; 0.000 Miles; Excavation, Base, HMA Pavement, Beam Guard, Pavement Marking, and Bridge Rehabilitation.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Excavation Common, 418 CY; Borrow, 476 CY; Base Aggregate Dense, 690 Ton; Concrete Pavement, 143 SY; Concrete Masonry Overlay Decks, 54 CY; Bar Steel Reinforcement Coated, 3,950 Lbs; Marking Epoxy, 3,029 LF; Construction Staking, 1,791 LF; Construction Staking, 1 LS; Beam Guard, 251 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 80 Ton; Removing Asphaltic Surface Milling, 560 SY; Tack Coat, 50 Gals.

**DBE Goal:** 3 %

**Contract Completion Time:** 65 Working Days

**Contact Information:** Stacy Hagenbucher, (715) 365-5770 /  
stacy.hagenbucher@dot.wi.gov

**12. Clintonville - Shawano, Waupaca County Line to CTH CC;** Shawano County; 6251-11-70, WISC 2020 333; STH 22; 7.242 Miles; Base, HMA Pavement, Curb and Gutter, Beam Guard, Pavement Marking, and Storm Sewer.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 355 CY; Backfill Granular, 220 Ton; Base Aggregate Dense, 3,485 Ton; Marking Epoxy, 50,869 LF; Construction Staking, 38,236 LF; Construction Staking, 2 Each; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 84 LF 24"; Concrete Curb and Gutter, 15 LF; Beam Guard, 1,675 LF; Beam Guard Energy Absorbing Terminals, 6 Each; Asphaltic Surface, 320 Ton; HMA Pavement, 16,530 Ton; Removing Asphaltic Surface Milling, 143,860 SY; Tack Coat, 10,155 Gals; Marking Line Grooved Wet Ref Epoxy 4-Inch, 76,472 LF.

**DBE Goal:** 1 %

**Contract Completion Time:** 32 Working Days

**Contact Information:** Jesse Jefferson, (715) 365-5714 / jesse.jefferson@dot.wi.gov

**13. Menomonie - Eau Claire, CTH B - IH 94;** Dunn County; 7090-02-71, WISC 2020 337; USH 12; 5.606 Miles; Grading, Base, Milling, Asphalt Pavement, Culvert Pipe, Guardrail, and Pavement Markings.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 1,450 CY; Base Aggregate Dense, 2,280 Ton; Marking Epoxy, 159,045 LF; Construction Staking, 30,476 LF; Construction Staking, 3 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 16 LF 18", 80 LF 45", 56 LF 30"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 56 LF 43" X 68"; Beam Guard, 163 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 358 Ton; HMA Pavement, 20,799 Ton; Removing Asphaltic Surface Milling, 113,700 SY; Tack Coat, 16,000 Gals.

**DBE Goal:** 3 %

**Contract Completion Date:** October 15, 2020

**Contact Information:** Tyler Rongstad, (715) 461-0372 / tyler.rongstad@dot.wi.gov

**14. C. River Falls, E. Division Street (CTH M), CTH M Bridge, B-47-0134;** Pierce County; 7650-00-75, WISC 2020 322; STH 35; 0.230 Miles; Base, Asphaltic Surface, Beam Guard, Pavement Marking, and Bridge Rehabilitation.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Backfill Structure, 156 CY; Base Aggregate Dense, 105 Ton; Concrete Pavement, 80 SY; Concrete Masonry Bridges, 22 CY; Bar Steel Reinforcement Coated, 2,980 Lbs; Marking Epoxy, 4,040 LF; Construction Staking, 1,200 LF; Construction Staking, 2 LS; Beam Guard, 263 LF; Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 135 Ton; Tack Coat, 30 Gals.

**DBE Goal:** 2 %

**Contract Completion Time:** 46 Working Days

**Contact Information:** Paul Groom, (715) 579-6776 / paula.groom@dot.wi.gov

**15. Evansville - Janesville, CTH M to USH 51, B-53-0906;** Rock County; 5155-02-62, WISC 2020 240; USH 14; 13.025 Miles; Excavation, Base, HMA Pavement, Asphaltic Surface, Curb and Gutter, Sidewalk, Beam Guard, Pavement Marking, Signs, Traffic Signals, and Culvert Pipe Installation.

**Guaranty Required:** \$100,000.00

**Estimate of Principal Items:** Excavation Common, 17,295 CY; Selected Borrow, 161 CY; Backfill Structure, 50 Ton; Base Aggregate Dense, 13,960 Ton; Concrete Masonry Bridges, 9 CY; Bar Steel Reinforcement Coated, 1,120 Lbs; Marking Epoxy, 5,360 LF; Construction Staking, 98,235 LF; Construction Staking, 26 Each; Construction Staking, 2 LS; Culvert Pipe, 170 LF 18"; Culvert Pipe Corrugated Steel, 168 LF 18", 100 LF 24"; Culvert Pipe Reinforced Concrete, 130 LF 18", 124 LF 24", 74 LF 30"; Concrete Curb and Gutter, 1,305 LF; Concrete Sidewalk, 1,071 SF; Beam Guard, 1,475 LF; Beam Guard Energy Absorbing Terminals, 8 Each; Asphaltic Surface, 5,140 Ton; HMA Pavement, 51,939 Ton; Tack Coat, 31,615 Gals; Signs, 137 SF; Marking Line Grooved Wet Ref Epoxy 4-Inch, 131,485 LF.

**DBE Goal:** 5 %

**Contract Completion Date:** October 16, 2020

**Contact Information:** Alex Hagen, (608) 246-3830 / alex.hagen@dot.wi.gov

**16. V. Dresser, STH 35, CTH F to West Avenue North;** Polk County; 8060-04-72, WISC 2019 761; STH 35; 0.410 Miles; Base, HMA Pavement, Curb and Gutter, Pavement Marking, and Signs.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Base Aggregate Dense, 38 Ton; Marking Epoxy, 9,161 LF; Construction Staking, 2,200 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 1,178 LF; HMA Pavement, 1,770 Ton; Removing Asphaltic Surface Milling, 10,856 SY; Tack Coat, 826 Gals; Signs, 61 SF.

**DBE Goal:** 4 %

**Contract Completion Time:** 20 Working Days

**Contact Information:** Beth Cunningham, (715) 635-4973 /  
beth.cunningham@dot.wi.gov

**17. Greenwood - Spencer, Branch Rock Creek Culvert, C-10-0017;** Clark County; 7040-00-70, WISC 2020 282; STH 98; 0.030 Miles; Base, Asphaltic Surface, Pavement Marking, and Culvert Replacement.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Selected Borrow, 242 CY; Backfill Structure, 790 Ton; Base Aggregate Dense, 296 Ton; Breaker Run, 80 CY; Concrete Masonry Culverts, 148 CY; Bar Steel Reinforcement, 25,560 Lbs; Bar Steel Reinforcement Coated, 640 Lbs; Marking Epoxy, 1,467 LF; Construction Staking, 321 LF; Construction Staking, 2 LS; Asphaltic Surface, 106 Ton; Tack Coat, 52 Gals.

**DBE Goal:** 2 %

**Contract Completion Date:** October 10, 2020

**Contact Information:** Brett Hollister, (715) 834-3161 /  
hollisterb@ayresassociates.com

By order of:

Rebecca Burkel  
Administrator  
Division of Transportation System Development