

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT
NOTICE TO CONTRACTORS**

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, August 11, 2020, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to 4th Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in 4th Floor South, Room S437.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4th Floor South, Room S437, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4th Floor South, Room S437, 4822 Madison Yards Way, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development, 4th Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

ELECTRONIC BIDDING

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

PROPOSAL GUARANTY

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND PROPOSALS

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

PLAN HOLDERS and ELIGIBLE BIDDERS

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

QUALIFICATIONS OF BIDDERS

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

HOURS OF LABOR AND MINIMUM WAGE RATES

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

AFFIDAVIT OF NON-COLLUSION

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

GENERAL CONSTRUCTION

1, 2, 3, 4, 7, 8, 9, 10, 11, 12

GRADING

3

CONCRETE PAVEMENT

ASPHALTIC PAVEMENT

1, 8, 11, 12

STRUCTURES

6, 7, 9

BRIDGE PAINTING

STREET OR AIRPORT LIGHTING

5

BUILDING CONSTRUCTION

INCIDENTAL CONSTRUCTION

4

1. Tomah - Camp Douglas, WB, USH 12 to CTH C; Monroe and Juneau Counties; 1017-01-63, WISC 2020 386; IH 90; 15.777 Miles; HMA Pavement, Joint Repair, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Marking Epoxy, 34,989 LF; HMA Pavement, 2,170 Ton; Removing Asphaltic Surface Milling, 19,372 SY; Tack Coat, 1,362 Gals.

DBE Goal: 8 %

Contract Completion Date: October 20, 2020

Contact Information: Brian Meyer, (608) 789-5676 / brian.meyer@dot.wi.gov

2. Dickeyville - Lancaster, South Junction STH 129; Grant County; 1650-00-70, WISC 2020 387; USH 61; 0.098 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 1,522 CY; Base Aggregate Dense, 1,330 Ton; Select Crushed Material, 1,320 Ton; Concrete Pavement, 142 SY; Marking Epoxy, 1,232 LF; Construction Staking, 2,801 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 229 LF; Concrete Sidewalk, 149 SF; HMA Pavement, 488 Ton; Tack Coat, 71 Gals; Concrete Corrugated Median (9-Inch) HES, 1,716 SF.

DBE Goal: 5 %

Contract Completion Time: 15 Working Days

Contact Information: Andy Fulcer, (920) 362-6126 / andrew.fulcer@dot.wi.gov

3. Westby - Cashton, South Junction CTH P / Saugstad Road; Vernon County; 5140-03-72, WISC 2020 388; STH 27; 0.323 Miles; Excavation, Base, HMA Pavement, Pavement Marking, Signs, and Culvert Replacement.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 2,575 CY; Borrow, 3,680 CY; Base Aggregate Dense, 2,260 Ton; Select Crushed Material, 4,800 Ton; Marking Epoxy, 15,022 LF; Construction Staking, 5,376 LF; Construction Staking, 1 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 22 LF 24"; HMA Pavement, 1,480 Ton; Tack Coat, 270 Gals; Signs, 25 SF.

DBE Goal: 8 %

Contract Completion Time: 25 Working Days

Contact Information: Tim Maedke, (608) 789-6317 / timothy.maedke@dot.wi.gov

4. Mauston - Wisconsin Dells, Arrowhead Road to CTH J; Juneau County; 5880-03-76, WISC 2020 389; USH 12; 0.556 Miles; Excavation, Base, Asphaltic Surface, Curb and Gutter, Sidewalk, Signs, Pavement Marking, and Street Lighting.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 881 CY; Borrow, 312 CY; Base Aggregate Dense, 1,326 Ton; Marking Epoxy, 10,864 LF; Construction Staking, 12,483 LF; Construction Staking, 17 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 66 LF 12", 1,065 LF 18"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 268 LF 19" X 30"; Concrete Curb and Gutter, 5,800 LF; Concrete Sidewalk, 3,801 SF; Asphaltic Surface, 478 Ton; Tack Coat, 2 Gals; Signs, 86 SF; Conduit Rigid Nonmetallic Schedule 40 3-Inch, 3,397 LF; Poles Type 5-Aluminum, 12 Each.

DBE Goal: 10 %

Contract Completion Time: 20 Working Days

Contact Information: Anthony Vander Wielen, (608) 789-7878 /
anthony.vanderwielen@dot.wi.gov

5. SE Region - Milwaukee County, Mitchell Tunnels 1 & 2, (SYS Ramp W-N); Milwaukee County; 1000-13-75; Various Highways; 0.000 Miles; Highway Lighting Maintenance.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Conduit Rigid Nonmetallic Schedule 40 2-Inch, 1,000 LF; Electrical Wire Lighting 10 AWG, 60,000 LF; Luminaires Tunnel Lighting LED (Daytime), 563 Each.

DBE Goal: NA

Contract Completion Time: 120 Working Days

Contact Information: Eric Perea, (262) 574-5422 / eric.perea@dot.wi.gov

6. T. Gibson, Old Y Road, West Twin River Bridge; Manitowoc County; 4312-08-71, WISC 2020 383; Local Street; 0.092 Miles; Excavation, Base, Asphaltic Surface, Curb and Gutter, Signs, Beam Guard, Pavement Marking, and Bridge Replacement.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 783 CY; Backfill Structure, 390 Ton; Base Aggregate Dense, 740 Ton; Concrete Pavement, 94 SY; Concrete Masonry Bridges, 446 CY; Prestressed Girders, 822 LF 36-Inch; Bar Steel Reinforcement, 3,560 Lbs; Bar Steel Reinforcement Coated, 77,660 Lbs; Piling Steel, 455 LF 10-Inch, 455 LF 12-Inch; Marking Epoxy, 400 LF; Construction Staking, 1,461 LF; Construction Staking, 2 LS; Concrete Curb and Gutter, 250 LF; Beam Guard, 226 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 131 Ton; Tack Coat, 29 Gals; Signs, 12 SF.

DBE Goal: 10 %

Contract Completion Date: June 1, 2021

Contact Information: Scott Ebel, (920) 360-2225 / scott.ebel@dot.wi.gov

7. Racine Street Bridge, C. Menasha, Fox River Bridge and Approaches; Winnebago County; 4992-03-71, WISC 2020 384; Local Street; 0.371 Miles; Grading, Base, Concrete Pavement, Milling, Asphalt Pavement, Storm Sewer, Curb and Gutter, Sidewalk, Lift Bridge Replacement, Lift Bridge Operator House, Overhead Sign Supports, Signs, Pavement Markings, and Street Lighting.

Guaranty Required: \$710,000.00

Estimate of Principal Items: Excavation Common, 9,730 CY; Excavation Rock, 359 CY; Borrow, 68 CY; Backfill Structure, 7,005 Ton; Base Aggregate Dense, 4,791 Ton; Select Crushed Material, 6,719 Ton; Base Aggregate Open Graded, 4,427 Ton; Concrete Pavement, 7,531 SY; Concrete Masonry Bridges, 4,931 CY; Concrete Masonry Retaining Walls, 256 CY; Concrete Masonry Seal, 1,407 CY; Prestressed Girders, 4,270 LF 72-Inch; Bar Steel Reinforcement, 304,795 Lbs; Bar Steel Reinforcement Coated, 775,748 Lbs; Piling Steel, 480 LF 12-Inch; Marking Epoxy, 9,160 LF; Construction Staking, 8,534 LF; Construction Staking, 90 Each; Construction Staking, 5 LS; Storm Sewer Pipe Reinforced Concrete, 564 LF 12", 357 LF 24", 48 LF 30", 461 LF 15", 597 LF 36", 32 LF 18", 202 LF 48"; Concrete Curb, 255 LF; Concrete Curb and Gutter, 4,817 LF; Concrete Sidewalk, 29,173 SF; Asphaltic Surface, 145 Ton; Removing Asphaltic Surface Milling, 159 SY; Signs, 694 SF; Underwater Inspection, 10 Each; Backfill Coarse Aggregate, 390 CY; Concrete Driveway, 153 SY; Concrete Truck Apron, 560 SY; Bar Steel Reinforcement HS Stainless, 100 Lbs; Sheet Piling, 4,637 SF; Painting Epoxy System, 1 LS; Overhead Sign Support, 3 LS; Light Poles, 31 Each; Counterweight Concrete, 346 CY; Excavation and Dewatering of Dredging Material, 2,250 CY; Structural Steel Bridge, 900,624 Lbs; Steel Treads, Tracks and Centerlocks, 42,574 Lbs; Structural Steel Operator House, 2,753 Lbs; Sanitary Sewer Pipe, 150 LF; HVAC Work, 1 LS; Bridge Electrical Work, 1 LS; Span Drivers and Motors, 1 LS; Submarine Cable, 1 LS; Steel Stairs, Platforms and Railings, 1 LS; Plumbing Work, 1 LS; Excavation Hauling and Disposal of River Material, 3,931 Ton.

DBE Goal: 9 %

Contract Completion Date: September 22, 2022

***** MANDATORY PRE-BID MEETING *****

DATE: July 23, 2020

TIME: 10 AM

LOCATION: WisDOT NE Region Office
944 Vanderperren Way
Green Bay, WI 54304-0080

Contact Information: Bill Bertrand, (920) 360-3124 / william.bertrand@dot.wi.gov

8. Tomahawk - Minocqua, Oneida Street - Manitou Park Drive; Oneida County; 1170-19-74, WISC 2020 379; USH 51; 0.000 Miles; Milling, Asphalt Pavement, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Marking Epoxy, 121,840 LF; Construction Staking, 49,450 LF; Asphaltic Surface, 200 Ton; HMA Pavement, 15,384 Ton; Removing Asphaltic Surface Milling, 137,250 SY; Tack Coat, 9,740 Gals.

DBE Goal: 5 %

Contract Completion Date: November 1, 2020

Contact Information: Jesse Jefferson, (715) 365-5714 / jesse.jefferson@dot.wi.gov

9. Necedah - Babcock, Yellow River Bridge, B-71-197; Wood County; 1620-02-75, WISC 2020 390; STH 80; 0.110 Miles; Grading, Base, Asphalt Pavement, Concrete Pavement Approaches, Bridge Replacement, Guardrail, and Pavement Markings.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 417 CY; Borrow, 110 CY; Backfill Granular, 394 CY; Base Aggregate Dense, 1,144 Ton; Concrete Pavement, 120 SY; Concrete Masonry Bridges, 165 CY; Prestressed Girders, 330 LF 28-Inch; Bar Steel Reinforcement, 4,860 Lbs; Bar Steel Reinforcement Coated, 17,200 Lbs; Piling CIP Concrete, 1,190 LF 10 3/4-Inch; Marking Epoxy, 1,182 LF; Construction Staking, 1,290 LF; Construction Staking, 2 LS; Beam Guard, 295 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 205 Ton; Tack Coat, 44 Gals.

DBE Goal: 5 %

Contract Completion Date: October 1, 2021

Contact Information: Tim Hanley, (715) 421-8050 / timothy.hanley@dot.wi.gov

10. Stevens Point - Rosholt, I-39 at STH 66 Interchange; Portage County; 6280-02-75, WISC 2020 380; STH 66; 0.000 Miles; Grading, Base, Milling, Removing Concrete Surface Partial Depth, Base Patching, Asphalt Pavement, Curb and Gutter, Sidewalk, Signs, Pavement Markings, Street Lighting, and Traffic Signals.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 322 CY; Base Aggregate Dense, 887 Ton; Marking Epoxy, 6,167 LF; Construction Staking, 3,886 LF; Construction Staking, 2 LS; Concrete Curb and Gutter, 394 LF; Concrete Sidewalk, 249 SF; Beam Guard, 500 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 10 Ton; HMA Pavement, 1,110 Ton; Removing Asphaltic Surface Milling, 1,502 SY; Tack Coat, 568 Gals; Signs, 50 SF; Removing Concrete Surface Partial Depth, 74,346 SF; Base Patching Concrete, 130 SY; Light Poles, 2 Each; Traffic Signal Standards. 9 Each.

DBE Goal: 5 %

Contract Completion Time: 30 Working Days

Contact Information: Mark Steidl, (715) 459-8043 / mark.steidl@dot.wi.gov

11. Rothschild - Schofield, Everest Drive - Schofield Avenue; Rothschild - Schofield, E. Grand Avenue - Eau Claire River Bridge; Marathon County; 6999-10-60; 6999-10-61; Bus. 51; 1.830 Miles; Milling, Removing Concrete Surface Partial Depth, Asphalt Pavement, Curb and Gutter, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Marking Epoxy, 25,094 LF; Construction Staking, 9,694 LF; Concrete Curb and Gutter, 33 LF; Asphaltic Surface, 11 Ton; HMA Pavement, 7,378 Ton; Removing Asphaltic Surface Milling, 63,687 SY; Tack Coat, 4,491 Gals; Removing Concrete Surface Partial Depth, 4,219 SY.

DBE Goal: NA

Contract Completion Date: October 31, 2020

Contact Information: Dan Holloway, (715) 421-7305 / daniel.holloway@dot.wi.gov

12. Cavour - Brule River, Fay Lake Road - MI Line Culverts; Cavour - Brule River, Fay Lake Road - MI State Line; Florence County; 9110-10-60, WISC 2020 381; 9110-10-70, WISC 2020 382; STH 139; 9.106 Miles; Grading, Base, Milling, Asphalt Pavement, Culvert Pipe, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 7,190 CY; Base Aggregate Dense, 9,635 Ton; Marking Epoxy, 165,165 LF; Construction Staking, 48,308 LF; Construction Staking, 13 Each; Construction Staking, 2 LS; Culvert Pipe, 60 LF 24", 464 LF 30", 542 LF 36"; Asphaltic Surface, 1,985 Ton; HMA Pavement, 18,720 Ton; Removing Asphaltic Surface Milling, 1,655,307 SY; Tack Coat, 12,150 Gals.

DBE Goal: 5 %

Contract Completion Time: 65 Working Days

Contact Information: Kai Kilen, (715) 365-5741 / kai.kilen@dot.wi.gov

By order of:

Rebecca Burkel
Administrator
Division of Transportation System Development