

Wisconsin Department of Transportation

October 4, 2024

Division of Transportation Systems Development

Bureau of Project Development 4822 Madison Yards Way, 4th Floor South Madison, WI 53705

Telephone: (608) 266-1631 Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #07: 2225-13-70

V Shorewood, N Lake Dr

Edgewood Ave to Kensington Blvd

STH 32

Milwaukee County

Letting of October 8, 2024

This is Addendum No. 02, which provides for the following:

Schedule of Items:

	Added Bid Item Qua	antities			
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Quantity Added	Proposal Total After Addendum
415.4100	Concrete Pavement Joint Filling	SY	0	34,984	34,984

Plan Sheets:

	Revised Plan Sheets
Plan	Plan Sheet Title (brief description of changes to sheet)
Sheet	rial offset the (bief description of changes to sheet)
5	Existing Typical Section (updated existing concrete pavement thickness)
249	Miscellaneous Quantities (updated 'Earthwork Summary' table)
250	Miscellaneous Quantities (updated 'Concrete Pavement' table)
440	Earthwork Data (updated 'Salvaged/Unusable Pavement Material')
441	Earthwork Data (updated 'Salvaged/Unusable Pavement Material')
442	Earthwork Data (updated 'Salvaged/Unusable Pavement Material')
443	Earthwork Data (updated 'Salvaged/Unusable Pavement Material')
444	Earthwork Data (updated 'Salvaged/Unusable Pavement Material')

Schedule of Items

Attached, dated October 4, 2024, are the revised Schedule of Items Page 14.

Plan Sheets

The following $8\frac{1}{2}$ x 11-inch sheets are attached and made part of the plans for this proposal: Revised: 5, 249, 250, 440, 441, 442, 443, 444.


The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist Proposal Management Section

END OF ADDENDUM



Addendum No. 02 ID 2225-13-70 Revised Sheet 249 October 4, 2024

249

SHEET

MISCELLANEOUS QUANTITIES

COUNTY: MILWAUKEE

320 320 205.0100
EXCAVATION COMMON
(1)
SA
CUT EBS EXCAVATION PA (2) CI 12,639 297 234 234 206 1124 332 1123 1129 1120 1150 1150 1150 4-07.83 4-756.6 4-07.83 4-756.6 14-31.80/14-79.0 19-47.90/19-76.84 29-50.10/29-77.2 29-50.10/29-76.4 34-20.20/34-53.88 34-32.30/39-79.99 44-32.30/39-79.99 59-32.30/39-79.99 59-32.30/39-79.99 59-32.30/39-79.99 59-32.30/39-78.79

EARTHWORK SUMMARY

NOTES: (1) EXCANTION COMMON IS THE SUM OF THE CUT AND EBS EXCAVATION COLUMNS. ITEM NUMBER 205.0100 (2) SALVAGED/UNSJABLE PAVEMENT MATERIAL IS INCLUED IN CUT. (4) EBS-EXCAVATION-TO BE BACKFULED WITH SELECT CRUSHED MATERIAL. (4) SALVAGED/UNUSABLE PAVEMENT MATERIAL - ASSUMED DEPTHS AS NOTED:

EXPANCED FILL = UNEXPANCED FIL

			~	<u>ء</u>																												
													ID Re	2 ev	2 is	25. ed	-13 S	3-7	0 et	250				465.0120 ASPHALTIC SURFACE	FIELD ENTRANCES TON	S S	3 6 19	19				-
312,0110	SELECT CRUSHED MATERIAL TON	3,327	4,018	3,989	1 .	4,304	2,530	18,168	1 645	645	3,152	3.959	1 4	5,420	3,496	2,073	16,100	2,622		37,535			삥		OFFSET	42' RT 38' RT	43' RT 42' RT STAGE I SUBTOTAL	TOTAL 0010				-
305.012.0	BASE AGGREGATE DENSE 1 1/4-INCH TON	1,428 688 1,314	108	193	256	1,699 226	999	10,182	255	278	1,397	91	178	134	1,380	819	8,404	: :		18,864			ASPHALTIC SURFACE		TO STATION	37+49						
								SUBTOTAL STAGE 1		SUBTOTAL STAGE 2							SUBTOTAL STAGE 3	SIIRTOTAL LINDISTRIBLITED		TOTAL 0020					SORY STAGE STATION	10 1 37+35 10 1 41+54						
AGGREGATES - CAT 0020	STATION	38+50	38+50	53+50	68+50	83+50	92+57 92+57		55+07		38+50	38+50	53+50	68+50	83+50	92+57	32+3/								CATEGORY	00100	00					
AGGREGATI	STATION TO	26+40	26+40 -	38+50	53+50	- 05+89	83+50		53+75 -		26+40	26+40 -	38+50	53+50	- 68+50	83+50	00+60	RMINED BY ENGINEEF					416.0620 DRILLED DOWEL BARS FACH	19	16	25	Q [22	22 26	121		
	LOCATION	TEMP DRIVEWAY ACCESS LATERAL TRENCH RESTORATION PAVEMENT	SIDEWALK/DRIVEWAY PAVEMENT	SIDEWALK/DRIVEWAY PAVEMENT	SIDEWALK/DRIVEWAY	PAVEMENT SIDEWALK/DRIVEWAY	PAVEMENT SIDEWALK/DRIVEWAY		PAVEMENT		TEMP DRIVEWAY ACCESS PAVEMENT	SIDEWALK/DRIVEWAY DAVEMENT	SIDEWALK/DRIVEWAY	PAVEMEN I SIDEWALK/DRIVEWAY	PAVEMENT	SIDEWALK/DRIVEWAY PAVEMENT SIDEWALK/DRIVEWAY	ODEWACK/ONVENT	UNDISTRIBUTED - EBS - LOCATIONS DETERMINED BY ENGINEER			RITEMS		416.0610 4 DRILLED 1 THE BARS DO FACH		STACE 1 SUBTOTAL				1 1	STAGE 3 SUBTOTAL TOTAL 0010 7		-
	STAGE		1 1				11		2 2		1 6	m m	m	m m	mı	חחמ	n	In			DRILLED BAR ITEMS		z	LAKE DR - SOUTH END				3LVD	BEVERLY RD SHOREWOOD BLVD LAKE DR - NORTH			
	CATEGORY	0020 0020 0020	0020 0020	0020	0000	0020	0020		0020		0020	0000	0000	0020	0020	0700	0700	0050					CATEGORY STAGE I DEATION	-	-	0010 2 CAPITOL DR		റ ന ന	0010 3 BEVERLY 0010 3 SHOREW CATA CATA CATA CATA DR	2		
AGGREGATES - CAT 0010	BASE AC OPEN	. 38-50 22 . 53-50 9 . 68-50 30	SUBTOTAL STAGE 1 70		- 53+50 9 - 68+50 28	SUBTOTAL STAGE 3 69								DADWAY		213.0100.01 FINICHING	ROADWAY (2225-13-70)		70 1	10 11	CONCRETE PAVEMENT	,	415.0080 415.4100 CONCRETE PAVEMENT PAV	^^	~~	3,914 4,348 3,914 4,348 2,293 2,293 2,793 2,795	10,233	STAGE 2 SUBTOTAL 607 654 654	~~	3,000 3,500 3,500 3,500 3,500 2,500 5,500	TOTAL 0020 30,986 34,984	
AGGREGATE	Y STAGE LOCATION STATION	0010 1 UNDERDRAIN 26+40 0010 1 UNDERDRAIN 38+50 0010 1 UNDERDRAIN 53+50 0010 1 INDERDRAIN 68+50	T ONDERDINA	3 UNDERDRAIN 26+40	0010 3 UNDERDRAIN 38+50 0010 3 UNDERDRAIN 53+50									FINISHING ROADWAY				CATEGORY PROJECT	0010 2225-13-70	TOTAL 00.10	CONCRETI			N STAGE STATION TO	0020 1 2640 - 38+50 0020 2 38+50 - 53+50	5 83+50 - 5 83+50 - 5	ate : e a	70+00				

6 Addendum No. 02 440 ID 2225-13-70 Revised Sheet 440 October 4, 2024 SHEET 5,000 5,330 5,330 5,485 5,653 5,826 5,998 6,193 6,193 REDUCED EBS IN FILL 1.00 NOTE 7 EARTHWORK DATA INCREMENTAL VOL (CY) (UNADJUST Ħ SALVAGED/UNUSABLE PAVEMENT MATERIAL COUNTY: MILWAUKEE CUT INCLUDES SALVAGED/UNUSABLE PAVEMENT MATERIAL
HIN DOES MOT PRICUDE UNISABLE PAVEMENT ESCUDIAN
WILL BE BACKFILLED WITH SELECT ROUSED MATERIAL
BUTCHERS ENCAMION THAT CARE LOSS HOLD MATERIAL
CUT -SALVAGED PAVT - (FILL - DRAWING ROCK) ** FILL ACTOR CUT 0 0 1 199 9 1 Ħ 0.041 0.028 0.028 0.000 0.000 0.000 0.001 0. HWY: STH 32 SALVAGED/UNUSABLE PAVEMENT MATERIAL CUT DISTANCE 26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-40.00
26-REAL STATION 2225-13-70 - FILL
- EXPANDED EBS
- REDUCED EBS IN FILL
- MASS ORDINATE STATION PROJECT NO:

IVISION 1 - STH32

6 Addendum No. 02 441 ID 2225-13-70 Revised Sheet 441 October 4, 2024 SHEET MASS ORDINATE 9,146 9,291 9,439 9,590 8,228 8,367 8,522 8,689 8,851 **EARTHWORK DATA** INCREMENTAL VOL (CY) (UNADJUST FIL COUNTY: MILWAUKEE CUT INCLUDES SALVAGED/UNISABLE PAVEMENT MATERIAL
THIS DOES MOT SHOWLY UP IN CROSS SECTIONS
DOES MOT MICLUDE UNISABLE PAVEMENT EXE VOLUME
WILL BE BACKFILLED WITH SELECT ROWSHED MATERIAL
EDUCED BESE EXCENTION THAT CARE BE CUED IN HILL
CUT -SALVAGED PAVET (FILL - EPAWADED ROCK) * FILL FACTOR CUT EBS MARSH EXC Ħ 3.364 3.364 1.128 3.375 1.114 1.117 HWY: STH 32 SALVAGED/UNUSABLE PAVEMENT MATERIAL 5 AGED/UNUSABLE PAVEMENT MATERIAL \$5,000 ## 5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00
5-50.00 REAL STATION 2225-13-70 - FILL
- EXPANDED EBS
- REDUCED EBS IN FILL
- MASS ORDINATE PROJECT NO:

6 Addendum No. 02 ID 2225-13-70 Revised Sheet 442 October 4, 2024 SHEET MASS ORDINATE REDUCED EBS IN FILL 1.00 NOTE 7 **EARTHWORK DATA** CUT 1.00 1.1 FIL SALVAGED/UNUSABLE PAVEMENT MATERIAL COUNTY: MILWAUKEE CUT INCLUDES SALVAGED/UNUSABLE PAVEMENT MATERIAL IN HIS OSE NOT SHOW UP IN CROSE SECTIONS DOES NOT MICLUDE UNUSABLE PARMENTE SECTIONS WITH CUE BACKFILLED WITH SELECT ROCKED MATERIAL EDUCED SED SECTION OF THE CASE OF THE COLUMN SALVANOT IN THE CROSE DOES NOT RECEDENT OF THE CASE OF SALVANOT SHAT CASE OF SALVANOT CUT Ħ 0.056

1.074

1.074

0.025

0.027

0.027

0.029

0.029

0.029

0.028

0.028

0.028

0.028

0.028

0.028

0.028

0.028

0.028

0.028

0.028

0.028

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038

0.038 HWY: STH 32 SALVAGED/UNUSABLE PAVEMENT MATERIAL 41.25 41.25 41.25 41.25 41.25 41.25 41.25 41.25 41.25 41.25 41.25 41.25 41.25 41.25 CUT 12857 12000 AGED/UNUSABLE PAVEMENT MATERIAI DISTANCE REAL STATION 2225-13-70 - CUT
- SALVAGED/UNUSABLE P
- FILL
- EXPANDED EBS
- REDUCED EBS IN FILL
- MASS ORDINATE STATION PROJECT NO:

INCREMENTAL VOL (CY) (UNADJU

SHEET

Addendum No. 02 ID 2225-13-70 Revised Sheet 443 October 4, 2024

CUT EXPANDED FILE ESS CUT 100 1.00 1.00 1.00 1.00 1.00 1.00 1.00	0 0 0	COMULATIVE VOL (CV)	CUT EXPANDED FILE ERANGED EBS REDUCED EBS REDUCED EBS NASS EACHT 100 1.00 1.00 1.00 1.00 1.00 1.00 1.00	1 0 0 0		CUMULATIVE VOL (CY)	CUT EXPANDED HILL BREDUCED EBS MASS REDUCED EBS MASS NOTE 1 100 1.00 1.00 1.00 1.00 1.00 1.00 1.	0 0 0		CUMULATIVE VOL (CY)	CUT EXPANDED FILL ESPANDED RESS REDUCED RESS MASS ROOTE 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0	0 0 0		SRAL E FACTOR)
SALVAGED/U CUT NUSABLE FILL EBS MATERAL MATERAL MOTE 2 MOTE 2	0 10 13	INCREMENTAL VOL (CY) (UNADJUSTED)	SALVAGED/U CUT NUSABLE FILL EBS MATERAL MATERAL NOTE 1 NOTE 3	£1 12	3	INCREMENTAL VOL (CY) (UNADJUSTED)	SAUYAGED/U CUT NUSABLE FILL BAVEMBNT FILL BAVEMBNT MATERIAL NOTE 2 NOTE 3	€~ [%]	3	INCREMENTAL VOL (CY) (UNADJUSTED)	SALVAGED/U CUT NUSSBE FILL EBS MATERIAL FILL EBS MOTE: MOTE: NOTE: 3	\$ K	}	CUT INCLUDES SALVAGED/UNISABLE PAVEMENT MATERIAL THE POES NOT SHOULD WE INCLUDE SECTIONS ONLY BE BACKFLLED WITH SELECT GRUSHED MATERIAL WILL BE BACKFLLED WITH SELECT GRUSHED MATERIAL CUT - SALVAGED PAVE - ((BLL - EPPANDED ROCK) - FILL FACTOR)
SALVAGED/JNUSABLE FILL EBS PAVEMENT MATERIAL	11.25 0.43 0.00 11.25 0.01 0.00 11.25 0.00 0.00	AREA (SF)	SALVAGED/UNUSABLE FILL EBS	24.75 0.90 0.00 24.75 0.65 0.00 24.75 0.00 0.00	}	AREA (SF)	SALVAGED/UNISSABLE FILL EBS PAVEMENT MATERIAL	24.75 0.81 0.00 24.75 0.89 0.00 24.75 2.97 0.00	}	AREA (SF)	SALVACED/UNISABLE FILL EBS PAVEMENT MATERIAL	24.75 0.27 0.00 24.75 0.00 0.00 24.75 0.03 0.00	}	EMBNT MATERIAL
REAL STATION DISTANCE CUT	925.38 0.00 81.51 950.00 24.62 89.98 980.00 30.00 190.62		REAL STATION DISTANCE CUT	1431.80 0.00 81.21 1450.00 18.20 85.28 1479.90 29.90 185.52	N)		REAL STATION DISTANCE CUT	1947.90 0.00 82.16 1950.00 2.10 82.07 1976.84 26.84 154.86	()		REAL STATION DISTANCE CUT	2400.00 0.00 83.68 2450.00 50.00 122.46 2477.20 27.20 157.69		NOTES: 1CUT 2SALVAGED/JUNUSABLE PAVEMENT MATERIAL 3FILL 5EXPANCED EBS 7REDUCEDE BBS IN FILL 8MASS ORDINATE
STATION REAL!	9+25.38 92 9+50.00 95 9+80.00 98	DIVISION 1 - (MENLO)	STATION REAL!	14+31.80 14: 14+50.00 14: 14+79.90 14:	DIVISION 1 - (NEWTON		STATION REAL!	19+47.90 19- 19+50.00 191 19+76.84 191	DIVISION 1 - (BEVERLY)		STATION REAL!	24+00.00 240 24+50.00 243 24+77.20 243		

0 136 262

0 157 297 CT

CUMULATIVE VOL (CY)

INCREMENTAL VOL (CY) (UNADJUSTED)

REDUCED EBS IN FILL 1.00 NOTE 7

EXPANDED EBS BACKFILL 1.00 NOTE 5

EBS

 $\exists \exists$

CUT NOTE 1

0.00

0.00 0.15 2.03

13.33 13.33 13.33

95.67 104.85 180.08

0.00 42.17 26.56

407.83 450.00 476.56

4+07.83 4+50.00 4+76.56

EXPANDED FILL 1.00

CUMULATIVE VOL (CY)

INCREMENTAL VOL (CY) (UNADJUSTED)

AREA (SF)

SALVAGED/UNUSABLE PAVEMENT MATERIAL

DISTANCE

REAL STATION

STATION

COUNTY: MILWAUKEE HWY: STH 32

PROJECT NO: 2225-13-70
FILE NAME: S\DOT\DOT\SE\ZO047_STH 32 St

9

Addendum No. 02
ID 2225-13-70
Revised Sheet 444
October 4, 2024

AREA (SF)					INCREMENTAL	INCREMENTAL VOL (CY) (UNADJUSTED)	JSTED)		CUMIC	CUMULATIVE VOL (CY)	િ	
CUT SALVAGED/UNUSABLE F		ᆵ	EBS	CUT NOTE 1	SALVAGED/U NUSABLE PAVEMENT MATERIAL NOTE 2	FILL	EBS	CUT NOTE 1	EXPANDED FILL 1.00	EXPANDED EBS EBS BACKFILL 1.00	REDUCED EBS IN FILL 1.00 NOTE 7	MASS ORDINATE NOTE 8
84.00 11.67	1	0.43	0.00	0	0	0	0	0	0	0	0	0
96.39 11.67		0.00	0.00	06	12	0	0	06	0	0	0	78
194.52 11.67		0.00	0.00	161	13	0	0	251	0	0	0	226
AREA (SF)					INCREMENTAL	INCREMENTAL VOL (CY) (UNADJUSTED)	JSTED)		CUMI	CUMULATIVE VOL (CY)	(6)	
SALVAGED/UNUSABLE	1	ē	0	CUT	SALVAGED/U NUSABLE	FIL	, d	CUT	EXPANDED FILL	EXPANDED EBS BACKFILL	REDUCED EBS IN FILL	MASS
		i i	683		MATERIAL		EBS		1.00	1.00	1.00	
				NOTE 1	NOTE 2	NOTE 3		NOTE 1		NOTE 5	NOTE 7	NOTE 8
66.22 8.75		1.42	0.00	0	0	0	0	0	0	0	0	0
68.74 8.75		0.42	0.00	20	9	1	0	S	1	0	0	43
168.92 8.75		0.00	0.00	132	10	0	0	182	1	0	0	-

| EPRANDED | REDUCED EBS | MASS | EBS | MASS | EBS | MASS | EBS | MASS | EBS |

CUT NOTE 1 0

CUT NOTE 1 0 123

2.13

2950.10

29+50.10 29+76.74

EBS 0.00

SALVAGED/UNUSABLE PAVEMENT MATERIAL

CUT

REAL STATION

STATION

EBS

CUMULATIVE VOL (CY)

INCREMENTAL VOL (CY) (UNADJUSTED)

AREA (SF)

| POWNUED FILE. | EBS | MAGNET | WILL ORDINATE | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.

CUT NOTE 1 0 129 149

CUT NOTE 1 0 129 20 20

0.13 2.91 0.19

26.25

99.13 133.84 149.89

0.00 29.80 3.88

3420.20 3450.00 3453.88

34+20.20 34+50.00 34+53.88

EBS 0.00

SALVAGED/UNUSABLE PAVEMENT MATERIAL

CUT

REAL STATION

STATION

EBS

CUMULATIVE VOL (CY)

INCREMENTAL VOL (CY) (UNADJUSTED)

AREA (SF)

1 - CUT	CUT INCLUDES SALVAGED/UNUSABLE PAVEMENT MATERIAL
2 - SALVAGED/UNUSABLE PAVEMENT MATERIAL	THIS DOES NOT SHOW UP IN CROSS SECTIONS
3 - FILL	DOES NOT INCLUDE UNUSABLE PAVEMENT EXC VOLUME
5 - EXPANDED EBS	WILL BE BACKFILLED WITH SELECT CRUSHED MATERIAL
7 - REDUCED EBS IN FILL	REDUCED EBS EXCAVATION THAT CAN BE USED IN FILL
TEMICOC 33484 0	CLIT - SALVAGED DAVT - (FILL - EXPANDED BOCK) * FILL FACTOR)

PROJECT NO: 2225-13-70
FILE NAME: SYDOTHOD_SR20047_STH 22 SHOREWOOD/22251300/94ETSFLAW(

SHEET

EARTHWORK DATA

COUNTY: MILWAUKEE

HWY: STH 32

9



Wisconsin Department of Transportation

10/04/2024 06:25:22

Proposal Schedule of Items

Page 14 of 14

Federal ID(s): N/A

SECTION: 0001 Proposal Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0386	SPV.0090 Special 40. PVC Hydrant Lead 6-Inch	460.000 LF	<u>-</u>	·
0388	SPV.0090 Special 41. PVC Water Main 6-Inch	175.000 LF		·
0390	SPV.0090 Special 42. PVC Water Main 8-Inch	7,110.000 LF	<u>-</u>	·
0392	SPV.0090 Special 43. Cooper Water Service 1-Inch	3,173.000 LF	<u> </u>	·
0394	SPV.0090 Special 44. Copper Water Service 2-Inch	237.000 LF	<u> </u>	
0396	SPV.0090 Special 45. Copper Water Service 3-Inch	100.000 LF	<u>-</u>	·
0398	SPV.0090 Special 46. Construction Staking Water Main	7,285.000 LF	·	·
0400	SPV.0165 Special 01. Salvage and Relay Brick Paver Driveway	26.000 SF		·
0402	415.4100 Concrete Pavement Joint Filling	34,984.000 SY		
	Section: 000)1	Total:	·

Total Bid: