

Wisconsin Department of Transportation

October 22, 2024

Division of Transportation Systems Development

Bureau of Project Development 4822 Madison Yards Way, 4th Floor South Madison, WI 53705

Telephone: (608) 266-1631 Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #19: 2720-07-71, WISC 2025033

V Menomonee Falls Menomonee Ave

Town Hall Road to STH 175

Local Street

Waukesha County

Letting of November 12, 2024

This is Addendum No. 01, which provides for the following:

Special Provisions:

Revised Special Provisions	
Article No.	Description
43.	Culvert Pipe Reinforced Concrete Horizontal Elliptical Class HE-IV 38x60-Inch, Item SPV.0090.05.
44.	Culvert Pipe Reinforced Concrete Horizontal Elliptical Class HE-IV 43x68-Inch, Item SPV.0090.06.
45.	Culvert Pipe Reinforced Concrete Horizontal Elliptical Class HE-IV 58x91-Inch, Item SPV.0090.07.

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist Proposal Management Section

ADDENDUM NO. 01 2720-07-71 October 22, 2024

Special Provisions

43. Culvert Pipe Reinforced Concrete Horizontal Elliptical Class HE-IV 38x60-Inch, Item SPV.0090.05.

Replace section B Materials and section C Construction with the following:

B Materials

Furnish pipe designed for $D_{0.01}$ =2,000 and D_{ult} =3,000 (Class IV equivalent) and per standard specification 522.2.

C Construction

Construct according to standard spec 608.

44. Culvert Pipe Reinforced Concrete Horizontal Elliptical Class HE-IV 43x68-Inch, Item SPV.0090.06.

Replace section B Materials and section C Construction with the following:

B Materials

Furnish pipe designed for $D_{0.01}$ =2,000 and D_{ult} =3,000 (Class IV equivalent) and per standard specification 522.2.

C Construction

Construct according to standard spec 608.

45. Culvert Pipe Reinforced Concrete Horizontal Elliptical Class HE-IV 58x91-Inch, Item SPV.0090.07.

Replace section **B Materials** and section **C Construction** with the following:

B Materials

Furnish pipe designed for $D_{0.01}$ =2,000 and D_{ult} =3,000 (Class IV equivalent) and per standard specification 522.2.

C Construction

Construct according to standard spec 608.

END OF ADDENDUM