



Wisconsin Department of Transportation

December 3, 2024

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #40: 8998-00-36, WISC 2025131
C Superior, Hammond Ave
N 21st Street – N 28th Street
Local Street
Douglas County

Letting of December 10, 2024

This is Addendum No. 01, which provides for the following:

Special Provisions:

Revised Special Provisions	
Article No.	Description
39	Temporary Water Service, Item SPV.0060.30.
44	Remove Steel Gas Main, Item SPV.0090.21
45	Water Main and Fittings, 8-Inch HDPE DR-11, Item SPV.0090.22

Schedule of Items:

Revised Bid Item Quantities					
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Proposal Quantity Change (-)	Proposal Total After Addendum
632.0101	Trees (species, root, size) 01. Prairie Sentinel, Hackberry, B&B, 2.5" Cal	EACH	8	0	8
632.0101	Trees (species, root, size) 02. Kentucky Coffeetree, B&B, 2.5" Cal	EACH	10	0	10
632.0101	Trees (species, root, size) 03. American Hophornbeam, B&B, 2.5" Cal	EACH	3	0	3
632.0101	Trees (species, root, size) 04. Regal Prince Oak, B&B, 2.5" Cal	EACH	5	0	5
632.0101	Trees (species, root, size) 05. Crimson Spire Oak, B&B, 2.5" Cal	EACH	4	0	4

632.0101	Trees (species, root, size) 06. Boulevard American Linden, B&B, 2.5" Cal	EACH	8	0	8
632.0101	Trees (species, root, size) 07. Accolade Elm, B&B, 2.5" Cal	EACH	8	0	8
632.0201	Shrubs (species, root, size) 01. New Jersey Tea, C&G, 2 Gal	EACH	13	0	13
632.0201	Shrubs (species, root, size) 02. Nodding Onion, C&G, 1 Gal	EACH	171	0	171
632.0201	Shrubs (species, root, size) 03. Leadplant, C&G, 1 Gal	EACH	22	0	22
632.0201	Shrubs (species, root, size) 04. Eastern Columbine, C&G, 1 Gal	EACH	117	0	117
632.0201	Shrubs (species, root, size) 05. Butterfly Milkweed, C&G, 1 Gal	EACH	73	0	73
632.0201	Shrubs (species, root, size) 06. Longbract Wild Indigo, C&G, 1 Gal	EACH	46	0	46
632.0201	Shrubs (species, root, size) 07. Harebell, C&G, 1 Gal	EACH	236	0	236
632.0201	Shrubs (species, root, size) 08. Double Sunburst Tickseed, C&G, 1 Gal	EACH	182	0	182
632.0201	Shrubs (species, root, size) 09. Spotted Geranium, C&G, 1 Gal	EACH	79	0	79
632.0201	Shrubs (species, root, size) 10. Rough Blazing Star, C&G, 1 Gal	EACH	20	0	20
632.0201	Shrubs (species, root, size) 11. Wild Lupine, C&G, 1 Gal	EACH	105	0	105
632.0201	Shrubs (species, root, size) 12. Stiff Goldenrod, C&G, 1 Gal	EACH	14	0	14
632.0201	Shrubs (species, root, size) 13. Smooth Aster, C&G, 1 Gal	EACH	54	0	54
632.0201	Shrubs (species, root, size) 14. Golden Alexander, C&G, 1 Gal	EACH	44	0	44
632.0201	Shrubs (species, root, size) 15. Little Bluestem, C&G, 1 Gal	EACH	119	0	119

- **Item Description revised to include “root” description. No quantities were changed**

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 01

8998-00-36

December 3, 2024

Special Provisions

39. Temporary Water Service, Item SPV.0060.30

Replace entire section titled C Construction with the following:

C Construction

Maintain distribution system to avoid damage to existing or new construction.

Avoid damage to permanent plumbing at source of temporary water and at private connections.

Follow manufacturers recommended installation of all temporary water service piping.

Disinfection of above ground temporary water lines: All requirements for testing of permanent mains shall apply. No customer would be tied to the temporary system prior to demonstrating passing both bacteriological test results.

Contractor to notify Superior Water, Light & Power and affected properties 72 hours prior to any shutdowns. If shutdown will last more than two hours, Contractor shall obtain permission from Superior Water, Light & Power for extended length of shutdown.

Replace entire section titled E Payment with the following:

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0060.30	Temporary Water Service	Each

Payment is full compensation for furnishing and installing all materials, and the removal when no longer needed.

44. Remove Steel Gas Main, Item SPV.0090.21

Replace entire section titled C Construction with the following:

C Construction

Remove the existing abandoned gas piping and appenditures at locations as shown on plans and wherever encountered on the project. All removed items shall become the property of the Contractor. Contractor shall not reuse any removed items on this project without the written consent of the Engineer. All materials shall be disposed of properly and in accordance of all laws and regulations.

Gas piping is expected to range from 12" coated steel to ½" steel services. There are multiple vintages of gas piping within the construction limits and noted below.

- Pre 1959 vintage cast iron and/or steel. These lines include an old main system which runs parallel to the street and old steel service lines that run into the properties. Care must be taken when excavating and removing the old service lines as some still extend into buildings. These lines will need to be located, cut and capped outside of the excavation zones. This piping can be disposed of as the contractor chooses.
- Post 1959 coated steel mains and services. These lines were abandoned in 2023. The services can be removed and disposed of as the contractor chooses. The 12" coated main has a thin layer of coating that does contain asbestos. The contractor will need to coordinate work efforts on this piping with ACCT. The contractor will need to excavate around the piping to allow for ACCT to remove and dispose of an area of the coating at approximately 16' increments. Once the area of coating is removed by ACCT then the contractor can cut the pipe into 16' sections and place the pipe segments into an open top dumpster which will be provided by ACCT
- New gas piping – 2023 installed 8" HDPE and ¾" HDPE services. As noted in the plans, there are parallel running 8" HDPE gas mains running approximately under the existing sidewalks with services coming off of each running to the properties. These shall be protected at all times.

Unless otherwise provided, use excavated material in backfilling excavations made in removing gas piping.

Backfilling: Fill all trenches resulting from the removal of gas piping with satisfactory soil. Place backfilling material in layers not more than 8 inches in thickness except that granular material may be placed in layers not more than 12 inches in thickness. Thoroughly compact each layer by means of approved tampers, rollers, or vibrators. If there is water in an excavation, perform backfilling operations so that such water is displaced by the backfill and not trapped within backfill.

Verification of Service Connections: For the entirety of the project length, Contractor shall contact an SWLP representative to locate all gas services lines. Upon locating, Contractor shall expose these service lines and disconnect from any piping connected towards private properties. Excavation may be hydro excavating or other methods as selected by Contractor. Any damages as a result of not adequately disconnecting service lines shall be the responsibility of the Contractor.

*Replace entire section titled **D Measurement** with the following:*

D Measurement

The department will measure Remove Gas Main by length in lineal feet for only the 12" coated gas main. All other gas piping removed shall be considered incidental to the project. Exposing and disconnecting individual service lines, including backfill and restoration at these service line connections, are not measured and are incidental.

45. Water Main and Fittings, 8-Inch HDPE DR-11, Item SPV.0090.22; Water Main and Fittings, 12-Inch HDPE DR-11, Item SPV.0090.23

Replace Paragraph C.11 Disinfection of Water Main with the following:

C.11 Disinfection of Water Main

Disinfect all water mains in accordance with Chapter 4.16.0, *Wisconsin Water and Sewer Specifications*, except as modified herein:

1. Chapter 4.16.5 shall be modified that sampling and testing, including costs thereof, are the Contractor's responsibility. Sample testing shall be coordinated and completed using the Superior Water, Light and Power utility lab.
2. Swab connections to existing water mains that must be placed back in service with a chlorine solution as approved by the engineer.

Procedure for Disinfection and Testing as follows:

1. Contractor shall fill the main under the direct observation of the Engineer after notifying SWLP. Filling shall proceed slowly and stop when water begins to come out the end. Contractor shall provide a minimum 2" diameter compliant flushing device if the end of the main is not accessible. Do not flush test. Filled main shall sit for 24 hours to allow chlorine to work, or 48 hours if water is less than 41°F.
2. Contractor shall flush main, hydrant branches, and any Blow-offs under the direct observation of the Inspector or Engineer. Flushing shall achieve a minimum scour flow of 3.0 ft/sec. Conduct a chlorine test when flushing begins, and a bacteria-turbidity sample a minimum of 16 hours after flushing is complete, along with a second sample collected 24 hours after the original sample. Contractor shall coordinate with SWLP personnel on a proper sampling apparatus prior to requesting a water sample.
3. Upon passing a bacteria-turbidity test, the Contractor may arrange for a pressure test. The order of the bacteriological test and then the pressure test may be reversed only if the new section is completely disconnected from the overall water system.
4. Engineer will order main opened to system only after bacteria-turbidity test and pressure test pass. At all times prior to this, the new main shall be isolated by valving or other means except for filling, flushing, or taking samples. To insure against possible non-flow contact to the water system, it shall always be necessary to open the hydrant or blow-off before allowing system water to enter the new section.

Schedule of Items

Attached, dated December 3, 2024, are the revised Schedule of Items Pages 5 – 7.

END OF ADDENDUM



Proposal Schedule of Items

Page 5 of 12

Proposal ID: 20241210040 Project(s): 8998-00-36

Federal ID(s): WISC 2025131

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0116	625.0100 Topsoil	7,725.000 SY	_____.	_____.
0118	627.0200 Mulching	9,670.000 SY	_____.	_____.
0120	628.1905 Mobilizations Erosion Control	4.000 EACH	_____.	_____.
0122	628.1910 Mobilizations Emergency Erosion Control	6.000 EACH	_____.	_____.
0124	628.7005 Inlet Protection Type A	56.000 EACH	_____.	_____.
0126	628.7020 Inlet Protection Type D	56.000 EACH	_____.	_____.
0128	628.7560 Tracking Pads	6.000 EACH	_____.	_____.
0130	629.0210 Fertilizer Type B	6.270 CWT	_____.	_____.
0132	630.0140 Seeding Mixture No. 40	180.000 LB	_____.	_____.
0134	630.0200 Seeding Temporary	226.000 LB	_____.	_____.
0136	630.0500 Seed Water	71.000 MGAL	_____.	_____.
0138	632.0101 Trees (species, root, size) 01. Prairie Sentinel Hackberry, B&B, 2.5" Cal	8.000 EACH	_____.	_____.
0140	632.0101 Trees (species, root, size) 02. Kentucky Coffeetree, B&B, 2.5" Cal	10.000 EACH	_____.	_____.
0142	632.0101 Trees (species, root, size) 03. American Hophornbeam, B&B, 2.5" Cal	3.000 EACH	_____.	_____.
0144	632.0101 Trees (species, root, size) 04. Regal Prince Oak, B&B, 2.5" Cal	5.000 EACH	_____.	_____.



Proposal Schedule of Items

Page 6 of 12

Proposal ID: 20241210040 Project(s): 8998-00-36

Federal ID(s): WISC 2025131

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0146	632.0101 Trees (species, root, size) 05. Crimson Spire Oak, B&B, 2.5" Cal	4.000 EACH	_____.	_____.
0148	632.0101 Trees (species, root, size) 06. Boulevard American Linden, B&B, 2.5" Cal	8.000 EACH	_____.	_____.
0150	632.0101 Trees (species, root, size) 07. Accolade Elm, B&B, 2.5" Cal	8.000 EACH	_____.	_____.
0152	632.0201 Shrubs (species, root, size) 01. New Jersey Tea, C&G, 2 Gal	13.000 EACH	_____.	_____.
0154	632.0201 Shrubs (species, root, size) 02. Nodding Onion, C&G, 1 Gal	171.000 EACH	_____.	_____.
0156	632.0201 Shrubs (species, root, size) 03. Leadplant, C&G, 1 Gal	22.000 EACH	_____.	_____.
0158	632.0201 Shrubs (species, root, size) 04. Eastern Columbine, C&G, 1 Gal	117.000 EACH	_____.	_____.
0160	632.0201 Shrubs (species, root, size) 05. Butterfly Milkweed, C&G, 1 Gal	73.000 EACH	_____.	_____.
0162	632.0201 Shrubs (species, root, size) 06. Longbract Wild Indigo, C&G, 1 Gal	46.000 EACH	_____.	_____.
0164	632.0201 Shrubs (species, root, size) 07. Harebell, C&G, 1 Gal	236.000 EACH	_____.	_____.
0166	632.0201 Shrubs (species, root, size) 08. Double Sunburst Tickseed, C&G, 1 Gal	182.000 EACH	_____.	_____.
0168	632.0201 Shrubs (species, root, size) 09. Spotted Geranium, C&G, 1 Gal	79.000 EACH	_____.	_____.
0170	632.0201 Shrubs (species, root, size) 10. Rough Blazing Star, C&G, 1 Gal	20.000 EACH	_____.	_____.



Proposal Schedule of Items

Page 7 of 12

Proposal ID: 20241210040 Project(s): 8998-00-36

Federal ID(s): WISC 2025131

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0172	632.0201 Shrubs (species, root, size) 11. Wild Lupine, C&G, 1 Gal	105.000 EACH	_____.	_____.
0174	632.0201 Shrubs (species, root, size) 12. Stiff Goldenrod, C&G, 1 Gal	14.000 EACH	_____.	_____.
0176	632.0201 Shrubs (species, root, size) 13. Smooth Aster, C&G, 1 Gal	54.000 EACH	_____.	_____.
0178	632.0201 Shrubs (species, root, size) 14. Golden Alexander, C&G, 1 Gal	44.000 EACH	_____.	_____.
0180	632.0201 Shrubs (species, root, size) 15. Little Bluestem, C&G, 1 Gal	119.000 EACH	_____.	_____.
0182	632.9101 Landscape Planting Surveillance and Care Cycles	20.000 EACH	_____.	_____.
0184	634.0808 Posts Tubular Steel 2x2-Inch X 8-FT	7.000 EACH	_____.	_____.
0186	634.0814 Posts Tubular Steel 2x2-Inch X 14-FT	15.000 EACH	_____.	_____.
0188	637.2210 Signs Type II Reflective H	115.900 SF	_____.	_____.
0190	637.2230 Signs Type II Reflective F	33.200 SF	_____.	_____.
0192	638.2102 Moving Signs Type II	42.000 EACH	_____.	_____.
0194	642.5001 Field Office Type B	1.000 EACH	_____.	_____.
0196	643.0300 Traffic Control Drums	4,160.000 DAY	_____.	_____.
0198	643.0420 Traffic Control Barricades Type III	13,312.000 DAY	_____.	_____.