

# **Wisconsin Department of Transportation**

February 26, 2025

#### Division of Transportation Systems Development

Bureau of Project Development 4822 Madison Yards Way, 4<sup>th</sup> Floor South Madison, WI 53705

Telephone: (608) 266-1631 Facsimile (FAX): (608) 266-8459

### **NOTICE TO ALL CONTRACTORS:**

Proposal #03: 3020-00-70, WISC 2025358

Horicon - Kewaskum CTH V to STH 175

**STH 028** 

**Dodge County** 

## Letting of March 11, 2025

This is Addendum No. 02, which provides for the following:

#### **Schedule of Items:**

Revised Bid Item Quantities						
Bid Item	Item Description	Unit	Proposal Total Prior to	Proposal Quantity Change (-)	Proposal Total After Addendum	
			Addendum	0 ()		
465.0105	Asphaltic Surface	TON	2147	300	2447	

## **Plan Sheets:**

Revised Plan Sheets					
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)				
9	Construction Details – Added excavation quantities and removal limits to culvert replacement detail				
43	Miscellaneous Quantities – Revised quantity of Asphaltic Surface to include full depth in culvert replacement areas				

#### Schedule of Items

Attached, dated February 26, 2025, are the revised Schedule of Items Page 2.

#### **Plan Sheets**

The following  $8\frac{1}{2}$  x 11-inch sheets are attached and made part of the plans for this proposal: Revised: 9 and 43.


The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist Proposal Management Section

**END OF ADDENDUM** 



624.0100

305.0120 BASE AGGREGATE DENSE 1%-INCH TON

305.0110
BASE
AGGREGATE
DENSE
%-INCH

BASE AGGREGATE ITEMS

14

1,480

2,050

MAINLINE LOCATION

646+23

STATION

욘

STATION 399+68

ROADWAY

CATEGORY

0010

TOTALS STH 28

ASPHALTIC RUMBLE STRIPS, CENTERLINE LF 465.0560

ASPHALTIC SURFACE DRIVEWAYS AND FIELD ENTRANCES TON

ASPHALTIC SURFACE

HMA PAVEMENT 4 MT 58-28 S TON 460.6224

ASPHALTIC PAVING

455.0605

NOT

465.0120

18,700

1,860 105 116 116 83

19,610

13,080

LOCATION

STATION

STATION

ROADWAY STH 28

CATEGORY 0010

MAINLINE
CULVERT REPLACEMENT
CULVERT REPLACEMENT
CULVERT REPLACEMENT
CULVERT REPLACEMENT

646+23 419+94 503+64 578+67 616+82

399+68 419+74 503+24 577+47 616+42

429

510 30

NEW GRAVEL ENTRANCE APRONS (8 TOTAL) FIREMAN'S PARK N FIREMAN'S PARK S

ASPHALT P.E.S & EXISTING APRONS (55 TOTAL)

THERESA LANE SW
THERESA LANE SE
THERESA LANE NE
RIVER COURT SW
RIVER COURT SE
RIVER COURT NW
RIVER COURT NW
RIVER COURT NW
HIGHAUNDER BLYD NW
HIGHAUNDER BLYD NW
HIGHAUNDER BLYD NE

£ 1 1 1

SHEET

MISCELLANEOUS QUANTITIES
PLOT BY: MATT KOSK!

COUNTY: DODGE

PROGRAM TO BE USED FOR: DENSITY ACCEPTANCE	INCENTIVE DENSITY PWL HMA PAVEMENT 460.2005 ACCEPTANCE TESTING BY THE DEPARTMENT; NOT ELIGIBLE FOR INCENTIVE OR DISINCENTIVE				
QUALITY MANAGEMENT PRO MIXTURE ACCEPTANCE	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460.2010				
THICKNESS	13/4"	1 3/4"	13/4"	1 3/4"	
TONS	6,910	6,910	2,895	2,895	
BID ITEM	4 MT 58-28 S	4 MT 58-28 S	4 MT 58-28 S	4 MT 58-28 S	
MIXTURE USE: UNDERLAYING SURFACE		MILLED EXISTING HIMA SURFACE	4 MT 58-28 S	MILLED EXISTING HIMA SURFACE	
MIXTURE USE:	UPPER LAYER	LOWER LAYER	UPPER LAYER	LOWER LAYER	
STATION	12 FOOT DRIVING LANES STA 399+68 - 646+23	12 FOOT DRIVING LANES STA 399+68 - 646+23	STA 399+68 - 646+23	STA 399+68 - 646+23	
LOCATION	FOOT DRIVING LANES	FOOT DRIVING LANES	SHOULDERS & APPURTENANCES	SHOULDERS & APPURTENANCES	

1 1 1 1 1 1 1

WILLOW LANE NW WILLOW LANE NE WILLOW LANE SE

QUALITY MANAGEMENT PROGRAM TO BE USED FOR:	DENSITY ACCEPTANCE	INICENTIVE DENSITY DWI LINGS	PAVEMENT 460,2005	ACCEPTANCE TESTING BY THE	INCENTIVE OR DISINCENTIVE	
QUALITY MANAGEMENT PI	MIXTURE ACCEPTANCE	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460,2010				
	THICKNESS	13/4"	13/4"	13/4"	1 3/4"	
	TONS	6,910	6,910	2,895	2,895	
	BID ITEM	4 MT 58-28 S	4 MT 58-28 S	4 MT 58-28 S	4 MT 58-28 S	
	UNDERLAYING SURFACE	4 MT 58-28 S	MILLED EXISTING HMA SURFACE	4 MT 58-28 S	MILLED EXISTING HMA SURFACE	
	MIXTURE USE:	UPPER LAYER	LOWER LAYER	UPPER LAYER	LOWER LAYER	
	STATION	STA 399+68 - 646+23		STA 399+68 - 646+23	STA 399+68 - 646+23	
	LOCATION	12 FOOT DRIVING LANES	12 FOOT DRIVING LANES	SHOULDERS & APPURTENANCES	SHOULDERS & APPURTENANCES	

HWY: STH 28
0-00-00\_STH 28\_DODGE COUNTY/500\_CADD/501\_C3D\_20 PROJECT NO: 3020-00-70
FILE NAME: C-ODICORRE, INCIPROJECTS - WI-SW REGION

က





## **Proposal Schedule of Items**

Page 2 of 6

02/26/2025 11:32:39

Federal ID(s): WISC 2025358

**SECTION:** 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0032	460.0110.S HMA Percent Within Limits (PWL) Test Strip Density	2.000 EACH		
0034	460.2005 Incentive Density PWL HMA Pavement	13,820.000 DOL	1.00000	13,820.00
0036	460.2007 Incentive Density HMA Pavement Longitudinal Joints	4,940.000 DOL	1.00000	4,940.00
0038	460.2010 Incentive Air Voids HMA Pavement	19,610.000 DOL	1.00000	19,610.00
0040	460.6224 HMA Pavement 4 MT 58-28 S	19,610.000 TON		
0042	465.0105 Asphaltic Surface	2,447.000 TON		
0044	465.0120 Asphaltic Surface Driveways and Field Entrances	472.000 TON		·
0046	465.0560 Asphaltic Rumble Strips, Centerline	18,700.000 LF		
0048	522.0430 Culvert Pipe Reinforced Concrete Class IV 30-Inch	512.000 LF		·
0050	522.1030 Apron Endwalls for Culvert Pipe Reinforced Concrete 30-Inch	8.000 EACH		·
0052	601.0411 Concrete Curb & Gutter 30-Inch Type D	615.000 LF		
0054	602.0405 Concrete Sidewalk 4-Inch	3,380.000 SF	<u> </u>	
0056	602.0505 Curb Ramp Detectable Warning Field Yellow	160.000 SF		·
0058	602.0605 Curb Ramp Detectable Warning Field Radial Yellow	37.000 SF		