



Wisconsin Department of Transportation

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

April 4, 2025

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #20: 1020-00-80, WISC 2025121
Hudson - Baldwin
St. Croix River B-55-0061, B-55-0126
IH 94
St. Croix County

Letting of April 8, 2025

This is Addendum No. 03, which provides for the following:

Schedule of Items:

| Revised Bid Item Quantities | | | | | |
|-----------------------------|---------------------------|------|----------------------------------|------------------------------|-------------------------------|
| Bid Item | Item Description | Unit | Proposal Total Prior to Addendum | Proposal Quantity Change (-) | Proposal Total After Addendum |
| 465.0105 | Asphaltic Surface | Ton | 125 | 2228 | 2353 |
| 502.4105 | Adhesive Anchors 5/8-Inch | Each | 7146 | -6182 | 964 |

| Deleted Bid Item Quantities | | | | | |
|-----------------------------|-----------------------------|------|----------------------------------|------------------------------|-------------------------------|
| Bid Item | Item Description | Unit | Proposal Total Prior to Addendum | Proposal Quantity Change (-) | Proposal Total After Addendum |
| 465.0125 | Asphaltic Surface Temporary | Ton | 2228 | -2228 | 0 |

Plan Sheets:

| Revised Plan Sheets | |
|---------------------|--|
| Plan Sheet | Plan Sheet Title (brief description of changes to sheet) |
| 48 | Miscellaneous Quantity – add "*" for Asphaltic Surface Item. |
| 207 | Structure B-55-126: General Notes & Quantities |
| 218 | Structure B-55-126: Combination Rail Type "C2" Details |

Schedule of Items

Attached, dated April 4, 2025, are the revised Schedule of Items Pages 1 – 11.

Plan Sheets

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:

Revised: 48, 207,218

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

END OF ADDENDUM

SEE STRUCTURE PLANS FOR ADDITIONAL QUANTITIES.

REMOVING CONCRETE PAVEMENT, ASPHALTIC SURFACE, AND CURB & GUTTER

| CATEGORY | STATION | TO | STATION | LOCATION | 204.0100 | | 204.0110 | | 204.0150 | |
|----------|-----------|----|-----------|--------------------------------|----------------------------|----------------------------|----------------------------|------------------------|----------------------------|-----------------|
| | | | | | REMOVING CONCRETE PAVEMENT | REMOVING ASPHALTIC SURFACE | REMOVING ASPHALTIC SURFACE | REMOVING CURB & GUTTER | REMOVING ASPHALTIC SURFACE | REMOVING GUTTER |
| | | | | | SY | LF | SY | LF | SY | LF |
| 0010 | | | | B-55-0126 APPROACH (EAST SIDE) | 268 | -- | -- | -- | -- | -- |
| | | | | B-55-0061 APPROACH (EAST SIDE) | 114 | -- | -- | -- | -- | -- |
| | 651+95 | - | 655+10 | EB SHOULDER, RT | 391 | -- | -- | -- | -- | -- |
| | 653+50 | - | 664+08 | EB SHOULDER, LT | 1,225 | -- | -- | -- | -- | -- |
| | 654+51 | - | 664+20 | EB SHOULDER, RT | 1,058 | -- | -- | -- | -- | -- |
| | 652+78 RP | - | 661+26 RP | WB ON RAMP SHOULDER, LT | 943 | 173 | -- | -- | -- | -- |
| | 655+04 | - | 664+12 | WB SHOULDER, RT | 1,026 | -- | -- | -- | -- | -- |
| | 666+07 | - | 668+17 | EB SHOULDER, LT | 251 | -- | -- | -- | -- | -- |
| | 666+10 | - | 668+20 | WB SHOULDER, RT | 233 | -- | -- | -- | -- | -- |
| | 670+51 | - | 675+44 | EB SHOULDER, LT | 622 | -- | -- | -- | -- | -- |
| | 670+53 | - | 675+46 | WB SHOULDER, RT | 572 | -- | -- | -- | -- | -- |
| | 687+44 | - | 690+10 | EB SHOULDER, LT | 326 | -- | -- | -- | -- | -- |
| | 652+78 RP | - | 661+26 RP | FINAL SHOULDER | 659 | -- | -- | -- | -- | -- |
| | | | | B-55-0126 APPROACH (WEST SIDE) | 31 | 7 | -- | -- | -- | -- |
| | | | | B-55-0061 APPROACH (WEST SIDE) | 27 | -- | -- | -- | -- | -- |
| | | | | TOTAL 0010 | 440 | 7,313 | | | | 173 |

REMOVING GUARDRAIL

| CATEGORY | STATION | TO | STATION | LOCATION | REMOVING GUARDRAIL |
|----------|---------|----|---------|-------------------|--------------------|
| | | | | | LF |
| | 652+83 | - | 652+83 | IH 94 EB | 50 |
| | 650+10 | - | 652+77 | IH 94 WB | 267 |
| | | | | TOTAL 0010 | 317 |

ASPHALTIC SURFACE ITEMS

| CATEGORY | STATION | TO | STATION | LOCATION | 211.0400 | | 455.0605 | | 465.0105 | |
|----------|-----------|----|-----------|--------------------------------|--|------------|--------------|-------------------|----------|-----|
| | | | | | PREPARE FOUNDATION FOR ASPHALTIC SHOULDERS | STA | TACK COAT | ASPHALTIC SURFACE | | |
| | | | | | SY | LF | SY | LF | TON | TON |
| 0010 | 651+95 | - | 655+10 | EB SHOULDER, RT | 5 | 36 | 121 | | | |
| | 653+50 | - | 664+08 | EB SHOULDER, LT | 12 | 123 | 412 | | | |
| | 654+51 | - | 664+20 | EB SHOULDER, RT | 11 | 106 | 356 | | | |
| | 652+75 RP | - | 661+25 RP | WB ON RAMP SHOULDER, LT | 9 | 95 | 317 | | | |
| | 655+04 | - | 664+12 | WB SHOULDER, RT | 10 | 103 | 345 | | | |
| | 666+07 | - | 668+17 | EB SHOULDER, LT | 3 | 26 | 85 | | | |
| | 666+10 | - | 668+20 | WB SHOULDER, RT | 3 | 24 | 79 | | | |
| | 670+51 | - | 675+44 | EB SHOULDER, LT | 6 | 63 | 210 | | | |
| | 670+53 | - | 675+46 | WB SHOULDER, RT | 6 | 58 | 193 | | | |
| | 687+44 | - | 690+10 | EB SHOULDER, LT | 4 | 33 | 110 | | | |
| | | | | B-55-0126 APPROACH (WEST SIDE) | -- | -- | 2 | | | |
| | | | | TOTAL 0010 | 69 | 667 | 2,230 | | | |

* QUANTITIES LOCATED ELSEWHERE IN THE PLAN.

PROJECT NO: 1020-00-80 **HWY: IH 94** **COUNTY: ST CROIX**

EARTHWORK

| DESCRIPTION | FROM/TO STATION | LOCATION | 205.0100 COMMON EXCAVATION (1) | | SALVAGED/UNUSABLE PAVEMENT MATERIAL (4) | AVAILABLE PAVEMENT MATERIAL (5) | EXPANDED FILL (13) FACTOR | MASS ORDINATE +/- (14) | WASTE (15) |
|---------------------------------|-----------------|----------------------------|--------------------------------|----------------|---|---------------------------------|---------------------------|------------------------|------------|
| | | | CUT | EBS EXCAVATION | | | | | |
| | | | | | | | | | |
| TEMPORARY WIDENING REMOVAL | 653+00/661+23 | STH 35-58 TO IH 94 WB RAMP | 29 | 0 | 5 | 24 | 1.30 | 11 | |
| | | SUBTOTAL | 29 | 0 | 5 | 24 | 1.30 | 11 | |
| TEMPORARY WIDENING CONSTRUCTION | 652+77/661+25 | STH 35-58 TO IH 94 WB RAMP | 182 | 0 | 13 | 169 | 39 | 130 | |
| | | SUBTOTAL | 182 | 0 | 13 | 169 | 39 | 130 | |
| GRAND TOTAL | | TOTAL COMMON EXC | 211 | 0 | 18 | 193 | 52 | 141 | |

CONCRETE PAVEMENT

| DESCRIPTION | FROM/TO STATION | LOCATION | CONCRETE PAVEMENT | | CONCRETE PAVEMENT APPROACH SLAB | DRILLED TIE BARS | DRILLED DOWEL BARS | INTEGRAL INCH TYPE J |
|-------------|-----------------|----------|-----------------------|-----------------------|---------------------------------|-----------------------|--------------------|------------------------|
| | | | SY | LF | | | | |
| | | | 415.0120 | 415.0410 | 415.0610 | 416.0620 | 601.0454 | |
| | | | CONCRETE PAVEMENT | CONCRETE PAVEMENT | CONCRETE PAVEMENT APPROACH SLAB | DRILLED TIE BARS | DRILLED DOWEL BARS | CONCRETE CURB & GUTTER |
| | | | 12-INCH | 12-INCH | 12-INCH | EACH | EACH | EACH |
| | | | 188 | 80 | 60 | 53 | -- | -- |
| | | | B-55-0126 (EAST SIDE) | B-55-0061 (EAST SIDE) | B-55-0126 (WEST SIDE) | B-55-0061 (WEST SIDE) | 60 | 7 |
| | | | 33 | 82 | 35 | 46 | -- | -- |
| | | | -- | 27 | -- | -- | -- | -- |
| | | | -- | 31 | -- | -- | -- | -- |
| | | | TOTAL 0010 | 221 | 220 | 95 | 99 | 7 |

NOTES:
 (1) CUT INCLUDES SALVAGED/UNUSABLE PAVEMENT MATERIAL
 (3) FILL DOES NOT INCLUDE UNUSABLE PAVEMENT EXC VOLUME
 (4) SALVAGED/UNUSABLE PAVEMENT MATERIAL DOES NOT SHOW UP IN CROSS SECTIONS
 (5) AVAILABLE MATERIAL = CUT - SALVAGED/UNUSABLE PAVEMENT MATERIAL
 (13) EXPANDED FILL FACTOR = 0
 EXPANDED FILL = UNEXPANDED FILL * FILL FACTOR

**Addendum No. 03
ID 1020-00-80
Revised Sheet 48
April 4, 2025**

* QUANTITIES LOCATED ELSEWHERE IN THE PLAN.

BASE AGGREGATE DENSE

| CATEGORY | STATION | TO | STATION | LOCATION | 305.0110 | | 305.0120 | | 650.5000 | |
|----------|-----------|----|-----------|-----------------------------------|-------------------------------|---------------------------------|---------------------------|---|------------|---|
| | | | | | BASE AGGREGATE DENSE 3/4-INCH | BASE AGGREGATE DENSE 1 1/4-INCH | CONSTRUCTION STAKING BASE | FINISHING ROADWAY (PROJECT) 01.1020-00-80 | | |
| | | | | | TON | TON | TON | TON | PROJECT ID | EACH |
| | 651+94 | - | 655+09 | IH 94 EB, RT | 12 | 40 | 40 | -- | -- | 213.0100.01 |
| | 653+50 | - | 664+13 | IH 94 EB, LT | -- | 136 | 136 | -- | -- | FINISHING ROADWAY (PROJECT) 01.1020-00-80 |
| | 654+51 | - | 664+08 | IH 94 EB, RT | 36 | 118 | 118 | -- | -- | EACH |
| | 652+78 RP | - | 661+26 RP | IH 94 WB ON RAMP, LT | 33 | 314 | 314 | 850 | 1020-00-80 | 1 |
| | 655+04 | - | 664+12 | IH 94 WB, RT | -- | 114 | 114 | -- | -- | 1 |
| | 666+07 | - | 668+17 | IH 94 EB, LT | -- | 28 | 28 | -- | -- | 1 |
| | 666+10 | - | 668+19 | IH 94 WB, RT | -- | 26 | 26 | -- | -- | 1 |
| | 670+52 | - | 675+44 | IH 94 EB, LT | -- | 70 | 70 | -- | -- | 1 |
| | 670+53 | - | 675+47 | IH 94 WB, RT | -- | 64 | 64 | -- | -- | 1 |
| | 687+42 | - | 690+11 | IH 94 EB, LT | -- | 37 | 37 | -- | -- | 1 |
| | 652+78 RP | - | 661+26 RP | FINAL SHOULDER | 33 | 8 | 8 | -- | -- | 1 |
| | | | | APPROACH SLAB AREAS UNDISTRIBUTED | -- | 55 | 55 | -- | -- | 1 |
| | | | | | 12 | 51 | 51 | -- | -- | 1 |
| | | | | TOTAL 0010 | 126 | 1,061 | 850 | | | |

NOTE: ASSUMED 2" OF BASE AGGREGATE DENSE 1 1/4 - INCH FOR PAVEMENT REPLACEMENT AREAS AS NEEDED.

PROJECT NO: 1020-00-80 **HWY: IH 94** **COUNTY: ST CROIX** **MISCELLANEOUS QUANTITIES** **SHEET 48**

ALL ITEMS ON THIS SHEET ARE CATEGORY 0010 UNLESS OTHERWISE NOTED


GENERAL NOTES

DRAWINGS SHALL NOT BE SCALED.
 BAR STEEL REINFORCEMENT SHALL BE EMBEDDED 2" CLEAR UNLESS OTHERWISE SHOWN OR NOTED.
 THE FIRST OR FIRST TWO DIGITS OF THE BAR MARK SIGNIFIES THE BAR SIZE.
 BEVEL EXPOSED EDGES OF CONCRETE 1/4" UNLESS OTHERWISE NOTED.
 DIMENSIONS SHOWN ARE BASED ON THE ORIGINAL STRUCTURE PLANS.
 ALL CONCRETE REMOVAL SHALL BE DEFINED BY A 1" DEEP SAW CUT UNLESS SHOWN OR NOTED OTHERWISE.
 AFTER FABRICATION, BUT BEFORE SHIPMENT, STRAIGHTEN STEEL EXTRUSIONS SUCH THAT THEY SHALL BE FREE FROM WARP, TWIST, AND SWEEP.
 NO EXPANSION JOINT PROTRUSIONS PERMITTED ABOVE ROADWAY SURFACE, ON PARAPET ROADWAY FACE OR ABOVE SIDEWALK SURFACE (FOR WALKED SIDEWALKS).
 THE EXPANSION JOINT SEALS SHALL BE PLACED, BONDED, AND SEALED AS RECOMMENDED BY THE MANUFACTURER. FORM WORK SHALL BE PLACED BETWEEN THE SUPPORT BOXES TO PREVENT CONCRETE INTRUSION INTO THE SUPPORT BOX. A TECHNICAL CONSULTANT SHALL BE CONSULTED PRIOR TO SETTING THE JOINT ASSEMBLY INTO POSITION. THE PROJECT ENGINEER SHALL DETERMINE THE PROPER JOINT OPENING.
 EXPANSION JOINT EXTRUSIONS SHALL BE FABRICATED TO CONFORM TO ROADWAY CROWN AND GRADE. APPLICATION OF MEANS OF KEEPING GALVANIZED EXTRUSIONS CLEAN AND FREE FROM OILING, SHIPMENT AND PRIOR TO APPLYING LUBRICANT ADHESIVE FOR NEOPRENE GLAND INSTALLATION.
 ALL MATERIAL IN THE EXPANSION JOINT ASSEMBLY, INCLUDING ANCHOR STUDS, PARAPET PLATES, SIDEWALK PLATES, AND HARDWARE SHALL BE PAID AT THE UNIT PRICE FOR STP "EXPANSION DEVICE MODULAR", LF.
 FABRICATOR SHALL PROVIDE MEANS OF KEEPING GALVANIZED EXTRUSIONS AND SMOOTH DURING SHIPMENT AND PRIOR TO APPLYING LUBRICANT ADHESIVE FOR NEOPRENE GLAND INSTALLATION.
 SANDBLAST PLATES, SUPPORTS AND EXTRUSIONS AFTER FABRICATION IN ACCORDANCE WITH SFC § 9.06 "COMMERCIAL BLAST CLEANING". AFTER BLAST CLEANING, THE PLATES, SUPPORTS AND EXTRUSIONS SHALL BE HOT DIPPED GALVANIZED, SLIP-RESISTANT SURFACE IS APPLIED TO SIDEWALK COVER PLATES BY THE MANUFACTURER AND THEN HOT DIPPED GALVANIZED TO THEIR RECOMMENDATIONS TO MAINTAIN THE INTEGRITY OF THIS SURFACE.
 ALL MATERIAL IN EXPANSION JOINT ASSEMBLY, INCLUDING ANCHOR STUDS AND HARDWARE SHALL BE PAID AT THE UNIT PRICE BID FOR "EXPANSION DEVICE", LF.
 BLASTING, DECK SURFACE PREPARATIONS, AND TRANSITIONAL AREAS ARE INCLUDED IN THE BID ITEM "POLYMER OVERLAY".
 ALL EXISTING STRUCTURAL STEEL 25- FEET FROM WEST ABUTMENT AND 12- FEET FROM THE EAST ABUTMENT, AND ALL EXISTING STRUCTURAL STEEL 25- FEET EAST OF THE END AND 12- FEET WEST OF THE HINGE SHALL BE PAINTED. THE COLOR OF EPOXY SHALL BE 20059.
 UTILIZE EXISTING BAR STEEL REINFORCING WHERE SHOWN AND EXTEND 24 BAR DIAMETERS INTO NEW WORK, UNLESS SPECIFIED OTHERWISE.
 AFTER CLEANING THE EXISTING PARAPETS, APPLY PIGMENTED SURFACE SEALER TO THE TOP AND INSIDE FACES. BOTH SHALL BE DONE TO THE SATISFACTION OF THE ENGINEER.
 EXISTING BEARINGS TO BE CLEANED AND PAINTED AT ABUTMENTS.
 CLEAN AND PAINT KNEE BRACES AT OVERHEAD SIGN STRUCTURES.

TOTAL ESTIMATED QUANTITIES

| BID ITEM NUMBER | BID ITEMS | UNIT | TOTALS |
|-----------------|--|------|------------|
| 203.0270 | REMOVING STRUCTURE OVER WATERWAY DEBRIS CAPTURE (B-55-126) | EACH | 1 |
| 203.0335 | DEBRIS CONTAINMENT OVER WATERWAY (B-55-126) | EACH | 1 |
| 502.0100 | CONCRETE MASONRY BRIDGES | CY | 79 |
| 502.3111.S | EXPANSION DEVICE MODULAR | LF | 240 |
| 502.3219 | PIGMENTED SURFACE SEALER | SF | 3,530 |
| 502.3105 | ADHESIVE ANCHORS 5/8" INCH | EACH | 3,444 |
| 502.3205 | ADHESIVE ANCHORS NO.5 BARS | EACH | 1,627 |
| 505.0600 | BAR STEEL REINFORCEMENT HIS COATED STRUCTURES | LB | 13,680 |
| 509.0301 | PREPARATION DECKS TYPE 1 | SF | 405 |
| 509.0310.S | SAWING PAVEMENT DECK PREPARATION AREAS | LF | 241 |
| 509.1000 | JOINT REPAIR | SF | 160 |
| 509.1500 | CONCRETE SURFACE REPAIR | SF | 200 |
| 509.2100.S | CONCRETE MASONRY DECK REPAIR | CY | 23 |
| 509.5100.S | POLYMER OVERLAY | SF | 18,000 |
| 509.5015.S | REMOVING POLYMER OVERLAY (B-55-126) | SF | 18,000 |
| 509.5050.S | CLEANING PARAPETS | LF | 71.25 |
| 513.7011 | RAILING STEEL TYPE C2 | LF | 2,382 |
| 517.0901.S | PREPARATION AND COATING OF TOP FLANGES B-55-126 | EACH | 1 |
| 517.3001.S | STRUCTURE OVERCOATING CLEANING AND PRIMING B-55-126 | EACH | 1 |
| 517.4001.S | CONTAINMENT AND COLLECTION OF WASTE MATERIALS B-55-126 | EACH | 1 |
| 517.6001.S | PORTABLE DECONTAMINATION FACILITY | EACH | 1 |
| 614.0150 | ANCHOR ASSEMBLIES FOR STEEL PLATE BEAM GUARD | EACH | 2 |
| 628.7010 | INLET PROTECTION TYPE B | EACH | 10 |
| 652.0220 | CONDUIT RIGID NONMETALLIC SCHEDULE 40 1.1/2- INCH | LF | 54 |
| 652.0225 | CONDUIT RIGID NONMETALLIC SCHEDULE 40 2- INCH | LF | 54 |
| 690.0250 | SAWING CONCRETE | LF | 160 |
| SPV.0060 | CLEANING AND PAINTING ABUTMENT BEARINGS B-55-126 | EACH | 14 |
| | NON-BID ITEMS | SIZE | 3/4", 3/8" |
| | FILLER | | |

STATE PROJECT NUMBER
1020-00-80
 MN S.P. 8281-06



PIGMENTED SURFACE SEALER DETAIL

1. CONCRETE SURFACE REPAIR UNDISTRIBUTED FOR ABUTMENTS, WINGS, PARAPETS, AND DECK CAP, OR AS DIRECTED BY THE ENGINEER.
 ** PREPARATION DECKS TYPE 1, PREPARATION DECKS TYPE 2, AND FULL-DEPTH CONCRETE REPAIR SHALL BE DONE TO THE SATISFACTION OF THE ENGINEER. DECK PREPARATION AND FULL-DEPTH DECK REPAIRS SHALL BE FILLED WITH "CONCRETE MASONRY DECK REPAIR".

[Signature]
 04/04/2025



04/04/2025

Addendum No. 03
 ID 1020-00-80
 Revised Sheet 207
 April 4, 2025

| NO. | DATE | REVISION | BY |
|-----|-----------|------------------|-------|
| 3 | 4/4/2025 | ANCHOR QUANTITY | AYRES |
| 2 | 3/31/2025 | ADHESIVE ANCHORS | AYRES |
| 1 | 3/26/2025 | REVISED NOTE | AYRES |

STATE OF WISCONSIN
 DEPARTMENT OF TRANSPORTATION

STRUCTURE B-55-126 MN 82800


DESIGNED BY: [Signature] DRS
 CHECKED BY: [Signature] AEB

GENERAL NOTES & QUANTITIES


SHEET 3 OF 15

207

STATE PROJECT NUMBER
1020-00-80
 MN S.P. 8281-06



SECTION THRU PARAPET



ELEVATION OF RAILING

[Signature]
 04/04/2025

Addendum No. 03
 ID 1020-00-80
 Revised Sheet 217
 April 4, 2025



04/04/2025

| | | | |
|---|-----------|------------------|-------------|
| 3 | 4/4/2025 | PICKET SPACING | AYRES |
| 2 | 3/31/2025 | ADHESIVE ANCHORS | AYRES |
| NO. | DATE | REVISION | BY |
| STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION STRUCTURES DESIGN SECTION | | | |
| STRUCTURE | | B-55-126 | MN 82800 |
| DESIGNED BY | DRAWN BY | CHECKED BY | APPROVED BY |

COMBINATION
 RAILINGS TYPE C2

SHEET 13 OF 15

217

SCALE = 2.00



Proposal Schedule of Items

Proposal ID: 20250408020 Project(s): 1020-00-80

Federal ID(s): WISC 2025121

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

| Proposal Line Number | Item ID Description | Approximate Quantity and Units | Unit Price | Bid Amount |
|----------------------|--|--------------------------------|------------|------------|
| 0002 | 203.0220 Removing Structure (structure) 01. R-55-21 | 1.000 EACH | _____. | _____. |
| 0004 | 203.0270 Removing Structure Over Waterway Debris Capture (structure) 01. B-55-61 | 1.000 EACH | _____. | _____. |
| 0006 | 203.0270 Removing Structure Over Waterway Debris Capture (structure) 02. B-55-126 | 1.000 EACH | _____. | _____. |
| 0008 | 203.0335 Debris Containment Over Waterway (structure) 01. B-55-61 | 1.000 EACH | _____. | _____. |
| 0010 | 203.0335 Debris Containment Over Waterway (structure) 02. B-55-126 | 1.000 EACH | _____. | _____. |
| 0012 | 204.0100 Removing Concrete Pavement | 440.000 SY | _____. | _____. |
| 0014 | 204.0110 Removing Asphaltic Surface | 8,028.000 SY | _____. | _____. |
| 0016 | 204.0150 Removing Curb & Gutter | 173.000 LF | _____. | _____. |
| 0018 | 204.0165 Removing Guardrail | 317.000 LF | _____. | _____. |
| 0020 | 204.0175 Removing Concrete Slope Paving | 150.000 SY | _____. | _____. |
| 0022 | 205.0100 Excavation Common | 211.000 CY | _____. | _____. |
| 0024 | 206.1001 Excavation for Structures Bridges (structure) 01. B-55-61 | 1.000 EACH | _____. | _____. |
| 0026 | 206.3001 Excavation for Structures Retaining Walls (structure) 01. R-55-29 | 1.000 EACH | _____. | _____. |
| 0028 | 210.1500 Backfill Structure Type A | 410.000 TON | _____. | _____. |



Proposal Schedule of Items

Proposal ID: 20250408020 Project(s): 1020-00-80

Federal ID(s): WISC 2025121

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

| Proposal Line Number | Item ID Description | Approximate Quantity and Units | Unit Price | Bid Amount |
|----------------------|---|--------------------------------|------------|------------|
| 0030 | 211.0400 Prepare Foundation for Asphaltic Shoulders | 69.000 STA | _____. | _____. |
| 0032 | 213.0100 Finishing Roadway (project) 01. 1020-00-80 | 1.000 EACH | _____. | _____. |
| 0034 | 305.0110 Base Aggregate Dense 3/4-Inch | 146.000 TON | _____. | _____. |
| 0036 | 305.0120 Base Aggregate Dense 1 1/4-Inch | 1,181.000 TON | _____. | _____. |
| 0038 | 305.0502.S Shaping Roadway | 8.000 STA | _____. | _____. |
| 0040 | 415.0120 Concrete Pavement 12-Inch | 221.000 SY | _____. | _____. |
| 0042 | 415.0410 Concrete Pavement Approach Slab | 220.000 SY | _____. | _____. |
| 0044 | 416.0610 Drilled Tie Bars | 165.000 EACH | _____. | _____. |
| 0046 | 416.0620 Drilled Dowel Bars | 99.000 EACH | _____. | _____. |
| 0048 | 455.0605 Tack Coat | 703.000 GAL | _____. | _____. |
| 0050 | 465.0105 Asphaltic Surface | 2,353.000 TON | _____. | _____. |
| 0054 | 465.0510 Asphaltic Rumble Strips, Shoulder Divided Roadway | 5,365.000 LF | _____. | _____. |
| 0056 | 502.0100 Concrete Masonry Bridges | 244.000 CY | _____. | _____. |
| 0058 | 502.3101 Expansion Device | 125.000 LF | _____. | _____. |
| 0060 | 502.3111.S Expansion Device Modular | 428.000 LF | _____. | _____. |



Proposal Schedule of Items

Proposal ID: 20250408020 Project(s): 1020-00-80

Federal ID(s): WISC 2025121

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

| Proposal Line Number | Item ID Description | Approximate Quantity and Units | Unit Price | Bid Amount |
|----------------------|---|--------------------------------|------------|------------|
| 0062 | 502.3210 Pigmented Surface Sealer | 5,985.000 SY | _____. | _____. |
| 0064 | 502.4205 Adhesive Anchors No. 5 Bar | 395.000 EACH | _____. | _____. |
| 0066 | 505.0600 Bar Steel Reinforcement HS Coated Structures | 32,360.000 LB | _____. | _____. |
| 0068 | 509.0301 Preparation Decks Type 1 | 520.000 SY | _____. | _____. |
| 0070 | 509.0310.S Sawing Pavement Deck Preparation Areas | 371.000 LF | _____. | _____. |
| 0072 | 509.1000 Joint Repair | 341.000 SY | _____. | _____. |
| 0074 | 509.1500 Concrete Surface Repair | 560.000 SF | _____. | _____. |
| 0076 | 509.2100.S Concrete Masonry Deck Repair | 30.000 CY | _____. | _____. |
| 0078 | 509.5100.S Polymer Overlay | 33,835.000 SY | _____. | _____. |
| 0080 | 509.9015.S Removing Polymer Overlay (structure) 01. B-55-61 | 15,835.000 SY | _____. | _____. |
| 0082 | 509.9015.S Removing Polymer Overlay (structure) 02. B-55-126 | 18,000.000 SY | _____. | _____. |
| 0084 | 509.9050.S Cleaning Parapets | 11,875.000 LF | _____. | _____. |
| 0086 | 511.1200 Temporary Shoring (structure) 01. B-55-61 | 815.000 SF | _____. | _____. |
| 0088 | 511.1200 Temporary Shoring (structure) 02. R-55-29 | 3,860.000 SF | _____. | _____. |



Proposal Schedule of Items

Proposal ID: 20250408020 Project(s): 1020-00-80

Federal ID(s): WISC 2025121

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

| Proposal Line Number | Item ID Description | Approximate Quantity and Units | Unit Price | Bid Amount |
|----------------------|--|--------------------------------|------------|------------|
| 0090 | 513.7011 Railing Steel Type C2 | 2,382.000 LF | _____. | _____. |
| 0092 | 516.0500 Rubberized Membrane Waterproofing | 18.000 SY | _____. | _____. |
| 0094 | 517.0901.S Preparation and Coating of Top Flanges (structure) 01. B-55-61 | 1.000 EACH | _____. | _____. |
| 0096 | 517.0901.S Preparation and Coating of Top Flanges (structure) 02. B-55-126 | 1.000 EACH | _____. | _____. |
| 0098 | 517.3001.S Structure Overcoating Cleaning and Priming (structure) 01. B-55-61 | 1.000 EACH | _____. | _____. |
| 0100 | 517.3001.S Structure Overcoating Cleaning and Priming (structure) 02. B-55-126 | 1.000 EACH | _____. | _____. |
| 0102 | 517.4001.S Containment and Collection of Waste Materials (structure) 01. B-55-61 | 1.000 EACH | _____. | _____. |
| 0104 | 517.4001.S Containment and Collection of Waste Materials (structure) 02. B-55-126 | 1.000 EACH | _____. | _____. |
| 0106 | 517.6001.S Portable Decontamination Facility | 2.000 EACH | _____. | _____. |
| 0108 | 601.0454 Concrete Curb & Gutter Integral 30-Inch Type J | 7.000 LF | _____. | _____. |
| 0110 | 601.0555 Concrete Curb & Gutter 6-Inch Sloped 36-Inch Type A | 176.000 LF | _____. | _____. |
| 0112 | 603.8000 Concrete Barrier Temporary Precast Delivered | 20,911.000 LF | _____. | _____. |
| 0114 | 603.8125 Concrete Barrier Temporary Precast Installed | 26,645.000 LF | _____. | _____. |



Proposal Schedule of Items

Proposal ID: 20250408020 Project(s): 1020-00-80

Federal ID(s): WISC 2025121

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

| Proposal Line Number | Item ID Description | Approximate Quantity and Units | Unit Price | Bid Amount |
|----------------------|---|--------------------------------|------------|------------|
| 0116 | 604.0400 Slope Paving Concrete | 230.000 SY | _____. | _____. |
| 0118 | 611.8115 Adjusting Inlet Covers | 3.000 EACH | _____. | _____. |
| 0120 | 612.0206 Pipe Underdrain Unperforated 6-Inch | 180.000 LF | _____. | _____. |
| 0122 | 612.0406 Pipe Underdrain Wrapped 6-Inch | 700.000 LF | _____. | _____. |
| 0124 | 614.0150 Anchor Assemblies for Steel Plate Beam Guard 01. B-55-61 | 2.000 EACH | _____. | _____. |
| 0126 | 614.0150 Anchor Assemblies for Steel Plate Beam Guard 02. B-55-0126 | 2.000 EACH | _____. | _____. |
| 0128 | 614.0905 Crash Cushions Temporary | 2.000 EACH | _____. | _____. |
| 0130 | 614.2300 MGS Guardrail 3 | 225.000 LF | _____. | _____. |
| 0132 | 614.2500 MGS Thrie Beam Transition | 39.000 LF | _____. | _____. |
| 0134 | 614.2610 MGS Guardrail Terminal EAT | 1.000 EACH | _____. | _____. |
| 0136 | 614.2620 MGS Guardrail Terminal Type 2 | 2.000 EACH | _____. | _____. |
| 0138 | 618.0100 Maintenance and Repair of Haul Roads (project) 01. 1020-00-80 | 1.000 EACH | _____. | _____. |
| 0140 | 619.1000 Mobilization | 1.000 EACH | _____. | _____. |
| 0142 | 625.0100 Topsoil | 1,615.000 SY | _____. | _____. |
| 0144 | 628.1504 Silt Fence | 1,975.000 LF | _____. | _____. |



Proposal Schedule of Items

Proposal ID: 20250408020 Project(s): 1020-00-80

Federal ID(s): WISC 2025121

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

| Proposal Line Number | Item ID Description | Approximate Quantity and Units | Unit Price | Bid Amount |
|----------------------|---|--------------------------------|------------|------------|
| 0146 | 628.1520 Silt Fence Maintenance | 1,975.000 LF | _____. | _____. |
| 0148 | 628.1905 Mobilizations Erosion Control | 1.000 EACH | _____. | _____. |
| 0150 | 628.1910 Mobilizations Emergency Erosion Control | 3.000 EACH | _____. | _____. |
| 0152 | 628.2008 Erosion Mat Urban Class I Type B | 400.000 SY | _____. | _____. |
| 0154 | 628.7010 Inlet Protection Type B | 40.000 EACH | _____. | _____. |
| 0156 | 628.7570 Rock Bags | 260.000 EACH | _____. | _____. |
| 0158 | 629.0205 Fertilizer Type A | 1.200 CWT | _____. | _____. |
| 0160 | 630.0120 Seeding Mixture No. 20 | 72.000 LB | _____. | _____. |
| 0162 | 630.0200 Seeding Temporary | 23.000 LB | _____. | _____. |
| 0164 | 630.0500 Seed Water | 38.000 MGAL | _____. | _____. |
| 0166 | 633.1100 Delineators Temporary | 20.000 EACH | _____. | _____. |
| 0168 | 638.2102 Moving Signs Type II | 1.000 EACH | _____. | _____. |
| 0170 | 638.4000 Moving Small Sign Supports | 1.000 EACH | _____. | _____. |
| 0172 | 642.5001 Field Office Type B | 1.000 EACH | _____. | _____. |
| 0174 | 643.0300 Traffic Control Drums | 45,175.000 DAY | _____. | _____. |
| 0176 | 643.0420 Traffic Control Barricades Type III | 1,150.000 DAY | _____. | _____. |



Proposal Schedule of Items

Proposal ID: 20250408020 Project(s): 1020-00-80

Federal ID(s): WISC 2025121

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

| Proposal Line Number | Item ID Description | Approximate Quantity and Units | Unit Price | Bid Amount |
|----------------------|---|--------------------------------|------------|------------|
| 0178 | 643.0500 Traffic Control Flexible Tubular Marker Posts | 440.000 EACH | _____. | _____. |
| 0180 | 643.0600 Traffic Control Flexible Tubular Marker Bases | 440.000 EACH | _____. | _____. |
| 0182 | 643.0650.S Traffic Channelizing Curb System | 825.000 LF | _____. | _____. |
| 0184 | 643.0705 Traffic Control Warning Lights Type A | 1,695.000 DAY | _____. | _____. |
| 0186 | 643.0715 Traffic Control Warning Lights Type C | 5,640.000 DAY | _____. | _____. |
| 0188 | 643.0800 Traffic Control Arrow Boards | 204.000 DAY | _____. | _____. |
| 0190 | 643.0900 Traffic Control Signs | 21,490.000 DAY | _____. | _____. |
| 0192 | 643.0910 Traffic Control Covering Signs Type I | 6.000 EACH | _____. | _____. |
| 0194 | 643.0920 Traffic Control Covering Signs Type II | 7.000 EACH | _____. | _____. |
| 0196 | 643.1000 Traffic Control Signs Fixed Message | 357.000 SF | _____. | _____. |
| 0198 | 643.1050 Traffic Control Signs PCMS | 400.000 DAY | _____. | _____. |
| 0200 | 643.1205.S Basic Traffic Queue Warning System | 400.000 DAY | _____. | _____. |
| 0202 | 643.3150 Temporary Marking Line Removable Tape 4-Inch | 1,181.000 LF | _____. | _____. |
| 0204 | 643.3165 Temporary Marking Line Paint 6-Inch | 70,758.000 LF | _____. | _____. |
| 0206 | 643.3180 Temporary Marking Line Removable Tape 6-Inch | 40,151.000 LF | _____. | _____. |



Proposal Schedule of Items

Proposal ID: 20250408020 Project(s): 1020-00-80

Federal ID(s): WISC 2025121

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

| Proposal Line Number | Item ID Description | Approximate Quantity and Units | Unit Price | Bid Amount |
|----------------------|--|--------------------------------|------------|------------|
| 0208 | 643.3265 Temporary Marking Line Paint 10-Inch | 6,108.000 LF | _____. | _____. |
| 0210 | 643.3280 Temporary Marking Line Removable Tape 10-Inch | 3,443.000 LF | _____. | _____. |
| 0212 | 643.5000 Traffic Control | 1.000 EACH | _____. | _____. |
| 0214 | 644.1810 Temporary Pedestrian Barricade | 20.000 LF | _____. | _____. |
| 0216 | 645.0111 Geotextile Type DF Schedule A | 1,090.000 SY | _____. | _____. |
| 0218 | 646.2020 Marking Line Epoxy 6-Inch | 16,520.000 LF | _____. | _____. |
| 0220 | 646.2025 Marking Line Grooved Black Epoxy 6-Inch | 3,870.000 LF | _____. | _____. |
| 0222 | 646.2040 Marking Line Grooved Wet Ref Epoxy 6-Inch | 14,210.000 LF | _____. | _____. |
| 0224 | 646.2041.S Marking Replace Line Wet Reflective Epoxy 6-inch | 4,966.000 LF | _____. | _____. |
| 0226 | 646.2050 Marking Line Grooved Permanent Tape 6-Inch | 3,870.000 LF | _____. | _____. |
| 0228 | 646.4020 Marking Line Epoxy 10-Inch | 3,364.000 LF | _____. | _____. |
| 0230 | 646.4025 Marking Line Grooved Black Epoxy 10-Inch | 1,239.000 LF | _____. | _____. |
| 0232 | 646.4040 Marking Line Grooved Wet Ref Epoxy 10-Inch | 2,257.000 LF | _____. | _____. |
| 0234 | 646.4050 Marking Line Grooved Permanent Tape 10-Inch | 1,239.000 LF | _____. | _____. |



Proposal Schedule of Items

Proposal ID: 20250408020 Project(s): 1020-00-80

Federal ID(s): WISC 2025121

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

| Proposal Line Number | Item ID Description | Approximate Quantity and Units | Unit Price | Bid Amount |
|----------------------|--|--------------------------------|------------|------------|
| 0236 | 646.7220 Marking Chevron Epoxy 24-Inch | 460.000 LF | _____. | _____. |
| 0238 | 646.9010 Marking Removal Line Water Blasting 4-Inch | 18,194.000 LF | _____. | _____. |
| 0240 | 646.9012 Marking Removal Line Water Blasting 6-Inch | 4,453.000 LF | _____. | _____. |
| 0242 | 646.9110 Marking Removal Line Water Blasting 8-Inch | 4,696.000 LF | _____. | _____. |
| 0244 | 646.9112 Marking Removal Line Water Blasting 10-Inch | 2,031.000 LF | _____. | _____. |
| 0246 | 650.5000 Construction Staking Base | 1,550.000 LF | _____. | _____. |
| 0248 | 650.6501 Construction Staking Structure Layout (structure) 01. R-55-29 | 1.000 EACH | _____. | _____. |
| 0250 | 650.7500 Construction Staking Concrete Barrier | 1,789.000 LF | _____. | _____. |
| 0252 | 650.9911 Construction Staking Supplemental Control (project) 01. 1020-00-80 | 1.000 EACH | _____. | _____. |
| 0254 | 650.9920 Construction Staking Slope Stakes | 850.000 LF | _____. | _____. |
| 0256 | 652.0210 Conduit Rigid Nonmetallic Schedule 40 1-Inch | 26.000 LF | _____. | _____. |
| 0258 | 652.0220 Conduit Rigid Nonmetallic Schedule 40 1 1/2-Inch | 80.000 LF | _____. | _____. |
| 0260 | 652.0225 Conduit Rigid Nonmetallic Schedule 40 2-Inch | 80.000 LF | _____. | _____. |
| 0262 | 690.0150 Sawing Asphalt | 10,530.000 LF | _____. | _____. |



Proposal Schedule of Items

Proposal ID: 20250408020 Project(s): 1020-00-80

Federal ID(s): WISC 2025121

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

| Proposal Line Number | Item ID Description | Approximate Quantity and Units | Unit Price | Bid Amount |
|----------------------|---|--------------------------------|------------|------------|
| 0264 | 690.0250 Sawing Concrete | 521.000 LF | _____ | _____ |
| 0266 | 715.0502 Incentive Strength Concrete Structures | 1,464.000 DOL | 1.00000 | 1,464.00 |
| 0268 | 715.0720 Incentive Compressive Strength Concrete Pavement | 500.000 DOL | 1.00000 | 500.00 |
| 0270 | 999.2000.S Installing and Maintaining Bird Deterrent System (station) 01. STA 636+10WB | 1.000 EACH | _____ | _____ |
| 0272 | 999.2000.S Installing and Maintaining Bird Deterrent System (station) 02. STA 636+10EB | 1.000 EACH | _____ | _____ |
| 0274 | ASP.1T0A On-the-Job Training Apprentice at \$5.00/HR | 2,400.000 HRS | 5.00000 | 12,000.00 |
| 0276 | ASP.1T0G On-the-Job Training Graduate at \$5.00/HR | 2,000.000 HRS | 5.00000 | 10,000.00 |
| 0278 | SPV.0060 Special 01. Pedestrian Shuttle Service | 1.000 EACH | _____ | _____ |
| 0280 | SPV.0060 Special 02. Lighting Repair | 8.000 EACH | _____ | _____ |
| 0282 | SPV.0060 Special 03. Cleaning and Painting Bearings B-55-61 | 12.000 EACH | _____ | _____ |
| 0284 | SPV.0060 Special 04. Cleaning and Painting Bearings B-55-126 | 14.000 EACH | _____ | _____ |
| 0286 | SPV.0060 Special 05. Removing and Resetting Railing R-55-29 | 1.000 EACH | _____ | _____ |
| 0288 | SPV.0090 Special 01. Glare Screens Temporary | 12,700.000 LF | _____ | _____ |
| 0290 | SPV.0090 Special 02. Remove, Store, and Reinstall DOT Owned Concrete Barrier Precast | 1,789.000 LF | _____ | _____ |



Proposal Schedule of Items

Proposal ID: 20250408020 Project(s): 1020-00-80

Federal ID(s): WISC 2025121

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

| Proposal Line Number | Item ID Description | Approximate Quantity and Units | Unit Price | Bid Amount |
|----------------------|---|--------------------------------|-------------------|------------|
| 0292 | SPV.0090 Special 03. Fill and Restore Existing Concrete Rumble Strips | 7,556.000 LF | _____. | _____. |
| 0294 | SPV.0090 Special 04. Marking Line Grooved Wet Reflective Contrast Tape 10-Inch | 2,031.000 LF | _____. | _____. |
| 0296 | SPV.0090 Special 05. Marking Replace Line Contrast Permanent Tape 4-Inch | 1,180.000 LF | _____. | _____. |
| 0298 | SPV.0165 Special 01. Wall Modular Block Mechanically Stabilized Earth R-55-29 | 3,450.000 SF | _____. | _____. |
| 0300 | 502.4105 Adhesive Anchors 5/8-inch | 964.000 EACH | _____. | _____. |
| 0302 | SPV.0165 Special 02. Wall Modular Block Gravity R-55-29 | 835.000 SF | _____. | _____. |
| Section: 0001 | | | Total: | _____. |
| | | | Total Bid: | _____. |

