



Wisconsin Department of Transportation

January 6, 2026

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #47: 7878-03-70
WCL - Menomonie
Irving Creek Bridge B-17-0238
CTH P
Dunn County

Letting of January 13, 2026

This is Addendum No. 01, which provides for the following:

Special Provisions:

Revised Special Provisions	
Article No.	Description
6	Utilities

Plan Sheets:

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
11	Plan and Profile: utility locations from Station 9+40 to Station 13+00 revised
40	Cross Sections 01: utility locations from Station 9+40 to Station 13+00 revised
41	Cross Sections 02: utility locations from Station 9+40 to Station 13+00 revised
42	Cross Sections 03: utility locations from Station 9+40 to Station 13+00 revised

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 01

7878-03-70

January 6, 2026

Special Provisions

6. Utilities.

*Replace entire section titled **Dunn Energy Cooperative (Electric)** with the following:*

Dunn Energy Cooperative (Electric) has existing overhead facilities from Station 6+00 to Station 9+40, LT and Station 9+40 to Station 11+00, RT. Dunn Energy has underground facilities along the right side of CTH P from Station 10+85 to Station 13+50, LT.

Should the contractor request Dunn Energy power poles be temporarily moved, contact Dunn Energy 7 days prior to coordinate temporary relocation. This work is estimated to take 1 day to complete.

Plan Sheets

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:

Revised: 11, 40, 41, and 42.

END OF ADDENDUM

BEGIN PROJECT
STA 8+35.00
MATCH EX PAVEMENT
SAWCUT REQUIRED
P = 130862.893
X = 130862.893

END PROJECT
STA 11+05.00
MATCH EX PAVEMENT
SAWCUT REQUIRED

PROPERTY LINE (TYP)

IRVING CREEK

DUNNE ENERGY COOP - ELECTRIC
EX R/W (TYP)

REMOVE EX STRUCTURE
P-17-915 REQ'D

PROP R/W (TYP)

RECONSTRUCT GRAVEL FE

AT&T - TELEPHONE

EROSION CONTROL LEGEND

EROSION MAT CLASS II TYPE C

SLOPE INTERCEPT

TURBIDITY BARRIER

SURFACE WATER FLOW

BM1
STA = 13.05.01
Y = 185.00
X = 130.959.0225
D = 87°23'05"
Δ = 26'02'37"
T = 210.18'
L = 335.53'
R = 220.00'
PC STA = 10+95.73
PT STA = 14+31.27

BM2
STA = 13.05.01
Y = 185.00
X = 130.959.0225
D = 87°23'05"
Δ = 26'02'37"
T = 210.18'
L = 335.53'
R = 220.00'
PC STA = 10+95.73
PT STA = 14+31.27

CP1
STA = 8+78.47
Y = 163.061.1776
X = 130.902.7973
D = 43°43'58"
Δ = 26'02'37"
T = 114.38'
L = 217.54'
R = 285.00'
PC STA = 7+64.09
PT STA = 9+81.63

CP2
STA = 11+05.00
Y = 185.00
X = 130.959.0225
D = 87°23'05"
Δ = 26'02'37"
T = 210.18'
L = 335.53'
R = 220.00'
PC STA = 10+95.73
PT STA = 14+31.27

CP3
STA = 11+05.44
Y = 185.00
X = 130.959.0225
D = 87°23'05"
Δ = 26'02'37"
T = 210.18'
L = 335.53'
R = 220.00'
PC STA = 10+95.73
PT STA = 14+31.27

AT&T - TELEPHONE

EROSION CONTROL LEGEND

EROSION MAT CLASS II TYPE C

SLOPE INTERCEPT

TURBIDITY BARRIER

SURFACE WATER FLOW

BM1
STA = 13.05.01
Y = 185.00
X = 130.959.0225
D = 87°23'05"
Δ = 26'02'37"
T = 210.18'
L = 335.53'
R = 220.00'
PC STA = 10+95.73
PT STA = 14+31.27

BM2
STA = 13.05.01
Y = 185.00
X = 130.959.0225
D = 87°23'05"
Δ = 26'02'37"
T = 210.18'
L = 335.53'
R = 220.00'
PC STA = 10+95.73
PT STA = 14+31.27

CP1
STA = 8+78.47
Y = 163.061.1776
X = 130.902.7973
D = 43°43'58"
Δ = 26'02'37"
T = 114.38'
L = 217.54'
R = 285.00'
PC STA = 7+64.09
PT STA = 9+81.63

CP2
STA = 11+05.00
Y = 185.00
X = 130.959.0225
D = 87°23'05"
Δ = 26'02'37"
T = 210.18'
L = 335.53'
R = 220.00'
PC STA = 10+95.73
PT STA = 14+31.27

CP3
STA = 11+05.44
Y = 185.00
X = 130.959.0225
D = 87°23'05"
Δ = 26'02'37"
T = 210.18'
L = 335.53'
R = 220.00'
PC STA = 10+95.73
PT STA = 14+31.27

AT&T - TELEPHONE

EROSION CONTROL LEGEND

EROSION MAT CLASS II TYPE C

SLOPE INTERCEPT

TURBIDITY BARRIER

SURFACE WATER FLOW

BM1
STA = 13.05.01
Y = 185.00
X = 130.959.0225
D = 87°23'05"
Δ = 26'02'37"
T = 210.18'
L = 335.53'
R = 220.00'
PC STA = 10+95.73
PT STA = 14+31.27

BM2
STA = 13.05.01
Y = 185.00
X = 130.959.0225
D = 87°23'05"
Δ = 26'02'37"
T = 210.18'
L = 335.53'
R = 220.00'
PC STA = 10+95.73
PT STA = 14+31.27

CP1
STA = 8+78.47
Y = 163.061.1776
X = 130.902.7973
D = 43°43'58"
Δ = 26'02'37"
T = 114.38'
L = 217.54'
R = 285.00'
PC STA = 7+64.09
PT STA = 9+81.63

CP2
STA = 11+05.00
Y = 185.00
X = 130.959.0225
D = 87°23'05"
Δ = 26'02'37"
T = 210.18'
L = 335.53'
R = 220.00'
PC STA = 10+95.73
PT STA = 14+31.27

CP3
STA = 11+05.44
Y = 185.00
X = 130.959.0225
D = 87°23'05"
Δ = 26'02'37"
T = 210.18'
L = 335.53'
R = 220.00'
PC STA = 10+95.73
PT STA = 14+31.27

AT&T - TELEPHONE

EROSION CONTROL LEGEND

EROSION MAT CLASS II TYPE C

SLOPE INTERCEPT

TURBIDITY BARRIER

SURFACE WATER FLOW

BM1
STA = 13.05.01
Y = 185.00
X = 130.959.0225
D = 87°23'05"
Δ = 26'02'37"
T = 210.18'
L = 335.53'
R = 220.00'
PC STA = 10+95.73
PT STA = 14+31.27

BM2
STA = 13.05.01
Y = 185.00
X = 130.959.0225
D = 87°23'05"
Δ = 26'02'37"
T = 210.18'
L = 335.53'
R = 220.00'
PC STA = 10+95.73
PT STA = 14+31.27

CP1
STA = 8+78.47
Y = 163.061.1776
X = 130.902.7973
D = 43°43'58"
Δ = 26'02'37"
T = 114.38'
L = 217.54'
R = 285.00'
PC STA = 7+64.09
PT STA = 9+81.63

CP2
STA = 11+05.00
Y = 185.00
X = 130.959.0225
D = 87°23'05"
Δ = 26'02'37"
T = 210.18'
L = 335.53'
R = 220.00'
PC STA = 10+95.73
PT STA = 14+31.27

CP3
STA = 11+05.44
Y = 185.00
X = 130.959.0225
D = 87°23'05"
Δ = 26'02'37"
T = 210.18'
L = 335.53'
R = 220.00'
PC STA = 10+95.73
PT STA = 14+31.27

AT&T - TELEPHONE

EROSION CONTROL LEGEND

EROSION MAT CLASS II TYPE C

SLOPE INTERCEPT

TURBIDITY BARRIER

SURFACE WATER FLOW

BM1
STA = 13.05.01
Y = 185.00

[illegible]





