



# Wisconsin Department of Transportation

## Division of Transportation Systems Development

Bureau of Project Development  
 4822 Madison Yards Way, 4<sup>th</sup> Floor South  
 Madison, WI 53705

March 4, 2026

Telephone: (608) 266-1631  
 Facsimile (FAX): (608) 266-8459

### NOTICE TO ALL CONTRACTORS:

**Proposal #04: 1660-02-73, WISC 2026216**  
**Marquette – Prairie du Chien**  
**Main St Intersection**  
**USH 18**  
**Crawford County**

**1660-02-75**  
**Marquette – Prairie du Chien**  
**Main St Intersection**  
**USH**  
**Crawford County**

### Letting of March 10, 2026

This is Addendum No. 02, which provides for the following:

#### Schedule of Items:

Revised Bid Item Quantities					
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Proposal Quantity Change (-)	Proposal Total After Addendum
608.0312	Storm Sewer Pipe Reinforced Concrete Class III 12-Inch	LF	69	-49	20
608.0315	Storm Sewer Pipe Reinforced Concrete Class III 15-Inch	LF	966	-946	20
608.0318	Storm Sewer Pipe Reinforced Concrete Class III 18-Inch	LF	405	-353	52
608.0324	Storm Sewer Pipe Reinforced Concrete Class III 24-Inch	LF	529	-439	90

Added Bid Item Quantities					
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Quantity Added	Proposal Total After Addendum
608.3612	Storm Sewer Class III-B 12-Inch	LF	0	49	49
608.3615	Storm Sewer Class III-B 15-Inch	LF	0	946	946
608.3618	Storm Sewer Class III-B 18-Inch	LF	0	353	353
608.3624	Storm Sewer Class III-B 24-Inch	LF	0	439	439

**Plan Sheets:**

<b>Revised Plan Sheets</b>	
<b>Plan Sheet</b>	<b>Plan Sheet Title (brief description of changes to sheet)</b>
58	Storm Sewer – USH 18 (Revised storm sewer pipe materials)
59	Storm Sewer – USH 18 (Revised storm sewer pipe materials)
60	Storm Sewer – USH 18 (Revised storm sewer pipe materials)
61	Storm Sewer – USH 18 (Revised storm sewer pipe materials)
63	Storm Sewer – USH 18 (Revised storm sewer pipe materials)
121	Miscellaneous Quantities (Revised storm sewer pipe quantities)
122	Miscellaneous Quantities (Revised storm structure rim elevations, invert elevations, and depths)

**Schedule of Items**

Attached, dated March 4, 2026, are the revised Schedule of Items Pages 4, 14, and 15.

**Plan Sheets**

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:  
Revised: 58 – 61, 63, 121, and 122.

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.


Sincerely,

*Mike Coleman*

Proposal Development Specialist  
Proposal Management Section

END OF ADDENDUM



Addendum No. 02  
 ID 1660-02-73  
 Revised Sheet 58  
 March 4, 2026



NOTE: SEE 1660-02-75 FOR CLEARANCES WITH WATER MAIN AND SANITARY SEWER


Station	Structure	Length	Grade	Depth
635	2.3	8 FT LONG	634.59	633.95
630	2.1	35 FT LONG	632.28	627.33
625	2.2	16 FT LONG	628.98	628.98
620	2.0	46 FT LONG	627.71	621.36
635	6.0	47 FT LONG	632.94	627.91
630	6.1	8 FT LONG	632.86	628.20
625	6.2	24 FT LONG	628.16	628.16
620	6.3	68 FT LONG	632.73	627.91
635	6.4	23 FT LONG	633.83	626.56
630	6.5	26 FT LONG	633.82	626.31
625	6.6	55 FT LONG	627.91	626.68
620	6.7	55 FT LONG	627.91	626.68

Addendum No. 02  
 ID 1660-02-73  
 Revised Sheet 59  
 March 4, 2026




PROJECT NO: 1660-02-73	COUNTY: CRAWFORD	STORM SEWER - USH 18	SHEET 59	E
FILE NAME: X:\PROJECTS\CRAWFORD\22007\W - 1660-02-03 - USH 18 ROUNDABOUT\DESIGN\CAD\SHETS\PLAN\02-50-SS.DWG	PLANT DATE: 3/2/2026 11:04 AM	PLANT BY: NIK OJHAI	PLANT NAME: 1 IN=40 FT	WISDOT/CADSS SHEET 41
LAYOUT NAME: 02-501-64-D				

NOTE: SEE 1660-02-75 FOR CLEARANCES WITH WATER MAIN AND SANITARY SEWER





Addendum No. 02  
 ID 1660-02-73  
 Revised Sheet 60  
 March 4, 2026



NOTE: SEE 1660-02-75 FOR CLEARANCES WITH WATER MAIN AND SANITARY SEWER



Addendum No. 02  
 ID 1660-02-73  
 Revised Sheet 63  
 March 4, 2026



PROJECT NO: 1660-02-73	COUNTY: CRAWFORD	SHEET: 63
FILE NAME: X:\PROJECTS\CRAWFORD\2207\W - 1660-02-03_USH 18 ROUNDABOUT\DESIGN\CAD\SHETS\PLAN\022501-SS.DWG	PLOT DATE: 3/22/26 11:05 AM	PLOT NAME: NIK OHMFI
LAYOUT NAME: 022501-SS (8)	PLOT SCALE: 1 IN=40 FT	WISDOT/CADSS SHEET 41
PROJECT NO: 1660-02-73	HWY: USH 18	SHEET: 63
PROJECT NAME: STORM SEWER - USH 18		

408-SIZES

CATEGORY	STRUCTURE	TO	STRUCTURE	INLET ELEVATION	DISCHARGE ELEVATION	SLOPE (%)	5310.8000	608.0312	608.0315	608.0318	608.0324	608.0342	608.3612	608.3615	608.3618	608.3624	REMARKS
							CONCRETE COLLARS FOR PIPE	REINFORCED CONCRETE CLASS III 12-INCH	REINFORCED CONCRETE CLASS III 15-INCH	REINFORCED CONCRETE CLASS III 18-INCH	REINFORCED CONCRETE CLASS III 24-INCH	REINFORCED CONCRETE CLASS III 42-INCH	PIPE CLASS IIB	PIPE CLASS IIB	PIPE CLASS IIB	PIPE CLASS IIB	
0010	2.0	-	1.0	621.71	621.36	0.0050	-	-	-	-	68	-	-	-	-	-	
0010	2.1	-	2.0	625.96	625.73	0.0050	-	-	-	-	-	-	-	46	-	-	
0010	2.2	-	2.1	626.98	627.33	0.0103	-	-	-	-	-	-	-	161	-	-	
0010	2.3	-	2.2	628.15	628.98	0.0048	-	-	-	-	-	-	-	35	-	-	
0010	3.1	-	3.0	621.60	621.45	0.0050	-	-	-	-	-	-	-	-	32	-	
0010	3.2	-	3.1	621.95	621.85	0.0050	-	-	-	-	-	-	-	20	-	-	
0010	3.3	-	3.2	622.04	621.95	0.0050	-	-	-	-	-	-	-	18	-	-	
0010	3.4	-	3.3	622.15	622.04	0.0050	-	-	-	-	-	-	-	21	-	-	
0010	4.0	-	2.0	625.42	625.08	0.0050	-	-	-	-	-	-	-	-	-	69	
0010	4.1	-	4.0	626.31	625.92	0.0052	-	-	-	-	-	-	-	-	76	-	
0010	4.2	-	4.1	626.68	626.56	0.0051	-	-	-	-	-	-	-	23	-	-	
0010	5.0	-	4.0	625.70	625.42	0.0050	-	-	-	-	-	-	-	-	-	56	
0010	5.1	-	5.0	626.95	626.66	0.0100	-	-	-	-	-	-	-	29	-	-	
0010	5.2	-	5.1	627.35	626.98	0.0094	-	-	-	-	-	-	-	43	-	-	
0010	6.0	-	5.0	627.91	627.64	0.0050	-	-	-	-	-	-	-	55	-	-	
0010	6.1	-	6.0	628.16	628.09	0.0030	-	-	-	-	24	-	-	-	-	-	
0010	6.2	-	6.1	628.20	628.16	0.0050	-	-	-	-	8	-	-	-	-	-	
0010	6.3	-	6.0	628.03	627.91	0.0026	-	-	-	-	-	-	-	47	-	-	
0010	7.0	-	5.0	626.61	625.70	0.0059	-	-	-	-	-	-	-	-	-	154	
0010	8.0	-	NULL9	617.40	617.24	0.0202	1	-	-	-	8	-	-	-	-	-	
0010	9.0	-	NULL6	619.46	619.23	0.0290	1	-	-	-	8	-	-	-	-	-	
0010	10.0	-	9.0	621.50	619.46	0.0297	-	-	-	-	69	-	-	-	-	-	
0010	10.1	-	10.0	626.23	625.91	0.0157	-	-	-	-	-	-	-	21	-	-	
0010	11.0	-	9.0	620.84	620.21	0.0050	-	-	-	-	-	-	-	-	127	-	
0010	11.1	-	11.0	622.29	622.19	0.0050	-	-	-	-	-	-	-	20	-	-	
0010	11.2	-	11.1	622.32	622.29	0.0050	-	-	-	-	-	-	-	6	-	-	
0010	11.3	-	11.2	622.42	622.32	0.0050	-	-	-	-	-	-	-	19	-	-	
0010	12.0	-	11.0	621.68	621.09	0.0050	-	-	-	-	-	-	-	-	118	-	
0010	12.1	-	12.0	622.77	622.56	0.0050	-	-	-	-	-	-	-	43	-	-	
0010	12.2	-	12.1	623.00	622.77	0.0050	-	-	-	-	-	-	-	46	-	-	
0010	13.0	-	12.0	621.68	621.68	0.0195	-	-	-	-	-	-	-	25	-	-	
0010	14.0	-	9.0	624.18	624.08	0.0050	-	-	-	-	-	-	-	-	19	-	
0010	14.1	-	14.0	626.91	626.28	0.0050	-	-	-	-	-	-	-	128	-	-	
0010	14.2	-	14.1	627.17	626.91	0.0050	-	-	-	-	-	-	-	52	-	-	
0010	14.3	-	14.2	627.34	627.17	0.0050	-	-	-	-	-	-	-	35	-	-	
0010	15.0	-	14.0	624.29	624.18	0.0050	-	-	-	-	-	-	-	-	23	-	
0010	16.0	-	15.0	626.34	626.29	0.0033	-	-	-	-	17	-	-	-	-	-	
0010	17.0	-	15.0	624.65	624.34	0.0047	-	-	-	-	-	-	-	-	-	65	
0010	17.1	-	17.0	626.02	625.40	0.0115	-	-	-	-	-	-	-	53	-	-	
0010	18.0	-	17.0	625.43	625.15	0.0051	-	-	-	-	-	-	-	-	-	53	
0010	18.1	-	18.0	626.14	625.93	0.0050	-	-	-	-	42	-	-	-	-	-	
0010	18.2	-	18.0	625.54	625.43	0.0051	-	-	-	-	22	-	-	-	-	-	
0010	NULL1	-	7.0	626.94	626.61	0.0330	1	10	-	-	-	-	-	-	-	-	
0010	NULL2	-	7.0	627.22	626.67	0.0549	1	-	-	-	-	-	-	-	-	-	
0010	NULL3	-	5.2	627.39	627.35	0.0040	1	-	-	-	10	-	-	-	-	-	
0010	NULL4	-	17.1	626.25	626.21	0.0040	1	10	-	-	-	-	-	-	-	-	
0010	NULL5	-	10.0	626.29	621.50	0.0171	1	-	-	-	280	-	-	-	-	-	
0010	NULL7	-	12.0	622.20	621.68	0.0515	1	-	-	-	10	-	-	-	-	-	
0010	NULL8	-	8.0	617.57	617.4	0.0204	1	-	-	-	8	-	-	-	-	-	
TOTAL 0.0310																	
9 20 20 20 52 90 373 49 946 353 439																	

CATEGORY	STRUCTURE NO.	STATION	OFFSET	ALIGNMENT	CONCRETE 18- INCH	CONCRETE 24- INCH	MANHOLE COVER TYPE	MANHOLE COVER TYPE	INLET COVERS TYPE	INLET COVERS TYPE	INLET COVERS TYPE	CATCH BASINS 5- FT DIAMETER	CATCH BASINS 6- FT DIAMETER	MANHOLES 4-FT DIAMETER	MANHOLES 5-FT DIAMETER	MANHOLES 7-FT DIAMETER	INLETS 4-FT DIAMETER	INLETS 5-FT DIAMETER	INLETS 7-FT DIAMETER	REMARKS	
																					APRON
0010	1.0	20+57.29	105.86 RT	USH18-WB																	
0010	2.0	24+1.66	34.16 RT	IOWAST-CB	632.81	621.36															
0010	2.1	13+47.38	31.50 RT	IOWAST-EB	632.28	625.96															
0010	2.2	11+59.98	33.50 RT	IOWAST-EB	633.95	628.98															
0010	2.3	11+59.98	1.50 LT	IOWAST-EB	634.59	629.15															
0010	3.0	21+43.61	69.50 RT	USH18-WB		621.45															
0010	3.1	21+43.97	37.70 RT	USH18-WB		632.46															
0010	3.2	21+44.87	18.02 RT	USH18-WB		632.80															
0010	3.3	21+52.18	1.50 RT	USH18-WB		633.16															
0010	3.4	21+52.18	19.30 LT	USH18-WB		632.84															
0010	4.0	0+16.00	2.00 LT	IOWAST-CB	633.82	625.42															
0010	4.1	14+97.19	21.69 RT	IOWAST-EB	633.83	626.31															
0010	4.2	15+00.00	1.50 LT	IOWAST-EB	634.22	626.68															
0010	5.0	19+33.85	4.35 RT	USH18-WB	634.86	625.70															
0010	5.1	14+9.52	2.19 RT	IOWAST-CB	633.63	626.95															
0010	5.2	18+85.51	24.16 LT	USH18-WB	633.44	627.35															
0010	6.0	2+10.00	2.00 LT	IOWAST-CB	632.94	627.91															
0010	6.1	13+50.36	6.90 LT	IOWAST-EB	632.78	628.16															
0010	6.2	13+45.00	1.50 LT	IOWAST-EB	632.86	628.20															
0010	6.3	14+6.86	23.91 RT	IOWAST-CB	632.73	628.03															
0010	7.0	15+94.00	1.50 RT	IOWAST-EB	635.70	626.61															
0010	8.0	14+69.38	85.01 RT	USH18-WB	631.23	615.40															
0010	9.0	24+4.00	5.55 RT	WISCONSIN-ST-WE	631.33	619.46															
0010	10.0	15+04.00	19.20 LT	WISCONSIN-ST-WE	630.60	621.50															
0010	10.1	15+03.00	1.50 RT	WISCONSIN-ST-WE	630.85	626.23															
0010	11.0	13+54.50	18.65 LT	USH18-WB	629.87	620.53															
0010	11.1	13+54.50	1.50 RT	USH18-WB	630.08	622.29															
0010	11.2	13+54.51	7.70 RT	USH18-WB	630.13	622.32															
0010	11.3	13+54.51	27.13 RT	USH18-WB	629.82	622.42															
0010	12.0	12+35.00	17.50 LT	USH18-WB	628.57	621.68															
0010	12.1	12+31.66	25.13 RT	USH18-WB	628.26	622.77															
0010	12.2	11+86.34	21.16 RT	USH18-WB	628.10	622.69															
0010	13.0	12+10.00	17.50 LT	USH18-WB	628.48	621.86															
0010	14.0	24+07.00	2.00 LT	WISCONSIN-ST-WE	631.09	624.18															
0010	14.1	15+14.37	11.01 RT	USH18-WB	631.95	626.91															
0010	14.2	12+48.00	1.50 RT	WISCONSIN-ST-WE	632.63	627.17															
0010	14.3	12+48.00	33.00 LT	WISCONSIN-ST-WE	632.73	627.34															
0010	15.0	14+3.00	2.00 LT	WISCONSIN-ST-WE	630.94	624.29															
0010	16.0	14+5.00	1.73 LT	WISCONSIN-ST-WE	630.91	626.34															
0010	17.0	15+89.00	20.10 LT	USH18-WB	630.65	624.65															
0010	17.1	15+91.45	33.14 RT	USH18-WB	630.67	626.02															
0010	18.0	16+45.91	19.01 LT	USH18-WB	630.96	625.43															
0010	18.1	16+45.91	23.29 RT	USH18-WB	630.30	626.14															
0010	18.2	16+48.00	18.00 LT	USH18-WB	630.35	625.54															
0010	TEMP1	180+48.00	10.70 LT	USH18																	
0010	TEMP2	180+47.00	9.90 RT	USH18																	
0010	TEMP3	2+10.00	2.00 LT	BCR																	
					TOTAL 0010																
					HWY: USH 18																
					COUNTY: CRAWFORD																
					MISCELLANEOUS QUANTITIES																
					SHEET: 122																



Proposal Schedule of Items

Proposal ID: 20260310004 Project(s): 1660-02-73, 1660-02-75

Federal ID(s): WISC 2026216, N/A

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0088	601.0574 Concrete Curb & Gutter 4-Inch Sloped 30-Inch Type G	991.000 LF	_____	_____
0090	601.0581 Concrete Curb & Gutter 4-Inch Sloped 30-Inch Type R	590.000 LF	_____	_____
0092	601.0600 Concrete Curb Pedestrian	88.000 LF	_____	_____
0094	602.0410 Concrete Sidewalk 5-Inch	27,340.000 SF	_____	_____
0096	602.0505 Curb Ramp Detectable Warning Field Yellow	120.000 SF	_____	_____
0098	602.0515 Curb Ramp Detectable Warning Field Natural Patina	320.000 SF	_____	_____
0100	602.0810 Concrete Driveway 6-Inch	485.000 SY	_____	_____
0102	602.3010 Concrete Surface Drains	1.440 CY	_____	_____
0104	606.0200 Riprap Medium	16.000 CY	_____	_____
0106	608.0312 Storm Sewer Pipe Reinforced Concrete Class III 12-Inch	20.000 LF	_____	_____
0108	608.0315 Storm Sewer Pipe Reinforced Concrete Class III 15-Inch	20.000 LF	_____	_____
0110	608.0318 Storm Sewer Pipe Reinforced Concrete Class III 18-Inch	52.000 LF	_____	_____
0112	608.0324 Storm Sewer Pipe Reinforced Concrete Class III 24-Inch	90.000 LF	_____	_____
0114	608.0342 Storm Sewer Pipe Reinforced Concrete Class III 42-Inch	373.000 LF	_____	_____



Proposal Schedule of Items

Proposal ID: 20260310004 Project(s): 1660-02-73, 1660-02-75

Federal ID(s): WISC 2026216, N/A

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0378	SPV.0060 Special 40. Abandon Existing Sanitary Mains And Manholes, Project 1660-02-75	1.000 EACH	_____.	_____.
0380	SPV.0060 Special 41. Abandon Existing Water Mains, Valves, Hydrants, Project 1660-02-75	1.000 EACH	_____.	_____.
0382	SPV.0060 Special 42. 2-Inch Corporation Stop	1.000 EACH	_____.	_____.
0384	SPV.0060 Special 43. 2-Inch Curb Valve w/ Box	1.000 EACH	_____.	_____.
0386	SPV.0090 Special 01. Porfile Curb Cut	160.000 LF	_____.	_____.
0388	SPV.0090 Special 30. Water Service, 1-Inch Copper	88.000 LF	_____.	_____.
0390	SPV.0090 Special 31. Water Main, 6-Inch, DI, Class 52	605.000 LF	_____.	_____.
0392	SPV.0090 Special 32. Sanitary Sewer Lateral, 4-Inch, PVC, SDR 35, w/ 10 AWG Tracer Wire	133.000 LF	_____.	_____.
0394	SPV.0090 Special 33. Sanitary Sewer, 18-Inch, PVC, SDR 35	756.000 LF	_____.	_____.
0396	SPV.0090 Special 34. Water Service PE SDR 9, 2-Inch w/ 10 AWG Tracer Wire	33.000 LF	_____.	_____.
0398	SPV.0060 Special 06. Temporary Lighting System (USH 18 & Iowa St)	1.000 EACH	_____.	_____.
0400	SPV.0060 Special 07. Temporary Lighting System (USH 18 & Wisconsin St)	1.000 EACH	_____.	_____.
0402	608.3612 Storm Sewer Pipe Class III-B 12-Inch	49.000 LF	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20260310004 Project(s): 1660-02-73, 1660-02-75

Federal ID(s): WISC 2026216, N/A

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0404	608.3615 Storm Sewer Pipe Class III-B 15-Inch	946.000 LF	_____.	_____.
0406	608.3618 Storm Sewer Pipe Class III-B 18-Inch	353.000 LF	_____.	_____.
0408	608.3624 Storm Sewer Pipe Class III-B 24-Inch	439.000 LF	_____.	_____.
<b>Section: 0001</b>			<b>Total:</b>	_____.
			<b>Total Bid:</b>	_____.